THE JOURNAL OF PHYSIOLOGY

AUTHOR AND SUBJECT INDEXES

to Volumes 445–458

(January–December 1992)

The entries contained in this Annual Index, and in a similar Annual Index for 1991, will be incorporated into the triennial hardbound Cumulative Index for the years 1991–1993

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

American Branch: 40 West 20th Street, New York, NY 10011–4211

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

The Journal of Physiology

The Journal of Physiology

The Journal of Physiology (ISSN 0022–3751) is published monthly for the Physiological Society by Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU and 40 West 20th Street, New York, NY 10011–4211.

Fourteen volumes (459–472) plus an additional index volume will be published in 1993; each numbered volume being fully bound in hard covers. The 1993 annual subscription price (which includes postage) is £775.00 net (US $1525.00 in the USA, Canada and Mexico). Copies of the journal for subscribers in the USA, Canada and Mexico are sent by air to New York. Individual volumes may be purchased at £60.00 (US $122.00 in USA, Canada and Mexico) each, plus postage. Orders, which must be accompanied by payment, may be placed with a bookseller or directly with the publisher. POSTMASTER: send address changes in USA, Canada and Mexico to *The Journal of Physiology*, Cambridge University Press, 110 Midland Avenue, Port Chester, New York, NY 10573–9864. Japanese prices for institutions (including ASP delivery) are available from Kinokuniya Company Ltd, PO Box 55, Chitose, Tokyo. Second class postage paid at New York, NY, and at additional mailing offices.

Back Volumes

Volumes 1–253 (1878–1975) are available from Wm Dawson and Sons Ltd, Cannon House, Folkestone, Kent, England.

Volumes 254–458 (1976–1992) at £55 ($120) net each, are available from the publisher.

Volumes 61–120, 168–169, 180, 181, 184 and 210 were published in four parts, other volumes to 273 in three parts. Volumes to 273 are available in paper covers only. Volume 274 onwards are available in hard bound covers only.

Indexes

Cumulative indexes to the following volumes are available from Wm Dawson and Sons Ltd:

Volumes 61–100 (1947), 101–115 (1952), 116–134 (1957), 135–154 (1961), 155–175 (1965), 176–199 (1969), 200–224 (1973), 225–244 (published as part 3 of Vol. 253, 1975).

Cumulative indexes to the following volumes are available from the publishers: 245–285 (1979), 286–321 (1981), 322–357 (1984), 358–394 (1987) and 395–431 (1991) at £55 ($120) net.

Copying

This Journal is registered with the Copyright Clearance Center, 27 Congress St, Salem, MA 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of $7.50. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0022–3751/93 $7.50 + 0.00.

© The Physiological Society 1993

THE JOURNAL OF PHYSIOLOGY

AUTHOR AND SUBJECT INDEXES

to Volumes 445–458

(January–December 1992)

CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© The Physiological Society 1993

ISSN 0022 3751

Printed in Great Britain by the
University Press, Cambridge

CONTENTS

INDEX TO VOLUMES 445–458

(*January–December* 1992)

Author index: Papers 1

Author index: Proceedings 67

Subject index 203

AUTHOR INDEX: PAPERS

AARONSON Philip I.

SMIRNOV Sergey V. & AARONSON Philip I. Ca^{2+}-activated and voltage-gated K^+ currents in smooth muscle cells isolated from human mesenteric arteries. **457**, 431, 1992

SMIRNOV Sergey V. & AARONSON Philip I. Ca^{2+} currents in single myocytes from human mesenteric arteries: evidence for a physiological role of L-type channels. **457**, 455, 1992

ABAD Francisco

ABAD Francisco, GARRIDO Benito, LÓPEZ Manuela G. & GARCÍA Antonio G. The source of calcium for muscarinic-mediated catecholamine release from cat adrenals. **445**, 725, 1992

UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992

ABRAMSON Jonathan J.

SALAMA Guy, ABRAMSON Jonathan J. & PIKE Gregory K. Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. **454**, 389, 1992

ADAMS D.J.

RUSKO J., TANZI F., VAN BREEMEN C. & ADAMS D.J. Calcium-activated potassium channels in native endothelial cells from rabbit aorta: conductance, Ca^{2+} sensitivity and block. **455**, 601, 1992

XU Z.-J. & ADAMS D.J. Resting membrane potential and potassium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 405, 1992

XU Z.-J. & ADAMS D.J. Voltage-dependent sodium and calcium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 425, 1992

ADAMS P.R.

MARRION N.V. & ADAMS P.R. Release of intracellular calcium and modulation of membrane currents by caffeine in bull-frog sympathetic neurones. **445**, 515, 1992

ADAMSON R.H.

ADAMSON R.H. & CLOUGH Geraldine Plasma proteins modify the endothelial cell glycocalyx of frog mesenteric microvessels. **445**, 473, 1992

ADELMAN J.P.

BUSCH A.E., KAVANAUGH M.P., VARNUM M.D., ADELMAN J.P. & NORTH R.A. Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992

AGULIAN Sam

JIANG Chun, AGULIAN Sam & HADDAD Gabriel G. Cl^- and Na^+ homeostasis during anoxia in rat hypoglossal neurons: intracellular and extracellular *in vitro* studies. **448**, 697, 1992

AHERN Gerard

DULHUNTY Angela F., ZHU Pei-Hong, PATTERSON Michael F. & AHERN Gerard Actions of perchlorate ions on rat soleus muscle fibres. **448**, 99, 1992

AIBARA Keiji

SHIRASAKI Tetsuya, AIBARA Keiji & AKAIKE Norio Direct modulation of $GABA_A$ receptor by intracellular ATP in dissociated nucleus tractus solitarii neurones of rat. **449**, 551, 1992

AIBARA Keiji, EBIHARA Satoru & AKAIKE Norio Voltage-dependent ionic currents in dissociated paratracheal ganglion cells of the rat. **457**, 591, 1992

AIKEN S.P.

AIKEN S.P., HORN N.M. & SAUNDERS N.R. Effects of amino acids on zinc transport in rat erythrocytes. **445**, 69, 1992

AJIKOBI David O.

HILL Ceredwyn E. & AJIKOBI David O. Induction of haemodynamic oscillations in the perfused rat liver by K^+ channel blockers. **453**, 33, 1992

AKAIKE Norio

UENO Shinya, NAKAYE Toshio & AKAIKE Norio Proton-induced sodium current in freshly dissociated hypothalamic neurones of the rat. **447**, 309, 1992

SHIRASAKI Tetsuya, AIBARA Keiji & AKAIKE Norio Direct modulation of $GABA_A$ receptor by intracellular ATP in dissociated nucleus tractus solitarii neurones of rat. **449**, 551, 1992

YAMASHITA Yoshiro, AKAIKE Norio, WAKAMORI Minoru, IKEDA Isamu & OGAWA Hisashi Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992

AKAIKE Norio & TAKAHASHI Kazuyoshi Tetrodotoxin-sensitive calcium-conducting channels in the rat hippocampal CA1 region. **450**, 529, 1992

AIBARA Keiji, EBIHARA Satoru & AKAIKE Norio Voltage-dependent ionic currents in dissociated paratracheal ganglion cells of the rat. **457**, 591, 1992

AKASU T.

NISHIMURA T., AKASU T. & KRIER J. Guanosine 3′,5′-cyclic monophosphate regulates calcium channels in neurones of rabbit vesical pelvic ganglia. **457**, 559, 1992

ALGER B.E.

PITLER T.A. & ALGER B.E. Cholinergic excitation of GABAergic interneurons in the rat hippocampal slice. **450**, 127, 1992

ALLAART Cor P.

SCHOUTEN Vincent J.A., ALLAART Cor P. & WESTERHOF Nico Effect of perfusion pressure on force of contraction in thin papillary muscles and trabeculae from rat heart. **451**, 585, 1992

ALLEN David G.

WESTERBLAD Håkan & ALLEN David G. Changes of intracellular pH due to repetitive stimulation of single fibres from mouse skeletal muscle. **449**, 49, 1992

WESTERBLAD Håkan & ALLEN David G. Myoplasmic free Mg^{2+} concentration during repetitive stimulation of single fibres from mouse skeletal muscle. **453**, 413, 1992

ALLEN D.G.

ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. **454**, 467, 1992

ALLEN N.J.

AMRANI M., O'SHEA J., ALLEN N.J., HARDING S.E., JAYAKUMAR J., PEPPER J.R., MONCADA S. & YACOUB M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

AL-OBAIDI M.

AL-OBAIDI M. & KARIM F. Primary effects of carotid chemoreceptor stimulation on gracilis muscle and renal blood flow and renal function in dogs. **455**, 73, 1992

KARIM F. & AL-OBAIDI M. Effects of left atrial receptor stimulation on carotid chemoreceptor-induced renal responses in dogs. **456**, 529, 1992

AL-OMARI Yehia

HODSON Stuart, KAILA Darshan, HAMMOND Simon, REBELLO Gavin & AL-OMARI Yehia Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992

ALSTERMARK B.

ALSTERMARK B., PINTER M.J. & SASAKI S. Tectal and tegmental excitation in dorsal neck motoneurones of the cat. **454**, 517, 1992

ALTON E.W.F.W.

GRAHAM A., STEEL D.M., ALTON E.W.F.W. & GEDDES D.M. Second-messenger regulation of sodium transport in mammalian airway epithelia. **453**, 475, 1992

ALVAREZ-LEEFMANS F.J.

ALVAREZ-LEEFMANS F.J., GAMIÑO S.M. & REUSS L. Cell volume changes upon sodium pump inhibition in *Helix aspersa* neurones. **458**, 603, 1992

AMRANI M.

AMRANI M., O'SHEA J., ALLEN N.J., HARDING S.E., JAYAKUMAR J., PEPPER J.R., MONCADA S. & YACOUB M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

ANAGNOSTOPOULOS Takis

DISCALA Françoise, BELACHGAR Fouzia, PLANELLES Gabrielle, HULIN Philippe & ANAGNOSTOPOULOS Takis Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992

ANAND Ashima

PAINTAL A.S. & ANAND Ashima Factors affecting movement of excitatory substances from pulmonary capillaries to type J receptors of anaesthetized cats. **449**, 155, 1992

ANASTASIJEVIĆ Radmila

LJUBISAVLJEVIĆ M., JOVANOVIĆ Ksenija & ANASTASIJEVIĆ Radmila Changes in discharge rate of fusimotor neurones provoked by fatiguing contractions of cat triceps surae muscles. **445**, 499, 1992

ANDERS Klaus

FELDMAN Jack L., WINDHORST Uwe, ANDERS Klaus & RICHTER Diethelm W. Synaptic interaction between medullary respiratory neurones during apneusis induced by NMDA-receptor blockade in cat. **450**, 303, 1992

ANDERSEN P.

HU G.-Y., HVALBY Ø., LACAILLE J.-C., PIERCEY B., ØSTBERG T. & ANDERSEN P. Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992

ANDERSON C.R.

JOBLING P., MCLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. **454**, 107, 1992

ANDERSSON K.-E.
HOLMQUIST F., HEDLUND H. & ANDERSSON K.-E. Characterization of inhibitory neurotransmission in the isolated corpus cavernosum from rabbit and man. **449**, 295, 1992

ANDRIANTSITOHAINA R.
ANDRIANTSITOHAINA R. & SURPRENANT Annmarie Acetylcholine released from guinea-pig submucosal neurones dilates arterioles by releasing nitric oxide from endothelium. **453**, 493, 1992

APPEL S.H.
GARCÍA J., MCKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. **454**, 183, 1992

APPENTENG Kwabena
GRIMWOOD Paul D., APPENTENG Kwabena & CURTIS John C. Monosynaptic EPSPs elicited by single interneurones and spindle afferents in trigeminal motoneurones of anaesthetized rats. **455**, 641, 1992

APPLEYARD M.
SUTTERS M., WAKEFIELD C., O'NEIL K., APPLEYARD M., FRANKEL H., MATHIAS C.J. & PEART W.S. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

ÅRHEM Peter
JOHANSSON Staffan, FRIEDMAN Wilma & ÅRHEM Peter Impulses and resting membrane properties of small cultured rat hippocampal neurons. **445**, 129, 1992
JOHANSSON Staffan & ÅRHEM Peter Membrane currents in small cultured rat hippocampal neurons: a voltage-clamp study. **445**, 141, 1992
JOHANSSON Staffan & ÅRHEM Peter Computed potential responses of small cultured rat hippocampal neurons. **445**, 157, 1992

ARKETT Stuart A.
ARKETT Stuart A., DIXON S. Jeffrey & SIMS Stephen M. Substrate influences rat osteoclast morphology and expression of potassium conductances. **458**, 633, 1992

ARMSTRONG C.M.
VINCENT P., ARMSTRONG C.M. & MARTY A. Inhibitory synaptic currents in rat cerebellar Purkinje cells: modulation by postsynaptic depolarization. **456**, 453, 1992

ARNDT Joachim O.
KLEMENT Wolfgang & ARNDT Joachim O. The role of nociceptors of cutaneous veins in the mediation of cold pain in man. **449**, 73, 1992

ARTALEJO Antonio R.
UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992

ASCHER Philippe
SATHER William, DIEUDONNÉ Stéphane, MACDONALD John F. & ASCHER Philippe Activation and desensitization of *N*-methyl-D-aspartate receptors in nucleated outside-out patches from mouse neurones. **450**, 643, 1992
JOHNSON Jon W. & ASCHER Philippe Equilibrium and kinetic study of glycine action on the *N*-methyl-D-aspartate receptor in cultured mouse brain neurons. **455**, 339, 1992

ASHBY P.
PALMER E. & ASHBY P. Corticospinal projections to upper limb motoneurones in humans. **448**, 397, 1992
PALMER E. & ASHBY P. Evidence that a long latency stretch reflex in humans is transcortical. **449**, 429, 1992

ASHMORE J.F.
HOUSLEY G.D. & ASHMORE J.F. Ionic currents of outer hair cells isolated from the guinea-pig cochlea. **448**, 73, 1992

ASIF M.
ASIF M. & EDGLEY S.A. Projections of group II-activated midlumbar spinocerebellar tract neurones to the region of nucleus Z in the cat. **448**, 565, 1992

ASSELMAN P.T.
BARNES G.R. & ASSELMAN P.T. Pursuit of intermittently illuminated moving targets in the human. **445**, 617, 1992

AUCOUTURIER Sylvie
CUBER Jean-Claude, AUCOUTURIER Sylvie, BERNARD Christine & CHAYVIALLE Jean-Alain Role of cyclic nucleotides and calcium in the nutrient-induced release of cholecystokinin-like immunoreactivity in rats. **449**, 37, 1992

AUGUSTINE George J.
AUGUSTINE George J. & NEHER Erwin Calcium requirements for secretion in bovine chromaffin cells. **450**, 247, 1992

Neher Erwin & Augustine George J. Calcium gradients and buffers in bovine chromaffin cells. **450**, 273, 1992

Azzidani Awad M.

Török Tamás L., Tóth Péter T., Tóthfalusi László, Azzidani Awad M. & Magyar Kálmán Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992

Baidan L.V.

Zholos A.V., Baidan L.V. & Shuba M.F. Some properties of Ca^{2+}-induced Ca^{2+} release mechanism in single visceral smooth muscle cell of the guinea-pig. **457**, 1, 1992

Bain A.I.

Bain A.I. & Quastel D.M.J. Quantal transmitter release mediated by strontium at the mouse motor nerve terminal. **450**, 63, 1992

Bain A.I. & Quastel D.M.J. Multiplicative and additive Ca^{2+}-dependent components of facilitation at mouse endplates. **455**, 383, 1992

Bajwa S.

Bajwa S., Edgley S.A. & Harrison P.J. Crossed actions on group II-activated interneurones in the midlumbar segments of the cat spinal cord. **455**, 205, 1992

Baker M.

Baker M. & Bostock H. Ectopic activity in demyelinated spinal root axons of the rat. **451**, 539, 1992

Baldo G.J.

Gao J., Mathias R.T., Cohen I.S. & Baldo G.J. Isoprenaline, Ca^{2+} and the Na^+–K^+ pump in guinea-pig ventricular myocytes. **449**, 689, 1992

Balke C. William

Balke C. William, Rose William C., Marban Eduardo & Wier W. Gil Macroscopic and unitary properties of physiological ion flux through T-type Ca^{2+} channels in guinea-pig heart cells. **456**, 247, 1992

Rose William C., Balke C. William, Wier W. Gil & Marban Eduardo Macroscopic and unitary properties of physiological ion flux through L-type Ca^{2+} channels in guinea-pig heart cells. **456**, 267, 1992

Bambrick Linda L.

Bambrick Linda L. & Gordon Tessa Neural regulation of acetylcholine receptors in rat neonatal muscle. **449**, 479, 1992

Bangsbo J.

Bangsbo J., Graham T.E., Kiens B. & Saltin B. Elevated muscle glycogen and anaerobic energy production during exhaustive exercise in man. **451**, 205, 1992

Banno Hitoshi

Shimoni Yakhin, Banno Hitoshi & Clark R.B. Hyperthyroidism selectively modified a transient potassium current in rabbit ventricular and atrial myocytes. **457**, 369, 1992

Barish Michael E.

Sands Steven B. & Barish Michael E. Neuronal nicotinic acetylcholine receptor currents in phaeochromocytoma (PC12) cells: dual mechanisms of rectification. **447**, 467, 1992

Barker D.

Barker D., Scott J.J.A. & Stacey M.J. A study of glycogen depletion and the fibre-type composition of cat skeleto-fusimotor units. **450**, 565, 1992

Barker P.M.

Ramsden C.A., Markiewicz M., Walters D.V., Gabella G., Parker K.A., Barker P.M. & Neil H.L. Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992

Barnes G.R.

Barnes G.R. & Asselman P.T. Pursuit of intermittently illuminated moving targets in the human. **445**, 617, 1992

Barnes Peter J.

Miura Motohiko, Belvisi Maria G., Stretton C. David, Yacoub Magdi H. & Barnes Peter J. Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992

Baron Carl B.

Coburn Ronald F., Moreland Suzanne, Moreland Robert S. & Baron Carl B. Rate-limiting energy-dependent steps controlling oxidative metabolism–contraction coupling in rabbit aorta. **448**, 473, 1992

Barré Hervé

Duchamp Claude, Cohen-Adad Frédérique, Rouanet Jean-Louis & Barré Hervé Histochemical arguments for muscular non-shivering thermogenesis in muscovy ducklings. **457**, 27, 1992

Barrett Ellen F.

David Gavriel, Barrett John N. & Barrett Ellen F. Evidence that action potentials activate an internodal potassium conductance in lizard myelinated axons. **445**, 277, 1992

BARRETT John N.
DAVID Gavriel, BARRETT John N. & BARRETT Ellen F. Evidence that action potentials activate an internodal potassium conductance in lizard myelinated axons. **445**, 277, 1992
BARTLETT D. JR
BARTLETT D. JR, KNUTH S.L. & LEITER J.C. Alteration of ventilatory activity by intralaryngeal CO_2 in the cat. **457**, 177, 1992
BARTLETT D. JR & KNUTH S.L. Responses of laryngeal receptors to intralaryngeal CO_2 in the cat. **457**, 187, 1992
BARTSCHAT D.K.
LENTZNER Alan, BYKOV Victor & BARTSCHAT D.K. Time-resolved changes in intracellular calcium following depolarization of rat brain synaptosomes. **450**, 613, 1992
BASSANI José W.M.
BASSANI Rosana A., BASSANI José W.M. & BERS Donald M. Mitochondrial and sarcolemmal Ca^{2+} transport reduce $[Ca^{2+}]_i$ during caffeine contractures in rabbit cardiac myocytes. **453**, 591, 1992
BASSANI Rosana A.
BASSANI Rosana A., BASSANI José W.M. & BERS Donald M. Mitochondrial and sarcolemmal Ca^{2+} transport reduce $[Ca^{2+}]_i$ during caffeine contractures in rabbit cardiac myocytes. **453**, 591, 1992
BAUER Paul J.
BAUER Paul J. & DRECHSLER Markus Association of cyclic GMP-gated channels and Na^+–Ca^{2+}–K^+ exchangers in bovine retinal rod outer segment plasma membranes. **451**, 109, 1992
BAYLOR D.A.
KARPEN J.W., LONEY D.A. & BAYLOR D.A. Cyclic GMP-activated channels of salamander retinal rods: spatial distribution and variation of responsiveness. **448**, 257, 1992
MAKINO C.L., TAYLOR W.R. & BAYLOR D.A. Erratum: *Journal of Physiology* **442** (1991) **448**, 781, 1992
ZIMMERMAN A.L. & BAYLOR D.A. Cation interactions within the cyclic GMP-activated channel of retinal rods from the tiger salamander. **449**, 759, 1992
BAYLOR S.M.
PAPE P.C., KONISHI M. & BAYLOR S.M. Valinomycin and excitation–contraction coupling in skeletal muscle fibres of the frog. **449**, 219, 1992
BEACOCK D.J.
FUNG D.C.K., BEACOCK D.J. & RICHARDSON P.S. Vagal control of mucus glycoconjugate secretion into the feline trachea. **453**, 435, 1992
BELACHGAR Fouzia
DISCALA Françoise, BELACHGAR Fouzia, PLANELLES Gabrielle, HULIN Philippe & ANAGNOSTOPOULOS Takis Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992
BELMONTE Carlos
POZO Miguel A., GALLEGO Roberto, GALLAR Juana & BELMONTE Carlos Blockade by calcium antagonists of chemical excitation and sensitization of polymodal nociceptors in the cat's cornea. **450**, 179, 1992
BELVISI Maria G.
MIURA Motohiko, BELVISI Maria G., STRETTON C. David, YACOUB Magdi H. & BARNES Peter J. Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992
BENESTAD H.B.
IVERSEN P.O., BENESTAD H.B. & NICOLAYSEN G. Marked splenic hyperaemia during post-haemorrhagic hypotension in the rat, rabbit and cat. **448**, 437, 1992
BENHAM C.D.
BENHAM C.D., EVANS M.L. & MCBAIN C.J. Ca^{2+} efflux mechanisms following depolarization evoked calcium transients in cultured rat sensory neurones. **455**, 567, 1992
BENNDORF K.
BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. **454**, 339, 1992
BENNETT Max R.
LAVIDIS Nickolas A. & BENNETT Max R. Probabilistic secretion of quanta from visualized sympathetic nerve varicosities in mouse vas deferens. **454**, 9, 1992
BENTERBUSCH R.
BENTERBUSCH R. & MELZER W. Ca^{2+} current in myotome cells of the lancelet (*Branchiostoma lanceolatum*). **450**, 437, 1992
BÉNY Jean-Louis
PACICCA Catherine, VON DER WEID Pierre-Yves & BÉNY Jean-Louis Effect of nitro-L-arginine on endothelium-dependent hyperpolarizations and relaxations of pig coronary arteries. **457**, 247, 1992
BENYÓ Zoltán
KOVÁCH Arisztid G.B., SZABÓ Csaba, BENYÓ Zoltán, CSÁKI Csilla, GREENBERG Joel H. & REIVICH Martin Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992

BERG B.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992

BERKENBOSCH A.
WOLSINK J.G., BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.N. The effects of hypoxia on the ventilatory response to sudden changes in CO_2 in newborn piglets. **456**, 39, 1992

BERKENBOSCH Aad
BERKENBOSCH Aad, DAHAN Albert, DEGOEDE Jacob & OLIEVIER Ida C.W. The ventilatory response to CO_2 of the peripheral and central chemoreflex loop before and after sustained hypoxia in man. **456**, 71, 1992

BERNARD Christine
CUBER Jean-Claude, AUCOUTURIER Sylvie, BERNARD Christine & CHAYVIALLE Jean-Alain Role of cyclic nucleotides and calcium in the nutrient-induced release of cholecystokinin-like immunoreactivity in rats. **449**, 37, 1992

BERQUIN A.
BERQUIN A. & LEBACQ J. Parvalbumin, labile heat and slowing of relaxation in mouse soleus and extensor digitorum longus muscles. **445**, 601, 1992

BERRIDGE Michael J.
BOOTMAN Martin D., BERRIDGE Michael J. & TAYLOR Colin W. All-or-nothing Ca^{2+} mobilization from the intracellular stores of single histamine-stimulated HeLa cells. **450**, 163, 1992
MISSIAEN Ludwig, TAYLOR Colin W. & BERRIDGE Michael J. Luminal Ca^{2+} promoting spontaneous Ca^{2+} release from inositol trisphosphate-sensitive stores in rat hepatocytes. **455**, 623, 1992

BERS Donald M.
BASSANI Rosana A., BASSANI José W.M. & BERS Donald M. Mitochondrial and sarcolemmal Ca^{2+} transport reduce $[Ca^{2+}]_i$ during caffeine contractures in rabbit cardiac myocytes. **453**, 591, 1992

BERSHITSKY Sergey Y.
BERSHITSKY Sergey Y. & TSATURYAN Andrey K. Tension responses to joule temperature jump in skinned rabbit muscle fibres. **447**, 425, 1992

BEST Philip M.
XU Xiaoping & BEST Philip M. Postnatal changes in T-type calcium current density in rat atrial myocytes. **454**, 657, 1992

BEVAN Leslie
BEVAN Leslie, LAOURIS Yiannis, REINKING Robert M. & STUART Douglas G. The effect of the stimulation pattern on the fatigue of single motor units in adult cats. **449**, 85, 1992

BIELEFELDT Klaus
BIELEFELDT Klaus, ROTTER Janet L. & JACKSON Meyer B. Three potassium channels in rat posterior pituitary nerve terminals. **458**, 41, 1992

BIGLAND-RITCHIE B.
MCKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. **454**, 643, 1992

BILSKI Jan
KONTUREK Stanislaw J., BILSKI Jan, TASLER Janina & CIESZKOWSKI Marek Role of cholecystokinin in the inhibition of gastric acid secretion in dogs. **451**, 477, 1992

BING Zhu
ROY Jean-Claude, BING Zhu, VILLANUEVA Luis & LE BARS Daniel Convergence of visceral and somatic inputs onto subnucleus reticularis dorsalis neurones in the rat medulla. **458**, 235, 1992

BISCOE T.J.
DUCHEN Michael R. & BISCOE T.J. Mitochondrial function in type I cells isolated from rabbit arterial chemoreceptors. **450**, 13, 1992
DUCHEN Michael R. & BISCOE T.J. Relative mitochondrial membrane potential and $[Ca^{2+}]_i$ in type I cells isolated from the rabbit carotid body. **450**, 33, 1992

BLANQUET France
BLANQUET France & GONELLA J. Role of M_1 muscarinic receptors in the parasympathetic control of colonic motility in cats and rabbits. **458**, 655, 1992

BLOMQVIST H.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992

BLONDFIELD David P.
OZAKI Hiroshi, BLONDFIELD David P., HORI Masatoshi, PUBLICOVER Nelson G., KATO Iwao & SANDERS Kenton M. Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992

BLONDFIELD D.P.
OZAKI H., BLONDFIELD D.P., HORI M., SANDERS K.M. & PUBLICOVER N.G. Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992

BOCZEK-FUNCKE A.
BOCZEK-FUNCKE A., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of the activity in sympathetic neurones supplying muscle, skin and pelvic organs in the cat. **449**, 333, 1992
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W., MCALLEN R.M. & MICHAELIS M. Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory-related activity patterns in preganglionic neurones projecting into the cat cervical sympathetic trunk. **457**, 277, 1992

BÖHLE Th.
BÖHLE Th. The effect of the benzothiazepine diltiazem on force and Ca^{2+} current in isolated frog skeletal muscle fibres. **445**, 303, 1992

BOLLMANN G.
BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. **454**, 339, 1992

BOLSHAKOV Vadim Yu.
BOLSHAKOV Vadim Yu., GAPON Svetlana A. & MAGAZANIK Lev G. Transduction mechanism for glutamate-induced potassium current in neurones of the mollusc *Planorbarius corneus*. **455**, 33, 1992

BOLTON T.B.
PACAUD P., LOIRAND G., BOLTON T.B., MIRONNEAU C. & MIRONNEAU J. Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992

BOOTMAN Martin D.
BOOTMAN Martin D., BERRIDGE Michael J. & TAYLOR Colin W. All-or-nothing Ca^{2+} mobilization from the intracellular stores of single histamine-stimulated HeLa cells. **450**, 163, 1992

BOSTOCK H.
BAKER M. & BOSTOCK H. Ectopic activity in demyelinated spinal root axons of the rat. **451**, 539, 1992

BOTELLA Alain
BOTELLA Alain, DELVAUX Michel, BUENO Lionel & FREXINOS Jacques Intracellular pathways triggered by galanin to induce contraction of pig ileum smooth muscle cells. **458**, 475, 1992

BOUCHER Richard C.
WILLUMSEN Niels J. & BOUCHER Richard C. Intracellular pH and its relationship to regulation of ion transport in normal and cystic fibrosis human nasal epithelia. **455**, 247, 1992

BOURQUE Charles W.
OLIET Stephane H.R. & BOURQUE Charles W. Properties of supraoptic magnocellular neurones isolated from the adult rat. **455**, 291, 1992
JARVIS Cathryn R., BOURQUE Charles W. & RENAUD Leo P. Depolarizing action of cholecystokinin on rat supraoptic neurones *in vitro*. **458**, 621, 1992
HU Bin & BOURQUE Charles W. NMDA receptor-mediated rhythmic bursting activity in rat supraoptic nucleus neurones *in vitro*. **458**, 667, 1992

BOYD C.A.R.
DEVÉS R., CHAVEZ P. & BOYD C.A.R. Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. **454**, 491, 1992

BOYETT M.R.
HARRISON S.M., MCCALL E. & BOYETT M.R. The relationship between contraction and intracellular sodium in rat and guinea-pig ventricular myocytes. **449**, 517, 1992

BOYLE J.P.
BOYLE J.P., TOMASIC M. & KOTLIKOFF M.I. Delayed rectifier potassium channels in canine and porcine airway smooth muscle cells. **447**, 329, 1992

BRAVENÝ P.
ŠIMURDA J., ŠIMURDOVÁ M., BRAVENÝ P. & ŠUMBERA J. A contraction-related component of slow inward current in dog ventricular muscle and its relation to Na^+–Ca^{2+} exchange. **456**, 49, 1992

BROCHU Richard M.
BROCHU Richard M., CLAY John R. & SHRIER Alvin Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. **454**, 503, 1992

BROOKS P.A.
BROOKS P.A., GLAUM S.R., MILLER R.J. & SPYER K.M. The actions of baclofen on neurones and synaptic transmission in the nucleus tractus solitarii of the rat *in vitro*. **457**, 115, 1992

BROOKS Penelope A.
JONES Mathew V., BROOKS Penelope A. & HARRISON Neil L. Enhancement of γ-aminobutyric acid-activated Cl^- currents in cultured rat hippocampal neurones by three volatile anaesthetics. **449**, 279, 1992

BROWN C.D.A.
BROWN C.D.A., MCNICHOLAS C.M. & TURNBERG L.A. A Cl^- conductance sensitive to external pH in the apical membrane of rat duodenal enterocytes **456**, 519, 1992
BROWN D.A.
ROBBINS J., TROUSLARD J., MARSH S.J. & BROWN D.A. Kinetic and pharmacological properties of the M-current in rodent neuroblastoma × glioma hybrid cells. **451**, 159, 1992
BRUNDER Donald G.
BRUNDER Donald G., GYÖRKE Sandor, DETTBARN Christine & PALADE Philip Involvement of sarcoplasmic reticulum 'Ca^{2+} release channels' in excitation–contraction coupling in vertebrate skeletal muscle. **445**, 759, 1992
BRYANT M.J.
SYMONDS M.E., BRYANT M.J., CLARKE L., DARBY C.J. & LOMAX M.A. Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992
BUCKLER K.J.
LAGADIC-GOSSMANN Dominique, BUCKLER K.J. & VAUGHAN-JONES R.D. Role of bicarbonate in pH recovery from intracellular acidosis in the guinea-pig ventricular myocyte. **458**, 361, 1992
LAGADIC-GOSSMANN Dominique, VAUGHAN-JONES R.D. & BUCKLER K.J. Adrenaline and extracellular ATP switch between two modes of acid extrusion in the guinea-pig ventricular myocyte. **458**, 385, 1992
BUENO Lionel
BOTELLA Alain, DELVAUX Michel, BUENO Lionel & FREXINOS Jacques Intracellular pathways triggered by galanin to induce contraction of pig ileum smooth muscle cells. **458**, 475, 1992
BUKAUSKAS Feliksas
BUKAUSKAS Feliksas, KEMPF Christoph & WEINGART Robert Electrical coupling between cells of the insect *Aedes albopictus*. **448**, 321, 1992
BURKE D.
BURKE D., GRACIES J.M., MAZEVET D., MEUNIER S. & PIERROT-DESEILLIGNY E. Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
BURKE D., GRACIES J.M., MEUNIER S. & PIERROT-DESEILLIGNY E. Changes in presynaptic inhibition of afferents to propriospinal-like neurones in man during voluntary contractions. **449**, 673, 1992
BURKE David
TAYLOR Janet L., BURKE David & HEYWOOD John Physiological evidence for a slow K^+ conductance in human cutaneous afferents. **453**, 575, 1992
WALLIN B. Gunnar, BURKE David & GANDEVIA S.C. Coherence between the sympathetic drives to relaxed and contracting muscles of different limbs of human subjects. **455**, 219, 1992
HICKS Richard, BURKE David, STEPHEN John, WOODFORTH Ian & CRAWFORD Matthew Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992
FITZPATRICK Richard C., GORMAN Robert B., BURKE David & GANDEVIA Simon C. Postural proprioceptive reflexes in standing human subjects: bandwidth of response and transmission characteristics. **458**, 69, 1992
BUSCH A.E.
BUSCH A.E., KAVANAUGH M.P., VARNUM M.D., ADELMAN J.P. & NORTH R.A. Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992
BUTLER E.G.
BUTLER E.G., HORNE M.K. & RAWSON J.A. Sensory characteristics of monkey thalamic and motor cortex neurones. **445**, 1, 1992
BUTLER E.G., HORNE M.K. & HAWKINS N.J. The activity of monkey thalamic and motor cortical neurones in a skilled, ballistic movement. **445**, 25, 1992
BUTLER E.G., HORNE M.K. & CHURCHWARD P.R. A frequency analysis of neuronal activity in monkey thalamus, motor cortex and electromyograms in wrist oscillations. **445**, 49, 1992
BUZSÁKI György
TRAUB Roger D., MILES Richard & BUZSÁKI György Computer simulation of carbachol-driven rhythmic population oscillations in the CA3 region of the *in vitro* rat hippocampus. **451**, 653, 1992
BYKOV Victor
LENTZNER Alan, BYKOV Victor & BARTSCHAT D.K. Time-resolved changes in intracellular calcium following depolarization of rat brain synaptosomes. **450**, 613, 1992
BYSTRÖM S.
FALLENTIN N., JENSEN B.R., BYSTRÖM S. & SJØGAÅRD G. Role of potassium in the reflex regulation of blood pressure during static exercise in man. **451**, 643, 1992
CALLEWAERT G.
LIPP P., POTT L., CALLEWAERT G. & CARMELIET E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. **454**, 321, 1992

CALLEWAERT Geert
SCHWARZ Gero, CALLEWAERT Geert, DROOGMANS Guy & NILIUS Bernd Shear stress-induced calcium transients in endothelial cells from human umbilical cord veins. **458**, 527, 1992
CALLISTER Robin
KREGEL Kevin C., SEALS Douglas R. & CALLISTER Robin Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. **454**, 359, 1992
CALLISTER Robin, SUWARNO N. Omar & SEALS Douglas R. Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. **454**, 373, 1992
CAMPBELL Jamie D.
CAMPBELL Jamie D. & PAUL Richard J. The nature of fuel provision for the Na^+, K^+-ATPase in porcine vascular smooth muscle. **447**, 67, 1992
CAPOGROSSI M.C.
SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992
CARMELIET E.
LIPP P., POTT L., CALLEWAERT G. & CARMELIET E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. **454**, 321, 1992
CASADEI Barbara
CASADEI Barbara, MEYER Theo E., COATS Andrew J.S., CONWAY James & SLEIGHT Peter Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992
CAZALETS J.R.
CAZALETS J.R., SQALLI-HOUSSAINI Y. & CLARAC F. Activation of the central pattern generators for locomotion by serotonin and excitatory amino acids in neonatal rat. **455**, 187, 1992
CECCHI G.
CECCHI G., COLOMO F., POGGESI C. & TESI C. The stimulus interval–tension relation in enzymatically isolated single myocytes of the frog heart. **448**, 275, 1992
CERVETTO Luigi
LAGNADO Leon, CERVETTO Luigi & MCNAUGHTON Peter A. Calcium homeostasis in the outer segments of retinal rods from the tiger salamander. **455**, 111, 1992
CEVESE A.
CEVESE A., MARY D.A.S.G., POLTRONIERI R., SCHENA F. & VACCA G. Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992
CHAN P.S.F.
HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W., ZHOU T.S., CHAN P.S.F. & WONG P.Y.D. Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992
CHARNET P.
CHARNET P., LABARCA C., COHEN B.N., DAVIDSON N., LESTER H.A. & PILAR G. Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992
CHAUDHURI K. Ray
CHAUDHURI K. Ray, THOMAIDES T. & MATHIAS C.J. Abnormality of superior mesenteric artery blood flow responses in human sympathetic failure. **457**, 477, 1992
CHAVEZ P.
DEVÉS R., CHAVEZ P. & BOYD C.A.R. Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. **454**, 491, 1992
CHAYVIALLE Jean-Alain
CUBER Jean-Claude, AUCOUTURIER Sylvie, BERNARD Christine & CHAYVIALLE Jean-Alain Role of cyclic nucleotides and calcium in the nutrient-induced release of cholecystokinin-like immunoreactivity in rats. **449**, 37, 1992
CHEN Guifa
YAMAMOTO Yoshimichi, CHEN Guifa, MIWA Kyoko & SUZUKI Hikaru Permeability and Mg^{2+} blockade of histamine-operated cation channel in endothelial cells of rat intrapulmonary artery. **450**, 395, 1992
CHERUBINI Enrico
NISTRI Andrea & CHERUBINI Enrico Inactivation characteristics of a sustained, Ca^{2+}-independent K^+ current of rat hippocampal neurones *in vitro*. **457**, 575, 1992
CHINET A.
CHINET A., DECROUY A. & EVEN P.C. Ca^{2+}-dependent heat production under basal and near-basal conditions in the mouse soleus muscle. **455**, 663, 1992
CHIZHMAKOV I.V.
CHIZHMAKOV I.V., KISKIN N.I. & KRISHTAL O.A. Two types of steady-state desensitization of *N*-methyl-D-aspartate receptor in isolated hippocampal neurones of rat. **448**, 453, 1992
CHRISTIAN Edward P.
CHRISTIAN Edward P. & WEINREICH Daniel Presynaptic histamine H_1 and H_3 receptors modulate sympathetic ganglionic synaptic transmission in the guinea-pig. **457**, 407, 1992

CHRISTIE A.
CHRISTIE A., SHARMA V.K. & SHEU S.-S. Mechanism of extracellular ATP-induced increase of cytosolic Ca^{2+} concentration in isolated rat ventricular myocytes. **445**, 369, 1992

CHRISTOFFERSEN Bettina C.
LARSEN E. Hviid, WILLUMSEN Niels J. & CHRISTOFFERSEN Bettina C. Role of proton pump of mitochondria-rich cells for active transport of chloride ions in toad skin epithelium. **450**, 203, 1992

CHUNG Y.W.
HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W., ZHOU T.S., CHAN P.S.F. & WONG P.Y.D. Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992

CHURCH John
CHURCH John A change from HCO_3^-–CO_2- to HEPES-buffered medium modifies membrane properties of rat CA1 pyramidal neurones *in vitro*. **455**, 51, 1992

CHURCHWARD P.R.
BUTLER E.G., HORNE M.K. & CHURCHWARD P.R. A frequency analysis of neuronal activity in monkey thalamus, motor cortex and electromyograms in wrist oscillations. **445**, 49, 1992

CIESZKOWSKI Marek
KONTUREK Stanislaw J., BILSKI Jan, TASLER Janina & CIESZKOWSKI Marek Role of cholecystokinin in the inhibition of gastric acid secretion in dogs. **451**, 477, 1992

CLARAC F.
CAZALETS J.R., SQALLI-HOUSSAINI Y. & CLARAC F. Activation of the central pattern generators for locomotion by serotonin and excitatory amino acids in neonatal rat. **455**, 187, 1992

CLARK R.B.
SHIMONI Y., CLARK R.B. & GILES W.R. Role of an inwardly rectifying potassium current in rabbit ventricular action potential. **448**, 709, 1992
SHIMONI Yakhin, BANNO Hitoshi & CLARK R.B. Hyperthyroidism selectively modified a transient potassium current in rabbit ventricular and atrial myocytes. **457**, 369, 1992

CLARKE L.
SYMONDS M.E., BRYANT M.J., CLARKE L., DARBY C.J. & LOMAX M.A. Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992

CLARKE R.W.
CLARKE R.W., GALLOWAY Fiona J., HARRIS J., TAYLOR J.S. & FORD T.W. Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992

CLAY John R.
BROCHU Richard M., CLAY John R. & SHRIER Alvin Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. **454**, 503, 1992

CLÉMENT Odile
TERZIC André, PUCÉAT Michel, CLÉMENT Odile, SCAMPS Frédérique & VASSORT Guy α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992

CLINE Martha A.
YARNITSKY David, SIMONE Donald A., DOTSON Rose M., CLINE Martha A. & OCHOA José L. Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992

CLOUGH Geraldine
ADAMSON R.H. & CLOUGH Geraldine Plasma proteins modify the endothelial cell glycocalyx of frog mesenteric microvessels. **445**, 473, 1992

CLUSIN William T.
LAUER Michael R., GUNN Michael D. & CLUSIN William T. Endothelin activates voltage-dependent Ca^{2+} current by a G protein-dependent mechanism in rabbit cardiac myocytes. **448**, 729, 1992

COATS Andrew J.S.
CASADEI Barbara, MEYER Theo E., COATS Andrew J.S., CONWAY James & SLEIGHT Peter Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992

COBURN R.F.
MITCHELL H.W. & COBURN R.F. Multiple motor pathways to single smooth muscle cells in the ferret trachea. **456**, 557, 1992

COBURN Ronald F.
COBURN Ronald F., MORELAND Suzanne, MORELAND Robert S. & BARON Carl B. Rate-limiting energy-dependent steps controlling oxidative metabolism–contraction coupling in rabbit aorta. **448**, 473, 1992

COHEN B.N.
CHARNET P., LABARCA C., COHEN B.N., DAVIDSON N., LESTER H.A. & PILAR G. Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992

COHEN I.S.

GAO J., MATHIAS R.T., COHEN I.S. & BALDO G.J. Isoprenaline, Ca^{2+} and the Na^+–K^+ pump in guinea-pig ventricular myocytes. **449**, 689, 1992

CUI J., MANDEL G., DIFRANCESCO D., KLINE R.P., PENNEFATHER P., DATYNER N.B., HASPEL H.C. & COHEN I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992

COHEN-ADAD Frédérique

DUCHAMP Claude, COHEN-ADAD Frédérique, ROUANET Jean-Louis & BARRÉ Hervé Histochemical arguments for muscular non-shivering thermogenesis in muscovy ducklings. **457**, 27, 1992

COLE J.D.

COLE J.D. & SEDGWICK E.M. The perceptions of force and of movement in a man without large myelinated sensory afferents below the neck. **449**, 503, 1992

COLEBATCH J.G.

FERBERT A., PRIORI A., ROTHWELL J.C., DAY B.L., COLEBATCH J.G. & MARSDEN C.D. Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992

COLES J.A.

VALLET A.M., COLES J.A., EILBECK J.C. & SCOTT A.C. Membrane conductances involved in amplification of small signals by sodium channels in photoreceptors of drone honey bee. **456**, 303, 1992

COLLINGRIDGE Graham L.

IRVING Andrew J., COLLINGRIDGE Graham L. & SCHOFIELD J. George Interactions between Ca^{2+} mobilizing mechanisms in cultured rat cerebellar granule cells. **456**, 667, 1992

COLLINS Anthony

COLLINS Anthony, SOMLYO Avril V. & HILGEMANN Donald W. The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. **454**, 27, 1992

HILGEMANN Donald W. & COLLINS Anthony Mechanism of cardiac Na^+–Ca^{2+} exchange current stimulation by MgATP: possible involvement of aminophospholipid translocase. **454**, 59, 1992

COLOMO F.

CECCHI G., COLOMO F., POGGESI C. & TESI C. The stimulus interval–tension relation in enzymatically isolated single myocytes of the frog heart. **448**, 275, 1992

COLQUHOUN D.

GIBB A.J. & COLQUHOUN D. Activation of *N*-methyl-D-aspartate receptors by L-glutamate in cells dissociated from adult rat hippocampus. **456**, 143, 1992

COLQUHOUN D., JONAS P. & SAKMANN B. Action of brief pulses of glutamate on AMPA/kainate receptors in patches from different neurones of rat hippocampal slices. **458**, 261, 1992

CONTRERAS Diego

VALDEOLMILLOS Miguel, NADAL Angel, CONTRERAS Diego & SORIA Bernat The relationship between glucose-induced K^+_{ATP} channel closure and the rise in $[Ca^{2+}]_i$ in single mouse pancreatic β-cells. **455**, 173, 1992

CONWAY James

CASADEI Barbara, MEYER Theo E., COATS Andrew J.S., CONWAY James & SLEIGHT Peter Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992

COPENHAGEN David R.

DIXON Donald B. & COPENHAGEN David R. Two types of glutamate receptors differentially excite amacrine cells in the tiger salamander retina. **449**, 589, 1992

CORNISH Kurtis G.

DENISON Adele L., STEPHENSON Robert B., HULL Stephen S. JR, CORNISH Kurtis G. & ZUCKER Irving H. Intracoronary veratrine attenuates carotid baroreceptor reflex regulation of blood pressure in conscious dogs. **451**, 91, 1992

COULSHED David S.

COULSHED David S., COWAN J. Campbell, DRINKHILL Mark J. & HAINSWORTH Roger The effects of ventricular end-diastolic and systolic pressures on action potential and duration in anaesthetized dogs. **457**, 75, 1992

COWAN A.I.

COWAN A.I. & MARTIN R.L. Ionic basis of membrane potential changes induced by anoxia in rat dorsal vagal motoneurones. **455**, 89, 1992

COWAN J. Campbell

COULSHED David S., COWAN J. Campbell, DRINKHILL Mark J. & HAINSWORTH Roger The effects of ventricular end-diastolic and systolic pressures on action potential and duration in anaesthetized dogs. **457**, 75, 1992

CRABBÉ J.

LYOUSSI B. & CRABBÉ J. Influence of apical Na^+ entry on Na^+–K^+-ATPase in amphibian distal nephron cells in culture. **456**, 655, 1992

CRAWFORD Matthew
HICKS Richard, BURKE David, STEPHEN John, WOODFORTH Ian & CRAWFORD Matthew Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992

CRIST Jeffrey R.
CRIST Jeffrey R., HE Xue D. & GOYAL Raj K. Both ATP and the peptide VIP are inhibitory neurotransmitters in guinea-pig ileum circular muscle. **447**, 119, 1992

CROTTY T.B.
CROTTY T.B., GEBRUERS E.M. & HALL W.J. The location of the receptors involved in the human diuretic response to drinking an isotonic electrolyte solution. **450**, 1, 1992

CRUNELLI Vincenzo
SOLTESZ Ivan & CRUNELLI Vincenzo A role for low-frequency, rhythmic synaptic potentials in the synchronization of cat thalamocortical cells. **457**, 257, 1992

CSÁKI Csilla
KOVÁCH Arisztid G.B., SZABÓ Csaba, BENYÓ Zoltán, CSÁKI Csilla, GREENBERG Joel H. & REIVICH Martin Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992

CSERNOCH László
PIZARRO Gonzalo, CSERNOCH László, URIBE Ismael & RÍOS Eduardo Differential effects of tetracaine on two kinetic components of calcium release in frog skeletal muscle fibres. **457**, 525, 1992

CUBER Jean-Claude
CUBER Jean-Claude, AUCOUTURIER Sylvie, BERNARD Christine & CHAYVIALLE Jean-Alain Role of cyclic nucleotides and calcium in the nutrient-induced release of cholecystokinin-like immunoreactivity in rats. **449**, 37, 1992

CUI J.
CUI J., MANDEL G., DIFRANCESCO D., KLINE R.P., PENNEFATHER P., DATYNER N.B., HASPEL H.C. & COHEN I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992

CULL-CANDY S.G.
NEWLAND Claire F. & CULL-CANDY S.G. On the mechanism of action of picrotoxin on GABA receptor channels in dissociated sympathetic neurones of the rat. **447**, 191, 1992

CUNNINGHAM D.J.C.
MACFARLANE D.J. & CUNNINGHAM D.J.C. Dynamics of the ventilatory response in man to step changes of end-tidal carbon dioxide and of hypoxia during exercise. **457**, 539, 1992

CURTIS John C.
GRIMWOOD Paul D., APPENTENG Kwabena & CURTIS John C. Monosynaptic EPSPs elicited by single interneurones and spindle afferents in trigeminal motoneurones of anaesthetized rats. **455**, 641, 1992

DAHAN Albert
BERKENBOSCH Aad, DAHAN Albert, DEGOEDE Jacob & OLIEVIER Ida C.W. The ventilatory response to CO_2 of the peripheral and central chemoreflex loop before and after sustained hypoxia in man. **456**, 71, 1992

DANTZIG J.A.
DANTZIG J.A., GOLDMAN Y.E., MILLAR N.C., LACKTIS J. & HOMSHER E. Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992

DARBY C.J.
SYMONDS M.E., BRYANT M.J., CLARKE L., DARBY C.J. & LOMAX M.A. Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992

DART Caroline
DART Caroline & VAUGHAN-JONES Richard D. Na^+–HCO_3^- symport in the sheep cardiac Purkinje fibre. **451**, 365, 1992

DASCAL Nathan
DASCAL Nathan, LOTAN Ilana, KARNI Ehud & GIGI Ariela Calcium channel currents in *Xenopus* oocytes injected with rat skeletal muscle RNA. **450**, 469, 1992

DASCALU Avi
DASCALU Avi, NEVO Zvi & KORENSTEIN Rafi Hyperosmotic activation of the Na^+–H^+ exchanger in a rat bone cell line: temperature dependence and activation pathways **456**, 503, 1992

DATYNER N.B.
CUI J., MANDEL G., DIFRANCESCO D., KLINE R.P., PENNEFATHER P., DATYNER N.B., HASPEL H.C. & COHEN I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992

DAVID Gavriel
DAVID Gavriel, BARRETT John N. & BARRETT Ellen F. Evidence that action potentials activate an internodal potassium conductance in lizard myelinated axons. **445**, 277, 1992

DAVIDSON J.
DAVIDSON J., MILTON A.S. & ROTONDO D. α-Melanocyte-stimulating hormone suppresses fever and increases in plasma levels of prostaglandin E_2 in the rabbit. **451**, 491, 1992

DAVIDSON N.

CHARNET P., LABARCA C., COHEN B.N., DAVIDSON N., LESTER H.A. & PILAR G. Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992

DAVIES N.W.

DAVIES N.W., STANDEN N.B. & STANFIELD P.R. The effect of intracellular pH on ATP-dependent potassium channels of frog skeletal muscle. **445**, 549, 1992

DAVIS R.E.

DAVIS R.E., SHELLEY S., MACDONALD G.J. & DUGGAN K.A. The effects of a high sodium diet on the metabolism and secretion of vasoactive intestinal peptide in the rabbit. **451**, 17, 1992

DAY B.L.

MAERTENS DE NOORDHOUT A., ROTHWELL J.C., DAY B.L., DRESSLER D., NAKASHIMA K., THOMPSON P.D. & MARSDEN C.D. Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992

FERBERT A., PRIORI A., ROTHWELL J.C., DAY B.L., COLEBATCH J.G. & MARSDEN C.D. Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992

DECKERT A.

DECKERT A., NAGY K., HELRICH C.S. & STIEVE H. Three components in the light-induced current of the *Limulus* ventral photoreceptor. **453**, 69, 1992

DE CORT S.C.

INNES J.A., DE CORT S.C., EVANS P.J. & GUZ A. Central command influences cardiorespiratory response to dynamic exercise in humans with unilateral weakness. **448**, 551, 1992

DECROUY A.

CHINET A., DECROUY A. & EVEN P.C. Ca^{2+}-dependent heat production under basal and near-basal conditions in the mouse soleus muscle. **455**, 663, 1992

DEGOEDE J.

WOLSINK J.G., BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.N. The effects of hypoxia on the ventilatory response to sudden changes in CO_2 in newborn piglets. **456**, 39, 1992

DEGOEDE Jacob

BERKENBOSCH Aad, DAHAN Albert, DEGOEDE Jacob & OLIEVIER Ida C.W. The ventilatory response to CO_2 of the peripheral and central chemoreflex loop before and after sustained hypoxia in man. **456**, 71, 1992

DEITMER Petra

NOACK Thomas, DEITMER Petra & LAMMEL Ernst Characterization of membrane currents in single smooth muscle cells from the guinea-pig gastric antrum. **451**, 387, 1992

DE LA CRUZ R.R.

ESCUDERO M., DE LA CRUZ R.R. & DELGADO-GARCÍA J.M. A physiological study of vestibular and prepositus hypoglossi neurones projecting to the abducens nucleus in the alert cat. **458**, 539, 1992

DELBONO Osvaldo

DELBONO Osvaldo Calcium current activation and charge movement in denervated mammalian skeletal muscle fibres. **451**, 187, 1992

DELGADO-GARCÍA J.M.

ESCUDERO M., DE LA CRUZ R.R. & DELGADO-GARCÍA J.M. A physiological study of vestibular and prepositus hypoglossi neurones projecting to the abducens nucleus in the alert cat. **458**, 539, 1992

DELVAUX Michel

BOTELLA Alain, DELVAUX Michel, BUENO Lionel & FREXINOS Jacques Intracellular pathways triggered by galanin to induce contraction of pig ileum smooth muscle cells. **458**, 475, 1992

DEMBOWSKY K.

BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W., MCALLEN R.M. & MICHAELIS M. Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992

BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory-related activity patterns in preganglionic neurones projecting into the cat cervical sympathetic trunk. **457**, 277, 1992

DEMPSEY Jerome A.

SAUPE Kurt W., SMITH Curtis A., HENDERSON Kathleen S. & DEMPSEY Jerome A. Respiratory muscle recruitment during selective central and peripheral chemoreceptor stimulation in awake dogs. **448**, 613, 1992

DEMPSTER Jacqueline A.

DEMPSTER Jacqueline A. & KELLETT George L. A submucosal mechanism of action for prostaglandin E_2 on hexose absorption and metabolism in mouse intestine. **453**, 449, 1992

DEN HERTOG Adriaan

DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992

DENISON Adele L.
DENISON Adele L., STEPHENSON Robert B., HULL Stephen S. JR, CORNISH Kurtis G. & ZUCKER Irving H. Intracoronary veratrine attenuates carotid baroreceptor reflex regulation of blood pressure in conscious dogs. **451**, 91, 1992

DE TOMBE Pieter P.
DE TOMBE Pieter P. & TER KEURS Henk E.D.J. An internal viscous element limits unloaded velocity of sarcomere shortening in rat myocardium. **454**, 619, 1992

DE TROYER André
DE TROYER André The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the cranial rib-cage. **451**, 445, 1992
DE TROYER André The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the caudal rib-cage. **451**, 463, 1992

DETTBARN Christine
BRUNDER Donald G., GYÖRKE Sandor, DETTBARN Christine & PALADE Philip Involvement of sarcoplasmic reticulum 'Ca^{2+} release channels' in excitation–contraction coupling in vertebrate skeletal muscle. **445**, 759, 1992

DEVÉS R.
DEVÉS R., CHAVEZ P. & BOYD C.A.R. Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. **454**, 491, 1992

DEVRIES S.H.
DEVRIES S.H. & SCHWARTZ E.A. Hemi-gap-junction channels in solitary horizontal cells of the catfish retina. **445**, 201, 1992

DE VRIES W.R.
VAN DER GRINTEN C.P.M., SCHOUTE E., DE VRIES W.R. & LUIJENDIJK S.C.M. Conventional *versus* slug CO_2 loading and the control of breathing in anaesthetized cats. **445**, 487, 1992

DIEUDONNÉ Stéphane
SATHER William, DIEUDONNÉ Stéphane, MACDONALD John F. & ASCHER Philippe Activation and desensitization of *N*-methyl-D-aspartate receptors in nucleated outside-out patches from mouse neurones. **450**, 643, 1992

DIFRANCESCO D.
CUI J., MANDEL G., DIFRANCESCO D., KLINE R.P., PENNEFATHER P., DATYNER N.B., HASPEL H.C. & COHEN I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992

DIMARCO A.F.
ROMANIUK J.R., SUPINSKI G. & DIMARCO A.F. Relationship between parasternal and external intercostal muscle length and load compensatory responses in dogs. **449**, 441, 1992

DISCALA Françoise
DISCALA Françoise, BELACHGAR Fouzia, PLANELLES Gabrielle, HULIN Philippe & ANAGNOSTOPOULOS Takis Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992

DIXON Donald B.
DIXON Donald B. & COPENHAGEN David R. Two types of glutamate receptors differentially excite amacrine cells in the tiger salamander retina. **449**, 589, 1992

DIXON S. Jeffrey
ARKETT Stuart A., DIXON S. Jeffrey & SIMS Stephen M. Substrate influences rat osteoclast morphology and expression of potassium conductances. **458**, 633, 1992

DOEMGES F.
DOEMGES F. & RACK P.M.H. Changes in the stretch reflex of the human first dorsal interosseous muscle during different tasks. **447**, 563, 1992
DOEMGES F. & RACK P.M.H. Task-dependent changes in the response of human wrist joints to mechanical disturbance. **447**, 575, 1992

DOLEŽAL Vladimír
DOLEŽAL Vladimír & TUČEK Stanislav Effects of tetrodotoxin, Ca^{2+} absence, *d*-tubocurarine and vesamicol on spontaneous acetylcholine release from rat muscle. **458**, 1, 1992

DONNELLY D.F.
KHOLWADWALA D. & DONNELLY D.F. Maturation of carotid chemoreceptor sensitivity to hypoxia: *in vitro* studies in the newborn rat. **453**, 461, 1992

DONOSO P.
DONOSO P., MILL J.G., O'NEILL S.C. & EISNER D.A. Fluorescence measurements of cytoplasmic and mitochondrial sodium concentration in rat ventricular myocytes. **448**, 493, 1992

DOROSHENKO Peter
DOROSHENKO Peter & NEHER Erwin Volume-sensitive chloride conductance in bovine chromaffin cell membrane. **449**, 197, 1992

DORWARD Pat

WALLIN B. Gunnar, ESLER Murray, DORWARD Pat, EISENHOFER Graeme, FERRIER Claudia, WESTERMAN Rod & JENNINGS Garry Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992

DOSSI Roberto Curró

Dossi Roberto Curró, NUÑEZ Angel & STERIADE Mircea Electrophysiology of a slow (0·5–4 Hz) intrinsic oscillation of cat thalamocortical neurones *in vivo*. **447**, 215, 1992

DOTSON Rose M.

YARNITSKY David, SIMONE Donald A., DOTSON Rose M., CLINE Martha A. & OCHOA José L. Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992

DOURADO Michelle M.

DOURADO Michelle M. & DRYER Stuart E. Changes in the electrical properties of chick ciliary ganglion neurones during embryonic development. **449**, 411, 1992

DRECHSLER Markus

BAUER Paul J. & DRECHSLER Markus Association of cyclic GMP-gated channels and Na^+–Ca^{2+}–K^+ exchangers in bovine retinal rod outer segment plasma membranes. **451**, 109, 1992

DREIFUSS Jean Jacques

RAGGENBASS Mario & DREIFUSS Jean Jacques Mechanism of action of oxytocin in rat vagal neurones: induction of a sustained sodium-dependent current. **457**, 131, 1992

DRESSLER D.

MAERTENS DE NOORDHOUT A., ROTHWELL J.C., DAY B.L., DRESSLER D., NAKASHIMA K., THOMPSON P.D. & MARSDEN C.D. Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992

DRINKHILL Mark J.

COULSHED David S., COWAN J. Campbell, DRINKHILL Mark J. & HAINSWORTH Roger The effects of ventricular end-diastolic and systolic pressures on action potential and duration in anaesthetized dogs. **457**, 75, 1992

DROOGMANS Guy

SCHWARZ Gero, CALLEWAERT Geert, DROOGMANS Guy & NILIUS Bernd Shear stress-induced calcium transients in endothelial cells from human umbilical cord veins. **458**, 527, 1992

DRYER Stuart E.

DOURADO Michelle M. & DRYER Stuart E. Changes in the electrical properties of chick ciliary ganglion neurones during embryonic development. **449**, 411, 1992

DUBELL W.H.

SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992

DUCHAMP Claude

DUCHAMP Claude, COHEN-ADAD Frédérique, ROUANET Jean-Louis & BARRÉ Hervé Histochemical arguments for muscular non-shivering thermogenesis in muscovy ducklings. **457**, 27, 1992

DUCHEN Michael R.

DUCHEN Michael R. & BISCOE T.J. Mitochondrial function in type I cells isolated from rabbit arterial chemoreceptors. **450**, 13, 1992

DUCHEN Michael R. & BISCOE T.J. Relative mitochondrial membrane potential and $[Ca^{2+}]_i$ in type I cells isolated from the rabbit carotid body. **450**, 33, 1992

DUCSAY Charles

MATSUDA Kazuhiro, DUCSAY Charles & KOOS Brian J. Fetal breathing, sleep state, and cardiovascular adaptations to anaemia in sheep. **445**, 713, 1992

DUDEK F. Edward

KIM Yang In & DUDEK F. Edward Intracellular electrophysiological study of suprachiasmatic nucleus neurons in rodents: inhibitory synaptic mechanisms. **458**, 247, 1992

DUDEL J.

FRANKE Ch., KÖLTGEN D., HATT H. & DUDEL J. Activation and desensitization of embryonic-like receptor channels in mouse muscle by acetylcholine concentration steps. **451**, 145, 1992

DUGGAN K.A.

DAVIS R.E., SHELLEY S., MACDONALD G.J. & DUGGAN K.A. The effects of a high sodium diet on the metabolism and secretion of vasoactive intestinal peptide in the rabbit. **451**, 17, 1992

DUIN Marry

DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992

DULHUNTY Angela F.
DULHUNTY Angela F., ZHU Pei-Hong, PATTERSON Michael F. & AHERN Gerard Actions of perchlorate ions on rat soleus muscle fibres. **448**, 99, 1992

DUNANT Yves
GIROD Romain, EDER-COLLI Lorenza, MEDILANSKI Jana, DUNANT Yves, TABTI Nacira & POO Mu-ming Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992

DUNNETT Mark
SEWELL Dean A., HARRIS Roger C., MARLIN David J. & DUNNETT Mark Estimation of the carnosine content of different fibre types in the middle gluteal muscle of the thoroughbred horse. **455**, 447, 1992

DURBABA R.
TAYLOR A., DURBABA R. & RODGERS J.F. The classification of afferents from muscle spindles of the jaw-closing muscles of the cat. **456**, 609, 1992
TAYLOR A., RODGERS J.F., FOWLE A.J. & DURBABA R. The effect of succinylcholine on cat gastrocnemius muscle spindle afferents of different types. **456**, 629, 1992

DZIEGIELEWSKA K.M.
HABGOOD M.D., SEDGWICK J.E.C., DZIEGIELEWSKA K.M. & SAUNDERS N.R. A developmentally regulated blood–cerebrospinal fluid transfer mechanism for albumin in immature rats. **456**, 181, 1992

EBIHARA Satoru
AIBARA Keiji, EBIHARA Satoru & AKAIKE Norio Voltage-dependent ionic currents in dissociated paratracheal ganglion cells of the rat. **457**, 591, 1992

EDER-COLLI Lorenza
GIROD Romain, EDER-COLLI Lorenza, MEDILANSKI Jana, DUNANT Yves, TABTI Nacira & POO Mu-ming Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992

EDGLEY S.A.
ASIF M. & EDGLEY S.A. Projections of group II-activated midlumbar spinocerebellar tract neurones to the region of nucleus Z in the cat. **448**, 565, 1992
BAJWA S., EDGLEY S.A. & HARRISON P.J. Crossed actions on group II-activated interneurones in the midlumbar segments of the cat spinal cord. **455**, 205, 1992

EDIN B.B.
EDIN B.B., WESTLING G. & JOHANSSON R.S. Independent control of human finger-tip forces at individual digits during precision lifting. **450**, 547, 1992

EDMAN K.A.P.
EDMAN K.A.P. & LOU Fang Myofibrillar fatigue *versus* failure of activation during repetitive stimulation of frog muscle fibres. **457**, 655, 1992

EDWARDS A.V.
JONES C.T. & EDWARDS A.V. The role of corticotrophin releasing factor in relation to the neural control of adrenal function in conscious calves. **447**, 489, 1992
EDWARDS A.V. & TITCHEN D.A. Synergism in the autonomic regulation of parotid secretion of protein in sheep. **451**, 1, 1992
EDWARDS A.V. & GARRETT J.R. Endothelium-derived vasodilator responses to sympathetic stimulation of the submandibular gland in the cat **456**, 491, 1992

EDWARDS F.A.
STERN P., EDWARDS F.A. & SAKMANN B. Fast and slow components of unitary EPSCs on stellate cells elicited by focal stimulation in slices of rat visual cortex. **449**, 247, 1992

EILBECK J.C.
VALLET A.M., COLES J.A., EILBECK J.C. & SCOTT A.C. Membrane conductances involved in amplification of small signals by sodium channels in photoreceptors of drone honey bee. **456**, 303, 1992

EISENHOFER Graeme
WALLIN B. Gunnar, ESLER Murray, DORWARD Pat, EISENHOFER Graeme, FERRIER Claudia, WESTERMAN Rod & JENNINGS Garry Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992

EISNER D.A.
DONOSO P., MILL J.G., O'NEILL S.C. & EISNER D.A. Fluorescence measurements of cytoplasmic and mitochondrial sodium concentration in rat ventricular myocytes. **448**, 493, 1992
ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. **454**, 467, 1992

ELLIOTT A.C.
ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. **454**, 467, 1992

ELLIOTT J.R.
WINPENNY J.P., ELLIOTT J.R. & HARPER A.A. Effects of *n*-alkanols and a methyl ester on a transient potassium (I_A) current in identified neurones from *Helix aspersa*. **456**, 1, 1992

ELMSLIE Keith S.
ELMSLIE Keith S. Calcium current modulation in frog sympathetic neurones: multiple neurotransmitters and G proteins. **451**, 229, 1992
ELMSLIE Keith S., KAMMERMEIER Paul J. & JONES Stephen W. Calcium current modulation in frog sympathetic neurones: L-current is relatively insensitive to neurotransmitters. **456**, 107, 1992
ELZINGA G.
NAGESSER A.S., VAN DER LAARSE W.J. & ELZINGA G. Metabolic changes with fatigue in different types of single muscle fibres of *Xenopus laevis*. **448**, 511, 1992
STIENEN G.J.M., VERSTEEG P.G.A., PAPP Z. & ELZINGA G. Mechanical properties of skinned rabbit psoas and soleus muscle fibres during lengthening: effects of phosphate and Ca^{2+}. **451**, 503, 1992
EMONET-DÉNAND Françoise
EMONET-DÉNAND Françoise, PETIT Julien & LAPORTE Yves Comparison of skeleto-fusimotor innervation in cat peroneus brevis and peroneus tertius muscles. **458**, 519, 1992
ENDO Katsuaki
HORI Yuuichi, ENDO Katsuaki & TAKAHASHI Tomoyuki Presynaptic inhibitory action of enkephalin on excitatory transmission in superficial dorsal horn of rat spinal cord. **450**, 673, 1992
ENOKA Roger M.
NORDSTROM Michael A., FUGLEVAND Andrew J. & ENOKA Roger M. Estimating the strength of common input to human motoneurons from the cross-correlogram. **453**, 547, 1992
ENRIGHT J.T.
ENRIGHT J.T. Unexpected role of the oblique muscles in the human vertical fusional reflex. **451**, 279, 1992
ESCUDERO M.
ESCUDERO M., DE LA CRUZ R.R. & DELGADO-GARCÍA J.M. A physiological study of vestibular and prepositus hypoglossi neurones projecting to the abducens nucleus in the alert cat. **458**, 539, 1992
ESLER Murray
WALLIN B. Gunnar, ESLER Murray, DORWARD Pat, EISENHOFER Graeme, FERRIER Claudia, WESTERMAN Rod & JENNINGS Garry Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992
EVANS M.L.
BENHAM C.D., EVANS M.L. & MCBAIN C.J. Ca^{2+} efflux mechanisms following depolarization evoked calcium transients in cultured rat sensory neurones. **455**, 567, 1992
EVANS P.J.
INNES J.A., DE CORT S.C., EVANS P.J. & GUZ A. Central command influences cardiorespiratory response to dynamic exercise in humans with unilateral weakness. **448**, 551, 1992
EVEN P.C.
CHINET A., DECROUY A. & EVEN P.C. Ca^{2+}-dependent heat production under basal and near-basal conditions in the mouse soleus muscle. **455**, 663, 1992
FACH Clemens C.
SHARPE Lindsay T., FACH Clemens C. & STOCKMAN Andrew The field adaptation of the human rod visual system. **445**, 319, 1992
FALLENTIN N.
FALLENTIN N., JENSEN B.R., BYSTRÖM S. & SJØGAARD G. Role of potassium in the reflex regulation of blood pressure during static exercise in man. **451**, 643, 1992
FARACI Frank M.
MURRAY Margaret A., FARACI Frank M. & HEISTAD Donald D. Role of protein kinase C in constrictor responses of the rat basilar artery *in vivo*. **445**, 169, 1992
FELDMAN Jack L.
FELDMAN Jack L., WINDHORST Uwe, ANDERS Klaus & RICHTER Diethelm W. Synaptic interaction between medullary respiratory neurones during apneusis induced by NMDA-receptor blockade in cat. **450**, 303, 1992
FELDMEYER D.
FELDMEYER D., MELZER W., POHL B. & ZÖLLNER P. Modulation of calcium current gating in frog skeletal muscle by conditioning depolarization. **457**, 639, 1992
FERBERT A.
FERBERT A., PRIORI A., ROTHWELL J.C., DAY B.L., COLEBATCH J.G. & MARSDEN C.D. Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992
FERRELL William R.
FERRELL William R. & NAJAFIPOUR Hamid Changes in synovial P_{O_2} and blood flow in the rabbit knee joint due to stimulation of the posterior articular nerve. **449**, 607, 1992
FERRETTI Guido
FERRETTI Guido, KAYSER Bengt, SCHENA Federico, TURNER Duncan L. & HOPPELER Hans Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992

FERRIER Claudia
WALLIN B. Gunnar, ESLER Murray, DORWARD Pat, EISENHOFER Graeme, FERRIER Claudia, WESTERMAN Rod & JENNINGS Garry Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992

FERRIER Gregory R.
HAN Xinqiang & FERRIER Gregory R. Ionic mechanisms of transient inward current in the absence of Na^+–Ca^{2+} exchange in rabbit cardiac Purkinje fibres. **456**, 19, 1992

FFRENCH-MULLEN J.M.H.
FFRENCH-MULLEN J.M.H. & ROGAWSKI M.A. Phencyclidine block of calcium current in isolated guinea-pig hippocampal neurones. **456**, 85, 1992

FICKER E.
FICKER E. & HEINEMANN U. Slow and fast transient potassium currents in cultured rat hippocampal cells. **445**, 431, 1992

FITZPATRICK Richard C.
FITZPATRICK Richard C., TAYLOR Janet L. & MCCLOSKEY D.I. Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. **454**, 533, 1992
FITZPATRICK Richard C., GORMAN Robert B., BURKE David & GANDEVIA Simon C. Postural proprioceptive reflexes in standing human subjects: bandwidth of response and transmission characteristics. **458**, 69, 1992

FLAMENT D.
FLAMENT D., HALL E.J. & LEMON R.N. The development of cortico-motoneuronal projections investigated using magnetic brain stimulation in the infant macaque. **447**, 755, 1992

FORD T.W.
CLARKE R.W., GALLOWAY Fiona J., HARRIS J., TAYLOR J.S. & FORD T.W. Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992

FORSYTHE I.D.
FORSYTHE I.D., LINSDELL P. & STANFIELD P.R. Unitary A-currents of rat locus coeruleus neurones grown in cell culture: rectification caused by internal Mg^{2+} and Na^+. **451**, 553, 1992

FOWLE A.J.
TAYLOR A., RODGERS J.F., FOWLE A.J. & DURBABA R. The effect of succinylcholine on cat gastrocnemius muscle spindle afferents of different types. **456**, 629, 1992

FOX Aaron P.
SCROGGS Reese S. & FOX Aaron P. Calcium current variation between acutely isolated adult rat dorsal root ganglion neurons of different size. **445**, 639, 1992

FOZZARD Harry A.
ONO Katsushige & FOZZARD Harry A. Phosphorylation restores activity of L-type calcium channels after rundown in inside-out patches from rabbit cardiac cells. **454**, 673, 1992

FRACE A.M.
FRACE A.M., MARUOKA F. & NOMA A. Control of the hyperpolarization-activated cation current by external anions in rabbit sino-atrial node cells. **453**, 307, 1992

FRAMPTON J.E.
FRAMPTON J.E. & ORCHARD C.H. The effect of a calmodulin inhibitor on intracellular $[Ca^{2+}]$ and contraction in isolated rat ventricular myocytes. **453**, 385, 1992

FRANCINI Fabio
PIAZZESI Gabriella, FRANCINI Fabio, LINARI Marco & LOMBARDI Vincenzo Tension transients during steady lengthening of tetanized muscle fibres of the frog. **445**, 659, 1992
FRANCINI Fabio, PIZZA Lucia & TRAINA Giovanna Inactivation of the slow calcium current in twitch skeletal muscle fibres of the frog. **448**, 633, 1992

FRANKE Ch.
FRANKE Ch., KÖLTGEN D., HATT H. & DUDEL J. Activation and desensitization of embryonic-like receptor channels in mouse muscle by acetylcholine concentration steps. **451**, 145, 1992

FRANKEL H.
SUTTERS M., WAKEFIELD C., O'NEIL K., APPLEYARD M., FRANKEL H., MATHIAS C.J. & PEART W.S. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

FREXINOS Jacques
BOTELLA Alain, DELVAUX Michel, BUENO Lionel & FREXINOS Jacques Intracellular pathways triggered by galanin to induce contraction of pig ileum smooth muscle cells. **458**, 475, 1992

FRIEDMAN Wilma
JOHANSSON Staffan, FRIEDMAN Wilma & ÅRHEM Peter Impulses and resting membrane properties of small cultured rat hippocampal neurons. **445**, 129, 1992

FRIEDRICH M.
BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. **454**, 339, 1992

FRIEL D.D.
FRIEL D.D. & TSIEN R.W. A caffeine- and ryanodine-sensitive Ca^{2+} store in bullfrog sympathetic neurones modulates effects of Ca^{2+} entry on $[Ca^{2+}]_i$. **450**, 217, 1992
FROSTELL C.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992
FU W.O.
HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W., ZHOU T.S., CHAN P.S.F. & WONG P.Y.D. Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992
FUGLEVAND Andrew J.
NORDSTROM Michael A., FUGLEVAND Andrew J. & ENOKA Roger M. Estimating the strength of common input to human motoneurons from the cross-correlogram. **453**, 547, 1992
FUNG D.C.K.
FUNG D.C.K., BEACOCK D.J. & RICHARDSON P.S. Vagal control of mucus glycoconjugate secretion into the feline trachea. **453**, 435, 1992
GABELLA G.
RAMSDEN C.A., MARKIEWICZ M., WALTERS D.V., GABELLA G., PARKER K.A., BARKER P.M. & NEIL H.L. Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992
GADSBY David C.
HORIE Minoru, HWANG Tzyh-Chang & GADSBY David C. Pipette GTP is essential for receptor-mediated regulation of Cl^- current in dialysed myocytes from guinea-pig ventricle. **455**, 235, 1992
GAGE Peter W.
SAINT David A., JU Yue-Kun & GAGE Peter W. A persistent sodium current in rat ventricular myocytes. **453**, 219, 1992
GÄHWILER Beat H.
THOMPSON Scott M. & GÄHWILER Beat H. Comparison of the actions of baclofen at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 329, 1992
THOMPSON Scott M., HAAS Helmut L. & GÄHWILER Beat H. Comparison of the actions of adenosine at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 347, 1992
GALLA Hans-Joachim
POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992
GALLACHER David V.
SASAKI Tsukasa & GALLACHER David V. The ATP-induced inward current in mouse lacrimal acinar cells is potentiated by isoprenaline and GTP. **447**, 103, 1992
GALLACHER D.V.
SMITH P.M. & GALLACHER D.V. Acetylcholine- and caffeine-evoked repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **449**, 109, 1992
GALLAR Juana
POZO Miguel A., GALLEGO Roberto, GALLAR Juana & BELMONTE Carlos Blockade by calcium antagonists of chemical excitation and sensitization of polymodal nociceptors in the cat's cornea. **450**, 179, 1992
GALLEGO Roberto
POZO Miguel A., GALLEGO Roberto, GALLAR Juana & BELMONTE Carlos Blockade by calcium antagonists of chemical excitation and sensitization of polymodal nociceptors in the cat's cornea. **450**, 179, 1992
GALLOWAY Fiona J.
CLARKE R.W., GALLOWAY Fiona J., HARRIS J., TAYLOR J.S. & FORD T.W. Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992
GAMIÑO S.M.
ALVAREZ-LEEFMANS F.J., GAMIÑO S.M. & REUSS L. Cell volume changes upon sodium pump inhibition in *Helix aspersa* neurones. **458**, 603, 1992
GANDEVIA S.C.
MCKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. **454**, 643, 1992
WALLIN B. Gunnar, BURKE David & GANDEVIA S.C. Coherence between the sympathetic drives to relaxed and contracting muscles of different limbs of human subjects. **455**, 219, 1992
GANDEVIA S.C., GORMAN R.B., MCKENZIE D.K. & SOUTHON F.C.G. Dynamic changes in human diaphragm length: maximal inspiratory and expulsive efforts studied with sequential radiography. **457**, 167, 1992
GANDEVIA Simon C.
FITZPATRICK Richard C., GORMAN Robert B., BURKE David & GANDEVIA Simon C. Postural proprioceptive reflexes in standing human subjects: bandwidth of response and transmission characteristics. **458**, 69, 1992

GANITKEVICH V. Ya.
GANITKEVICH V. Ya. & ISENBERG G. Caffeine-induced release and reuptake of Ca^{2+} by Ca^{2+} stores in myocytes from guinea-pig urinary bladder. **458**, 99, 1992
GANITKEVICH V. Ya. & ISENBERG G. Contribution of Ca^{2+}-induced Ca^{2+} release to the $[Ca^{2+}]_i$ transients in myocytes from guinea-pig urinary bladder. **458**, 119, 1992
GAO J.
GAO J., MATHIAS R.T., COHEN I.S. & BALDO G.J. Isoprenaline, Ca^{2+} and the Na^+–K^+ pump in guinea-pig ventricular myocytes. **449**, 689, 1992
GAPON Svetlana A.
BOLSHAKOV Vadim Yu., GAPON Svetlana A. & MAGAZANIK Lev G. Transduction mechanism for glutamate-induced potassium current in neurones of the mollusc *Planorbarius corneus*. **455**, 33, 1992
GARCÍA Antonio G.
ABAD Francisco, GARRIDO Benito, LÓPEZ Manuela G. & GARCÍA Antonio G. The source of calcium for muscarinic-mediated catecholamine release from cat adrenals. **445**, 725, 1992
UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992
GARCÍA J.
GARCÍA J., MCKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. **454**, 183, 1992
GARRETT J.R.
EDWARDS A.V. & GARRETT J.R. Endothelium-derived vasodilator responses to sympathetic stimulation of the submandibular gland in the cat **456**, 491, 1992
GARRIDO Benito
ABAD Francisco, GARRIDO Benito, LÓPEZ Manuela G. & GARCÍA Antonio G. The source of calcium for muscarinic-mediated catecholamine release from cat adrenals. **445**, 725, 1992
GATES H.-J.
GATES H.-J. & RIDGE R.M.A.P. The importance of competition between motoneurones in developing rat muscle: effects of partial denervation at birth. **445**, 457, 1992
GEBRUERS E.M.
CROTTY T.B., GEBRUERS E.M. & HALL W.J. The location of the receptors involved in the human diuretic response to drinking an isotonic electrolyte solution. **450**, 1, 1992
GEDDES D.M.
GRAHAM A., STEEL D.M., ALTON E.W.F.W. & GEDDES D.M. Second-messenger regulation of sodium transport in mammalian airway epithelia. **453**, 475, 1992
GIBB A.J.
GIBB A.J. & COLQUHOUN D. Activation of *N*-methyl-D-aspartate receptors by L-glutamate in cells dissociated from adult rat hippocampus. **456**, 143, 1992
GIBSON K.J.
GIBSON K.J. & LUMBERS E.R. Mechanisms by which the pregnant ewe can sustain increased salt and water supply to the fetus. **445**, 569, 1992
GIGI Ariela
DASCAL Nathan, LOTAN Ilana, KARNI Ehud & GIGI Ariela Calcium channel currents in *Xenopus* oocytes injected with rat skeletal muscle RNA. **450**, 469, 1992
GILBEY Michael P.
ZHOU Shi-Yi & GILBEY Michael P. Respiratory-related activity of lower thoracic and upper lumbar sympathetic preganglionic neurones in the rat. **451**, 631, 1992
MARKS Susan A. & GILBEY Michael P. Effect on cardiac sympathetic nerve activity of phenylephrine microinjected into the cat intermediolateral cell column. **453**, 185, 1992
GILES W.R.
SHIMONI Y., CLARK R.B. & GILES W.R. Role of an inwardly rectifying potassium current in rabbit ventricular action potential. **448**, 709, 1992
GILLETTE Martha U.
MEDANIC Marija & GILLETTE Martha U. Serotonin regulates the phase of the rat suprachiasmatic circadian pacemaker *in vitro* only during the subjective day. **450**, 629, 1992
GIROD Romain
GIROD Romain, EDER-COLLI Lorenza, MEDILANSKI Jana, DUNANT Yves, TABTI Nacira & POO Mu-ming Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992
GLAUM S.R.
BROOKS P.A., GLAUM S.R., MILLER R.J. & SPYER K.M. The actions of baclofen on neurones and synaptic transmission in the nucleus tractus solitarii of the rat *in vitro*. **457**, 115, 1992

GÖGELEIN Heinz
POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992

GOLDMAN Y.E.
DANTZIG J.A., GOLDMAN Y.E., MILLAR N.C., LACKTIS J. & HOMSHER E. Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992

GONELLA J.
BLANQUET France & GONELLA J. Role of M_1 muscarinic receptors in the parasympathetic control of colonic motility in cats and rabbits. **458**, 655, 1992

GORDON Tessa
BAMBRICK Linda L. & GORDON Tessa Neural regulation of acetylcholine receptors in rat neonatal muscle. **449**, 479, 1992

GORMAN R.B.
MCKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. **454**, 643, 1992
GANDEVIA S.C., GORMAN R.B., MCKENZIE D.K. & SOUTHON F.C.G. Dynamic changes in human diaphragm length: maximal inspiratory and expulsive efforts studied with sequential radiography. **457**, 167, 1992

GORMAN Robert B.
FITZPATRICK Richard C., GORMAN Robert B., BURKE David & GANDEVIA Simon C. Postural proprioceptive reflexes in standing human subjects: bandwidth of response and transmission characteristics. **458**, 69, 1992

GOYAL Raj K.
CRIST Jeffrey R., HE Xue D. & GOYAL Raj K. Both ATP and the peptide VIP are inhibitory neurotransmitters in guinea-pig ileum circular muscle. **447**, 119, 1992

GRACIES J.M.
BURKE D., GRACIES J.M., MAZEVET D., MEUNIER S. & PIERROT-DESEILLIGNY E. Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
BURKE D., GRACIES J.M., MEUNIER S. & PIERROT-DESEILLIGNY E. Changes in presynaptic inhibition of afferents to propriospinal-like neurones in man during voluntary contractions. **449**, 673, 1992

GRAHAM A.
GRAHAM A., STEEL D.M., ALTON E.W.F.W. & GEDDES D.M. Second-messenger regulation of sodium transport in mammalian airway epithelia. **453**, 475, 1992

GRAHAM T.E.
BANGSBO J., GRAHAM T.E., KIENS B. & SALTIN B. Elevated muscle glycogen and anaerobic energy production during exhaustive exercise in man. **451**, 205, 1992

GREASER Marion L.
REISER Peter J., GREASER Marion L. & MOSS Richard L. Developmental changes in troponin T isoform expression and tension production in chicken single skeletal muscle fibres. **449**, 573, 1992

GREEN Richard M.
TWYMAN Roy E., GREEN Richard M. & MACDONALD Robert L. Kinetics of open channel block by penicillin of single $GABA_A$ receptor channels from mouse spinal cord neurones in culture. **445**, 97, 1992

GREENBERG Joel H.
KOVÁCH Arisztid G.B., SZABÓ Csaba, BENYÓ Zoltán, CSÁKI Csilla, GREENBERG Joel H. & REIVICH Martin Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992

GREENFIELD Susan A.
MURPHY Kerry P.S.J. & GREENFIELD Susan A. Neuronal selectivity of ATP-sensitive potassium channels in guinea-pig substantia nigra revealed by responses to anoxia. **453**, 167, 1992

GREGORY J.E.
PROSKE U., MORGAN D.L. & GREGORY J.E. Muscle history dependence of responses to stretch of primary and secondary endings of cat soleus muscle spindles. **445**, 81, 1992
IGGO A., GREGORY J.E. & PROSKE U. The central projection of electrosensory information in the platypus. **447**, 449, 1992

GRIMWOOD Paul D.
GRIMWOOD Paul D., APPENTENG Kwabena & CURTIS John C. Monosynaptic EPSPs elicited by single interneurones and spindle afferents in trigeminal motoneurones of anaesthetized rats. **455**, 641, 1992

GROSS Robert A.
WILEY John W., GROSS Robert A. & MACDONALD Robert L. The peptide CGRP increases a high-threshold Ca^{2+} current in rat nodose neurones via a pertussis toxin-sensitive pathway. **455**, 367, 1992

GUNN Michael D.
LAUER Michael R., GUNN Michael D. & CLUSIN William T. Endothelin activates voltage-dependent Ca^{2+} current by a G protein-dependent mechanism in rabbit cardiac myocytes. **448**, 729, 1992

GUO Hongsheng
GUO Hongsheng, WASSERSTROM J. Andrew & ROSENTHAL James E. Effect of catecholamines on intracellular pH in sheep cardiac Purkinje fibres. **458**, 289, 1992

GUZ A.
INNES J.A., DE CORT S.C., EVANS P.J. & GUZ A. Central command influences cardiorespiratory response to dynamic exercise in humans with unilateral weakness. **448**, 551, 1992

GYNTHER B.D.
VICKERY R.M., GYNTHER B.D. & ROWE M.J. Vibrotactile sensitivity of slowly adapting type I sensory fibres associated with touch domes in cat hairy skin. **453**, 609, 1992
GYNTHER B.D., VICKERY R.M. & ROWE M.J. Responses of slowly adapting type II afferent fibres in cat hairy skin to vibrotactile stimuli. **458**, 151, 1992

GYÖRKE Sandor
BRUNDER Donald G., GYÖRKE Sandor, DETTBARN Christine & PALADE Philip Involvement of sarcoplasmic reticulum 'Ca^{2+} release channels' in excitation–contraction coupling in vertebrate skeletal muscle. **445**, 759, 1992
GYÖRKE Sandor & PALADE Philip Effects of perchlorate on excitation–contraction coupling in frog and crayfish skeletal muscle. **456**, 443, 1992
GYÖRKE Sandor & PALADE Philip Calcium-induced calcium release in crayfish skeletal muscle. **457**, 195, 1992

HAAS Helmut L.
THOMPSON Scott M., HAAS Helmut L. & GÄHWILER Beat H. Comparison of the actions of adenosine at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 347, 1992

HABGOOD M.D.
HABGOOD M.D., SEDGWICK J.E.C., DZIEGIELEWSKA K.M. & SAUNDERS N.R. A developmentally regulated blood–cerebrospinal fluid transfer mechanism for albumin in immature rats. **456**, 181, 1992

HÄBLER H.-J.
BOCZEK-FUNCKE A., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of the activity in sympathetic neurones supplying muscle, skin and pelvic organs in the cat. **449**, 333, 1992
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W., MCALLEN R.M. & MICHAELIS M. Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory-related activity patterns in preganglionic neurones projecting into the cat cervical sympathetic trunk. **457**, 277, 1992

HADDAD Gabriel G.
JIANG Chun, XIA Ying & HADDAD Gabriel G. Role of ATP-sensitive K^+ channels during anoxia: major differences between rat (newborn and adult) and turtle neurons. **448**, 599, 1992
JIANG Chun, AGULIAN Sam & HADDAD Gabriel G. Cl^- and Na^+ homeostasis during anoxia in rat hypoglossal neurons: intracellular and extracellular *in vitro* studies. **448**, 697, 1992

HAGIWARA Nobuhisa
HAGIWARA Nobuhisa, IRISAWA Hiroshi, KASANUKI Hiroshi & HOSODA Saichi Background current in sino-atrial node cells of the rabbit heart. **448**, 53, 1992
HAGIWARA Nobuhisa, MASUDA Hiroshi, SHODA Morio & IRISAWA Hiroshi Stretch-activated anion currents of rabbit cardiac myocytes. **456**, 285, 1992

HAINSWORTH Roger
COULSHED David S., COWAN J. Campbell, DRINKHILL Mark J. & HAINSWORTH Roger The effects of ventricular end-diastolic and systolic pressures on action potential and duration in anaesthetized dogs. **457**, 75, 1992

HAK J.B.
HAK J.B., VAN BEEK J.H.G.M., VAN WIJHE M.H. & WESTERHOF N. Influence of temperature on the response time of mitochondrial oxygen consumption in isolated rabbit heart. **447**, 17, 1992

HAKODA Hiroyuki
XIE Zhuoqiu, HAKODA Hiroyuki & ITO Yushi Airway epithelial cells regulate membrane potential, neurotransmission and muscle tone of the dog airway smooth muscle. **449**, 619, 1992

HALL E.J.
FLAMENT D., HALL E.J. & LEMON R.N. The development of cortico-motoneuronal projections investigated using magnetic brain stimulation in the infant macaque. **447**, 755, 1992

HALL W.J.
CROTTY T.B., GEBRUERS E.M. & HALL W.J. The location of the receptors involved in the human diuretic response to drinking an isotonic electrolyte solution. **450**, 1, 1992

HAMEISTER W. Matt
YEATES Donovan B. & HAMEISTER W. Matt Alveolar epithelial permeability in baboons: histamine and capsaicin. **450**, 363, 1992

HAMMOND Simon
HODSON Stuart, KAILA Darshan, HAMMOND Simon, REBELLO Gavin & AL-OMARI Yehia Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992

HAN Xinqiang
HAN Xinqiang & FERRIER Gregory R. Ionic mechanisms of transient inward current in the absence of Na^+–Ca^{2+} exchange in rabbit cardiac Purkinje fibres. **456**, 19, 1992

HANCK Dorothy A.
HANCK Dorothy A. & SHEETS Michael F. Extracellular divalent and trivalent cation effects on sodium current kinetics in single canine cardiac Purkinje cells. **454**, 267, 1992
SHEETS Michael F. & HANCK Dorothy A. Mechanisms of extracellular divalent and trivalent cation block of the sodium current in canine cardiac Purkinje cells. **454**, 299, 1992

HANSEN Michael
HANSEN Michael & SKYDSGAARD Jørgen M. Stilbene disulphonates inhibit apparently separate chloride transporters in skeletal muscle of *Rana temporaria*. **448**, 383, 1992
HANSEN Michael & SKYDSGAARD Jørgen M. The pH dependence of chloride net flux in skeletal muscle fibres of *Rana temporaria*. **449**, 237, 1992

HARDIN Christopher D.
HARDIN Christopher D., WISEMAN Robert W. & KUSHMERICK Martin J. Tension responses of sheep aorta to simultaneous decreases in phosphocreatine, inorganic phosphate and ATP. **458**, 139, 1992

HARDING S.E.
AMRANI M., O'SHEA J., ALLEN N.J., HARDING S.E., JAYAKUMAR J., PEPPER J.R., MONCADA S. & YACOUB M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

HARE William A.
HARE William A. & OWEN W. Geoffrey Effects of 2-amino-4-phosphonobutyric acid on cells in the distal layers of the tiger salamander's retina. **445**, 741, 1992

HARPER A.A.
WINPENNY J.P., ELLIOTT J.R. & HARPER A.A. Effects of *n*-alkanols and a methyl ester on a transient potassium (I_A) current in identified neurones from *Helix aspersa*. **456**, 1, 1992

HARRIS J.
CLARKE R.W., GALLOWAY Fiona J., HARRIS J., TAYLOR J.S. & FORD T.W. Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992

HARRIS P.J.
ZHUO J., THOMAS D., HARRIS P.J. & SKINNER S.L. The role of endogenous angiotensin II in the regulation of renal haemodynamics and proximal fluid reabsorption in the rat. **453**, 1, 1992

HARRIS Roger C.
SEWELL Dean A., HARRIS Roger C., MARLIN David J. & DUNNETT Mark Estimation of the carnosine content of different fibre types in the middle gluteal muscle of the thoroughbred horse. **455**, 447, 1992

HARRISON Neil L.
JONES Mathew V., BROOKS Penelope A. & HARRISON Neil L. Enhancement of γ-aminobutyric acid-activated Cl^- currents in cultured rat hippocampal neurones by three volatile anaesthetics. **449**, 279, 1992

HARRISON P.J.
BAJWA S., EDGLEY S.A. & HARRISON P.J. Crossed actions on group II-activated interneurones in the midlumbar segments of the cat spinal cord. **455**, 205, 1992

HARRISON S.M.
HARRISON S.M., MCCALL E. & BOYETT M.R. The relationship between contraction and intracellular sodium in rat and guinea-pig ventricular myocytes. **449**, 517, 1992

HASHIZUME Ken
KANDA Kenro & HASHIZUME Ken Factors causing difference in force output among motor units in the rat medial gastrocnemius muscle. **448**, 677, 1992

HASPEL H.C.
CUI J., MANDEL G., DIFRANCESCO D., KLINE R.P., PENNEFATHER P., DATYNER N.B., HASPEL H.C. & COHEN I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992

HATT H.
FRANKE Ch., KÖLTGEN D., HATT H. & DUDEL J. Activation and desensitization of embryonic-like receptor channels in mouse muscle by acetylcholine concentration steps. **451**, 145, 1992

HAWKINS N.J.
BUTLER E.G., HORNE M.K. & HAWKINS N.J. The activity of monkey thalamic and motor cortical neurones in a skilled, ballistic movement. **445**, 25, 1992

HE Xue D.
CRIST Jeffrey R., HE Xue D. & GOYAL Raj K. Both ATP and the peptide VIP are inhibitory neurotransmitters in guinea-pig ileum circular muscle. **447**, 119, 1992

HEDENSTIERNA G.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992

HEDLUND H.
HOLMQUIST F., HEDLUND H. & ANDERSSON K.-E. Characterization of inhibitory neurotransmission in the isolated corpus cavernosum from rabbit and man. **449**, 295, 1992

HEIDELBERGER Ruth
HEIDELBERGER Ruth & MATTHEWS Gary Calcium influx and calcium current in single synaptic terminals of goldfish retinal bipolar neurons. **447**, 235, 1992

HEINEMANN U.
FICKER E. & HEINEMANN U. Slow and fast transient potassium currents in cultured rat hippocampal cells. **445**, 431, 1992

HEISTAD Donald D.
MURRAY Margaret A., FARACI Frank M. & HEISTAD Donald D. Role of protein kinase C in constrictor responses of the rat basilar artery *in vivo*. **445**, 169, 1992
KAUL Sanjay, WAACK Barry J. & HEISTAD Donald D. Asymmetry of vascular responses of perfused rabbit carotid artery to intraluminal and abluminal vasoactive stimuli. **458**, 223, 1992

HELLSTRÖM S.
HERTZBERG T., HELLSTRÖM S., HOLGERT H., LAGERCRANTZ H. & PEQUIGNOT J.M. Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992

HELRICH C.S.
DECKERT A., NAGY K., HELRICH C.S. & STIEVE H. Three components in the light-induced current of the *Limulus* ventral photoreceptor. **453**, 69, 1992

HENDERSON Kathleen S.
SAUPE Kurt W., SMITH Curtis A., HENDERSON Kathleen S. & DEMPSEY Jerome A. Respiratory muscle recruitment during selective central and peripheral chemoreceptor stimulation in awake dogs. **448**, 613, 1992

HENRY G.H.
WIMBORNE B.M. & HENRY G.H. Response characteristics of the cells of cortical area 21a of the cat with special reference to orientation specificity. **449**, 457, 1992

HERTZBERG T.
HERTZBERG T., HELLSTRÖM S., HOLGERT H., LAGERCRANTZ H. & PEQUIGNOT J.M. Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992

HEYWOOD John
TAYLOR Janet L., BURKE David & HEYWOOD John Physiological evidence for a slow K^+ conductance in human cutaneous afferents. **453**, 575, 1992

HICKS Richard
HICKS Richard, BURKE David, STEPHEN John, WOODFORTH Ian & CRAWFORD Matthew Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992

HILAIRE Gérard
MORIN Didier, MONTEAU Roger & HILAIRE Gérard Compared effects of serotonin on cervical and hypoglossal inspiratory activities: an *in vitro* study in the newborn rat. **451**, 605, 1992

HILGEMANN Donald W.
COLLINS Anthony, SOMLYO Avril V. & HILGEMANN Donald W. The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. **454**, 27, 1992
HILGEMANN Donald W. & COLLINS Anthony Mechanism of cardiac Na^+–Ca^{2+} exchange current stimulation by MgATP: possible involvement of aminophospholipid translocase. **454**, 59, 1992

HILL Ceredwyn E.
HILL Ceredwyn E. & AJIKOBI David O. Induction of haemodynamic oscillations in the perfused rat liver by K^+ channel blockers. **453**, 33, 1992

HILLE Bertil
YANG Jian, MATHIE Alistair & HILLE Bertil 5-HT_3 receptor channels in dissociated rat superior cervical ganglion neurons. **448**, 237, 1992

HIRANO Katsuya
WATANABE Chiaki, YAMAMOTO Hiromichi, HIRANO Katsuya, KOBAYASHI Sei & KANAIDE Hideo Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992

HIRCHE H.
BENNDORF K., BOLLMANN G., FRIEDRICH M. & HIRCHE H. Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. **454**, 339, 1992

HIRST Barry H.
SPENCER Gordon E., SPRAGGS Colin F., STABLES Roger & HIRST Barry H. Transmucosal electrical resistance in rabbit isolated gastric mucosa during exposure to acid. **449**, 169, 1992

HOCHERMAN Sonia D.
HOCHERMAN Sonia D., WERMAN R. & YAROM Y. An analysis of the long-lasting after-hyperpolarization of guinea-pig vagal motoneurones. **456**, 325, 1992

HODSON Stuart
HODSON Stuart, KAILA Darshan, HAMMOND Simon, REBELLO Gavin & AL-OMARI Yehia Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992

HOGG R.C.
WANG Q., HOGG R.C. & LARGE W.A. Properties of spontaneous inward currents recorded in smooth muscle cells isolated from the rabbit portal vein. **451**, 525, 1992

HOITING Ben
DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992

HOLGERT H.
HERTZBERG T., HELLSTRÖM S., HOLGERT H., LAGERCRANTZ H. & PEQUIGNOT J.M. Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992

HOLLYWOOD M.A.
THORNBURY K.D., HOLLYWOOD M.A. & McHALE N.G. Mediation by nitric oxide of neurogenic relaxation of the urinary bladder neck muscle in sheep. **451**, 133, 1992

HOLMQUIST F.
HOLMQUIST F., HEDLUND H. & ANDERSSON K.-E. Characterization of inhibitory neurotransmission in the isolated corpus cavernosum from rabbit and man. **449**, 295, 1992

HOMSHER E.
DANTZIG J.A., GOLDMAN Y.E., MILLAR N.C., LACKTIS J. & HOMSHER E. Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992

HOPPELER Hans
FERRETTI Guido, KAYSER Bengt, SCHENA Federico, TURNER Duncan L. & HOPPELER Hans Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992

HORCHOLLE-BOSSAVIT G.
LAFLEUR J., ZYTNICKI D., HORCHOLLE-BOSSAVIT G. & JAMI L. Depolarization of Ib afferent axons in the cat spinal cord during homonymous muscle contraction. **445**, 345, 1992

HORI M.
OZAKI H., BLONDFIELD D.P., HORI M., SANDERS K.M. & PUBLICOVER N.G. Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992

HORI Masatoshi
OZAKI Hiroshi, BLONDFIELD David P., HORI Masatoshi, PUBLICOVER Nelson G., KATO Iwao & SANDERS Kenton M. Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992

HORI Tetsuro
MATSUDA Takuji, HORI Tetsuro & NAKASHIMA Toshihiro Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. **454**, 197, 1992
MO Zun-Li, KATAFUCHI Toshihiko, MURATANI Hiroshi & HORI Tetsuro Effects of vasopressin and angiotensin II on neurones in the rat dorsal motor nucleus of the vagus, *in vitro*. **458**, 561, 1992

HORI Yuuichi
HORI Yuuichi, ENDO Katsuaki & TAKAHASHI Tomoyuki Presynaptic inhibitory action of enkephalin on excitatory transmission in superficial dorsal horn of rat spinal cord. **450**, 673, 1992

HORIE Minoru
HORIE Minoru, HWANG Tzyh-Chang & GADSBY David C. Pipette GTP is essential for receptor-mediated regulation of Cl^- current in dialysed myocytes from guinea-pig ventricle. **455**, 235, 1992

HORN N.M.
AIKEN S.P., HORN N.M. & SAUNDERS N.R. Effects of amino acids on zinc transport in rat erythrocytes. **445**, 69, 1992

HORNE M.K.
BUTLER E.G., HORNE M.K. & RAWSON J.A. Sensory characteristics of monkey thalamic and motor cortex neurones. **445**, 1, 1992
BUTLER E.G., HORNE M.K. & HAWKINS N.J. The activity of monkey thalamic and motor cortical neurones in a skilled, ballistic movement. **445**, 25, 1992
BUTLER E.G., HORNE M.K. & CHURCHWARD P.R. A frequency analysis of neuronal activity in monkey thalamus, motor cortex and electromyograms in wrist oscillations. **445**, 49, 1992

HOSODA Saichi
HAGIWARA Nobuhisa, IRISAWA Hiroshi, KASANUKI Hiroshi & HOSODA Saichi Background current in sino-atrial node cells of the rabbit heart. **448**, 53, 1992

HOU Tien-tzu
HOU Tien-tzu, JOHNSON J. David & RALL Jack A. Effect of temperature on relaxation rate and Ca^{2+}, Mg^{2+} dissociation rates from parvalbumin of frog muscle fibres. **449**, 399, 1992

HOUSLEY G.D.
HOUSLEY G.D. & ASHMORE J.F. Ionic currents of outer hair cells isolated from the guinea-pig cochlea. **448**, 73, 1992

HOWE James R.
HOWE James R. & RITCHIE J.M. Multiple kinetic components of sodium channel inactivation in rabbit Schwann cells. **455**, 529, 1992

HOYER Joachim
POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992

HOYLAND J.
KATO M., HOYLAND J., SIKDAR S.K. & MASON W.T. Imaging of intracellular calcium in rat anterior pituitary cells in response to growth hormone releasing factor. **447**, 171, 1992

HU Bin
HU Bin & BOURQUE Charles W. NMDA receptor-mediated rhythmic bursting activity in rat supraoptic nucleus neurones *in vitro*. **458**, 667, 1992

HU G.-Y.
HU G.-Y., HVALBY Ø., LACAILLE J.-C., PIERCEY B., ØSTBERG T. & ANDERSEN P. Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992

HU Qicheng
STUREK Michael, KUNDA Koteswara & HU Qicheng Sarcoplasmic reticulum buffering of myoplasmic calcium in bovine coronary artery smooth muscle. **451**, 25, 1992

HUA Shao-Ying
NOHMI Mitsuo, HUA Shao-Ying & KUBA Kenji Basal Ca^{2+} and the oscillation of Ca^{2+} in caffeine-treated bullfrog sympathetic neurones. **450**, 513, 1992

NOHMI Mitsuo, HUA Shao-Ying & KUBA Kenji Intracellular calcium dynamics in response to action potentials in bullfrog sympathetic ganglion cells. **458**, 171, 1992

HUANG Guo-Jie
HUANG Guo-Jie & MCARDLE Joseph J. Novel suppression of an L-type calcium channel in neurones of murine dorsal root ganglia by 2,3-butanedione monoxime. **447**, 257, 1992

HUANG S.J.
HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W., ZHOU T.S., CHAN P.S.F. & WONG P.Y.D. Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992

HULIN Philippe
DISCALA Françoise, BELACHGAR Fouzia, PLANELLES Gabrielle, HULIN Philippe & ANAGNOSTOPOULOS Takis Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992

HULL Stephen S. JR
DENISON Adele L., STEPHENSON Robert B., HULL Stephen S. JR, CORNISH Kurtis G. & ZUCKER Irving H. Intracoronary veratrine attenuates carotid baroreceptor reflex regulation of blood pressure in conscious dogs. **451**, 91, 1992

HUXLEY Virginia H.
MEYER D.J. JR, HUXLEY Virginia H. & MCKAY Mary K. Volume status influences atrial peptide-induced water conductivity changes in leopard frog mesenteric capillaries. **447**, 33, 1992

HVALBY Ø.
HU G.-Y., HVALBY Ø., LACAILLE J.-C., PIERCEY B., ØSTBERG T. & ANDERSEN P. Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992

HWANG Tzyh-Chang
HORIE Minoru, HWANG Tzyh-Chang & GADSBY David C. Pipette GTP is essential for receptor-mediated regulation of Cl^- current in dialysed myocytes from guinea-pig ventricle. **455**, 235, 1992

IFUNE C.K.
IFUNE C.K. & STEINBACH J.H. Inward rectification of acetylcholine-elicited currents in rat phaeochromocytoma cells. **457**, 143, 1992

IGGO A.
IGGO A., GREGORY J.E. & PROSKE U. The central projection of electrosensory information in the platypus. **447**, 449, 1992

IKEDA Isamu
YAMASHITA Yoshiro, AKAIKE Norio, WAKAMORI Minoru, IKEDA Isamu & OGAWA Hisashi Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992

IKEDA Katsuhisa
IKEDA Katsuhisa, SAITO Yoshitaka, NISHIYAMA Akinori & TAKASAKA Tomonori Intracellular pH regulation in isolated cochlear outer hair cells of the guinea-pig. **447**, 627, 1992
IKEDA Masahiro
IKEDA Masahiro, KUROKAWA Kiyoshi & MARUYAMA Yoshio Cyclic nucleotide-dependent regulation of agonist-induced calcium increases in mouse megakaryocytes. **447**, 711, 1992
IKEDA Stephen R.
IKEDA Stephen R. Prostaglandin modulation of Ca^{2+} channels in rat sympathetic neurones is mediated by guanine nucleotide binding proteins. **458**, 339, 1992
ILES J.F.
ILES J.F. & PISINI J.V. Vestibular-evoked postural reactions in man and modulation of transmission in spinal reflex pathways. **455**, 407, 1992
ILES J.F. & PISINI J.V. Cortical modulation of transmission in spinal reflex pathways of man. **455**, 425, 1992
ILYIN Victor
ILYIN Victor & PARKER Ian Effects of alcohols on responses evoked by inositol trisphosphate in *Xenopus* oocytes. **448**, 339, 1992
INNES J.A.
INNES J.A., DE CORT S.C., EVANS P.J. & GUZ A. Central command influences cardiorespiratory response to dynamic exercise in humans with unilateral weakness. **448**, 551, 1992
IRISAWA Hiroshi
HAGIWARA Nobuhisa, IRISAWA Hiroshi, KASANUKI Hiroshi & HOSODA Saichi Background current in sino-atrial node cells of the rabbit heart. **448**, 53, 1992
HAGIWARA Nobuhisa, MASUDA Hiroshi, SHODA Morio & IRISAWA Hiroshi Stretch-activated anion currents of rabbit cardiac myocytes. **456**, 285, 1992
IRVING Andrew J.
IRVING Andrew J., COLLINGRIDGE Graham L. & SCHOFIELD J. George Interactions between Ca^{2+} mobilizing mechanisms in cultured rat cerebellar granule cells. **456**, 667, 1992
ISENBERG G.
GANITKEVICH V. Ya. & ISENBERG G. Caffeine-induced release and reuptake of Ca^{2+} by Ca^{2+} stores in myocytes from guinea-pig urinary bladder. **458**, 99, 1992
GANITKEVICH V. Ya. & ISENBERG G. Contribution of Ca^{2+}-induced Ca^{2+} release to the $[Ca^{2+}]_i$ transients in myocytes from guinea-pig urinary bladder. **458**, 119, 1992
ITO Muneyuki
ITO Muneyuki Simultaneous visualization of cortical barrels and horseradish peroxidase-injected layer 5b vibrissa neurones in the rat. **454**, 247, 1992
ITO Shigeo
OHTA Toshio, ITO Shigeo, NOTO Tsunehisa, TACHIBANA Reiko, NAKAZATO Yoshikazu & OHGA Akira The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992
ITO Shinichi
ITOH Takeo, SEKI Narihito, SUZUKI Satoshi, ITO Shinichi, KAJIKURI Junko & KURIYAMA Hirosi Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992
ITO Yushi
XIE Zhuoqiu, HAKODA Hiroyuki & ITO Yushi Airway epithelial cells regulate membrane potential, neurotransmission and muscle tone of the dog airway smooth muscle. **449**, 619, 1992
ITOH Takeo
ITOH Takeo, SEKI Narihito, SUZUKI Satoshi, ITO Shinichi, KAJIKURI Junko & KURIYAMA Hirosi Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992
ITOH Takeo, KAJIKURI Junko & KURIYAMA Hirosi Characteristic features of noradrenaline-induced Ca^{2+} mobilization and tension in arterial smooth muscle of the rabbit. **457**, 297, 1992
IVERSEN P.O.
IVERSEN P.O., BENESTAD H.B. & NICOLAYSEN G. Marked splenic hyperaemia during post-haemorrhagic hypotension in the rat, rabbit and cat. **448**, 437, 1992
IZUMI Hiroshi
IZUMI Hiroshi & KARITA Keishiro Somatosensory stimulation causes autonomic vasodilatation in cat lip. **450**, 191, 1992
JACKSON Meyer B.
BIELEFELDT Klaus, ROTTER Janet L. & JACKSON Meyer B. Three potassium channels in rat posterior pituitary nerve terminals. **458**, 41, 1992
JACOB T.J.C.
STELLING J.W. & JACOB T.J.C. The inward rectifier K^+ current underlies oscillatory membrane potential behaviour in bovine pigmented ciliary epithelial cells. **458**, 439, 1992

JACOBS Ron
JACOBS Ron & VAN INGEN SCHENAU Gerrit Jan Control of an external force in leg extensions in humans. **457**, 611, 1992
JAMI L.
LAFLEUR J., ZYTNICKI D., HORCHOLLE-BOSSAVIT G. & JAMI L. Depolarization of Ib afferent axons in the cat spinal cord during homonymous muscle contraction. **445**, 345, 1992
JÄNIG W.
BOCZEK-FUNCKE A., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of the activity in sympathetic neurones supplying muscle, skin and pelvic organs in the cat. **449**, 333, 1992
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W., MCALLEN R.M. & MICHAELIS M. Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992
JOBLING P., MCLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. **454**, 107, 1992
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory-related activity patterns in preganglionic neurones projecting into the cat cervical sympathetic trunk. **457**, 277, 1992
JANSSEN Luke J.
JANSSEN Luke J. & SIMS Stephen M. Acetylcholine activates non-selective cation and chloride conductances in canine and guinea-pig tracheal myocytes. **453**, 197, 1992
JAROLIMEK W.
JAROLIMEK W. & MISGELD U. On the inhibitory actions of baclofen and γ-aminobutyric acid in rat ventral midbrain culture. **451**, 419, 1992
JARVIS Cathryn R.
JARVIS Cathryn R., BOURQUE Charles W. & RENAUD Leo P. Depolarizing action of cholecystokinin on rat supraoptic neurones *in vitro*. **458**, 621, 1992
JAYAKUMAR J.
AMRANI M., O'SHEA J., ALLEN N.J., HARDING S.E., JAYAKUMAR J., PEPPER J.R., MONCADA S. & YACOUB M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992
JENKINSON D.H.
SANDFORD Christine A., SWEIRY J.H. & JENKINSON D.H. Properties of a cell volume-sensitive potassium conductance in isolated guinea-pig and rat hepatocytes. **447**, 133, 1992
JENNINGS Garry
WALLIN B. Gunnar, ESLER Murray, DORWARD Pat, EISENHOFER Graeme, FERRIER Claudia, WESTERMAN Rod & JENNINGS Garry Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992
JENSEN B.R.
FALLENTIN N., JENSEN B.R., BYSTRÖM S. & SJØGAARD G. Role of potassium in the reflex regulation of blood pressure during static exercise in man. **451**, 643, 1992
JIANG Chun
JIANG Chun, XIA Ying & HADDAD Gabriel G. Role of ATP-sensitive K^+ channels during anoxia: major differences between rat (newborn and adult) and turtle neurons. **448**, 599, 1992
JIANG Chun, AGULIAN Sam & HADDAD Gabriel G. Cl^- and Na^+ homeostasis during anoxia in rat hypoglossal neurons: intracellular and extracellular *in vitro* studies. **448**, 697, 1992
JOBLING P.
JOBLING P. & MCLACHLAN Elspeth M. An electrophysiological study of responses evoked in isolated segments of rat tail artery during growth and maturation. **454**, 83, 1992
JOBLING P., MCLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. **454**, 107, 1992
JOHANSSON Roland S.
TRULSSON Mats, JOHANSSON Roland S. & OLSSON Kurt Å. Directional sensitivity of human periodontal mechanoreceptive afferents to forces applied to the teeth. **447**, 373, 1992
JOHANSSON R.S.
EDIN B.B., WESTLING G. & JOHANSSON R.S. Independent control of human finger-tip forces at individual digits during precision lifting. **450**, 547, 1992
JOHANSSON Staffan
JOHANSSON Staffan, FRIEDMAN Wilma & ÅRHEM Peter Impulses and resting membrane properties of small cultured rat hippocampal neurons. **445**, 129, 1992
JOHANSSON Staffan & ÅRHEM Peter Membrane currents in small cultured rat hippocampal neurons: a voltage-clamp study. **445**, 141, 1992
JOHANSSON Staffan & ÅRHEM Peter Computed potential responses of small cultured rat hippocampal neurons. **445**, 157, 1992

JOHNSON J. David
HOU Tien-tzu, JOHNSON J. David & RALL Jack A. Effect of temperature on relaxation rate and Ca^{2+}, Mg^{2+} dissociation rates from parvalbumin of frog muscle fibres. **449**, 399, 1992
JOHNSON Jon W.
JOHNSON Jon W. & ASCHER Philippe Equilibrium and kinetic study of glycine action on the *N*-methyl-D-aspartate receptor in cultured mouse brain neurons. **455**, 339, 1992
JOHNSON Steven W.
JOHNSON Steven W. & NORTH R. Alan Two types of neurone in the rat ventral tegmental area and their synaptic inputs. **450**, 455, 1992
JONAS P.
JONAS P. & SAKMANN B. Glutamate receptor channels in isolated patches from CA1 and CA3 pyramidal cells of rat hippocampal slices. **455**, 143, 1992
COLQUHOUN D., JONAS P. & SAKMANN B. Action of brief pulses of glutamate on AMPA/kainate receptors in patches from different neurones of rat hippocampal slices. **458**, 261, 1992
JONES C.T.
JONES C.T. & EDWARDS A.V. The role of corticotrophin releasing factor in relation to the neural control of adrenal function in conscious calves. **447**, 489, 1992
JONES Graham L.
JONES Graham L., LANE Cathy & O'BYRNE Paul M. Effect of an inhaled thromboxane mimetic (U46619) on *in vivo* pulmonary resistance and airway hyperresponsiveness in dogs. **453**, 59, 1992
JONES Mathew V.
JONES Mathew V., BROOKS Penelope A. & HARRISON Neil L. Enhancement of γ-aminobutyric acid-activated Cl^- currents in cultured rat hippocampal neurones by three volatile anaesthetics. **449**, 279, 1992
JONES Stephen W.
ELMSLIE Keith S., KAMMERMEIER Paul J. & JONES Stephen W. Calcium current modulation in frog sympathetic neurones: L-current is relatively insensitive to neurotransmitters. **456**, 107, 1992
JOVANOVIĆ Ksenija
LJUBISAVLJEVIĆ M., JOVANOVIĆ Ksenija & ANASTASIJEVIĆ Radmila Changes in discharge rate of fusimotor neurones provoked by fatiguing contractions of cat triceps surae muscles. **445**, 499, 1992
JU Yue-Kun
SAINT David A., JU Yue-Kun & GAGE Peter W. A persistent sodium current in rat ventricular myocytes. **453**, 219, 1992
JUNQUERO D.C.
JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. **454**, 451, 1992
KAGAMIHARA Y.
NIELSEN J. & KAGAMIHARA Y. The regulation of disynaptic reciprocal Ia inhibition during co-contraction of antagonistic muscles in man. **456**, 373, 1992
KAILA Darshan
HODSON Stuart, KAILA Darshan, HAMMOND Simon, REBELLO Gavin & AL-OMARI Yehia Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992
KAILA K.
KAILA K., RYDQVIST B., PASTERNACK M. & VOIPIO J. Inward current caused by sodium-dependent uptake of GABA in the crayfish stretch receptor neurone. **453**, 627, 1992
KAISER P.K.
VALBERG A., LEE B.B., KAISER P.K. & KREMERS J. Responses of macaque ganglion cells to movement of chromatic borders. **458**, 579, 1992
KAJIKURI Junko
ITOH Takeo, SEKI Narihito, SUZUKI Satoshi, ITO Shinichi, KAJIKURI Junko & KURIYAMA Hirosi Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992
ITOH Takeo, KAJIKURI Junko & KURIYAMA Hirosi Characteristic features of noradrenaline-induced Ca^{2+} mobilization and tension in arterial smooth muscle of the rabbit. **457**, 297, 1992
KAMMERMEIER Paul J.
ELMSLIE Keith S., KAMMERMEIER Paul J. & JONES Stephen W. Calcium current modulation in frog sympathetic neurones: L-current is relatively insensitive to neurotransmitters. **456**, 107, 1992
KANAIDE Hideo
WATANABE Chiaki, YAMAMOTO Hiromichi, HIRANO Katsuya, KOBAYASHI Sei & KANAIDE Hideo Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992
KANDA Kenro
KANDA Kenro & HASHIZUME Ken Factors causing difference in force output among motor units in the rat medial gastrocnemius muscle. **448**, 677, 1992

KARIM F.
AL-OBAIDI M. & KARIM F. Primary effects of carotid chemoreceptor stimulation on gracilis muscle and renal blood flow and renal function in dogs. **455**, 73, 1992
KARIM F. & AL-OBAIDI M. Effects of left atrial receptor stimulation on carotid chemoreceptor-induced renal responses in dogs. **456**, 529, 1992
KARITA Keishiro
IZUMI Hiroshi & KARITA Keishiro Somatosensory stimulation causes autonomic vasodilatation in cat lip. **450**, 191, 1992
KARNI Ehud
DASCAL Nathan, LOTAN Ilana, KARNI Ehud & GIGI Ariela Calcium channel currents in *Xenopus* oocytes injected with rat skeletal muscle RNA. **450**, 469, 1992
KARPEN J.W.
KARPEN J.W., LONEY D.A. & BAYLOR D.A. Cyclic GMP-activated channels of salamander retinal rods: spatial distribution and variation of responsiveness. **448**, 257, 1992
KASAI Haruo
KASAI Haruo & NEHER Erwin Dihydropyridine-sensitive and ω-conotoxin-sensitive calcium channels in a mammalian neuroblastoma–glioma cell line. **448**, 161, 1992
KASAI Haruo Voltage- and time-dependent inhibition of neuronal calcium channels by a GTP-binding protein in a mammalian cell line. **448**, 189, 1992
KASANUKI Hiroshi
HAGIWARA Nobuhisa, IRISAWA Hiroshi, KASANUKI Hiroshi & HOSODA Saichi Background current in sino-atrial node cells of the rabbit heart. **448**, 53, 1992
KATAFUCHI Toshihiko
MO Zun-Li, KATAFUCHI Toshihiko, MURATANI Hiroshi & HORI Tetsuro Effects of vasopressin and angiotensin II on neurones in the rat dorsal motor nucleus of the vagus, *in vitro*. **458**, 561, 1992
KATAYAMA Y.
MORITA K. & KATAYAMA Y. Substance P inhibits activation of calcium-dependent potassium conductances in guinea-pig myenteric neurones. **447**, 293, 1992
KATO Iwao
OZAKI Hiroshi, BLONDFIELD David P., HORI Masatoshi, PUBLICOVER Nelson G., KATO Iwao & SANDERS Kenton M. Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992
KATO M.
KATO M., HOYLAND J., SIKDAR S.K. & MASON W.T. Imaging of intracellular calcium in rat anterior pituitary cells in response to growth hormone releasing factor. **447**, 171, 1992
KAUL Sanjay
KAUL Sanjay, WAACK Barry J. & HEISTAD Donald D. Asymmetry of vascular responses of perfused rabbit carotid artery to intraluminal and abluminal vasoactive stimuli. **458**, 223, 1992
KAVANAUGH M.P.
BUSCH A.E., KAVANAUGH M.P., VARNUM M.D., ADELMAN J.P. & NORTH R.A. Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992
KAWAI M.
KOMORI S., KAWAI M., TAKEWAKI T. & OHASHI H. GTP-binding protein involvement in membrane currents evoked by carbachol and histamine in guinea-pig ileal muscle. **450**, 105, 1992
KAYSER Bengt
FERRETTI Guido, KAYSER Bengt, SCHENA Federico, TURNER Duncan L. & HOPPELER Hans Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992
KEJA Jacco A.
KEJA Jacco A., STOOF Johannes C. & KITS Karel S. Dopamine D_2 receptor stimulation differentially affects voltage-activated calcium channels in rat pituitary melanotropic cells. **450**, 409, 1992
KELLETT George L.
DEMPSTER Jacqueline A. & KELLETT George L. A submucosal mechanism of action for prostaglandin E_2 on hexose absorption and metabolism in mouse intestine. **453**, 449, 1992
KELLY J.S.
LARKMAN P.M. & KELLY J.S. Ionic mechanisms mediating 5-hydroxytryptamine- and noradrenaline-evoked depolarization of adult rat facial motoneurones. **456**, 473, 1992
KELSO Stephen R.
KELSO Stephen R., NELSON Theodore E. & LEONARD John P. Protein kinase C-mediated enhancement of NMDA currents by metabotropic glutamate receptors in *Xenopus* oocytes. **449**, 705, 1992
KEMPF Christoph
BUKAUSKAS Feliksas, KEMPF Christoph & WEINGART Robert Electrical coupling between cells of the insect *Aedes albopictus*. **448**, 321, 1992

KHALIL Raouf A.

KHALIL Raouf A. & MORGAN Kathleen G. Phenylephrine-induced translocation of protein kinase C and shortening of two types of vascular cells of the ferret. **455**, 585, 1992

KHOLWADWALA D.

KHOLWADWALA D. & DONNELLY D.F. Maturation of carotid chemoreceptor sensitivity to hypoxia: *in vitro* studies in the newborn rat. **453**, 461, 1992

KIENS B.

BANGSBO J., GRAHAM T.E., KIENS B. & SALTIN B. Elevated muscle glycogen and anaerobic energy production during exhaustive exercise in man. **451**, 205, 1992

KIHLSTRÖM I.

WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992

KIJIMA Hiromasa

TANABE Noriko & KIJIMA Hiromasa Ca^{2+}-dependent and -independent components of transmitter release at the frog neuromuscular junction. **455**, 271, 1992

KIM Yang In

KIM Yang In & DUDEK F. Edward Intracellular electrophysiological study of suprachiasmatic nucleus neurons in rodents: inhibitory synaptic mechanisms. **458**, 247, 1992

KIMITSUKI Takashi

KIMITSUKI Takashi & OHMORI Harunori The effect of caged calcium release on the adaptation of the transduction current in chick hair cells. **458**, 27, 1992

KISKIN N.I.

CHIZHMAKOV I.V., KISKIN N.I. & KRISHTAL O.A. Two types of steady-state desensitization of *N*-methyl-D-aspartate receptor in isolated hippocampal neurones of rat. **448**, 453, 1992

KITAMURA Kenji

OIKE Masahiro, KITAMURA Kenji & KURIYAMA Hirosi Histamine H_3-receptor activation augments voltage-dependent Ca^{2+} current via GTP hydrolysis in rabbit saphenous artery. **448**, 133, 1992

KITS Karel S.

KEJA Jacco A., STOOF Johannes C. & KITS Karel S. Dopamine D_2 receptor stimulation differentially affects voltage-activated calcium channels in rat pituitary melanotropic cells. **450**, 409, 1992

KLEIN Michael G.

KLEIN Michael G., SIMON Bruce J. & SCHNEIDER Martin F. Effects of procaine and caffeine on calcium release from the sarcoplasmic reticulum in frog skeletal muscle. **453**, 341, 1992

KLEMENT Wolfgang

KLEMENT Wolfgang & ARNDT Joachim O. The role of nociceptors of cutaneous veins in the mediation of cold pain in man. **449**, 73, 1992

KLINE R.P.

CUI J., MANDEL G., DIFRANCESCO D., KLINE R.P., PENNEFATHER P., DATYNER N.B., HASPEL H.C. & COHEN I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992

KNIGHT D.E.

VON GRAFENSTEIN H. & KNIGHT D.E. Membrane recapture and early triggered secretion from the newly formed endocytotic compartment in bovine chromaffin cells. **453**, 15, 1992

MACONOCHIE D.J. & KNIGHT D.E. A study of the bovine adrenal chromaffin nicotinic receptor using patch clamp and concentration-jump techniques. **454**, 129, 1992

MACONOCHIE D.J. & KNIGHT D.E. Markov modelling of ensemble current relaxations: bovine adrenal nicotinic receptor currents analysed. **454**, 155, 1992

KNUTH S.L.

BARTLETT D. JR, KNUTH S.L. & LEITER J.C. Alteration of ventilatory activity by intralaryngeal CO_2 in the cat. **457**, 177, 1992

BARTLETT D. JR & KNUTH S.L. Responses of laryngeal receptors to intralaryngeal CO_2 in the cat. **457**, 187, 1992

KOBAYASHI Sei

WATANABE Chiaki, YAMAMOTO Hiromichi, HIRANO Katsuya, KOBAYASHI Sei & KANAIDE Hideo Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992

KÖLTGEN D.

FRANKE CH., KÖLTGEN D., HATT H. & DUDEL J. Activation and desensitization of embryonic-like receptor channels in mouse muscle by acetylcholine concentration steps. **451**, 145, 1992

KOMORI S.

KOMORI S., KAWAI M., TAKEWAKI T. & OHASHI H. GTP-binding protein involvement in membrane currents evoked by carbachol and histamine in guinea-pig ileal muscle. **450**, 105, 1992

KONISHI M.
PAPE P.C., KONISHI M. & BAYLOR S.M. Valinomycin and excitation–contraction coupling in skeletal muscle fibres of the frog. **449**, 219, 1992
KONNERTH A.
SCHNEGGENBURGER R., LÓPEZ-BARNEO J. & KONNERTH A. Excitatory and inhibitory synaptic currents and receptors in rat medial septal neurones. **445**, 261, 1992
KONTUREK Stanislaw J.
KONTUREK Stanislaw J., BILSKI Jan, TASLER Janina & CIESZKOWSKI Marek Role of cholecystokinin in the inhibition of gastric acid secretion in dogs. **451**, 477, 1992
KOOS Brian J.
MATSUDA Kazuhiro, DUCSAY Charles & KOOS Brian J. Fetal breathing, sleep state, and cardiovascular adaptations to anaemia in sheep. **445**, 713, 1992
KORENSTEIN Rafi
DASCALU Avi, NEVO Zvi & KORENSTEIN Rafi Hyperosmotic activation of the Na^+–H^+ exchanger in a rat bone cell line: temperature dependence and activation pathways **456**, 503, 1992
KOTLIKOFF M.I.
BOYLE J.P., TOMASIC M. & KOTLIKOFF M.I. Delayed rectifier potassium channels in canine and porcine airway smooth muscle cells. **447**, 329, 1992
KOVÁCH Arisztid G.B.
KOVÁCH Arisztid G.B., SZABÓ Csaba, BENYÓ Zoltán, CSÁKI Csilla, GREENBERG Joel H. & REIVICH Martin Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992
KOYANO K.
KOYANO K., TANAKA K. & KUBA K. A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. **454**, 231, 1992
KREGEL Kevin C.
KREGEL Kevin C., SEALS Douglas R. & CALLISTER Robin Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. **454**, 359, 1992
KREMERS J.
VALBERG A., LEE B.B., KAISER P.K. & KREMERS J. Responses of macaque ganglion cells to movement of chromatic borders. **458**, 579, 1992
KREULEN David L.
MEEHAN Alan G. & KREULEN David L. A capsaicin-sensitive inhibitory reflex from the colon to mesenteric arteries in the guinea-pig. **448**, 153, 1992
KRIER J.
NISHIMURA T., AKASU T. & KRIER J. Guanosine 3′,5′-cyclic monophosphate regulates calcium channels in neurones of rabbit vesical pelvic ganglia. **457**, 559, 1992
KRISHTAL O.A.
CHIZHMAKOV I.V., KISKIN N.I. & KRISHTAL O.A. Two types of steady-state desensitization of *N*-methyl-D-aspartate receptor in isolated hippocampal neurones of rat. **448**, 453, 1992
KUBA K.
KOYANO K., TANAKA K. & KUBA K. A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. **454**, 231, 1992
KUBA Kenji
NOHMI Mitsuo, HUA Shao-Ying & KUBA Kenji Basal Ca^{2+} and the oscillation of Ca^{2+} in caffeine-treated bullfrog sympathetic neurones. **450**, 513, 1992
NOHMI Mitsuo, HUA Shao-Ying & KUBA Kenji Intracellular calcium dynamics in response to action potentials in bullfrog sympathetic ganglion cells. **458**, 171, 1992
KUBO Machiko
KUBO Machiko & OKADA Yasunobu Volume-regulatory Cl^- channel currents in cultured human epithelial cells. **456**, 351, 1992
KUIACK Stephanie
KUIACK Stephanie & MCCOMAS Alan Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. **454**, 609, 1992
KUNDA Koteswara
STUREK Michael, KUNDA Koteswara & HU Qicheng Sarcoplasmic reticulum buffering of myoplasmic calcium in bovine coronary artery smooth muscle. **451**, 25, 1992
KURIYAMA Hirosi
OIKE Masahiro, KITAMURA Kenji & KURIYAMA Hirosi Histamine H_3-receptor activation augments voltage-dependent Ca^{2+} current via GTP hydrolysis in rabbit saphenous artery. **448**, 133, 1992
ITOH Takeo, SEKI Narihito, SUZUKI Satoshi, ITO Shinichi, KAJIKURI Junko & KURIYAMA Hirosi Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992
ITOH Takeo, KAJIKURI Junko & KURIYAMA Hirosi Characteristic features of noradrenaline-induced Ca^{2+} mobilization and tension in arterial smooth muscle of the rabbit. **457**, 297, 1992

KUROKAWA Kiyoshi
IKEDA Masahiro, KUROKAWA Kiyoshi & MARUYAMA Yoshio Cyclic nucleotide-dependent regulation of agonist-induced calcium increases in mouse megakaryocytes. **447**, 711, 1992

KUSHMERICK Martin J.
HARDIN Christopher D., WISEMAN Robert W. & KUSHMERICK Martin J. Tension responses of sheep aorta to simultaneous decreases in phosphocreatine, inorganic phosphate and ATP. **458**, 139, 1992

KYUHOU Shin-ichi
KYUHOU Shin-ichi Cerebro-cerebellar projections from the ventral bank of the anterior ectosylvian sulcus in the cat. **451**, 673, 1992

LA COUR Morten
LA COUR Morten Erratum: *Journal of Physiology* **419** (1989) **445**, 779, 1992

LABARCA C.
CHARNET P., LABARCA C., COHEN B.N., DAVIDSON N., LESTER H.A. & PILAR G. Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992

LACAILLE J.-C.
HU G.-Y., HVALBY Ø., LACAILLE J.-C., PIERCEY B., ØSTBERG T. & ANDERSEN P. Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992

LACKTIS J.
DANTZIG J.A., GOLDMAN Y.E., MILLAR N.C., LACKTIS J. & HOMSHER E. Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992

LAFLEUR J.
LAFLEUR J., ZYTNICKI D., HORCHOLLE-BOSSAVIT G. & JAMI L. Depolarization of Ib afferent axons in the cat spinal cord during homonymous muscle contraction. **445**, 345, 1992

LAGADIC-GOSSMANNDominique
LAGADIC-GOSSMANN Dominique, BUCKLER K.J. & VAUGHAN-JONES R.D. Role of bicarbonate in pH recovery from intracellular acidosis in the guinea-pig ventricular myocyte. **458**, 361, 1992
LAGADIC-GOSSMANN Dominique, VAUGHAN-JONES R.D. & BUCKLER K.J. Adrenaline and extracellular ATP switch between two modes of acid extrusion in the guinea-pig ventricular myocyte. **458**, 385, 1992

LAGERCRANTZ H.
HERTZBERG T., HELLSTRÖM S., HOLGERT H., LAGERCRANTZ H. & PEQUIGNOT J.M. Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992

LAGNADO Leon
LAGNADO Leon, CERVETTO Luigi & MCNAUGHTON Peter A. Calcium homeostasis in the outer segments of retinal rods from the tiger salamander. **455**, 111, 1992

LAKATTA E.G.
SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992

LAMB G.D.
LAMB G.D., RECUPERO E. & STEPHENSON D.G. Effect of myoplasmic pH on excitation–contraction coupling in skeletal muscle fibres of the toad. **448**, 211, 1992

LAMB T.D.
LAMB T.D. & PUGH E.N. JR A quantitative account of the activation steps involved in phototransduction in amphibian photoreceptors. **449**, 719, 1992

LAMBERT Jeremy J.
NOONEY Janet M., PETERS John A. & LAMBERT Jeremy J. A patch clamp study of the nicotinic acetylcholine receptor of bovine adrenomedullary chromaffin cells in culture. **455**, 503, 1992

LAMMEL Ernst
NOACK Thomas, DEITMER Petra & LAMMEL Ernst Characterization of membrane currents in single smooth muscle cells from the guinea-pig gastric antrum. **451**, 357, 1992

LAMONT Christine
LAMONT Christine & MILLER David J. Calcium sensitizing action of carnosine and other endogenous imidazoles in chemically skinned striated muscle. **454**, 421, 1992

LAMOTTE R.H.
LAMOTTE R.H., LUNDBERG L.E.R. & TOREBJÖRK H.E. Pain, hyperalgesia and activity in nociceptive C units in humans after intradermal injection of capsaicin. **448**, 749, 1992
TOREBJÖRK H.E., LUNDBERG L.E.R. & LAMOTTE R.H. Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in humans. **448**, 765, 1992

LAMP Scott T.
WEISS James N., VENKATESH Nagammal & LAMP Scott T. ATP-sensitive K^+ channels and cellular K^+ loss in hypoxic and ischaemic mammalian ventricle. **447**, 649, 1992

LANE Cathy
JONES Graham L., LANE Cathy & O'BYRNE Paul M. Effect of an inhaled thromboxane mimetic (U46619) on *in vivo* pulmonary resistance and airway hyperresponsiveness in dogs. **453**, 59, 1992

LAOURIS Yiannis
BEVAN Leslie, LAOURIS Yiannis, REINKING Robert M. & STUART Douglas G. The effect of the stimulation pattern on the fatigue of single motor units in adult cats. **449**, 85, 1992

LAPORTE Yves
EMONET-DÉNAND Françoise, PETIT Julien & LAPORTE Yves Comparison of skeleto-fusimotor innervation in cat peroneus brevis and peroneus tertius muscles. **458**, 519, 1992

LARGE W.A.
WANG Q., HOGG R.C. & LARGE W.A. Properties of spontaneous inward currents recorded in smooth muscle cells isolated from the rabbit portal vein. **451**, 525, 1992

LARKMAN P.M.
LARKMAN P.M. & KELLY J.S. Ionic mechanisms mediating 5-hydroxytryptamine- and noradrenaline-evoked depolarization of adult rat facial motoneurones. **456**, 473, 1992

LARSEN E. Hviid
WILLUMSEN Niels J., VESTERGAARD Lars & LARSEN E. Hviid Cyclic AMP- and β-agonist-activated chloride conductance of a toad skin epithelium. **449**, 641, 1992
LARSEN E. Hviid, WILLUMSEN Niels J. & CHRISTOFFERSEN Bettina C. Role of proton pump of mitochondria-rich cells for active transport of chloride ions in toad skin epithelium. **450**, 203, 1992

LAUER Michael R.
LAUER Michael R., GUNN Michael D. & CLUSIN William T. Endothelin activates voltage-dependent Ca^{2+} current by a G protein-dependent mechanism in rabbit cardiac myocytes. **448**, 729, 1992

LAVIDIS Nickolas A.
LAVIDIS Nickolas A. & BENNETT Max R. Probabilistic secretion of quanta from visualized sympathetic nerve varicosities in mouse vas deferens. **454**, 9, 1992

LEBACQ J.
BERQUIN A. & LEBACQ J. Parvalbumin, labile heat and slowing of relaxation in mouse soleus and extensor digitorum longus muscles. **445**, 601, 1992

LE BARS Daniel
ROY Jean-Claude, BING Zhu, VILLANUEVA Luis & LE BARS Daniel Convergence of visceral and somatic inputs onto subnucleus reticularis dorsalis neurones in the rat medulla. **458**, 235, 1992

LEE Barry B.
SMITH Vivianne C., LEE Barry B., POKORNY Joel, MARTIN Paul R. & VALBERG Arne Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992

LEE B.B.
VALBERG A., LEE B.B., KAISER P.K. & KREMERS J. Responses of macaque ganglion cells to movement of chromatic borders. **458**, 579, 1992

LEITER J.C.
BARTLETT D. JR, KNUTH S.L. & LEITER J.C. Alteration of ventilatory activity by intralaryngeal CO_2 in the cat. **457**, 177, 1992

LEMON R.N.
FLAMENT D., HALL E.J. & LEMON R.N. The development of cortico-motoneuronal projections investigated using magnetic brain stimulation in the infant macaque. **447**, 755, 1992

LEMOS José R.
WANG Xiaoming, TREISTMAN Steven N. & LEMOS José R. Two types of high-threshold calcium currents inhibited by ω-conotoxin in nerve terminals of rat neurohypophysis. **445**, 181, 1992
WANG Gang, THORN Peter & LEMOS José R. A novel large-conductance Ca^{2+}-activated potassium channel and current in nerve terminals of the rat neurohypophysis. **457**, 47, 1992

LENTZNER Alan
LENTZNER Alan, BYKOV Victor & BARTSCHAT D.K. Time-resolved changes in intracellular calcium following depolarization of rat brain synaptosomes. **450**, 613, 1992

LEONARD John P.
KELSO Stephen R., NELSON Theodore E. & LEONARD John P. Protein kinase C-mediated enhancement of NMDA currents by metabotropic glutamate receptors in *Xenopus* oocytes. **449**, 705, 1992

LESTER H.A.
CHARNET P., LABARCA C., COHEN B.N., DAVIDSON N., LESTER H.A. & PILAR G. Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992

LEUNG A.Y.H.
HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W., ZHOU T.S., CHAN P.S.F. & WONG P.Y.D. Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992

Leung A.Y.H. & Wong P.Y.D. Studies of transepithelial Cl^- transport in cultured cauda epididymal cells of rats by the short-circuit current method. **457**, 391, 1992

Levin R.J.

Nzegwu Helen C. & Levin R.J. Dietary restriction sensitizes the rat distal colon to aldosterone. **447**, 501, 1992

Lev-Tov A.

Lev-Tov A. & Pinco M. In vitro studies of prolonged synaptic depression in the neonatal rat spinal cord. **447**, 149, 1992

Linari Marco

Piazzesi Gabriella, Francini Fabio, Linari Marco & Lombardi Vincenzo Tension transients during steady lengthening of tetanized muscle fibres of the frog. **445**, 659, 1992

Lindblom Bertil

Lindblom Bertil & Westheimer Gerald Uncertainty effects in orientation discrimination of foveally seen lines in human observers. **454**, 1, 1992

Lingle Christopher J.

Neely Alan & Lingle Christopher J. Two components of calcium-activated potassium current in rat adrenal chromaffin cells. **453**, 97, 1992

Neely Alan & Lingle Christopher J. Effects of muscarine on single rat adrenal chromaffin cells. **453**, 133, 1992

Linsdell P.

Forsythe I.D., Linsdell P. & Stanfield P.R. Unitary A-currents of rat locus coeruleus neurones grown in cell culture: rectification caused by internal Mg^{2+} and Na^+. **451**, 553, 1992

Lipp P.

Lipp P., Pott L., Callewaert G. & Carmeliet E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. **454**, 321, 1992

Lipsius Stephen L.

Zhou Zhengfeng & Lipsius Stephen L. Properties of the pacemaker current (I_f) in latent pacemaker cells isolated from cat right atrium. **453**, 503, 1992

Ljubisavljević M.

Ljubisavljević M., Jovanović Ksenija & Anastasijević Radmila Changes in discharge rate of fusimotor neurones provoked by fatiguing contractions of cat triceps surae muscles. **445**, 499, 1992

Loirand G.

Pacaud P., Loirand G., Bolton T.B., Mironneau C. & Mironneau J. Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992

Lomax M.A.

Symonds M.E., Bryant M.J., Clarke L., Darby C.J. & Lomax M.A. Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992

Lombardi Vincenzo

Piazzesi Gabriella, Francini Fabio, Linari Marco & Lombardi Vincenzo Tension transients during steady lengthening of tetanized muscle fibres of the frog. **445**, 659, 1992

Loney D.A.

Karpen J.W., Loney D.A. & Baylor D.A. Cyclic GMP-activated channels of salamander retinal rods: spatial distribution and variation of responsiveness. **448**, 257, 1992

López Manuela G.

Abad Francisco, Garrido Benito, López Manuela G. & García Antonio G. The source of calcium for muscarinic-mediated catecholamine release from cat adrenals. **445**, 725, 1992

Uceda Gracia, Artalejo Antonio R., López Manuela G., Abad Francisco, Neher Erwin & García Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992

López-Barneo J.

Schneggenburger R., López-Barneo J. & Konnerth A. Excitatory and inhibitory synaptic currents and receptors in rat medial septal neurones. **445**, 261, 1992

Lotan Ilana

Dascal Nathan, Lotan Ilana, Karni Ehud & Gigi Ariela Calcium channel currents in *Xenopus* oocytes injected with rat skeletal muscle RNA. **450**, 469, 1992

Lou Fang

Edman K.A.P. & Lou Fang Myofibrillar fatigue *versus* failure of activation during repetitive stimulation of frog muscle fibres. **457**, 655, 1992

Luijendijk S.C.M.

van der Gринten C.P.M., Schoute E., de Vries W.R. & Luijendijk S.C.M. Conventional *versus* slug CO_2 loading and the control of breathing in anaesthetized cats. **445**, 487, 1992

Lumbers E.R.

Gibson K.J. & Lumbers E.R. Mecharisms by which the pregnant ewe can sustain increased salt and water supply to the fetus. **445**, 569, 1992

LUNDBERG L.E.R.
LAMOTTE R.H., LUNDBERG L.E.R. & TOREBJÖRK H.E. Pain, hyperalgesia and activity in nociceptive C units in humans after intradermal injection of capsaicin. **448**, 749, 1992
TOREBJÖRK H.E., LUNDBERG L.E.R. & LAMOTTE R.H. Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in humans. **448**, 765, 1992
LUNIN S.D.
WILKINSON R.S., LUNIN S.D. & STEVERMER J.J. Regulation of single quantal efficacy at the snake neuromuscular junction. **448**, 413, 1992
LYOUSSI B.
LYOUSSI B. & CRABBÉ J. Influence of apical Na^+ entry on Na^+–K^+-ATPase in amphibian distal nephron cells in culture. **456**, 655, 1992
MCALLEN R.M.
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W., MCALLEN R.M. & MICHAELIS M. Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992
MCARDLE Joseph J.
HUANG Guo-Jie & MCARDLE Joseph J. Novel suppression of an L-type calcium channel in neurones of murine dorsal root ganglia by 2,3-butanedione monoxime. **447**, 257, 1992
MCBAIN C.J.
BENHAM C.D., EVANS M.L. & MCBAIN C.J. Ca^{2+} efflux mechanisms following depolarization evoked calcium transients in cultured rat sensory neurones. **455**, 567, 1992
MCCALL E.
HARRISON S.M., MCCALL E. & BOYETT M.R. The relationship between contraction and intracellular sodium in rat and guinea-pig ventricular myocytes. **449**, 517, 1992
MCCANN Monica J.
MCCANN Monica J. & ROGERS Richard C. Impact of antral mechanoreceptor activation on the vago-vagal reflex in the rat: functional zonation of responses. **453**, 401, 1992
MCCLOSKEY D.I.
ULMAN Lesley G., POTTER Erika K. & MCCLOSKEY D.I. Effects of sympathetic activity and galanin on cardiac vagal action in anaesthetized cats. **448**, 225, 1992
FITZPATRICK Richard C., TAYLOR Janet L. & MCCLOSKEY D.I. Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. **454**, 533, 1992
TAYLOR Janet L. & MCCLOSKEY D.I. Detection of slow movements imposed at the elbow during active flexion in man. **457**, 503, 1992
MCCOMAS Alan
KUIACK Stephanie & MCCOMAS Alan Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. **454**, 609, 1992
MACDONALD G.J.
DAVIS R.E., SHELLEY S., MACDONALD G.J. & DUGGAN K.A. The effects of a high sodium diet on the metabolism and secretion of vasoactive intestinal peptide in the rabbit. **451**, 17, 1992
MACDONALD John F.
SATHER William, DIEUDONNÉ Stéphane, MACDONALD John F. & ASCHER Philippe Activation and desensitization of *N*-methyl-D-aspartate receptors in nucleated outside-out patches from mouse neurones. **450**, 643, 1992
MACDONALD Robert L.
TWYMAN Roy E., GREEN Richard M. & MACDONALD Robert L. Kinetics of open channel block by penicillin of single $GABA_A$ receptor channels from mouse spinal cord neurones in culture. **445**, 97, 1992
WILEY John W., GROSS Robert A. & MACDONALD Robert L. The peptide CGRP increases a high-threshold Ca^{2+} current in rat nodose neurones via a pertussis toxin-sensitive pathway. **455**, 367, 1992
TWYMAN Roy E. & MACDONALD Robert L. Neurosteroid regulation of $GABA_A$ receptor single-channel kinetic properties of mouse spinal cord neurons in culture. **456**, 215, 1992
MACFARLANE D.J.
MACFARLANE D.J. & CUNNINGHAM D.J.C. Dynamics of the ventilatory response in man to step changes of end-tidal carbon dioxide and of hypoxia during exercise. **457**, 539, 1992
MCHALE N.G.
MCHALE N.G. & MEHARG M.K. Co-ordination of pumping in isolated bovine lymphatic vessels. **450**, 503, 1992
THORNBURY K.D., HOLLYWOOD M.A. & MCHALE N.G. Mediation by nitric oxide of neurogenic relaxation of the urinary bladder neck muscle in sheep. **451**, 133, 1992
MCKAY Mary K.
MEYER D.J. JR, HUXLEY Virginia H. & MCKAY Mary K. Volume status influences atrial peptide-induced water conductivity changes in leopard frog mesenteric capillaries. **447**, 33, 1992

McKENZIE D.K.
McKENZIE D.K., BIGLAND-RITCHIE B., GORMAN R.B. & GANDEVIA S.C. Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. **454**, 643, 1992
GANDEVIA S.C., GORMAN R.B., McKENZIE D.K. & SOUTHON F.C.G. Dynamic changes in human diaphragm length: maximal inspiratory and expulsive efforts studied with sequential radiography. **457**, 167, 1992
McKINLEY K.
GARCÍA J., McKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. **454**, 183, 1992
McLACHLAN Elspeth M.
JOBLING P. & McLACHLAN Elspeth M. An electrophysiological study of responses evoked in isolated segments of rat tail artery during growth and maturation. **454**, 83, 1992
JOBLING P., McLACHLAN Elspeth M., JÄNIG W. & ANDERSON C.R. Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. **454**, 107, 1992
McMAHON Sarah E.
McMAHON Sarah E. & McWILLIAM Peter N. Changes in R–R interval at the start of muscle contraction in the decerebrate cat. **447**, 549, 1992
McNAUGHTON Peter A.
LAGNADO Leon, CERVETTO Luigi & McNAUGHTON Peter A. Calcium homeostasis in the outer segments of retinal rods from the tiger salamander. **455**, 111, 1992
McNICHOLAS C.M.
BROWN C.D.A., McNICHOLAS C.M. & TURNBERG L.A. A Cl^- conductance sensitive to external pH in the apical membrane of rat duodenal enterocytes **456**, 519, 1992
MACONOCHIE D.J.
MACONOCHIE D.J. & KNIGHT D.E. A study of the bovine adrenal chromaffin nicotinic receptor using patch clamp and concentration-jump techniques. **454**, 129, 1992
MACONOCHIE D.J. & KNIGHT D.E. Markov modelling of ensemble current relaxations: bovine adrenal nicotinic receptor currents analysed. **454**, 155, 1992
McWILLIAM Peter N.
McMAHON Sarah E. & McWILLIAM Peter N. Changes in R–R interval at the start of muscle contraction in the decerebrate cat. **447**, 549, 1992
MADOR M. Jeffery
MADOR M. Jeffery & TOBIN Martin J. The effect of inspiratory muscle fatigue on breathing pattern and ventilatory response to CO_2. **455**, 17, 1992
MAERTENS DE NOORDHOUT A.
MAERTENS DE NOORDHOUT A., ROTHWELL J.C., DAY B.L., DRESSLER D., NAKASHIMA K., THOMPSON P.D. & MARSDEN C.D. Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992
MAGAZANIK Lev G.
BOLSHAKOV Vadim Yu., GAPON Svetlana A. & MAGAZANIK Lev G. Transduction mechanism for glutamate-induced potassium current in neurones of the mollusc *Planorbarius corneus*. **455**, 33, 1992
MAGLEBY K.L.
WEISS D.S. & MAGLEBY K.L. Voltage-dependent gating mechanism for single fast chloride channels from rat skeletal muscle. **453**, 279, 1992
MAGYAR Kálmán
TÖRÖK Tamás L., TÓTH Péter T., TÓTHFALUSI László, AZZIDANI Awad M. & MAGYAR Kálmán Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992
MAKINO C.L.
MAKINO C.L., TAYLOR W.R. & BAYLOR D.A. Erratum: *Journal of Physiology* **442** (1991) **448**, 781, 1992
MANDEL G.
CUI J., MANDEL G., DiFRANCESCO D., KLINE R.P., PENNEFATHER P., DATYNER N.B., HASPEL H.C. & COHEN I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992
MANOR David
SEGAL Menahem & MANOR David Confocal microscopic imaging of $[Ca^{2+}]_i$ in cultured rat hippocampal neurons following exposure to *N*-methyl-D-aspartate. **448**, 655, 1992
MARBAN Eduardo
BALKE C. William, ROSE William C., MARBAN Eduardo & WIER W. Gil Macroscopic and unitary properties of physiological ion flux through T-type Ca^{2+} channels in guinea-pig heart cells. **456**, 247, 1992
ROSE William C., BALKE C. William, WIER W. Gil & MARBAN Eduardo Macroscopic and unitary properties of physiological ion flux through L-type Ca^{2+} channels in guinea-pig heart cells. **456**, 267, 1992
MARJANOVIC Marina
MARJANOVIC Marina & WILLIS John S. ATP dependence of Na^+–K^+ pump of cold-sensitive and cold-tolerant mammalian red blood cells. **456**, 575, 1992

MARKIEWICZ M.
RAMSDEN C.A., MARKIEWICZ M., WALTERS D.V., GABELLA G., PARKER K.A., BARKER P.M. & NEIL H.L. Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992

MARKRAM Henry
MARKRAM Henry & SEGAL Menahem The inositol 1,4,5-trisphosphate pathway mediates cholinergic potentiation of rat hippocampal neuronal responses to NMDA. **447**, 513, 1992
MARKRAM Henry & SEGAL Menahem Activation of protein kinase C suppresses responses to NMDA in rat CA1 hippocampal neurones. **457**, 491, 1992

MARKS Susan A.
MARKS Susan A. & GILBEY Michael P. Effect on cardiac sympathetic nerve activity of phenylephrine microinjected into the cat intermediolateral cell column. **453**, 185, 1992

MARLIN David J.
SEWELL Dean A., HARRIS Roger C., MARLIN David J. & DUNNETT Mark Estimation of the carnosine content of different fibre types in the middle gluteal muscle of the thoroughbred horse. **455**, 447, 1992

MARRION N.V.
MARRION N.V. & ADAMS P.R. Release of intracellular calcium and modulation of membrane currents by caffeine in bull-frog sympathetic neurones. **445**, 515, 1992

MARSDEN C.D.
MAERTENS DE NOORDHOUT A., ROTHWELL J.C., DAY B.L., DRESSLER D., NAKASHIMA K., THOMPSON P.D. & MARSDEN C.D. Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992
FERBERT A., PRIORI A., ROTHWELL J.C., DAY B.L., COLEBATCH J.G. & MARSDEN C.D. Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992

MARSH S.J.
ROBBINS J., TROUSLARD J., MARSH S.J. & BROWN D.A. Kinetic and pharmacological properties of the M-current in rodent neuroblastoma × glioma hybrid cells. **451**, 159, 1992

MARTIN Paul R.
SMITH Vivianne C., LEE Barry B., POKORNY Joel, MARTIN Paul R. & VALBERG Arne Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992

MARTIN R.L.
COWAN A.I. & MARTIN R.L. Ionic basis of membrane potential changes induced by anoxia in rat dorsal vagal motoneurones. **455**, 89, 1992

MARTY A.
VINCENT P., ARMSTRONG C.M. & MARTY A. Inhibitory synaptic currents in rat cerebellar Purkinje cells: modulation by postsynaptic depolarization. **456**, 453, 1992

MARUOKA F.
FRACE A.M., MARUOKA F. & NOMA A. Control of the hyperpolarization-activated cation current by external anions in rabbit sino-atrial node cells. **453**, 307, 1992

MARUYAMA Yoshio
IKEDA Masahiro, KUROKAWA Kiyoshi & MARUYAMA Yoshio Cyclic nucleotide-dependent regulation of agonist-induced calcium increases in mouse megakaryocytes. **447**, 711, 1992

MARY D.A.S.G.
CEVESE A., MARY D.A.S.G., POLTRONIERI R., SCHENA F. & VACCA G. Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992

MASON W.T.
KATO M., HOYLAND J., SIKDAR S.K. & MASON W.T. Imaging of intracellular calcium in rat anterior pituitary cells in response to growth hormone releasing factor. **447**, 171, 1992

MASUDA Hiroshi
TOHSE Noritsugu, MASUDA Hiroshi & SPERELAKIS Nicholas Novel isoform of Ca^{2+} channel in rat fetal cardiomyocytes. **451**, 295, 1992
HAGIWARA Nobuhisa, MASUDA Hiroshi, SHODA Morio & IRISAWA Hiroshi Stretch-activated anion currents of rabbit cardiac myocytes. **456**, 285, 1992

MATHIAS C.J.
CHAUDHURI K. Ray, THOMAIDES T. & MATHIAS C.J. Abnormality of superior mesenteric artery blood flow responses in human sympathetic failure. **457**, 477, 1992
SUTTERS M., WAKEFIELD C., O'NEIL K., APPLEYARD M., FRANKEL H., MATHIAS C.J. & PEART W.S. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

MATHIAS R.T.
GAO J., MATHIAS R.T., COHEN I.S. & BALDO G.J. Isoprenaline, Ca^{2+} and the Na^+–K^+ pump in guinea-pig ventricular myocytes. **449**, 689, 1992

MATHIE Alistair
YANG Jian, MATHIE Alistair & HILLE Bertil 5-HT_3 receptor channels in dissociated rat superior cervical ganglion neurons. **448**, 237, 1992
MATSUDA Kazuhiro
MATSUDA Kazuhiro, DUCSAY Charles & KOOS Brian J. Fetal breathing, sleep state, and cardiovascular adaptations to anaemia in sheep. **445**, 713, 1992
MATSUDA Takuji
MATSUDA Takuji, HORI Tetsuro & NAKASHIMA Toshihiro Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. **454**, 197, 1992
MATTHEWS Gary
HEIDELBERGER Ruth & MATTHEWS Gary Calcium influx and calcium current in single synaptic terminals of goldfish retinal bipolar neurons. **447**, 235, 1992
MAYER Emeran
SUN Xiao Ping, SUPPLISSON Stephane, TORRES Rafael, SACHS George & MAYER Emeran Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992
MAZEVET D.
BURKE D., GRACIES J.M., MAZEVET D., MEUNIER S. & PIERROT-DESEILLIGNY E. Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
MEDANIC Marija
MEDANIC Marija & GILLETTE Martha U. Serotonin regulates the phase of the rat suprachiasmatic circadian pacemaker *in vitro* only during the subjective day. **450**, 629, 1992
MEDILANSKI Jana
GIROD Romain, EDER-COLLI Lorenza, MEDILANSKI Jana, DUNANT Yves, TABTI Nacira & POO Mu-ming Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992
MEEHAN Alan G.
MEEHAN Alan G. & KREULEN David L. A capsaicin-sensitive inhibitory reflex from the colon to mesenteric arteries in the guinea-pig. **448**, 153, 1992
MEHARG M.K.
MCHALE N.G. & MEHARG M.K. Co-ordination of pumping in isolated bovine lymphatic vessels. **450**, 503, 1992
MELZER W.
BENTERBUSCH R. & MELZER W. Ca^{2+} current in myotome cells of the lancelet (*Branchiostoma lanceolatum*). **450**, 437, 1992
FELDMEYER D., MELZER W., POHL B. & ZÖLLNER P. Modulation of calcium current gating in frog skeletal muscle by conditioning depolarization. **457**, 639, 1992
MESSMER K.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992
MEUNIER S.
BURKE D., GRACIES J.M., MAZEVET D., MEUNIER S. & PIERROT-DESEILLIGNY E. Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
BURKE D., GRACIES J.M., MEUNIER S. & PIERROT-DESEILLIGNY E. Changes in presynaptic inhibition of afferents to propriospinal-like neurones in man during voluntary contractions. **449**, 673, 1992
MEYER D.J. JR
MEYER D.J. JR, HUXLEY Virginia H. & MCKAY Mary K. Volume status influences atrial peptide-induced water conductivity changes in leopard frog mesenteric capillaries. **447**, 33, 1992
MEYER Jörg
POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992
MEYER Theo E.
CASADEI Barbara, MEYER Theo E., COATS Andrew J.S., CONWAY James & SLEIGHT Peter Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992
MICHAELIS M.
BOCZEK-FUNCKE A., HÄBLER H.-J., JÄNIG W. & MICHAELIS M. Respiratory modulation of the activity in sympathetic neurones supplying muscle, skin and pelvic organs in the cat. **449**, 333, 1992
BOCZEK-FUNCKE A., DEMBOWSKY K., HÄBLER H.-J., JÄNIG W., MCALLEN R.M. & MICHAELIS M. Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992

Boczek-Funcke A., Dembowsky K., Häbler H.-J., Jänig W. & Michaelis M. Respiratory-related activity patterns in preganglionic neurones projecting into the cat cervical sympathetic trunk. **457**, 277, 1992

Midtgaard Jens

Midtgaard Jens Membrane properties and synaptic responses of Golgi cells and stellate cells in the turtle cerebellum *in vitro*. **457**, 329, 1992

Midtgaard Jens Stellate cell inhibition of Purkinje cells in the turtle cerebellum *in vitro*. **457**, 355, 1992

Miles Richard

Traub Roger D., Miles Richard & Buzsáki György Computer simulation of carbachol-driven rhythmic population oscillations in the CA3 region of the *in vitro* rat hippocampus. **451**, 653, 1992

Mill J.G.

Donoso P., Mill J.G., O'Neill S.C. & Eisner D.A. Fluorescence measurements of cytoplasmic and mitochondrial sodium concentration in rat ventricular myocytes. **448**, 493, 1992

Millar N.C.

Dantzig J.A., Goldman Y.E., Millar N.C., Lacktis J. & Homsher E. Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992

Miller David J.

Lamont Christine & Miller David J. Calcium sensitizing action of carnosine and other endogenous imidazoles in chemically skinned striated muscle. **454**, 421, 1992

Miller R.J.

Brooks P.A., Glaum S.R., Miller R.J. & Spyer K.M. The actions of baclofen on neurones and synaptic transmission in the nucleus tractus solitarii of the rat *in vitro*. **457**, 115, 1992

Milton A.S.

Davidson J., Milton A.S. & Rotondo D. α-Melanocyte-stimulating hormone suppresses fever and increases in plasma levels of prostaglandin E_2 in the rabbit. **451**, 491, 1992

Minagawa Takashi

Morimoto Keiko, Morimoto Akio, Nakamori Tomoki, Tan Nobusuke, Minagawa Takashi & Murakami Naotoshi Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992

Mironneau C.

Pacaud P., Loirand G., Bolton T.B., Mironneau C. & Mironneau J. Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992

Mironneau J.

Pacaud P., Loirand G., Bolton T.B., Mironneau C. & Mironneau J. Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992

Misgeld U.

Müller T.H., Misgeld U. & Swandulla D. Ionic currents in cultured rat hypothalamic neurones. **450**, 341, 1992

Jarolimek W. & Misgeld U. On the inhibitory actions of baclofen and γ-aminobutyric acid in rat ventral midbrain culture. **451**, 419, 1992

Missiaen Ludwig

Missiaen Ludwig, Taylor Colin W. & Berridge Michael J. Luminal Ca^{2+} promoting spontaneous Ca^{2+} release from inositol trisphosphate-sensitive stores in rat hepatocytes. **455**, 623, 1992

Mitchell H.W.

Mitchell H.W. & Coburn R.F. Multiple motor pathways to single smooth muscle cells in the ferret trachea. **456**, 557, 1992

Mitsuiye Tamotsu

Mitsuiye Tamotsu & Noma Akinori Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **453**, 261, 1992

Miura Motohiko

Miura Motohiko, Belvisi Maria G., Stretton C. David, Yacoub Magdi H. & Barnes Peter J. Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992

Miwa Kyoko

Yamamoto Yoshimichi, Chen Guifa, Miwa Kyoko & Suzuki Hikaru Permeability and Mg^{2+} blockade of histamine-operated cation channel in endothelial cells of rat intrapulmonary artery. **450**, 395, 1992

Mo Zun-Li

Mo Zun-Li, Katafuchi Toshihiko, Muratani Hiroshi & Hori Tetsuro Effects of vasopressin and angiotensin II on neurones in the rat dorsal motor nucleus of the vagus, *in vitro*. **458**, 561, 1992

Moises Hylan C.

Washburn Mark S. & Moises Hylan C. Muscarinic responses of rat basolateral amygdaloid neurons recorded *in vitro*. **449**, 121, 1992

Womble Mark D. & Moises Hylan C. Muscarinic inhibition of M-current and a potassium leak conductance in neurones of the rat basolateral amygdala. **457**, 93, 1992

MOLENAAR P.C.
PLOMP J.J., VAN KEMPEN G. Th. H. & MOLENAAR P.C. Adaptation of quantal content to decreased postsynaptic sensitivity at single endplates in α-bungarotoxin-treated rats. **458**, 487, 1992

MOLLEMAN Areles
DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992

MONCADA S.
AMRANI M., O'SHEA J., ALLEN N.J., HARDING S.E., JAYAKUMAR J., PEPPER J.R., MONCADA S. & YACOUB M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

MONTEAU Roger
MORIN Didier, MONTEAU Roger & HILAIRE Gérard Compared effects of serotonin on cervical and hypoglossal inspiratory activities: an *in vitro* study in the newborn rat. **451**, 605, 1992

MORAD Martin
NÄBAUER Michael & MORAD Martin Modulation of contraction by intracellular Na^+ via Na^+–Ca^{2+} exchange in single shark (*Squalus acanthias*) ventricular myocytes. **457**, 627, 1992

MORELAND Robert S.
COBURN Ronald F., MORELAND Suzanne, MORELAND Robert S. & BARON Carl B. Rate-limiting energy-dependent steps controlling oxidative metabolism–contraction coupling in rabbit aorta. **448**, 473, 1992

MORELAND Suzanne
COBURN Ronald F., MORELAND Suzanne, MORELAND Robert S. & BARON Carl B. Rate-limiting energy-dependent steps controlling oxidative metabolism–contraction coupling in rabbit aorta. **448**, 473, 1992

MORGAN D.L.
PROSKE U., MORGAN D.L. & GREGORY J.E. Muscle history dependence of responses to stretch of primary and secondary endings of cat soleus muscle spindles. **445**, 81, 1992

MORGAN Kathleen G.
PAWLOWSKI John & MORGAN Kathleen G. Mechanisms of intrinsic tone in ferret vascular smooth muscle. **448**, 121, 1992
KHALIL Raouf A. & MORGAN Kathleen G. Phenylephrine-induced translocation of protein kinase C and shortening of two types of vascular cells of the ferret. **455**, 585, 1992

MORII Magotoshi
SAKAI Hideki, OKADA Yasunobu, MORII Magotoshi & TAKEGUCHI Noriaki Arachidonic acid and prostaglandin E_2 activate small-conductance Cl^- channels in the basolateral membrane of rabbit parietal cells. **448**, 293, 1992

MORIMOTO Akio
MORIMOTO Keiko, MORIMOTO Akio, NAKAMORI Tomoki, TAN Nobusuke, MINAGAWA Takashi & MURAKAMI Naotoshi Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992

MORIMOTO Keiko
MORIMOTO Keiko, MORIMOTO Akio, NAKAMORI Tomoki, TAN Nobusuke, MINAGAWA Takashi & MURAKAMI Naotoshi Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992

MORIN Didier
MORIN Didier, MONTEAU Roger & HILAIRE Gérard Compared effects of serotonin on cervical and hypoglossal inspiratory activities: an *in vitro* study in the newborn rat. **451**, 605, 1992

MORITA K.
MORITA K. & KATAYAMA Y. Substance P inhibits activation of calcium-dependent potassium conductances in guinea-pig myenteric neurones. **447**, 293, 1992

Moss Richard L.
REISER Peter J., GREASER Marion L. & Moss Richard L. Developmental changes in troponin T isoform expression and tension production in chicken single skeletal muscle fibres. **449**, 573, 1992

MÜLLER T.H.
MÜLLER T.H., MISGELD U. & SWANDULLA D. Ionic currents in cultured rat hypothalamic neurones. **450**, 341, 1992

MUNCH Paul A.
MUNCH Paul A. Discharge characteristics and rapid resetting of autoactive aortic baroreceptors in rats. **458**, 501, 1992

MURAKAMI Naotoshi
MORIMOTO Keiko, MORIMOTO Akio, NAKAMORI Tomoki, TAN Nobusuke, MINAGAWA Takashi & MURAKAMI Naotoshi Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992

MURATANI Hiroshi
Mo Zun-Li, KATAFUCHI Toshihiko, MURATANI Hiroshi & HORI Tetsuro Effects of vasopressin and angiotensin II on neurones in the rat dorsal motor nucleus of the vagus, *in vitro*. **458**, 561, 1992

MURPHY Kerry P.S.J.
MURPHY Kerry P.S.J. & GREENFIELD Susan A. Neuronal selectivity of ATP-sensitive potassium channels in guinea-pig substantia nigra revealed by responses to anoxia. **453**, 167, 1992

MURRAY Margaret A.
MURRAY Margaret A., FARACI Frank M. & HEISTAD Donald D. Role of protein kinase C in constrictor responses of the rat basilar artery *in vivo*. **445**, 169, 1992

NÄBAUER Michael
NÄBAUER Michael & MORAD Martin Modulation of contraction by intracellular Na^+ via Na^+–Ca^{2+} exchange in single shark (*Squalus acanthias*) ventricular myocytes. **457**, 627, 1992

NADAL Angel
VALDEOLMILLOS Miguel, NADAL Angel, CONTRERAS Diego & SORIA Bernat The relationship between glucose-induced K^+_{ATP} channel closure and the rise in $[Ca^{2+}]_i$ in single mouse pancreatic β-cells. **455**, 173, 1992

NAGAO Tetsuhiko
NAGAO Tetsuhiko & VANHOUTTE Paul M. Hyperpolarization as a mechanism for endothelium-dependent relaxations in the porcine coronary artery. **445**, 355, 1992

NAGESSER A.S.
NAGESSER A.S., VAN DER LAARSE W.J. & ELZINGA G. Metabolic changes with fatigue in different types of single muscle fibres of *Xenopus laevis*. **448**, 511, 1992

NAGY K.
DECKERT A., NAGY K., HELRICH C.S. & STIEVE H. Three components in the light-induced current of the *Limulus* ventral photoreceptor. **453**, 69, 1992

NAJAFIPOUR Hamid
FERRELL William R. & NAJAFIPOUR Hamid Changes in synovial P_{O_2} and blood flow in the rabbit knee joint due to stimulation of the posterior articular nerve. **449**, 607, 1992

NAKAMORI Tomoki
MORIMOTO Keiko, MORIMOTO Akio, NAKAMORI Tomoki, TAN Nobusuke, MINAGAWA Takashi & MURAKAMI Naotoshi Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992

NAKAMURA Taro
NAKAMURA Taro & YAMADA Kazuhiro Effects of carbon dioxide on tetanic contraction of frog skeletal muscles studied by phosphorus nuclear magnetic resonance. **453**, 247, 1992

NAKASHIMA K.
MAERTENS DE NOORDHOUT A., ROTHWELL J.C., DAY B.L., DRESSLER D., NAKASHIMA K., THOMPSON P.D. & MARSDEN C.D. Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992

NAKASHIMA Toshihiro
MATSUDA Takuji, HORI Tetsuro & NAKASHIMA Toshihiro Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. **454**, 197, 1992

NAKAYE Toshio
UENO Shinya, NAKAYE Toshio & AKAIKE Norio Proton-induced sodium current in freshly dissociated hypothalamic neurones of the rat. **447**, 309, 1992

NAKAZATO Yoshikazu
OHTA Toshio, ITO Shigeo, NOTO Tsunehisa, TACHIBANA Reiko, NAKAZATO Yoshikazu & OHGA Akira The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992

NEELY Alan
NEELY Alan & LINGLE Christopher J. Two components of calcium-activated potassium current in rat adrenal chromaffin cells. **453**, 97, 1992
NEELY Alan & LINGLE Christopher J. Effects of muscarine on single rat adrenal chromaffin cells. **453**, 133, 1992

NEHER Erwin
KASAI Haruo & NEHER Erwin Dihydropyridine-sensitive and ω-conotoxin-sensitive calcium channels in a mammalian neuroblastoma–glioma cell line. **448**, 161, 1992
DOROSHENKO Peter & NEHER Erwin Volume-sensitive chloride conductance in bovine chromaffin cell membrane. **449**, 197, 1992
AUGUSTINE George J. & NEHER Erwin Calcium requirements for secretion in bovine chromaffin cells. **450**, 247, 1992
NEHER Erwin & AUGUSTINE George J. Calcium gradients and buffers in bovine chromaffin cells. **450**, 273, 1992
UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992

NEIL H.L.
RAMSDEN C.A., MARKIEWICZ M., WALTERS D.V., GABELLA G., PARKER K.A., BARKER P.M. & NEIL H.L. Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992

NELEMANS Adriaan
DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992

NELSON Theodore E.
KELSO Stephen R., NELSON Theodore E. & LEONARD John P. Protein kinase C-mediated enhancement of NMDA currents by metabotropic glutamate receptors in *Xenopus* oocytes. **449**, 705, 1992

NEVO Zvi
DASCALU Avi, NEVO Zvi & KORENSTEIN Rafi Hyperosmotic activation of the Na^+–H^+ exchanger in a rat bone cell line: temperature dependence and activation pathways **456**, 503, 1992

NEWLAND Claire F.
NEWLAND Claire F. & CULL-CANDY S.G. On the mechanism of action of picrotoxin on GABA receptor channels in dissociated sympathetic neurones of the rat. **447**, 191, 1992

NICOLAYSEN G.
IVERSEN P.O., BENESTAD H.B. & NICOLAYSEN G. Marked splenic hyperaemia during post-haemorrhagic hypotension in the rat, rabbit and cat. **448**, 437, 1992

NIELSEN J.
NIELSEN J. & KAGAMIHARA Y. The regulation of disynaptic reciprocal Ia inhibition during co-contraction of antagonistic muscles in man. **456**, 373, 1992

NILIUS B.
NILIUS B. & WOHLRAB W. Potassium channels and regulation of proliferation of human melanoma cells. **445**, 537, 1992

NILIUS Bernd
SCHWARZ Gero, CALLEWAERT Geert, DROOGMANS Guy & NILIUS Bernd Shear stress-induced calcium transients in endothelial cells from human umbilical cord veins. **458**, 527, 1992

NISHIMURA T.
NISHIMURA T., AKASU T. & KRIER J. Guanosine 3′,5′-cyclic monophosphate regulates calcium channels in neurones of rabbit vesical pelvic ganglia. **457**, 559, 1992

NISHIYAMA Akinori
IKEDA Katsuhisa, SAITO Yoshitaka, NISHIYAMA Akinori & TAKASAKA Tomonori Intracellular pH regulation in isolated cochlear outer hair cells of the guinea-pig. **447**, 627, 1992

NISTRI Andrea
NISTRI Andrea & CHERUBINI Enrico Inactivation characteristics of a sustained, Ca^{2+}-independent K^+ current of rat hippocampal neurones *in vitro*. **457**, 575, 1992

NOACK Thomas
NOACK Thomas, DEITMER Petra & LAMMEL Ernst Characterization of membrane currents in single smooth muscle cells from the guinea-pig gastric antrum. **451**, 387, 1992

NOHMI Mitsuo
NOHMI Mitsuo, HUA Shao-Ying & KUBA Kenji Basal Ca^{2+} and the oscillation of Ca^{2+} in caffeine-treated bullfrog sympathetic neurones. **450**, 513, 1992
NOHMI Mitsuo, HUA Shao-Ying & KUBA Kenji Intracellular calcium dynamics in response to action potentials in bullfrog sympathetic ganglion cells. **458**, 171, 1992

NOMA A.
FRACE A.M., MARUOKA F. & NOMA A. Control of the hyperpolarization-activated cation current by external anions in rabbit sino-atrial node cells. **453**, 307, 1992
ONO K., TAREEN F.M., YOSHIDA A. & NOMA A. Synergistic action of cyclic GMP on catecholamine-induced chloride current in guinea-pig ventricular cells. **453**, 647, 1992

NOMA Akinori
MITSUIYE Tamotsu & NOMA Akinori Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **453**, 261, 1992

NOONEY Janet M.
NOONEY Janet M., PETERS John A. & LAMBERT Jeremy J. A patch clamp study of the nicotinic acetylcholine receptor of bovine adrenomedullary chromaffin cells in culture. **455**, 503, 1992

NORDSTROM Michael A.
NORDSTROM Michael A., FUGLEVAND Andrew J. & ENOKA Roger M. Estimating the strength of common input to human motoneurons from the cross-correlogram. **453**, 547, 1992

NORTH R. Alan
JOHNSON Steven W. & NORTH R. Alan Two types of neurone in the rat ventral tegmental area and their synaptic inputs. **450**, 455, 1992

NORTH R.A.
SHEN K.-Z., NORTH R.A. & SURPRENANT Annmarie Potassium channels opened by noradrenaline and other transmitters in excised membrane patches of guinea-pig submucosal neurones. **445**, 581, 1992
BUSCH A.E., KAVANAUGH M.P., VARNUM M.D., ADELMAN J.P. & NORTH R.A. Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992
SHEN K.-Z. & NORTH R.A. Muscarine increases cation conductance and decreases potassium conductance in rat locus coeruleus neurones. **455**, 471, 1992
NOTO Tsunehisa
OHTA Toshio, ITO Shigeo, NOTO Tsunehisa, TACHIBANA Reiko, NAKAZATO Yoshikazu & OHGA Akira The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992
NUÑEZ Angel
DOSSI Roberto Curró, NUÑEZ Angel & STERIADE Mircea Electrophysiology of a slow (0·5–4 Hz) intrinsic oscillation of cat thalamocortical neurones *in vivo*. **447**, 215, 1992
NZEGWU Helen C.
NZEGWU Helen C. & LEVIN R.J. Dietary restriction sensitizes the rat distal colon to aldosterone. **447**, 501, 1992
O'BYRNE Paul M.
JONES Graham L., LANE Cathy & O'BYRNE Paul M. Effect of an inhaled thromboxane mimetic (U46619) on *in vivo* pulmonary resistance and airway hyperresponsiveness in dogs. **453**, 59, 1992
OCHOA José L.
YARNITSKY David, SIMONE Donald A., DOTSON Rose M., CLINE Martha A. & OCHOA José L. Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992
OGATA Nobukuni
TATEBAYASHI Hideharu & OGATA Nobukuni Kinetic analysis of the $GABA_B$-mediated inhibition of the high-threshold Ca^{2+} current in cultured rat sensory neurones. **447**, 391, 1992
OGAWA Hisashi
YAMASHITA Yoshiro, AKAIKE Norio, WAKAMORI Minoru, IKEDA Isamu & OGAWA Hisashi Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992
OHASHI H.
KOMORI S., KAWAI M., TAKEWAKI T. & OHASHI H. GTP-binding protein involvement in membrane currents evoked by carbachol and histamine in guinea-pig ileal muscle. **450**, 105, 1992
OHGA Akira
OHTA Toshio, ITO Shigeo, NOTO Tsunehisa, TACHIBANA Reiko, NAKAZATO Yoshikazu & OHGA Akira The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992
OHHASHI Toshio
OHHIRA Akiyoshi & OHHASHI Toshio Effects of aortic pressure and vasoactive agents on the vascular resistance of the vasa vasorum in canine isolated thoracic aorta. **453**, 233, 1992
OHHIRA Akiyoshi
OHHIRA Akiyoshi & OHHASHI Toshio Effects of aortic pressure and vasoactive agents on the vascular resistance of the vasa vasorum in canine isolated thoracic aorta. **453**, 233, 1992
OHMORI Harunori
KIMITSUKI Takashi & OHMORI Harunori The effect of caged calcium release on the adaptation of the transduction current in chick hair cells. **458**, 27, 1992
OHTA Toshio
OHTA Toshio, ITO Shigeo, NOTO Tsunehisa, TACHIBANA Reiko, NAKAZATO Yoshikazu & OHGA Akira The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992
OIKE Masahiro
OIKE Masahiro, KITAMURA Kenji & KURIYAMA Hirosi Histamine H_3-receptor activation augments voltage-dependent Ca^{2+} current via GTP hydrolysis in rabbit saphenous artery. **448**, 133, 1992
OKADA Yasunobu
SAKAI Hideki, OKADA Yasunobu, MORII Magotoshi & TAKEGUCHI Noriaki Arachidonic acid and prostaglandin E_2 activate small-conductance Cl^- channels in the basolateral membrane of rabbit parietal cells. **448**, 293, 1992
KUBO Machiko & OKADA Yasunobu Volume-regulatory Cl^- channel currents in cultured human epithelial cells. **456**, 351, 1992
OLIET Stephane H.R.
OLIET Stephane H.R. & BOURQUE Charles W. Properties of supraoptic magnocellular neurones isolated from the adult rat. **455**, 291, 1992

OLIEVIER C.N.

WOLSINK J.G., BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.N. The effects of hypoxia on the ventilatory response to sudden changes in CO_2 in newborn piglets. **456**, 39, 1992

OLIEVIER Ida C.W.

BERKENBOSCH Aad, DAHAN Albert, DEGOEDE Jacob & OLIEVIER Ida C.W. The ventilatory response to CO_2 of the peripheral and central chemoreflex loop before and after sustained hypoxia in man. **456**, 71, 1992

OLSSON Kurt Å.

TRULSSON Mats, JOHANSSON Roland S. & OLSSON Kurt Å. Directional sensitivity of human periodontal mechanoreceptive afferents to forces applied to the teeth. **447**, 373, 1992

O'NEIL K.

SUTTERS M., WAKEFIELD C., O'NEIL K., APPLEYARD M., FRANKEL H., MATHIAS C.J. & PEART W.S. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

O'NEILL S.C.

DONOSO P., MILL J.G., O'NEILL S.C. & EISNER D.A. Fluorescence measurements of cytoplasmic and mitochondrial sodium concentration in rat ventricular myocytes. **448**, 493, 1992

ONO K.

ONO K., TAREEN F.M., YOSHIDA A. & NOMA A. Synergistic action of cyclic GMP on catecholamine-induced chloride current in guinea-pig ventricular cells. **453**, 647, 1992

ONO Katsushige

ONO Katsushige & FOZZARD Harry A. Phosphorylation restores activity of L-type calcium channels after rundown in inside-out patches from rabbit cardiac cells. **454**, 673, 1992

ONO Kyoichi

TAREEN Faiz M., YOSHIDA Atsuya & ONO Kyoichi Modulation of β-adrenergic responses of chloride and calcium currents by external cations in guinea-pig ventricular cells. **457**, 211, 1992

ORCHARD C.H.

FRAMPTON J.E. & ORCHARD C.H. The effect of a calmodulin inhibitor on intracellular $[Ca^{2+}]$ and contraction in isolated rat ventricular myocytes. **453**, 385, 1992

O'SHEA J.

AMRANI M., O'SHEA J., ALLEN N.J., HARDING S.E., JAYAKUMAR J., PEPPER J.R., MONCADA S. & YACOUB M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

ØSTBERG T.

HU G.-Y., HVALBY Ø., LACAILLE J.-C., PIERCEY B., ØSTBERG T. & ANDERSEN P. Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992

OWEN W. Geoffrey

HARE William A. & OWEN W. Geoffrey Effects of 2-amino-4-phosphonobutyric acid on cells in the distal layers of the tiger salamander's retina. **445**, 741, 1992

OZAKI H.

OZAKI H., BLONDFIELD D.P., HORI M., SANDERS K.M. & PUBLICOVER N.G. Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992

OZAKI Hiroshi

OZAKI Hiroshi, BLONDFIELD David P., HORI Masatoshi, PUBLICOVER Nelson G., KATO Iwao & SANDERS Kenton M. Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992

PACAUD P.

PACAUD P., LOIRAND G., BOLTON T.B., MIRONNEAU C. & MIRONNEAU J. Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992

PACICCA Catherine

PACICCA Catherine, VON DER WEID Pierre-Yves & BÉNY Jean-Louis Effect of nitro-L-arginine on endothelium-dependent hyperpolarizations and relaxations of pig coronary arteries. **457**, 247, 1992

PAHAPILL P.A.

PAHAPILL P.A. & SCHLICHTER L.C. Modulation of potassium channels in intact human T lymphocytes. **445**, 407, 1992

PAINTAL A.S.

PAINTAL A.S. & ANAND Ashima Factors affecting movement of excitatory substances from pulmonary capillaries to type J receptors of anaesthetized cats. **449**, 155, 1992

PALADE Philip

BRUNDER Donald G., GYÖRKE Sandor, DETTBARN Christine & PALADE Philip Involvement of sarcoplasmic reticulum 'Ca^{2+} release channels' in excitation–contraction coupling in vertebrate skeletal muscle. **445**, 759, 1992

Györke Sandor & Palade Philip Effects of perchlorate on excitation–contraction coupling in frog and crayfish skeletal muscle. **456**, 443, 1992

Györke Sandor & Palade Philip Calcium-induced calcium release in crayfish skeletal muscle. **457**, 195, 1992

Palmer E.

Palmer E. & Ashby P. Corticospinal projections to upper limb motoneurones in humans. **448**, 397, 1992

Palmer E. & Ashby P. Evidence that a long latency stretch reflex in humans is transcortical. **449**, 429, 1992

Pape Hans-Christian

Pape Hans-Christian Adenosine promotes burst activity in guinea-pig geniculocortical neurones through two different ionic mechanisms. **447**, 729, 1992

Pape P.C.

Pape P.C., Konishi M. & Baylor S.M. Valinomycin and excitation–contraction coupling in skeletal muscle fibres of the frog. **449**, 219, 1992

Papp Z.

Stienen G.J.M., Versteeg P.G.A., Papp Z. & Elzinga G. Mechanical properties of skinned rabbit psoas and soleus muscle fibres during lengthening: effects of phosphate and Ca^{2+}. **451**, 503, 1992

Parker Ian

Ilyin Victor & Parker Ian Effects of alcohols on responses evoked by inositol trisphosphate in *Xenopus* oocytes. **448**, 339, 1992

Yao Yong & Parker Ian Potentiation of inositol trisphosphate-induced Ca^{2+} mobilization in *Xenopus* oocytes by cytosolic Ca^{2+}. **458**, 319, 1992

Parker K.A.

Ramsden C.A., Markiewicz M., Walters D.V., Gabella G., Parker K.A., Barker P.M. & Neil H.L. Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992

Pasternack M.

Kaila K., Rydqvist B., Pasternack M. & Voipio J. Inward current caused by sodium-dependent uptake of GABA in the crayfish stretch receptor neurone. **453**, 627, 1992

Patterson Michael F.

Dulhunty Angela F., Zhu Pei-Hong, Patterson Michael F. & Ahern Gerard Actions of perchlorate ions on rat soleus muscle fibres. **448**, 99, 1992

Paul Richard J.

Campbell Jamie D. & Paul Richard J. The nature of fuel provision for the Na^+, K^+-ATPase in porcine vascular smooth muscle. **447**, 67, 1992

Pawlowski John

Pawlowski John & Morgan Kathleen G. Mechanisms of intrinsic tone in ferret vascular smooth muscle. **448**, 121, 1992

Peart W.S.

Sutters M., Wakefield C., O'Neil K., Appleyard M., Frankel H., Mathias C.J. & Peart W.S. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

Pennefather P.

Cui J., Mandel G., DiFrancesco D., Kline R.P., Pennefather P., Datyner N.B., Haspel H.C. & Cohen I.S. Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992

Pepper J.R.

Amrani M., O'Shea J., Allen N.J., Harding S.E., Jayakumar J., Pepper J.R., Moncada S. & Yacoub M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

Pequignot J.M.

Hertzberg T., Hellström S., Holgert H., Lagercrantz H. & Pequignot J.M. Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992

Peters John A.

Nooney Janet M., Peters John A. & Lambert Jeremy J. A patch clamp study of the nicotinic acetylcholine receptor of bovine adrenomedullary chromaffin cells in culture. **455**, 503, 1992

Petersen Ole H.

Petersen Ole H. Stimulus–secretion coupling: cytoplasmic calcium signals and the control of ion channels in exocrine acinar cells. **448**, 1, 1992

Petit Julien

Émonet-Dénand Françoise, Petit Julien & Laporte Yves Comparison of skeleto-fusimotor innervation in cat peroneus brevis and peroneus tertius muscles. **458**, 519, 1992

PHILLIPS Mary E.
PHILLIPS Mary E. & TAYLOR Ann Effect of colcemid on the water permeability response to vasopressin in isolated perfused rabbit collecting tubules. **456**, 591, 1992
PIAZZESI Gabriella
PIAZZESI Gabriella, FRANCINI Fabio, LINARI Marco & LOMBARDI Vincenzo Tension transients during steady lengthening of tetanized muscle fibres of the frog. **445**, 659, 1992
PIERCEY B.
HU G.-Y., HVALBY Ø., LACAILLE J.-C., PIERCEY B., ØSTBERG T. & ANDERSEN P. Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992
PIERROT-DESEILLIGNY E.
BURKE D., GRACIES J.M., MAZEVET D., MEUNIER S. & PIERROT-DESEILLIGNY E. Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
BURKE D., GRACIES J.M., MEUNIER S. & PIERROT-DESEILLIGNY E. Changes in presynaptic inhibition of afferents to propriospinal-like neurones in man during voluntary contractions. **449**, 673, 1992
PIKE Gregory K.
SALAMA Guy, ABRAMSON Jonathan J. & PIKE Gregory K. Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. **454**, 389, 1992
PILAR G.
CHARNET P., LABARCA C., COHEN B.N., DAVIDSON N., LESTER H.A. & PILAR G. Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992
PINCO M.
LEV-TOV A. & PINCO M. In vitro studies of prolonged synaptic depression in the neonatal rat spinal cord. **447**, 149, 1992
PINTER M.J.
ALSTERMARK B., PINTER M.J. & SASAKI S. Tectal and tegmental excitation in dorsal neck motoneurones of the cat. **454**, 517, 1992
PINTO Lawrence H.
STONE Charlene & PINTO Lawrence H. Receptive field organization of retinal ganglion cells in the *spastic* mutant mouse. **456**, 125, 1992
PISINI J.V.
ILES J.F. & PISINI J.V. Vestibular-evoked postural reactions in man and modulation of transmission in spinal reflex pathways. **455**, 407, 1992
ILES J.F. & PISINI J.V. Cortical modulation of transmission in spinal reflex pathways of man. **455**, 425, 1992
PITLER T.A.
PITLER T.A. & ALGER B.E. Cholinergic excitation of GABAergic interneurons in the rat hippocampal slice. **450**, 127, 1992
PIZARRO Gonzalo
PIZARRO Gonzalo, CSERNOCH László, URIBE Ismael & RÍOS Eduardo Differential effects of tetracaine on two kinetic components of calcium release in frog skeletal muscle fibres. **457**, 525, 1992
PIZZA Lucia
FRANCINI Fabio, PIZZA Lucia & TRAINA Giovanna Inactivation of the slow calcium current in twitch skeletal muscle fibres of the frog. **448**, 633, 1992
PLANELLES Gabrielle
DISCALA Françoise, BELACHGAR Fouzia, PLANELLES Gabrielle, HULIN Philippe & ANAGNOSTOPOULOS Takis Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992
PLANT Susan
YOSHIDA Shigeru & PLANT Susan Mechanism of release of Ca^{2+} from intracellular stores in response to ionomycin in oocytes of the frog *Xenopus laevis*. **458**, 307, 1992
PLOMP J.J.
PLOMP J.J., VAN KEMPEN G. Th. H. & MOLENAAR P.C. Adaptation of quantal content to decreased postsynaptic sensitivity at single endplates in α-bungarotoxin-treated rats. **458**, 487, 1992
POGGESI C.
CECCHI G., COLOMO F., POGGESI C. & TESI C. The stimulus interval–tension relation in enzymatically isolated single myocytes of the frog heart. **448**, 275, 1992
POHL B.
FELDMEYER D., MELZER W., POHL B. & ZÖLLNER P. Modulation of calcium current gating in frog skeletal muscle by conditioning depolarization. **457**, 639, 1992
POKORNY Joel
SMITH Vivianne C., LEE Barry B., POKORNY Joel, MARTIN Paul R. & VALBERG Arne Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992

POLTRONIERI R.
CEVESE A., MARY D.A.S.G., POLTRONIERI R., SCHENA F. & VACCA G. Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992

POO Mu-ming
GIROD Romain, EDER-COLLI Lorenza, MEDILANSKI Jana, DUNANT Yves, TABTI Nacira & POO Mu-ming Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992

POPP Rüdiger
POPP Rüdiger, HOYER Joachim, MEYER Jörg, GALLA Hans-Joachim & GÖGELEIN Heinz Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992

POTT L.
LIPP P., POTT L., CALLEWAERT G. & CARMELIET E. Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. **454**, 321, 1992

POTTER Erika K.
ULMAN Lesley G., POTTER Erika K. & MCCLOSKEY D.I. Effects of sympathetic activity and galanin on cardiac vagal action in anaesthetized cats. **448**, 225, 1992

POZO Miguel A.
POZO Miguel A., GALLEGO Roberto, GALLAR Juana & BELMONTE Carlos Blockade by calcium antagonists of chemical excitation and sensitization of polymodal nociceptors in the cat's cornea. **450**, 179, 1992

PRIORI A.
FERBERT A., PRIORI A., ROTHWELL J.C., DAY B.L., COLEBATCH J.G. & MARSDEN C.D. Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992

PROSKE U.
PROSKE U., MORGAN D.L. & GREGORY J.E. Muscle history dependence of responses to stretch of primary and secondary endings of cat soleus muscle spindles. **445**, 81, 1992
IGGO A., GREGORY J.E. & PROSKE U. The central projection of electrosensory information in the platypus. **447**, 449, 1992

PUBLICOVER Nelson G.
OZAKI Hiroshi, BLONDFIELD David P., HORI Masatoshi, PUBLICOVER Nelson G., KATO Iwao & SANDERS Kenton M. Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992

PUBLICOVER N.G.
OZAKI H., BLONDFIELD D.P., HORI M., SANDERS K.M. & PUBLICOVER N.G. Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992

PUCÉAT Michel
TERZIC André, PUCÉAT Michel, CLÉMENT Odile, SCAMPS Frédérique & VASSORT Guy α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992

PUGH E.N. JR
LAMB T.D. & PUGH E.N. JR A quantitative account of the activation steps involved in phototransduction in amphibian photoreceptors. **449**, 719, 1992

QUASTEL D.M.J.
BAIN A.I. & QUASTEL D.M.J. Quantal transmitter release mediated by strontium at the mouse motor nerve terminal. **450**, 63, 1992
BAIN A.I. & QUASTEL D.M.J. Multiplicative and additive Ca^{2+}-dependent components of facilitation at mouse endplates. **455**, 383, 1992

RACK P.M.H.
DOEMGES F. & RACK P.M.H. Changes in the stretch reflex of the human first dorsal interosseous muscle during different tasks. **447**, 563, 1992
DOEMGES F. & RACK P.M.H. Task-dependent changes in the response of human wrist joints to mechanical disturbance. **447**, 575, 1992

RAGGENBASS Mario
RAGGENBASS Mario & DREIFUSS Jean Jacques Mechanism of action of oxytocin in rat vagal neurones: induction of a sustained sodium-dependent current. **457**, 131, 1992

RALL Jack A.
HOU Tien-tzu, JOHNSON J. David & RALL Jack A. Effect of temperature on relaxation rate and Ca^{2+}, Mg^{2+} dissociation rates from parvalbumin of frog muscle fibres. **449**, 399, 1992

RAMSDEN C.A.
RAMSDEN C.A., MARKIEWICZ M., WALTERS D.V., GABELLA G., PARKER K.A., BARKER P.M. & NEIL H.L. Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992

RAWSON J.A.
BUTLER E.G., HORNE M.K. & RAWSON J.A. Sensory characteristics of monkey thalamic and motor cortex neurones. **445**, 1, 1992

REBELLO Gavin
HODSON Stuart, KAILA Darshan, HAMMOND Simon, REBELLO Gavin & AL-OMARI Yehia Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992
RECUPERO E.
LAMB G.D., RECUPERO E. & STEPHENSON D.G. Effect of myoplasmic pH on excitation–contraction coupling in skeletal muscle fibres of the toad. **448**, 211, 1992
REDMAN S.J.
STUART G.J. & REDMAN S.J. The role of $GABA_A$ and $GABA_B$ receptors in presynaptic inhibition of Ia EPSPs in cat spinal motoneurones. **447**, 675, 1992
REINKING Robert M.
BEVAN Leslie, LAOURIS Yiannis, REINKING Robert M. & STUART Douglas G. The effect of the stimulation pattern on the fatigue of single motor units in adult cats. **449**, 85, 1992
REISER Peter J.
REISER Peter J., GREASER Marion L. & MOSS Richard L. Developmental changes in troponin T isoform expression and tension production in chicken single skeletal muscle fibres. **449**, 573, 1992
REIVICH Martin
KOVÁCH Arisztid G.B., SZABÓ Csaba, BENYÓ Zoltán, CSÁKI Csilla, GREENBERG Joel H. & REIVICH Martin Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992
RENAUD Leo P.
JARVIS Cathryn R., BOURQUE Charles W. & RENAUD Leo P. Depolarizing action of cholecystokinin on rat supraoptic neurones *in vitro*. **458**, 621, 1992
REUSS L.
ALVAREZ-LEEFMANS F.J., GAMIÑO S.M. & REUSS L. Cell volume changes upon sodium pump inhibition in *Helix aspersa* neurones. **458**, 603, 1992
RICHARDSON P.S.
FUNG D.C.K., BEACOCK D.J. & RICHARDSON P.S. Vagal control of mucus glycoconjugate secretion into the feline trachea. **453**, 435, 1992
RICHTER Diethelm W.
FELDMAN Jack L., WINDHORST Uwe, ANDERS Klaus & RICHTER Diethelm W. Synaptic interaction between medullary respiratory neurones during apneusis induced by NMDA-receptor blockade in cat. **450**, 303, 1992
RIDGE R.M.A.P.
GATES H.-J. & RIDGE R.M.A.P. The importance of competition between motoneurones in developing rat muscle; effects of partial denervation at birth. **445**, 457, 1992
Ríos Eduardo
PIZARRO Gonzalo, CSERNOCH László, URIBE Ismael & Ríos Eduardo Differential effects of tetracaine on two kinetic components of calcium release in frog skeletal muscle fibres. **457**, 525, 1992
RITCHIE J.M.
HOWE James R. & RITCHIE J.M. Multiple kinetic components of sodium channel inactivation in rabbit Schwann cells. **455**, 529, 1992
ROBBINS J.
ROBBINS J., TROUSLARD J., MARSH S.J. & BROWN D.A. Kinetic and pharmacological properties of the M-current in rodent neuroblastoma × glioma hybrid cells. **451**, 159, 1992
RODGERS J.F.
TAYLOR A., DURBABA R. & RODGERS J.F. The classification of afferents from muscle spindles of the jaw-closing muscles of the cat. **456**, 609, 1992
TAYLOR A., RODGERS J.F., FOWLE A.J. & DURBABA R. The effect of succinylcholine on cat gastrocnemius muscle spindle afferents of different types. **456**, 629, 1992
ROGAWSKI M.A.
FFRENCH-MULLEN J.M.H. & ROGAWSKI M.A. Phencyclidine block of calcium current in isolated guinea-pig hippocampal neurones. **456**, 85, 1992
ROGERS Richard C.
MCCANN Monica J. & ROGERS Richard C. Impact of antral mechanoreceptor activation on the vago-vagal reflex in the rat: functional zonation of responses. **453**, 401, 1992
ROHRER Baerbel
ROHRER Baerbel, SCHAEFFEL Frank & ZRENNER Eberhart Longitudinal chromatic aberration and emmetropization: results from the chicken eye. **449**, 363, 1992
ROMANIUK J.R.
ROMANIUK J.R., SUPINSKI G. & DIMARCO A.F. Relationship between parasternal and external intercostal muscle length and load compensatory responses in dogs. **449**, 441, 1992
RÖSBLAD P.-G.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992

ROSE William C.
BALKE C. William, ROSE William C., MARBAN Eduardo & WIER W. Gil Macroscopic and unitary properties of physiological ion flux through T-type Ca^{2+} channels in guinea-pig heart cells. **456**, 247, 1992
ROSE William C., BALKE C. William, WIER W. Gil & MARBAN Eduardo Macroscopic and unitary properties of physiological ion flux through L-type Ca^{2+} channels in guinea-pig heart cells. **456**, 267, 1992
ROSENTHAL James E.
GUO Hongsheng, WASSERSTROM J. Andrew & ROSENTHAL James E. Effect of catecholamines on intracellular pH in sheep cardiac Purkinje fibres. **458**, 289, 1992
ROTHMAN Steven M.
YAMADA Kelvin A. & ROTHMAN Steven M. Diazoxide blocks glutamate desensitization and prolongs excitatory postsynaptic currents in rat hippocampal neurons. **458**, 409, 1992
ROTHWELL J.C.
MAERTENS DE NOORDHOUT A., ROTHWELL J.C., DAY B.L., DRESSLER D., NAKASHIMA K., THOMPSON P.D. & MARSDEN C.D. Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992
FERBERT A., PRIORI A., ROTHWELL J.C., DAY B.L., COLEBATCH J.G. & MARSDEN C.D. Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992
ROTONDO D.
DAVIDSON J., MILTON A.S. & ROTONDO D. α-Melanocyte-stimulating hormone suppresses fever and increases in plasma levels of prostaglandin E_2 in the rabbit. **451**, 491, 1992
ROTTER Janet L.
BIELEFELDT Klaus, ROTTER Janet L. & JACKSON Meyer B. Three potassium channels in rat posterior pituitary nerve terminals. **458**, 41, 1992
ROUANET Jean-Louis
DUCHAMP Claude, COHEN-ADAD Frédérique, ROUANET Jean-Louis & BARRÉ Hervé Histochemical arguments for muscular non-shivering thermogenesis in muscovy ducklings. **457**, 27, 1992
ROWE M.J.
VICKERY R.M., GYNTHER B.D. & ROWE M.J. Vibrotactile sensitivity of slowly adapting type I sensory fibres associated with touch domes in cat hairy skin. **453**, 609, 1992
GYNTHER B.D., VICKERY R.M. & ROWE M.J. Responses of slowly adapting type II afferent fibres in cat hairy skin to vibrotactile stimuli. **458**, 151, 1992
ROY Jean-Claude
ROY Jean-Claude, BING Zhu, VILLANUEVA Luis & LE BARS Daniel Convergence of visceral and somatic inputs onto subnucleus reticularis dorsalis neurones in the rat medulla. **458**, 235, 1992
RUFF Robert L.
RUFF Robert L. & WHITTLESEY Diana Na^+ current densities and voltage dependence in human intercostal muscle fibres. **458**, 85, 1992
RUSKO J.
RUSKO J., TANZI F., VAN BREEMEN C. & ADAMS D.J. Calcium-activated potassium channels in native endothelial cells from rabbit aorta: conductance, Ca^{2+} sensitivity and block. **455**, 601, 1992
RYDQVIST B.
KAILA K., RYDQVIST B., PASTERNACK M. & VOIPIO J. Inward current caused by sodium-dependent uptake of GABA in the crayfish stretch receptor neurone. **453**, 627, 1992
SACHS George
SUN Xiao Ping, SUPPLISSON Stephane, TORRES Rafael, SACHS George & MAYER Emeran Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992
SAINT David A.
SAINT David A., JU Yue-Kun & GAGE Peter W. A persistent sodium current in rat ventricular myocytes. **453**, 219, 1992
SAITO Yoshitaka
IKEDA Katsuhisa, SAITO Yoshitaka, NISHIYAMA Akinori & TAKASAKA Tomonori Intracellular pH regulation in isolated cochlear outer hair cells of the guinea-pig. **447**, 627, 1992
SAKAI Hideki
SAKAI Hideki, OKADA Yasunobu, MORII Magotoshi & TAKEGUCHI Noriaki Arachidonic acid and prostaglandin E_2 activate small-conductance Cl^- channels in the basolateral membrane of rabbit parietal cells. **448**, 293, 1992
SAKMANN B.
STERN P., EDWARDS F.A. & SAKMANN B. Fast and slow components of unitary EPSCs on stellate cells elicited by focal stimulation in slices of rat visual cortex. **449**, 247, 1992
JONAS P. & SAKMANN B. Glutamate receptor channels in isolated patches from CA1 and CA3 pyramidal cells of rat hippocampal slices. **455**, 143, 1992
COLQUHOUN D., JONAS P. & SAKMANN B. Action of brief pulses of glutamate on AMPA/kainate receptors in patches from different neurones of rat hippocampal slices. **458**, 261, 1992

SALAMA Guy
SALAMA Guy, ABRAMSON Jonathan J. & PIKE Gregory K. Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. **454**, 389, 1992

SALTIN B.
BANGSBO J., GRAHAM T.E., KIENS B. & SALTIN B. Elevated muscle glycogen and anaerobic energy production during exhaustive exercise in man. **451**, 205, 1992

SANDERS Kenton M.
OZAKI Hiroshi, BLONDFIELD David P., HORI Masatoshi, PUBLICOVER Nelson G., KATO Iwao & SANDERS Kenton M. Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992
WARD Sean M. & SANDERS Kenton M. Dependence of electrical slow waves of canine colonic smooth muscle on calcium gradient. **455**, 307, 1992
WARD Sean M. & SANDERS Kenton M. Upstroke component of electrical slow waves in canine colonic smooth muscle due to nifedipine-resistant calcium current. **455**, 321, 1992

SANDERS K.M.
OZAKI H., BLONDFIELD D.P., HORI M., SANDERS K.M. & PUBLICOVER N.G. Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992

SANDFORD Christine A.
SANDFORD Christine A., SWEIRY J.H. & JENKINSON D.H. Properties of a cell volume-sensitive potassium conductance in isolated guinea-pig and rat hepatocytes. **447**, 133, 1992

SANDS Steven B.
SANDS Steven B. & BARISH Michael E. Neuronal nicotinic acetylcholine receptor currents in phaeochromocytoma (PC12) cells: dual mechanisms of rectification. **447**, 467, 1992

SARGENT Peter B.
STREICHERT Laura C. & SARGENT Peter B. The role of acetylcholinesterase in denervation supersensitivity in the frog cardiac ganglion. **445**, 249, 1992

SASAKI S.
ALSTERMARK B., PINTER M.J. & SASAKI S. Tectal and tegmental excitation in dorsal neck motoneurones of the cat. **454**, 517, 1992

SASAKI Tsukasa
SASAKI Tsukasa & GALLACHER David V. The ATP-induced inward current in mouse lacrimal acinar cells is potentiated by isoprenaline and GTP. **447**, 103, 1992

SATHER William
SATHER William, DIEUDONNÉ Stéphane, MACDONALD John F. & ASCHER Philippe Activation and desensitization of *N*-methyl-D-aspartate receptors in nucleated outside-out patches from mouse neurones. **450**, 643, 1992

SAUNDERS N.R.
AIKEN S.P., HORN N.M. & SAUNDERS N.R. Effects of amino acids on zinc transport in rat erythrocytes. **445**, 69, 1992
HABGOOD M.D., SEDGWICK J.E.C., DZIEGIELEWSKA K.M. & SAUNDERS N.R. A developmentally regulated blood–cerebrospinal fluid transfer mechanism for albumin in immature rats. **456**, 181, 1992

SAUPE Kurt W.
SAUPE Kurt W., SMITH Curtis A., HENDERSON Kathleen S. & DEMPSEY Jerome A. Respiratory muscle recruitment during selective central and peripheral chemoreceptor stimulation in awake dogs. **448**, 613, 1992

SCAMPS Frédérique
TERZIC André, PUCÉAT Michel, CLÉMENT Odile, SCAMPS Frédérique & VASSORT Guy α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992

SCHAEFFEL Frank
ROHRER Baerbel, SCHAEFFEL Frank & ZRENNER Eberhart Longitudinal chromatic aberration and emmetropization: results from the chicken eye. **449**, 363, 1992

SCHEMANN M.
SCHEMANN M. & TAMURA K. Presynaptic inhibitory effects of the peptides NPY, PYY and PP on nicotinic EPSPs in guinea-pig gastric myenteric neurones. **451**, 79, 1992

SCHENA F.
CEVESE A., MARY D.A.S.G., POLTRONIERI R., SCHENA F. & VACCA G. Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992

SCHENA Federico
FERRETTI Guido, KAYSER Bengt, SCHENA Federico, TURNER Duncan L. & HOPPELER Hans Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992

SCHINI V.B.
JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. **454**, 451, 1992

SCHLICHTER L.C.
PAHAPILL P.A. & SCHLICHTER L.C. Modulation of potassium channels in intact human T lymphocytes. **445**, 407, 1992

SCHMIDT J.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992

SCHNEGGENBURGER R.
SCHNEGGENBURGER R., LÓPEZ-BARNEO J. & KONNERTH A. Excitatory and inhibitory synaptic currents and receptors in rat medial septal neurones. **445**, 261, 1992

SCHNEIDER Martin F.
KLEIN Michael G., SIMON Bruce J. & SCHNEIDER Martin F. Effects of procaine and caffeine on calcium release from the sarcoplasmic reticulum in frog skeletal muscle. **453**, 341, 1992

SCHOFIELD J. George
IRVING Andrew J., COLLINGRIDGE Graham L. & SCHOFIELD J. George Interactions between Ca^{2+} mobilizing mechanisms in cultured rat cerebellar granule cells. **456**, 667, 1992

SCHOUTE E.
VAN DER GRINTEN C.P.M., SCHOUTE E., DE VRIES W.R. & LUIJENDIJK S.C.M. Conventional *versus* slug CO_2 loading and the control of breathing in anaesthetized cats. **445**, 487, 1992

SCHOUTEN Vincent J.A.
SCHOUTEN Vincent J.A., ALLAART Cor P. & WESTERHOF Nico Effect of perfusion pressure on force of contraction in thin papillary muscles and trabeculae from rat heart. **451**, 585, 1992

SCHWARTZ E.A.
DEVRIES S.H. & SCHWARTZ E.A. Hemi-gap-junction channels in solitary horizontal cells of the catfish retina. **445**, 201, 1992

SCHWARZ Gero
SCHWARZ Gero, CALLEWAERT Geert, DROOGMANS Guy & NILIUS Bernd Shear stress-induced calcium transients in endothelial cells from human umbilical cord veins. **458**, 527, 1992

SCHWIENING Christof J.
SCHWIENING Christof J. & THOMAS Roger C. Mechanism of pH_i regulation by locust neurones in isolated ganglia: a microelectrode study. **447**, 693, 1992

SCOTT A.C.
VALLET A.M., COLES J.A., EILBECK J.C. & SCOTT A.C. Membrane conductances involved in amplification of small signals by sodium channels in photoreceptors of drone honey bee. **456**, 303, 1992

SCOTT J.J.A.
BARKER D., SCOTT J.J.A. & STACEY M.J. A study of glycogen depletion and the fibre-type composition of cat skeleto-fusimotor units. **450**, 565, 1992

SCOTT-BURDEN T.
JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. **454**, 451, 1992

SCROGGS Reese S.
SCROGGS Reese S. & FOX Aaron P. Calcium current variation between acutely isolated adult rat dorsal root ganglion neurons of different size. **445**, 639, 1992

SEALS Douglas R.
KREGEL Kevin C., SEALS Douglas R. & CALLISTER Robin Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. **454**, 359, 1992
CALLISTER Robin, SUWARNO N. Omar & SEALS Douglas R. Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. **454**, 373, 1992

SEDGWICK E.M.
COLE J.D. & SEDGWICK E.M. The perceptions of force and of movement in a man without large myelinated sensory afferents below the neck. **449**, 503, 1992

SEDGWICK J.E.C.
HABGOOD M.D., SEDGWICK J.E.C., DZIEGIELEWSKA K.M. & SAUNDERS N.R. A developmentally regulated blood–cerebrospinal fluid transfer mechanism for albumin in immature rats. **456**, 181, 1992

SEGAL Menahem
MARKRAM Henry & SEGAL Menahem The inositol 1,4,5-trisphosphate pathway mediates cholinergic potentiation of rat hippocampal neuronal responses to NMDA. **447**, 513, 1992
SEGAL Menahem & MANOR David Confocal microscopic imaging of $[Ca^{2+}]_i$ in cultured rat hippocampal neurons following exposure to *N*-methyl-D-aspartate. **448**, 655, 1992
MARKRAM Henry & SEGAL Menahem Activation of protein kinase C suppresses responses to NMDA in rat CA1 hippocampal neurones. **457**, 491, 1992

SEKI Narihito
ITOH Takeo, SEKI Narihito, SUZUKI Satoshi, ITO Shinichi, KAJIKURI Junko & KURIYAMA Hirosi Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992

SEWELL Dean A.
SEWELL Dean A., HARRIS Roger C., MARLIN David J. & DUNNETT Mark Estimation of the carnosine content of different fibre types in the middle gluteal muscle of the thoroughbred horse. **455**, 447, 1992
SHARMA V.K.
CHRISTIE A., SHARMA V.K. & SHEU S.-S. Mechanism of extracellular ATP-induced increase of cytosolic Ca^{2+} concentration in isolated rat ventricular myocytes. **445**, 369, 1992
SHARPE Lindsay T.
SHARPE Lindsay T., FACH Clemens C. & STOCKMAN Andrew The field adaptation of the human rod visual system. **445**, 319, 1992
SHEETS Michael F.
HANCK Dorothy A. & SHEETS Michael F. Extracellular divalent and trivalent cation effects on sodium current kinetics in single canine cardiac Purkinje cells. **454**, 267, 1992
SHEETS Michael F. & HANCK Dorothy A. Mechanisms of extracellular divalent and trivalent cation block of the sodium current in canine cardiac Purkinje cells. **454**, 299, 1992
SHELLEY S.
DAVIS R.E., SHELLEY S., MACDONALD G.J. & DUGGAN K.A. The effects of a high sodium diet on the metabolism and secretion of vasoactive intestinal peptide in the rabbit. **451**, 17, 1992
SHEN K.-Z.
SHEN K.-Z., NORTH R.A. & SURPRENANT Annmarie Potassium channels opened by noradrenaline and other transmitters in excised membrane patches of guinea-pig submucosal neurones. **445**, 581, 1992
SHEN K.-Z. & NORTH R.A. Muscarine increases cation conductance and decreases potassium conductance in rat locus coeruleus neurones. **455**, 471, 1992
SHEU S.-S.
CHRISTIE A., SHARMA V.K. & SHEU S.-S. Mechanism of extracellular ATP-induced increase of cytosolic Ca^{2+} concentration in isolated rat ventricular myocytes. **445**, 369, 1992
SHIMONI Y.
SHIMONI Y., CLARK R.B. & GILES W.R. Role of an inwardly rectifying potassium current in rabbit ventricular action potential. **448**, 709, 1992
SHIMONI Yakhin
SHIMONI Yakhin, BANNO Hitoshi & CLARK R.B. Hyperthyroidism selectively modified a transient potassium current in rabbit ventricular and atrial myocytes. **457**, 369, 1992
SHIRASAKI Tetsuya
SHIRASAKI Tetsuya, AIBARA Keiji & AKAIKE Norio Direct modulation of $GABA_A$ receptor by intracellular ATP in dissociated nucleus tractus solitarii neurones of rat. **449**, 551, 1992
SHODA Morio
HAGIWARA Nobuhisa, MASUDA Hiroshi, SHODA Morio & IRISAWA Hiroshi Stretch-activated anion currents of rabbit cardiac myocytes. **456**, 285, 1992
SHRIER Alvin
BROCHU Richard M., CLAY John R. & SHRIER Alvin Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. **454**, 503, 1992
SHUBA M.F.
SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. **454**, 549, 1992
SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. **454**, 573, 1992
ZHOLOS A.V., BAIDAN L.V. & SHUBA M.F. Some properties of Ca^{2+}-induced Ca^{2+} release mechanism in single visceral smooth muscle cell of the guinea-pig. **457**, 1, 1992
SIKDAR S.K.
KATO M., HOYLAND J., SIKDAR S.K. & MASON W.T. Imaging of intracellular calcium in rat anterior pituitary cells in response to growth hormone releasing factor. **447**, 171, 1992
SILINSKY Eugene M.
SILINSKY Eugene M. & SOLSONA Carles S. Calcium currents at motor nerve endings: absence of effects of adenosine receptor agonists in the frog. **457**, 315, 1992
SILVERMAN H.S.
SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992
SIMMONS N.L.
SIMMONS N.L. Acetylcholine and kinin augmentation of Cl^- secretion stimulated by prostaglandin in a canine renal epithelial cell line. **447**, 1, 1992
SIMON Bruce J.
KLEIN Michael G., SIMON Bruce J. & SCHNEIDER Martin F. Effects of procaine and caffeine on calcium release from the sarcoplasmic reticulum in frog skeletal muscle. **453**, 341, 1992

SIMONE Donald A.
YARNITSKY David, SIMONE Donald A., DOTSON Rose M., CLINE Martha A. & OCHOA José L. Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992

SIMS Stephen M.
SIMS Stephen M. Cholinergic activation of a non-selective cation current in canine gastric smooth muscle is associated with contraction. **449**, 377, 1992
JANSSEN Luke J. & SIMS Stephen M. Acetylcholine activates non-selective cation and chloride conductances in canine and guinea-pig tracheal myocytes. **453**, 197, 1992
ARKETT Stuart A., DIXON S. Jeffrey & SIMS Stephen M. Substrate influences rat osteoclast morphology and expression of potassium conductances. **458**, 633, 1992

ŠIMURDA J.
ŠIMURDA J., ŠIMURDOVÁ M., BRAVENÝ P. & ŠUMBERA J. A contraction-related component of slow inward current in dog ventricular muscle and its relation to Na^+–Ca^{2+} exchange. **456**, 49, 1992

ŠIMURDOVÁ M.
ŠIMURDA J., ŠIMURDOVÁ M., BRAVENÝ P. & ŠUMBERA J. A contraction-related component of slow inward current in dog ventricular muscle and its relation to Na^+–Ca^{2+} exchange. **456**, 49, 1992

SJØGAARD G.
FALLENTIN N., JENSEN B.R., BYSTRÖM S. & SJØGAARD G. Role of potassium in the reflex regulation of blood pressure during static exercise in man. **451**, 643, 1992

SKINNER S.L.
ZHUO J., THOMAS D., HARRIS P.J. & SKINNER S.L. The role of endogenous angiotensin II in the regulation of renal haemodynamics and proximal fluid reabsorption in the rat. **453**, 1, 1992

SKYDSGAARD Jørgen M.
HANSEN Michael & SKYDSGAARD Jørgen M. Stilbene disulphonates inhibit apparently separate chloride transporters in skeletal muscle of *Rana temporaria*. **448**, 383, 1992
HANSEN Michael & SKYDSGAARD Jørgen M. The pH dependence of chloride net flux in skeletal muscle fibres of *Rana temporaria*. **449**, 237, 1992

SLEIGHT Peter
CASADEI Barbara, MEYER Theo E., COATS Andrew J.S., CONWAY James & SLEIGHT Peter Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992

SMART Trevor G.
SMART Trevor G. A novel modulatory binding site for zinc on the $GABA_A$ receptor complex in cultured rat neurones. **447**, 587, 1992

SMIRNOV Sergey V.
SMIRNOV Sergey V. & AARONSON Philip I. Ca^{2+}-activated and voltage-gated K^+ currents in smooth muscle cells isolated from human mesenteric arteries. **457**, 431, 1992
SMIRNOV Sergey V. & AARONSON Philip I. Ca^{2+} currents in single myocytes from human mesenteric arteries: evidence for a physiological role of L-type channels. **457**, 455, 1992

SMIRNOV S.V.
SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. **454**, 549, 1992
SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. **454**, 573, 1992

SMITH Curtis A.
SAUPE Kurt W., SMITH Curtis A., HENDERSON Kathleen S. & DEMPSEY Jerome A. Respiratory muscle recruitment during selective central and peripheral chemoreceptor stimulation in awake dogs. **448**, 613, 1992

SMITH G.L.
ELLIOTT A.C., SMITH G.L., EISNER D.A. & ALLEN D.G. Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. **454**, 467, 1992
SMITH G.L. & STEELE D.S. Inorganic phosphate decreases the Ca^{2+} content of the sarcoplasmic reticulum in saponin-treated rat cardiac trabeculae. **458**, 457, 1992

SMITH P.M.
SMITH P.M. & GALLACHER D.V. Acetylcholine- and caffeine-evoked repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **449**, 109, 1992

SMITH Vivianne C.
SMITH Vivianne C., LEE Barry B., POKORNY Joel, MARTIN Paul R. & VALBERG Arne Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992

SOLLOTT S.J.
SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992

SOLSONA Carles S.
SILINSKY Eugene M. & SOLSONA Carles S. Calcium currents at motor nerve endings: absence of effects of adenosine receptor agonists in the frog. **457**, 315, 1992
SOLTESZ Ivan
SOLTESZ Ivan & CRUNELLI Vincenzo A role for low-frequency, rhythmic synaptic potentials in the synchronization of cat thalamocortical cells. **457**, 257, 1992
SOMLYO Avril V.
COLLINS Anthony, SOMLYO Avril V. & HILGEMANN Donald W. The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. **454**, 27, 1992
SORIA Bernat
VALDEOLMILLOS Miguel, NADAL Angel, CONTRERAS Diego & SORIA Bernat The relationship between glucose-induced K^+_{ATP} channel closure and the rise in $[Ca^{2+}]_i$ in single mouse pancreatic β-cells. **455**, 173, 1992
SOUTHON F.C.G.
GANDEVIA S.C., GORMAN R.B., MCKENZIE D.K. & SOUTHON F.C.G. Dynamic changes in human diaphragm length: maximal inspiratory and expulsive efforts studied with sequential radiography. **457**, 167, 1992
SPENCER Gordon E.
SPENCER Gordon E., SPRAGGS Colin F., STABLES Roger & HIRST Barry H. Transmucosal electrical resistance in rabbit isolated gastric mucosa during exposure to acid. **449**, 169, 1992
SPERELAKIS Nicholas
TOHSE Noritsugu, MASUDA Hiroshi & SPERELAKIS Nicholas Novel isoform of Ca^{2+} channel in rat fetal cardiomyocytes. **451**, 295, 1992
SPRAGGS Colin F.
SPENCER Gordon E., SPRAGGS Colin F., STABLES Roger & HIRST Barry H. Transmucosal electrical resistance in rabbit isolated gastric mucosa during exposure to acid. **449**, 169, 1992
SPURGEON H.A.
SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992
SPYER K.M.
BROOKS P.A., GLAUM S.R., MILLER R.J. & SPYER K.M. The actions of baclofen on neurones and synaptic transmission in the nucleus tractus solitarii of the rat *in vitro*. **457**, 115, 1992
SQALLI-HOUSSAINI Y.
CAZALETS J.R., SQALLI-HOUSSAINI Y. & CLARAC F. Activation of the central pattern generators for locomotion by serotonin and excitatory amino acids in neonatal rat. **455**, 187, 1992
STABLES Roger
SPENCER Gordon E., SPRAGGS Colin F., STABLES Roger & HIRST Barry H. Transmucosal electrical resistance in rabbit isolated gastric mucosa during exposure to acid. **449**, 169, 1992
STACEY M.J.
BARKER D., SCOTT J.J.A. & STACEY M.J. A study of glycogen depletion and the fibre-type composition of cat skeleto-fusimotor units. **450**, 565, 1992
STANDEN N.B.
DAVIES N.W., STANDEN N.B. & STANFIELD P.R. The effect of intracellular pH on ATP-dependent potassium channels of frog skeletal muscle. **445**, 549, 1992
STANFIELD P.R.
DAVIES N.W., STANDEN N.B. & STANFIELD P.R. The effect of intracellular pH on ATP-dependent potassium channels of frog skeletal muscle. **445**, 549, 1992
FORSYTHE I.D., LINSDELL P. & STANFIELD P.R. Unitary A-currents of rat locus coeruleus neurones grown in cell culture: rectification caused by internal Mg^{2+} and Na^+. **451**, 553, 1992
STEEL D.M.
GRAHAM A., STEEL D.M., ALTON E.W.F.W. & GEDDES D.M. Second-messenger regulation of sodium transport in mammalian airway epithelia. **453**, 475, 1992
STEELE D.S.
SMITH G.L. & STEELE D.S. Inorganic phosphate decreases the Ca^{2+} content of the sarcoplasmic reticulum in saponin-treated rat cardiac trabeculae. **458**, 457, 1992
STEFANI E.
GARCÍA J., MCKINLEY K., APPEL S.H. & STEFANI E. Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. **454**, 183, 1992
STEHNO-BITTEL Lisa
STEHNO-BITTEL Lisa & STUREK Michael Spontaneous sarcoplasmic reticulum calcium release and extrusion from bovine, not porcine, coronary artery smooth muscle. **451**, 49, 1992
STEINBACH J.H.
IFUNE C.K. & STEINBACH J.H. Inward rectification of acetylcholine-elicited currents in rat phaeochromocytoma cells. **457**, 143, 1992

STELLING J.W.
STELLING J.W. & JACOB T.J.C. The inward rectifier K^+ current underlies oscillatory membrane potential behaviour in bovine pigmented ciliary epithelial cells. **458**, 439, 1992

STEPHEN John
HICKS Richard, BURKE David, STEPHEN John, WOODFORTH Ian & CRAWFORD Matthew Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992

STEPHENSON D.G.
LAMB G.D., RECUPERO E. & STEPHENSON D.G. Effect of myoplasmic pH on excitation–contraction coupling in skeletal muscle fibres of the toad. **448**, 211, 1992

STEPHENSON Robert B.
DENISON Adele L., STEPHENSON Robert B., HULL Stephen S. JR, CORNISH Kurtis G. & ZUCKER Irving H. Intracoronary veratrine attenuates carotid baroreceptor reflex regulation of blood pressure in conscious dogs. **451**, 91, 1992

STERIADE Mircea
DOSSI Roberto Curró, NUÑEZ Angel & STERIADE Mircea Electrophysiology of a slow (0·5–4 Hz) intrinsic oscillation of cat thalamocortical neurones *in vivo*. **447**, 215, 1992

STERN M.D.
SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992

STERN P.
STERN P., EDWARDS F.A. & SAKMANN B. Fast and slow components of unitary EPSCs on stellate cells elicited by focal stimulation in slices of rat visual cortex. **449**, 247, 1992

STEVERMER J.J.
WILKINSON R.S., LUNIN S.D. & STEVERMER J.J. Regulation of single quantal efficacy at the snake neuromuscular junction. **448**, 413, 1992

STEWART Mark
WONG Robert K.S. & STEWART Mark Different firing patterns generated in dendrites and somata of CA1 pyramidal neurones in guinea-pig hippocampus. **457**, 675, 1992

STIENEN G.J.M.
STIENEN G.J.M., VERSTEEG P.G.A., PAPP Z. & ELZINGA G. Mechanical properties of skinned rabbit psoas and soleus muscle fibres during lengthening: effects of phosphate and Ca^{2+}. **451**, 503, 1992

STIEVE H.
DECKERT A., NAGY K., HELRICH C.S. & STIEVE H. Three components in the light-induced current of the *Limulus* ventral photoreceptor. **453**, 69, 1992

STOCKMAN Andrew
SHARPE Lindsay T., FACH Clemens C. & STOCKMAN Andrew The field adaptation of the human rod visual system. **445**, 319, 1992

STONE Charlene
STONE Charlene & PINTO Lawrence H. Receptive field organization of retinal ganglion cells in the *spastic* mutant mouse. **456**, 125, 1992

STOOF Johannes C.
KEJA Jacco A., STOOF Johannes C. & KITS Karel S. Dopamine D_2 receptor stimulation differentially affects voltage-activated calcium channels in rat pituitary melanotropic cells. **450**, 409, 1992

STREICHERT Laura C.
STREICHERT Laura C. & SARGENT Peter B. The role of acetylcholinesterase in denervation supersensitivity in the frog cardiac ganglion. **445**, 249, 1992

STRETTON C. David
MIURA Motohiko, BELVISI Maria G., STRETTON C. David, YACOUB Magdi H. & BARNES Peter J. Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992

STUART Douglas G.
BEVAN Leslie, LAOURIS Yiannis, REINKING Robert M. & STUART Douglas G. The effect of the stimulation pattern on the fatigue of single motor units in adult cats. **449**, 85, 1992

STUART G.J.
STUART G.J. & REDMAN S.J. The role of $GABA_A$ and $GABA_B$ receptors in presynaptic inhibition of Ia EPSPs in cat spinal motoneurones. **447**, 675, 1992

STUREK Michael
STUREK Michael, KUNDA Koteswara & HU Qicheng Sarcoplasmic reticulum buffering of myoplasmic calcium in bovine coronary artery smooth muscle. **451**, 25, 1992
STEHNO-BITTEL Lisa & STUREK Michael Spontaneous sarcoplasmic reticulum calcium release and extrusion from bovine, not porcine, coronary artery smooth muscle. **451**, 49, 1992

ŠUMBERA J.
ŠIMURDA J., ŠIMURDOVÁ M., BRAVENÝ P. & ŠUMBERA J. A contraction-related component of slow inward current in dog ventricular muscle and its relation to Na^+–Ca^{2+} exchange. **456**, 49, 1992

SUN Xiao Ping
SUN Xiao Ping, SUPPLISSON Stephane, TORRES Rafael, SACHS George & MAYER Emeran Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992

SUPINSKI G.
ROMANIUK J.R., SUPINSKI G. & DIMARCO A.F. Relationship between parasternal and external intercostal muscle length and load compensatory responses in dogs. **449**, 441, 1992

SUPPLISSON Stephane
SUN Xiao Ping, SUPPLISSON Stephane, TORRES Rafael, SACHS George & MAYER Emeran Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992

SURPRENANT Annmarie
SHEN K.-Z., NORTH R.A. & SURPRENANT Annmarie Potassium channels opened by noradrenaline and other transmitters in excised membrane patches of guinea-pig submucosal neurones. **445**, 581, 1992
ANDRIANTSITOHAINA R. & SURPRENANT Annmarie Acetylcholine released from guinea-pig submucosal neurones dilates arterioles by releasing nitric oxide from endothelium. **453**, 493, 1992

SUTTERS M.
SUTTERS M., WAKEFIELD C., O'NEIL K., APPLEYARD M., FRANKEL H., MATHIAS C.J. & PEART W.S. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

SUWARNO N. Omar
CALLISTER Robin, SUWARNO N. Omar & SEALS Douglas R. Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. **454**, 373, 1992

SUZUKI Hikaru
YAMAMOTO Yoshimichi, CHEN Guifa, MIWA Kyoko & SUZUKI Hikaru Permeability and Mg^{2+} blockade of histamine-operated cation channel in endothelial cells of rat intrapulmonary artery. **450**, 395, 1992

SUZUKI Satoshi
ITOH Takeo, SEKI Narihito, SUZUKI Satoshi, ITO Shinichi, KAJIKURI Junko & KURIYAMA Hirosi Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992

SWANDULLA D.
MÜLLER T.H., MISGELD U. & SWANDULLA D. Ionic currents in cultured rat hypothalamic neurones. **450**, 341, 1992

SWEIRY J.H.
SANDFORD Christine A., SWEIRY J.H. & JENKINSON D.H. Properties of a cell volume-sensitive potassium conductance in isolated guinea-pig and rat hepatocytes. **447**, 133, 1992

SYMONDS M.E.
SYMONDS M.E., BRYANT M.J., CLARKE L., DARBY C.J. & LOMAX M.A. Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992

SZABÓ Csaba
KOVÁCH Arisztid G.B., SZABÓ Csaba, BENYÓ Zoltán, CSÁKI Csilla, GREENBERG Joel H. & REIVICH Martin Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992

TABTI Nacira
GIROD Romain, EDER-COLLI Lorenza, MEDILANSKI Jana, DUNANT Yves, TABTI Nacira & POO Mu-ming Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992

TACHIBANA Reiko
OHTA Toshio, ITO Shigeo, NOTO Tsunehisa, TACHIBANA Reiko, NAKAZATO Yoshikazu & OHGA Akira The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992

TACK J.F.
TACK J.F. & WOOD J.D. Synaptic behaviour in the myenteric plexus of the guinea-pig gastric antrum. **445**, 389, 1992
TACK J.F. & WOOD J.D. Electrical behaviour of myenteric neurones in the gastric antrum of the guinea-pig. **447**, 49, 1992

TAKAHASHI Kazuyoshi
AKAIKE Norio & TAKAHASHI Kazuyoshi Tetrodotoxin-sensitive calcium-conducting channels in the rat hippocampal CA1 region. **450**, 529, 1992

TAKAHASHI Tomoyuki
TAKAHASHI Tomoyuki The minimal inhibitory synaptic currents evoked in neonatal rat motoneurones. **450**, 593, 1992

Hori Yuuichi, Endo Katsuaki & Takahashi Tomoyuki Presynaptic inhibitory action of enkephalin on excitatory transmission in superficial dorsal horn of rat spinal cord. **450**, 673, 1992

Takasaka Tomonori

Ikeda Katsuhisa, Saito Yoshitaka, Nishiyama Akinori & Takasaka Tomonori Intracellular pH regulation in isolated cochlear outer hair cells of the guinea-pig. **447**, 627, 1992

Takeguchi Noriaki

Sakai Hideki, Okada Yasunobu, Morii Magotoshi & Takeguchi Noriaki Arachidonic acid and prostaglandin E_2 activate small-conductance Cl^- channels in the basolateral membrane of rabbit parietal cells. **448**, 293, 1992

Takewaki T.

Komori S., Kawai M., Takewaki T. & Ohashi H. GTP-binding protein involvement in membrane currents evoked by carbachol and histamine in guinea-pig ileal muscle. **450**, 105, 1992

Talo A.

Spurgeon H.A., duBell W.H., Stern M.D., Sollott S.J., Ziman B.D., Silverman H.S., Capogrossi M.C., Talo A. & Lakatta E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992

Tamura K.

Schemann M. & Tamura K. Presynaptic inhibitory effects of the peptides NPY, PYY and PP on nicotinic EPSPs in guinea-pig gastric myenteric neurones. **451**, 79, 1992

Tan Nobusuke

Morimoto Keiko, Morimoto Akio, Nakamori Tomoki, Tan Nobusuke, Minagawa Takashi & Murakami Naotoshi Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992

Tanabe Noriko

Tanabe Noriko & Kijima Hiromasa Ca^{2+}-dependent and -independent components of transmitter release at the frog neuromuscular junction. **455**, 271, 1992

Tanaka K.

Koyano K., Tanaka K. & Kuba K. A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. **454**, 231, 1992

Tanzi F.

Rusko J., Tanzi F., van Breemen C. & Adams D.J. Calcium-activated potassium channels in native endothelial cells from rabbit aorta: conductance, Ca^{2+} sensitivity and block. **455**, 601, 1992

Tareen Faiz M.

Tareen Faiz M., Yoshida Atsuya & Ono Kyoichi Modulation of β-adrenergic responses of chloride and calcium currents by external cations in guinea-pig ventricular cells. **457**, 211, 1992

Tareen F.M.

Ono K., Tareen F.M., Yoshida A. & Noma A. Synergistic action of cyclic GMP on catecholamine-induced chloride current in guinea-pig ventricular cells. **453**, 647, 1992

Tasler Janina

Konturek Stanislaw J., Bilski Jan, Tasler Janina & Cieszkowski Marek Role of cholecystokinin in the inhibition of gastric acid secretion in dogs. **451**, 477, 1992

Tatebayashi Hideharu

Tatebayashi Hideharu & Ogata Nobukuni Kinetic analysis of the $GABA_B$-mediated inhibition of the high-threshold Ca^{2+} current in cultured rat sensory neurones. **447**, 391, 1992

Taylor A.

Taylor A., Durbaba R. & Rodgers J.F. The classification of afferents from muscle spindles of the jaw-closing muscles of the cat. **456**, 609, 1992

Taylor A., Rodgers J.F., Fowle A.J. & Durbaba R. The effect of succinylcholine on cat gastrocnemius muscle spindle afferents of different types. **456**, 629, 1992

Taylor Ann

Phillips Mary E. & Taylor Ann Effect of colcemid on the water permeability response to vasopressin in isolated perfused rabbit collecting tubules. **456**, 591, 1992

Taylor Colin W.

Bootman Martin D., Berridge Michael J. & Taylor Colin W. All-or-nothing Ca^{2+} mobilization from the intracellular stores of single histamine-stimulated HeLa cells. **450**, 163, 1992

Missiaen Ludwig, Taylor Colin W. & Berridge Michael J. Luminal Ca^{2+} promoting spontaneous Ca^{2+} release from inositol trisphosphate-sensitive stores in rat hepatocytes. **455**, 623, 1992

Taylor Janet L.

Taylor Janet L., Burke David & Heywood John Physiological evidence for a slow K^+ conductance in human cutaneous afferents. **453**, 575, 1992

Fitzpatrick Richard C., Taylor Janet L. & McCloskey D.I. Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. **454**, 533, 1992

Taylor Janet L. & McCloskey D.I. Detection of slow movements imposed at the elbow during active flexion in man. **457**, 503, 1992

TAYLOR J.S.
CLARKE R.W., GALLOWAY Fiona J., HARRIS J., TAYLOR J.S. & FORD T.W. Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992
TAYLOR W.R.
MAKINO C.L., TAYLOR W.R. & BAYLOR D.A. Erratum: *Journal of Physiology* **442** (1991) **448**, 781, 1992
TER KEURS Henk E.D.J.
DE TOMBE Pieter P. & TER KEURS Henk E.D.J. An internal viscous element limits unloaded velocity of sarcomere shortening in rat myocardium. **454**, 619, 1992
TERZIC André
TERZIC André, PUCÉAT Michel, CLÉMENT Odile, SCAMPS Frédérique & VASSORT Guy α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992
TESI C.
CECCHI G., COLOMO F., POGGESI C. & TESI C. The stimulus interval–tension relation in enzymatically isolated single myocytes of the frog heart. **448**, 275, 1992
THOMAIDES T.
CHAUDHURI K. Ray, THOMAIDES T. & MATHIAS C.J. Abnormality of superior mesenteric artery blood flow responses in human sympathetic failure. **457**, 477, 1992
THOMAS D.
ZHUO J., THOMAS D., HARRIS P.J. & SKINNER S.L. The role of endogenous angiotensin II in the regulation of renal haemodynamics and proximal fluid reabsorption in the rat. **453**, 1, 1992
THOMAS Roger C.
SCHWIENING Christof J. & THOMAS Roger C. Mechanism of pH_i regulation by locust neurones in isolated ganglia: a microelectrode study. **447**, 693, 1992
THOMPSON P.D.
MAERTENS DE NOORDHOUT A., ROTHWELL J.C., DAY B.L., DRESSLER D., NAKASHIMA K., THOMPSON P.D. & MARSDEN C.D. Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992
THOMPSON Scott M.
THOMPSON Scott M. & GÄHWILER Beat H. Comparison of the actions of baclofen at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 329, 1992
THOMPSON Scott M., HAAS Helmut L. & GÄHWILER Beat H. Comparison of the actions of adenosine at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 347, 1992
THORN Peter
WANG Gang, THORN Peter & LEMOS José R. A novel large-conductance Ca^{2+}-activated potassium channel and current in nerve terminals of the rat neurohypophysis. **457**, 47, 1992
THORNBURY K.D.
THORNBURY K.D., HOLLYWOOD M.A. & MCHALE N.G. Mediation by nitric oxide of neurogenic relaxation of the urinary bladder neck muscle in sheep. **451**, 133, 1992
TITCHEN D.A.
EDWARDS A.V. & TITCHEN D.A. Synergism in the autonomic regulation of parotid secretion of protein in sheep. **451**, 1, 1992
TOBIN Martin J.
MADOR M. Jeffery & TOBIN Martin J. The effect of inspiratory muscle fatigue on breathing pattern and ventilatory response to CO_2. **455**, 17, 1992
TOHSE Noritsugu
TOHSE Noritsugu, MASUDA Hiroshi & SPERELAKIS Nicholas Novel isoform of Ca^{2+} channel in rat fetal cardiomyocytes. **451**, 295, 1992
TOMASIC M.
BOYLE J.P., TOMASIC M. & KOTLIKOFF M.I. Delayed rectifier potassium channels in canine and porcine airway smooth muscle cells. **447**, 329, 1992
TOREBJÖRK H.E.
LAMOTTE R.H., LUNDBERG L.E.R. & TOREBJÖRK H.E. Pain, hyperalgesia and activity in nociceptive C units in humans after intradermal injection of capsaicin. **448**, 749, 1992
TOREBJÖRK H.E., LUNDBERG L.E.R. & LAMOTTE R.H. Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in humans. **448**, 765, 1992
TÖRÖK Tamás L.
TÖRÖK Tamás L., TÓTH Péter T., TÓTHFALUSI László, AZZIDANI Awad M. & MAGYAR Kálmán Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992
TORRES Rafael
SUN Xiao Ping, SUPPLISSON Stephane, TORRES Rafael, SACHS George & MAYER Emeran Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992
TÓTH Péter T.
TÖRÖK Tamás L., TÓTH Péter T., TÓTHFALUSI László, AZZIDANI Awad M. & MAGYAR Kálmán Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992

TÓTHFALUSI László
TÖRÖK Tamás L., TÓTH Péter T., TÓTHFALUSI László, AZZIDANI Awad M. & MAGYAR Kálmán Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992

TRAINA Giovanna
FRANCINI Fabio, PIZZA Lucia & TRAINA Giovanna Inactivation of the slow calcium current in twitch skeletal muscle fibres of the frog. **448**, 633, 1992

TRAUB Roger D.
TRAUB Roger D., MILES Richard & BUZSÁKI György Computer simulation of carbachol-driven rhythmic population oscillations in the CA3 region of the *in vitro* rat hippocampus. **451**, 653, 1992

TREISTMAN Steven N.
WANG Xiaoming, TREISTMAN Steven N. & LEMOS José R. Two types of high-threshold calcium currents inhibited by ω-conotoxin in nerve terminals of rat neurohypophysis. **445**, 181, 1992

TROUSLARD J.
ROBBINS J., TROUSLARD J., MARSH S.J. & BROWN D.A. Kinetic and pharmacological properties of the M-current in rodent neuroblastoma × glioma hybrid cells. **451**, 159, 1992

TRULSSON Mats
TRULSSON Mats, JOHANSSON Roland S. & OLSSON Kurt Å. Directional sensitivity of human periodontal mechanoreceptive afferents to forces applied to the teeth. **447**, 373, 1992

TSATURYAN Andrey K.
BERSHITSKY Sergey Y. & TSATURYAN Andrey K. Tension responses to joule temperature jump in skinned rabbit muscle fibres. **447**, 425, 1992

TSIEN R.W.
FRIEL D.D. & TSIEN R.W. A caffeine- and ryanodine-sensitive Ca^{2+} store in bullfrog sympathetic neurones modulates effects of Ca^{2+} entry on $[Ca^{2+}]_i$. **450**, 217, 1992

TUČEK Stanislav
DOLEŽAL Vladimír & TUČEK Stanislav Effects of tetrodotoxin, Ca^{2+} absence, *d*-tubocurarine and vesamicol on spontaneous acetylcholine release from rat muscle. **458**, 1, 1992

TURNBERG L.A.
BROWN C.D.A., MCNICHOLAS C.M. & TURNBERG L.A. A Cl^- conductance sensitive to external pH in the apical membrane of rat duodenal enterocytes **456**, 519, 1992

TURNER Duncan L.
FERRETTI Guido, KAYSER Bengt, SCHENA Federico, TURNER Duncan L. & HOPPELER Hans Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992

TURNER M.R.
TURNER M.R. Flows of liquid and electrical current through monolayers of cultured bovine arterial endothelium. **449**, 1, 1992
TURNER M.R. Effects of proteins on the permeability of monolayers of cultured bovine arterial endothelium. **449**, 21, 1992

TWYMAN Roy E.
TWYMAN Roy E., GREEN Richard M. & MACDONALD Robert L. Kinetics of open channel block by penicillin of single $GABA_A$ receptor channels from mouse spinal cord neurones in culture. **445**, 97, 1992
TWYMAN Roy E. & MACDONALD Robert L. Neurosteroid regulation of $GABA_A$ receptor single-channel kinetic properties of mouse spinal cord neurons in culture. **456**, 215, 1992

UCEDA Gracia
UCEDA Gracia, ARTALEJO Antonio R., LÓPEZ Manuela G., ABAD Francisco, NEHER Erwin & GARCÍA Antonio G. Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992

UENO Shinya
UENO Shinya, NAKAYE Toshio & AKAIKE Norio Proton-induced sodium current in freshly dissociated hypothalamic neurones of the rat. **447**, 309, 1992

ULMAN Lesley G.
ULMAN Lesley G., POTTER Erika K. & MCCLOSKEY D.I. Effects of sympathetic activity and galanin on cardiac vagal action in anaesthetized cats. **448**, 225, 1992

URIBE Ismael
PIZARRO Gonzalo, CSERNOCH László, URIBE Ismael & RÍOS Eduardo Differential effects of tetracaine on two kinetic components of calcium release in frog skeletal muscle fibres. **457**, 525, 1992

VACCA G.
CEVESE A., MARY D.A.S.G., POLTRONIERI R., SCHENA F. & VACCA G. Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992

VALBERG A.
VALBERG A., LEE B.B., KAISER P.K. & KREMERS J. Responses of macaque ganglion cells to movement of chromatic borders. **458**, 579, 1992

VALBERG Arne

SMITH Vivianne C., LEE Barry B., POKORNY Joel, MARTIN Paul R. & VALBERG Arne Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992

VALDEOLMILLOS Miguel

VALDEOLMILLOS Miguel, NADAL Angel, CONTRERAS Diego & SORIA Bernat The relationship between glucose-induced K^+_{ATP} channel closure and the rise in $[Ca^{2+}]_i$ in single mouse pancreatic β-cells. **455**, 173, 1992

VALLET A.M.

VALLET A.M., COLES J.A., EILBECK J.C. & SCOTT A.C. Membrane conductances involved in amplification of small signals by sodium channels in photoreceptors of drone honey bee. **456**, 303, 1992

VAN INGEN SCHENAU Gerrit Jan

JACOBS Ron & VAN INGEN SCHENAU Gerrit Jan Control of an external force in leg extensions in humans. **457**, 611, 1992

VAN BEEK J.H.G.M.

HAK J.B., VAN BEEK J.H.G.M., VAN WIJHE M.H. & WESTERHOF N. Influence of temperature on the response time of mitochondrial oxygen consumption in isolated rabbit heart. **447**, 17, 1992

VAN BREEMEN C.

RUSKO J., TANZI F., VAN BREEMEN C. & ADAMS D.J. Calcium-activated potassium channels in native endothelial cells from rabbit aorta: conductance, Ca^{2+} sensitivity and block. **455**, 601, 1992

VAN DEN AKKER Jan

DEN HERTOG Adriaan, HOITING Ben, MOLLEMAN Areles, VAN DEN AKKER Jan, DUIN Marry & NELEMANS Adriaan Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992

VAN DER GRINTEN C.P.M.

VAN DER GRINTEN C.P.M., SCHOUTE E., DE VRIES W.R. & LUIJENDIJK S.C.M. Conventional *versus* slug CO_2 loading and the control of breathing in anaesthetized cats. **445**, 487, 1992

VAN DER LAARSE W.J.

NAGESSER A.S., VAN DER LAARSE W.J. & ELZINGA G. Metabolic changes with fatigue in different types of single muscle fibres of *Xenopus laevis*. **448**, 511, 1992

VANHOUTTE Paul M.

NAGAO Tetsuhiko & VANHOUTTE Paul M. Hyperpolarization as a mechanism for endothelium-dependent relaxations in the porcine coronary artery. **445**, 355, 1992

VANHOUTTE P.M.

JUNQUERO D.C., SCOTT-BURDEN T., SCHINI V.B. & VANHOUTTE P.M. Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. **454**, 451, 1992

VAN KEMPEN G. Th. H.

PLOMP J.J., VAN KEMPEN G. Th. H. & MOLENAAR P.C. Adaptation of quantal content to decreased postsynaptic sensitivity at single endplates in α-bungarotoxin-treated rats. **458**, 487, 1992

VAN WIJHE M.H.

HAK J.B., VAN BEEK J.H.G.M., VAN WIJHE M.H. & WESTERHOF N. Influence of temperature on the response time of mitochondrial oxygen consumption in isolated rabbit heart. **447**, 17, 1992

VARNUM M.D.

BUSCH A.E., KAVANAUGH M.P., VARNUM M.D., ADELMAN J.P. & NORTH R.A. Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992

VASSORT Guy

TERZIC André, PUCÉAT Michel, CLÉMENT Odile, SCAMPS Frédérique & VASSORT Guy α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992

VAUGHAN-JONES R.D.

LAGADIC-GOSSMANN Dominique, BUCKLER K.J. & VAUGHAN-JONES R.D. Role of bicarbonate in pH recovery from intracellular acidosis in the guinea-pig ventricular myocyte. **458**, 361, 1992

LAGADIC-GOSSMANN Dominique, VAUGHAN-JONES R.D. & BUCKLER K.J. Adrenaline and extracellular ATP switch between two modes of acid extrusion in the guinea-pig ventricular myocyte. **458**, 385, 1992

VAUGHAN-JONES Richard D.

DART Caroline & VAUGHAN-JONES Richard D. Na^+–HCO_3^- symport in the sheep cardiac Purkinje fibre. **451**, 365, 1992

VENKATESH Nagammal

WEISS James N., VENKATESH Nagammal & LAMP Scott T. ATP-sensitive K^+ channels and cellular K^+ loss in hypoxic and ischaemic mammalian ventricle. **447**, 649, 1992

VERSTEEG P.G.A.

STIENEN G.J.M., VERSTEEG P.G.A., PAPP Z. & ELZINGA G. Mechanical properties of skinned rabbit psoas and soleus muscle fibres during lengthening: effects of phosphate and Ca^{2+}. **451**, 503, 1992

VESTERGAARD Lars
WILLUMSEN Niels J., VESTERGAARD Lars & LARSEN E. Hviid Cyclic AMP- and β-agonist-activated chloride conductance of a toad skin epithelium. **449**, 641, 1992

VICKERY R.M.
VICKERY R.M., GYNTHER B.D. & ROWE M.J. Vibrotactile sensitivity of slowly adapting type I sensory fibres associated with touch domes in cat hairy skin. **453**, 609, 1992
GYNTHER B.D., VICKERY R.M. & ROWE M.J. Responses of slowly adapting type II afferent fibres in cat hairy skin to vibrotactile stimuli. **458**, 151, 1992

VILLANUEVA Luis
ROY Jean-Claude, BING Zhu, VILLANUEVA Luis & LE BARS Daniel Convergence of visceral and somatic inputs onto subnucleus reticularis dorsalis neurones in the rat medulla. **458**, 235, 1992

VINCENT P.
VINCENT P., ARMSTRONG C.M. & MARTY A. Inhibitory synaptic currents in rat cerebellar Purkinje cells: modulation by postsynaptic depolarization. **456**, 453, 1992

VINCENT Pierre
VINCENT Pierre Cationic channels sensitive to extracellular ATP in rat lacrimal cells. **449**, 313, 1992

VOIPIO J.
KAILA K., RYDQVIST B., PASTERNACK M. & VOIPIO J. Inward current caused by sodium-dependent uptake of GABA in the crayfish stretch receptor neurone. **453**, 627, 1992

VON DER WEID Pierre-Yves
PACICCA Catherine, VON DER WEID Pierre-Yves & BÉNY Jean-Louis Effect of nitro-L-arginine on endothelium-dependent hyperpolarizations and relaxations of pig coronary arteries. **457**, 247, 1992

VON GRAFENSTEIN H.
VON GRAFENSTEIN H. & KNIGHT D.E. Membrane recapture and early triggered secretion from the newly formed endocytotic compartment in bovine chromaffin cells. **453**, 15, 1992

WAACK Barry J.
KAUL Sanjay, WAACK Barry J. & HEISTAD Donald D. Asymmetry of vascular responses of perfused rabbit carotid artery to intraluminal and abluminal vasoactive stimuli. **458**, 223, 1992

WAKAMORI Minoru
YAMASHITA Yoshiro, AKAIKE Norio, WAKAMORI Minoru, IKEDA Isamu & OGAWA Hisashi Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992

WAKEFIELD C.
SUTTERS M., WAKEFIELD C., O'NEIL K., APPLEYARD M., FRANKEL H., MATHIAS C.J. & PEART W.S. The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

WALLIN B. Gunnar
WALLIN B. Gunnar, ESLER Murray, DORWARD Pat, EISENHOFER Graeme, FERRIER Claudia, WESTERMAN Rod & JENNINGS Garry Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992
WALLIN B. Gunnar, BURKE David & GANDEVIA S.C. Coherence between the sympathetic drives to relaxed and contracting muscles of different limbs of human subjects. **455**, 219, 1992

WALTERS D.V.
RAMSDEN C.A., MARKIEWICZ M., WALTERS D.V., GABELLA G., PARKER K.A., BARKER P.M. & NEIL H.L. Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992

WANG Gang
WANG Gang, THORN Peter & LEMOS José R. A novel large-conductance Ca^{2+}-activated potassium channel and current in nerve terminals of the rat neurohypophysis. **457**, 47, 1992

WANG Q.
WANG Q., HOGG R.C. & LARGE W.A. Properties of spontaneous inward currents recorded in smooth muscle cells isolated from the rabbit portal vein. **451**, 525, 1992

WANG Xiaoming
WANG Xiaoming, TREISTMAN Steven N. & LEMOS José R. Two types of high-threshold calcium currents inhibited by ω-conotoxin in nerve terminals of rat neurohypophysis. **445**, 181, 1992

WARD Sean M.
WARD Sean M. & SANDERS Kenton M. Dependence of electrical slow waves of canine colonic smooth muscle on calcium gradient. **455**, 307, 1992
WARD Sean M. & SANDERS Kenton M. Upstroke component of electrical slow waves in canine colonic smooth muscle due to nifedipine-resistant calcium current. **455**, 321, 1992

WASHBURN Mark S.
WASHBURN Mark S. & MOISES Hylan C. Muscarinic responses of rat basolateral amygdaloid neurons recorded *in vitro*. **449**, 121, 1992

WASSERSTROM J. Andrew
GUO Hongsheng, WASSERSTROM J. Andrew & ROSENTHAL James E. Effect of catecholamines on intracellular pH in sheep cardiac Purkinje fibres. **458**, 289, 1992
WATANABE Chiaki
WATANABE Chiaki, YAMAMOTO Hiromichi, HIRANO Katsuya, KOBAYASHI Sei & KANAIDE Hideo Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992
WEINGART Robert
BUKAUSKAS Feliksas, KEMPF Christoph & WEINGART Robert Electrical coupling between cells of the insect *Aedes albopictus*. **448**, 321, 1992
WEINREICH Daniel
CHRISTIAN Edward P. & WEINREICH Daniel Presynaptic histamine H_1 and H_3 receptors modulate sympathetic ganglionic synaptic transmission in the guinea-pig. **457**, 407, 1992
WEISS D.S.
WEISS D.S. & MAGLEBY K.L. Voltage-dependent gating mechanism for single fast chloride channels from rat skeletal muscle. **453**, 279, 1992
WEISS James N.
WEISS James N., VENKATESH Nagammal & LAMP Scott T. ATP-sensitive K^+ channels and cellular K^+ loss in hypoxic and ischaemic mammalian ventricle. **447**, 649, 1992
WERMAN R.
HOCHERMAN Sonia D., WERMAN R. & YAROM Y. An analysis of the long-lasting after-hyperpolarization of guinea-pig vagal motoneurones. **456**, 325, 1992
WESTERBLAD Håkan
WESTERBLAD Håkan & ALLEN David G. Changes of intracellular pH due to repetitive stimulation of single fibres from mouse skeletal muscle. **449**, 49, 1992
WESTERBLAD Håkan & ALLEN David G. Myoplasmic free Mg^{2+} concentration during repetitive stimulation of single fibres from mouse skeletal muscle. **453**, 413, 1992
WESTERHOF N.
HAK J.B., VAN BEEK J.H.G.M., VAN WIJHE M.H. & WESTERHOF N. Influence of temperature on the response time of mitochondrial oxygen consumption in isolated rabbit heart. **447**, 17, 1992
WESTERHOF Nico
SCHOUTEN Vincent J.A., ALLAART Cor P. & WESTERHOF Nico Effect of perfusion pressure on force of contraction in thin papillary muscles and trabeculae from rat heart. **451**, 585, 1992
WESTERMAN Rod
WALLIN B. Gunnar, ESLER Murray, DORWARD Pat, EISENHOFER Graeme, FERRIER Claudia, WESTERMAN Rod & JENNINGS Garry Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992
WESTHEIMER Gerald
LINDBLOM Bertil & WESTHEIMER Gerald Uncertainty effects in orientation discrimination of foveally seen lines in human observers. **454**, 1, 1992
WESTLING G.
EDIN B.B., WESTLING G. & JOHANSSON R.S. Independent control of human finger-tip forces at individual digits during precision lifting. **450**, 547, 1992
WHITTLESEY Diana
RUFF Robert L. & WHITTLESEY Diana Na^+ current densities and voltage dependence in human intercostal muscle fibres. **458**, 85, 1992
WICKERTS C.-J.
WICKERTS C.-J., BERG B., FROSTELL C., SCHMIDT J., BLOMQVIST H., RÖSBLAD P.-G., KIHLSTRÖM I., MESSMER K. & HEDENSTIERNA G. Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992
WIER W. Gil
BALKE C. William, ROSE William C., MARBAN Eduardo & WIER W. Gil Macroscopic and unitary properties of physiological ion flux through T-type Ca^{2+} channels in guinea-pig heart cells. **456**, 247, 1992
ROSE William C., BALKE C. William, WIER W. Gil & MARBAN Eduardo Macroscopic and unitary properties of physiological ion flux through L-type Ca^{2+} channels in guinea-pig heart cells. **456**, 267, 1992
WILEY John W.
WILEY John W., GROSS Robert A. & MACDONALD Robert L. The peptide CGRP increases a high-threshold Ca^{2+} current in rat nodose neurones via a pertussis toxin-sensitive pathway. **455**, 367, 1992
WILKINSON R.S.
WILKINSON R.S., LUNIN S.D. & STEVERMER J.J. Regulation of single quantal efficacy at the snake neuromuscular junction. **448**, 413, 1992
WILLIS John S.
MARJANOVIC Marina & WILLIS John S. ATP dependence of Na^+–K^+ pump of cold-sensitive and cold-tolerant mammalian red blood cells. **456**, 575, 1992

WILLUMSEN Niels J.
WILLUMSEN Niels J., VESTERGAARD Lars & LARSEN E. Hviid Cyclic AMP- and β-agonist-activated chloride conductance of a toad skin epithelium. **449**, 641, 1992
LARSEN E. Hviid, WILLUMSEN Niels J. & CHRISTOFFERSEN Bettina C. Role of proton pump of mitochondria-rich cells for active transport of chloride ions in toad skin epithelium. **450**, 203, 1992
WILLUMSEN Niels J. & BOUCHER Richard C. Intracellular pH and its relationship to regulation of ion transport in normal and cystic fibrosis human nasal epithelia. **455**, 247, 1992
WIMBORNE B.M.
WIMBORNE B.M. & HENRY G.H. Response characteristics of the cells of cortical area 21a of the cat with special reference to orientation specificity. **449**, 457, 1992
WINDHORST Uwe
FELDMAN Jack L., WINDHORST Uwe, ANDERS Klaus & RICHTER Diethelm W. Synaptic interaction between medullary respiratory neurones during apneusis induced by NMDA-receptor blockade in cat. **450**, 303, 1992
WINPENNY J.P.
WINPENNY J.P., ELLIOTT J.R. & HARPER A.A. Effects of *n*-alkanols and a methyl ester on a transient potassium (I_A) current in identified neurones from *Helix aspersa*. **456**, 1, 1992
WISEMAN Robert W.
HARDIN Christopher D., WISEMAN Robert W. & KUSHMERICK Martin J. Tension responses of sheep aorta to simultaneous decreases in phosphocreatine, inorganic phosphate and ATP. **458**, 139, 1992
WOHLRAB W.
NILIUS B. & WOHLRAB W. Potassium channels and regulation of proliferation of human melanoma cells. **445**, 537, 1992
WOLSINK J.G.
WOLSINK J.G., BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.N. The effects of hypoxia on the ventilatory response to sudden changes in CO_2 in newborn piglets. **456**, 39, 1992
WOMBLE Mark D.
WOMBLE Mark D. & MOISES Hylan C. Muscarinic inhibition of M-current and a potassium leak conductance in neurones of the rat basolateral amygdala. **457**, 93, 1992
WONG P.Y.D.
HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W., ZHOU T.S., CHAN P.S.F. & WONG P.Y.D. Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992
LEUNG A.Y.H. & WONG P.Y.D. Studies of transepithelial Cl^- transport in cultured cauda epididymal cells of rats by the short-circuit current method. **457**, 391, 1992
WONG Robert K.S.
WONG Robert K.S. & STEWART Mark Different firing patterns generated in dendrites and somata of CA1 pyramidal neurones in guinea-pig hippocampus. **457**, 675, 1992
WOOD J.D.
TACK J.F. & WOOD J.D. Synaptic behaviour in the myenteric plexus of the guinea-pig gastric antrum. **445**, 389, 1992
TACK J.F. & WOOD J.D. Electrical behaviour of myenteric neurones in the gastric antrum of the guinea-pig. **447**, 49, 1992
WOODFORTH Ian
HICKS Richard, BURKE David, STEPHEN John, WOODFORTH Ian & CRAWFORD Matthew Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992
XIA Ying
JIANG Chun, XIA Ying & HADDAD Gabriel G. Role of ATP-sensitive K^+ channels during anoxia: major differences between rat (newborn and adult) and turtle neurons. **448**, 599, 1992
XIE Zhuoqiu
XIE Zhuoqiu, HAKODA Hiroyuki & ITO Yushi Airway epithelial cells regulate membrane potential, neurotransmission and muscle tone of the dog airway smooth muscle. **449**, 619, 1992
XU Xiaoping
XU Xiaoping & BEST Philip M. Postnatal changes in T-type calcium current density in rat atrial myocytes. **454**, 657, 1992
XU Z.-J.
XU Z.-J. & ADAMS D.J. Resting membrane potential and potassium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 405, 1992
XU Z.-J. & ADAMS D.J. Voltage-dependent sodium and calcium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 425, 1992
YACOUB Magdi H.
MIURA Motohiko, BELVISI Maria G., STRETTON C. David, YACOUB Magdi H. & BARNES Peter J. Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992

YACOUB M.H.
AMRANI M., O'SHEA J., ALLEN N.J., HARDING S.E., JAYAKUMAR J., PEPPER J.R., MONCADA S. & YACOUB M.H. Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

YAMADA Kazuhiro
NAKAMURA Taro & YAMADA Kazuhiro Effects of carbon dioxide on tetanic contraction of frog skeletal muscles studied by phosphorus nuclear magnetic resonance. **453**, 247, 1992

YAMADA Kelvin A.
YAMADA Kelvin A. & ROTHMAN Steven M. Diazoxide blocks glutamate desensitization and prolongs excitatory postsynaptic currents in rat hippocampal neurons. **458**, 409, 1992

YAMAMOTO Hiromichi
WATANABE Chiaki, YAMAMOTO Hiromichi, HIRANO Katsuya, KOBAYASHI Sei & KANAIDE Hideo Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992

YAMAMOTO Yoshimichi
YAMAMOTO Yoshimichi, CHEN Guifa, MIWA Kyoko & SUZUKI Hikaru Permeability and Mg^{2+} blockade of histamine-operated cation channel in endothelial cells of rat intrapulmonary artery. **450**, 395, 1992

YAMASHITA Yoshiro
YAMASHITA Yoshiro, AKAIKE Norio, WAKAMORI Minoru, IKEDA Isamu & OGAWA Hisashi Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992

YANG Jian
YANG Jian, MATHIE Alistair & HILLE Bertil 5-HT_3 receptor channels in dissociated rat superior cervical ganglion neurons. **448**, 237, 1992

YAO Yong
YAO Yong & PARKER Ian Potentiation of inositol trisphosphate-induced Ca^{2+} mobilization in *Xenopus* oocytes by cytosolic Ca^{2+}. **458**, 319, 1992

YARNITSKY David
YARNITSKY David, SIMONE Donald A., DOTSON Rose M., CLINE Martha A. & OCHOA José L. Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992

YAROM Y.
HOCHERMAN Sonia D., WERMAN R. & YAROM Y. An analysis of the long-lasting after-hyperpolarization of guinea-pig vagal motoneurones. **456**, 325, 1992

YEATES Donovan B.
YEATES Donovan B. & HAMEISTER W. Matt Alveolar epithelial permeability in baboons: histamine and capsaicin. **450**, 363, 1992

YOSHIDA A.
ONO K., TAREEN F.M., YOSHIDA A. & NOMA A. Synergistic action of cyclic GMP on catecholamine-induced chloride current in guinea-pig ventricular cells. **453**, 647, 1992

YOSHIDA Atsuya
TAREEN Faiz M., YOSHIDA Atsuya & ONO Kyoichi Modulation of β-adrenergic responses of chloride and calcium currents by external cations in guinea-pig ventricular cells. **457**, 211, 1992

YOSHIDA Shigeru
YOSHIDA Shigeru & PLANT Susan Mechanism of release of Ca^{2+} from intracellular stores in response to ionomycin in oocytes of the frog *Xenopus laevis*. **458**, 307, 1992

ZHOLOS A.V.
SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. **454**, 549, 1992
SMIRNOV S.V., ZHOLOS A.V. & SHUBA M.F. A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. **454**, 573, 1992
ZHOLOS A.V., BAIDAN L.V. & SHUBA M.F. Some properties of Ca^{2+}-induced Ca^{2+} release mechanism in single visceral smooth muscle cell of the guinea-pig. **457**, 1, 1992

ZHOU Shi-Yi
ZHOU Shi-Yi & GILBEY Michael P. Respiratory-related activity of lower thoracic and upper lumbar sympathetic preganglionic neurones in the rat. **451**, 631, 1992

ZHOU T.S.
HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W., ZHOU T.S., CHAN P.S.F. & WONG P.Y.D. Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992

ZHOU Zhengfeng
ZHOU Zhengfeng & LIPSIUS Stephen L. Properties of the pacemaker current (I_f) in latent pacemaker cells isolated from cat right atrium. **453**, 503, 1992

ZHU Pei-Hong
DULHUNTY Angela F., ZHU Pei-Hong, PATTERSON Michael F. & AHERN Gerard Actions of perchlorate ions on rat soleus muscle fibres. **448**, 99, 1992

ZHUO J.
ZHUO J., THOMAS D., HARRIS P.J. & SKINNER S.L. The role of endogenous angiotensin II in the regulation of renal haemodynamics and proximal fluid reabsorption in the rat. **453**, 1, 1992

ZIMAN B.D.
SPURGEON H.A., DUBELL W.H., STERN M.D., SOLLOTT S.J., ZIMAN B.D., SILVERMAN H.S., CAPOGROSSI M.C., TALO A. & LAKATTA E.G. Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992

ZIMMERMAN A.L.
ZIMMERMAN A.L. & BAYLOR D.A. Cation interactions within the cyclic GMP-activated channel of retinal rods from the tiger salamander. **449**, 759, 1992

ZÖLLNER P.
FELDMEYER D., MELZER W., POHL B. & ZÖLLNER P. Modulation of calcium current gating in frog skeletal muscle by conditioning depolarization. **457**, 639, 1992

ZRENNER Eberhart
ROHRER Baerbel, SCHAEFFEL Frank & ZRENNER Eberhart Longitudinal chromatic aberration and emmetropization: results from the chicken eye. **449**, 363, 1992

ZUCKER Irving H.
DENISON Adele L., STEPHENSON Robert B., HULL Stephen S. JR, CORNISH Kurtis G. & ZUCKER Irving H. Intracoronary veratrine attenuates carotid baroreceptor reflex regulation of blood pressure in conscious dogs. **451**, 91, 1992

ZYTNICKI D.
LAFLEUR J., ZYTNICKI D., HORCHOLLE-BOSSAVIT G. & JAMI L. Depolarization of Ib afferent axons in the cat spinal cord during homonymous muscle contraction. **445**, 345, 1992

AUTHOR INDEX: PROCEEDINGS

AARONSON P.

POSTON L., AARONSON P. & SMIRNOV S. Simultaneous measurement of intracellular calcium and tension in human resistance arteries: evidence for Na–Ca exchange. **446**, 244*P*, 1992

POSTON L. & AARONSON P. Simultaneous measurement of tension and $[Ca]_i$ in isolated human resistance arteries. **446**, 472*P*, 1992

AARONSON P.I.

SMIRNOV S.V. & AARONSON P.I. Calcium currents in smooth muscle cells isolated from human mesenteric arteries measured in solutions containing normal and elevated calcium concentrations. **446**, 483*P*, 1992

AARONSON P.I. & SMIRNOV S.V. Separation of potassium currents in single smooth muscle cells isolated from human mesenteric arteries. **446**, 484*P*, 1992

ABAD M.J.

RUIZ M.C., ABAD M.J., ACOSTA A. & MICHELANGELI F. HCl and pepsinogen secretion by the isolated gastric oxynto-peptic cell of the amphibian. **452**, 365*P*, 1992

ABBOTT N. Joan

TODD Barbara A., INMAN C. & ABBOTT N. Joan K^+ and La^{3+} permeability of the perineurium of the isolated frog nerve. **446**, 319*P*, 1992

BROWN Euan R. & ABBOTT N. Joan Membrane potential in squid Schwann cells: stable impalements in the split open giant axon preparation of *Loligo*. **446**, 320*P*, 1992

ABBOTT N. Joan The apparent 'sink action' of the CSF – are the observations due to secretion and flow of interstitial fluid? **446**, 496*P*, 1992

REVEST Patricia A., JONES Hazel C. & ABBOTT N. Joan Contribution of active and passive ion transport to the potential difference (PD) across *in situ* pial microvessels in anaesthetized rats. **452**, 6*P*, 1992

ABBOTT N. Joan & BUTT A.M. Contribution of ion permeability and transport at the brain endothelium to the DC potential between blood and CSF. **452**, 61*P*, 1992

ABBOTT N.J.

REVEST P.A., JONES H.C. & ABBOTT N.J. Transendothelial electrical potential of blood–brain barrier vessels *in situ* in anaesthetized rats. **446**, 608*P*, 1992

ABU AMARAH I.

BURGESS W.J., ABU AMARAH I. & BALMENT R.J. Impaired renal excretion of sodium in the Brattleboro (DI) rat: fact or artefact? **446**, 54*P*, 1992

SHALMI M., BURGESS W.J., ABU AMARAH I., EVANS M., CHRISTENSEN S., BALMENT R.J. & ATHERTON J.C. A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

ACEVEDO M.

ACEVEDO M., OLVER R.E. & WARD M.R. Characteristics of tracheal epithelium isolated from fetal and adult sheep: apical and basolateral membrane conductances. **446**, 15*P*, 1992

ACEVEDO M. & STEELE L.W. Na–H exchange in isolated epithelial cells from sheep trachea. **446**, 412*P*, 1992

ACEVEDO Mercedes

INGLIS Sarah K., WARD Martyn R. & ACEVEDO Mercedes Changes in the isolated basolateral potassium conductance induced by Acetylcholine (ACh) in isolated sheep tracheal epithelium. **452**, 144*P*, 1992

RIDGE F.P. Gillian, ACEVEDO Mercedes, OLVER Richard E. & WARD Martyn R. Transport of sodium into apical membrane vesicles prepared from sheep tracheal epithelium. **452**, 358*P*, 1992

ACHAABAN M.R.

ACHAABAN M.R., FORSLING Mary L., BALMENT R.J., OUHSINE A. & SCHROTER R.C. Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992

ACHIKE F.I.

ACHIKE F.I. & BALLARD H.J. The relationship between adenosine, lactate and carbon dioxide release from contracting skeletal muscle in anaesthetized dogs. **446**, 211*P*, 1992

BALLARD H.J. & ACHIKE F.I. Prostaglandin E_2 produces presynaptic inhibition of carotid-baroreflex-induced vasoconstriction in skeletal muscle of anaesthetized dogs. **452**, 12*P*, 1992

ACKLAND M.L.

ACKLAND M.L. & MCARDLE H.J. Zinc uptake by human fibroblasts; evidence for a potassium-mediated process. **446**, 30*P*, 1992

ACOSTA A.

RUIZ M.C., ABAD M.J., ACOSTA A. & MICHELANGELI F. HCl and pepsinogen secretion by the isolated gastric oxynto-peptic cell of the amphibian. **452**, 365*P*, 1992

ADELMAN J.P.
KAVANAUGH M.P., BUSCH A.E., HURST R.S., ADELMAN J.P. & NORTH R.A. Identification of a histidine residue in the rat lymphocyte channel (RGK5) that is involved in current inactivation. **446**, 125*P*, 1992
BUSCH A.E., KAVANAUGH M.P., ADELMAN J.P. & NORTH R.A. Second messenger regulation of the slowly activating, voltage-dependent potassium current (I_{sK}) in *Xenopus* oocytes. **446**, 133*P*, 1992
ADRIAENS F.
HARD D.L., ADRIAENS F., PROSSER C.G., NEWBOLD J.A., HEAP R.B., PHIPPS R.H. & HANNAH M.J. Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992
AGAR E.
AGAR E., GREEN G.G.R. & SANDERS D.J. Intracellular recordings from neurones of the whole cochlear nucleus of the mouse *in vitro*. **452**, 267*P*, 1992
AGAR E., GREEN G.G.R. & SANDERS D.J. Electrophysiology of dorsal cochlear nucleus neurones in the mouse *in vitro*. **452**, 292*P*, 1992
AGBENYEGA E.T.
AGBENYEGA E.T. & WAREHAM A.C. Direct effects of the β_2-agonist clenbuterol on contractions of isolated mouse skeletal muscle. **452**, 141*P*, 1992
AGBENYEGA E.T. & WAREHAM A.C. Effect of clenbuterol on skeletal muscle atrophy in rats and mice induced by immobilization and by glucocorticoid treatment. **452**, 142*P*, 1992
AGRAWAL Bella
AGRAWAL Bella, LEACH Richard M., CAMERON Ian R. & WARD Jeremy P.T. Acute hypoxic vasoconstriction in isolated pulmonary arteries of the rat is dependent on the endothelium. **446**, 490*P*, 1992
AHMED A.
AHMED A. Kinetics of glutamine transport in sarcolemmal vesicles isolated from human skeletal muscle. **446**, 9*P*, 1992
AHMED T.
AHMED T., ERSKINE L., SHEWAN D.A., STEWART R. & MCCAIG C.D. Neurotransmitters, second messengers and protein kinase C may underlie orientation of cultured frog nerves in an applied electric field. **446**, 42*P*, 1992
AHN D.K.
LEE W.J., YANG E.K., PARK J.S., PARK Y.Y. & AHN D.K. Acute and chronic effects of potassium on aldosterone release in rats fed with different amounts of sodium. **446**, 88*P*, 1992
AITON J.F.
AITON J.F., INGRAM C.G. & O'CONNOR J.J. Digital colour image display and capture for computer-assisted learning programmes on the Apple Macintosh computer. **446**, 3*P*, 1992
MCCARTNEY Shirley, CRAMB G. & AITON J.F. Dietary modulation of atrial natriuretic peptide receptors in liver plasma membranes isolated from Dahl salt-sensitive rats. **446**, 56*P*, 1992
AKINS Neil
STANTON Alice, TAN Soon, CROWLEY James, AKINS Neil, O'MALLEY Kevin & O'BRIEN Eoin The interrelations of blood pressure levels, circadian pressure alterations and left ventricular mass in mild to moderate hypertension in human subjects. **446**, 419*P*, 1992
AKKERMANS L.M.A.
SCHUTTE I.W.M., KROESE A.B.A. & AKKERMANS L.M.A. Soma size and location within the ganglion of electrophysiologically identified myenteric plexus neurons in the guinea-pig ileum. **452**, 335*P*, 1992
ALBARWANI Sulayma
ALBARWANI Sulayma, HASSAN A. & NYE P.C.G. Spontaneous oscillations of tension in isolated aortic rings from the rat. **446**, 492*P*, 1992
ALEXANDER B.
ALEXANDER B., ASLAM M. & BENJAMIN I.S. Prolongation of survival time of an isolated perfused rat brain by concomitant perfusion with an isolated perfused rat liver. **452**, 67*P*, 1992
DOMER F., ALEXANDER B., MILNER P., BODIN P. & BURNSTOCK G. Cerebrovascular perfusion of the rabbit brain: a method that permits evaluation of compounds in effluent samples. **452**, 323*P*, 1992
ALFORD S.
ALFORD S., FRENGUELLI B.G. & COLLINGRIDGE G.L. Ca^{2+} release from intracellular stores magnifies the Ca^{2+} signal which permeates dendritic NMDA channels following synaptic activation of CA1 hippocampal neurones *in vitro* **452**, 178*P*, 1992
AL-GOSHAE H.
AL-GOSHAE H. & BUNT S.M. Selection of pathways by regenerating axons in the transected spinal cord of the goldfish. **446**, 43*P*, 1992
ALLEN A.
JEFF T., ALLEN A. & CHAPMAN R.A. Temperature dependence of L-type calcium currents in single isolated guinea-pig ventricular myocytes. **446**, 554*P*, 1992

ALLEN D.G.

ELLIOTT A.C., CAIRNS S.P. & ALLEN D.G. Acetylcholine and di(tert-butyl)-hydroquinone evoke spatially distinct patterns of intracellular Ca release in isolated rat lacrimal acinar cells. **452**, 96*P*, 1992

ALLEN Janet

SOCOLOVSKY Merav, HOCKADAY A.R. & ALLEN Janet Phagocytic properties can be endowed on a non-phagocytic cell line by expression of a single receptor for immunoglobulin G (IgG). **446**, 408*P*, 1992

ALLEN Janet M.

BALBI D. & ALLEN Janet M. Nerve growth factor may mediate the increase in neuropeptide Y mRNA levels in PC12 cells through activation of protein kinase C. **452**, 254*P*, 1992

ALLEN J.M.

BAXTER G.D., ALLEN J.M., WALSH D.M., BELL A.J. & RAVEY J. Localization of the effect of low energy laser irradiation upon conduction latencies in the human median nerve *in vivo*. **446**, 445*P*, 1992

ALLEN Judith A.

MCKENNA Kathleen, MCGRANN S., BLANN A.D. & ALLEN Judith A. A factory study of vasospasm in riveters. **446**, 417*P*, 1992

KENNY Rose Anne, ALLEN Judith A. & WALLACE William F.M. Autonomic reflexes in patients with carotid sinus syncope: a pilot study. **446**, 434*P*, 1992

ALLEN K.L.

ALLEN K.L., BUSZA A.L., CROCKARD H.A. & GADIAN D.G. A magnetic resonance imaging study of cerebral ischaemia in the anaesthetized gerbil. **446**, 510*P*, 1992

ALLEN T.J.A.

ALLEN T.J.A. & CHAPMAN R.A. Effects of temperature on unitary L-type calcium channel currents carried by barium in isolated guinea-pig ventricular myocytes. **452**, 311*P*, 1992

ALLEN W.R.

STEWART Francesca, GOODE Jane A. & ALLEN W.R. Growth hormone secretion in the horse: dynamic changes at birth and pulsatile secretion through to maturity. **446**, 299*P*, 1992

ALLENBY M.I.

ALLENBY M.I., FUNG D.C.K. & RICHARDSON P.S. Non-adrenergic, non-cholinergic (NANC) vagal pathways mediating mucus glycoconjugate release in the trachea of the anaesthetized cat. **446**, 527*P*, 1992

ALMEY J.

ALMEY J., BROOKS S., GLEESON M., GRIFFITHS H. & LEWIS A. Indices of the acute phase inflammatory response following eccentric exercise in man. **446**, 208*P*, 1992

GLEESON M., ALMEY J. & CAVE R. Changes in circulating white blood cells and platelets following eccentric exercise in man. **452**, 31*P*, 1992

AL-MOHANNA Futwan

AL-MOHANNA Futwan & BOLSOVER Stephen Depolarization-induced $[Ca^{2+}]_i$ changes in regenerating axons of rat cultured dorsal root ganglion cells. **452**, 188*P*, 1992

AL-NAKKASH Layla

LINGARD Jennifer M., AL-NAKKASH Layla, TAYLOR Nicola & ARGENT B.E. ^{125}I efflux from a human pancreatic adenocarcinoma cell line (B × PC-3). **446**, 354*P*, 1992

AL-QATARI M.

AL-QATARI M. & TABERNER P.V. Effect of ICI D7114, a selective β_3-adrenoceptor agonist, on brown adipose tissue lipogenesis in CBA/Ca obese mice. **452**, 176*P*, 1992

AMAR M.

AMAR M. & PICHON Y. Calcium currents in cultured cockroach (*Periplaneta americana*) neurones. **446**, 171*P*, 1992

AMASSIAN V.E.

AMASSIAN V.E., EBERLE L., MACCABEE P.J. & CRACCO R.Q. Factors influencing magnetic coil excitation of isolated amphibian, cat and primate nerves immersed in a human brain-shaped volume conductor. **446**, 23*P*, 1992

AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. Identifying hemispheric asymmetry in humans by magnetic coil stimulation. **446**, 222*P*, 1992

MACCABEE P.J., AMASSIAN V.E., EBERLE L.P., CRACCO R.Q. & RUDELL A.P. The magnetic coil activates amphibian and primate nerve *in vitro* at two sites and selectively at a bend. **446**, 228*P*, 1992

AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992

ROTHWELL J.C., DAY B.L. & AMASSIAN V.E. Near threshold electrical and magnetic transcranial stimuli activate overlapping sets of cortical neurones in humans. **452**, 109*P*, 1992

AMATO Alessandra

BOUVIER Muriel, SZATKOWSKI Marek, AMATO Alessandra, BREW Helen, BARBOUR Boris & ATTWELL David Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992

Bouvier Muriel, Amato Alessandra, Szatkowski Marek & Attwell David Anion efflux associated with electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **452**, 182*P*, 1992

Amato Alessandra & Bolsover Stephen Mapping of $[Ca^{2+}]_i$ in regenerating axons of rat isolated dorsal root ganglion cells. **452**, 189*P*, 1992

Amédée T.

Amédée T., Dupouy B., Ellie E. & Vincent J.D. Voltage-dependent calcium and potassium channels in mouse Schwann cells. **446**, 170*P*, 1992

Amos A.J.

Marple-Horvat D.E., Amos A.J., Armstrong D.M. & Criado J.M. A mechanism for provoking voluntary changes to ongoing locomotion in the cat. **452**, 150*P*, 1992

Anand Uma

Anand Uma, Bhatia Vinay & McMahon Stephen Target induced re-specification of somatovisceral reflexes in the anaesthetized rat. **446**, 562*P*, 1992

Anderson L.C.

Anderson L.C. Parotid gland response to parasympathetic nerve stimulation in anaesthetized streptozotocin-diabetic rats. **446**, 196*P*, 1992

Andersson P.

Morita T., Edwards G., Andersson P., Greengrass P., Ibottson T., Newgreen D.T., Weston A.H. & Wyllie M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992

Andersson Per O.

Nimmo Alan J., Andersson Per O. & Morrison John F.B. Reactive changes in neurokinin receptor density following selective denervations and outlet obstruction of rat bladder. **446**, 524*P*, 1992

Andreev N.

Andreev N. & Dray A. Inhibition of nociceptor activity by receptor-selective opioids studied in an isolated skin–nerve preparation from hyperalgesic rat. **452**, 204*P*, 1992

Andrews J.F.

Rawas O., Donne B., Kelly M. & Andrews J.F. The effect of competitive submaximal endurance exercise (The Marathon) on plasma β-endorphin concentration in recreational runners. **446**, 450*P*, 1992

McKee Gábrielle & Andrews J.F. The costs and savings of hibernation in the golden hamster. **446**, 451*P*, 1992

Angelo S.

Devés R., Angelo S. & Chávez P. Functional isolation of amino acid transport system y^+L in human erythrocytes using *N*-ethylmaleimide. **452**, 330*P*, 1992

Angerson W.J.

Flynn R., Geraghty J.G., Angerson W.J., Tanner W.A., Keane F.B.V. & Carter D.C. The relationship between portal pressure and portasystemic shunting in portal hypertension in the anaesthetized rat. **446**, 414*P*, 1992

Anson L.C.

Thornton S., Anson L.C., Gillespie J.I. & Dunlop W. The modulation of intracellular calcium transients in single cultured human myometrial cells by the oxytocin antagonist F327. **452**, 309*P*, 1992

Antoni F.A.

Shipston M.J. & Antoni F.A. Corticotrophin-releasing factor inactivates early glucocorticoid feedback in rat adenohypophysis *in vitro*. **446**, 82*P*, 1992

Anwyl R.

McGuinness N., Anwyl R. & Rowan M.J. Enhancement of long-term potentiation by an agonist of the metabotropic glutamate receptor in the rat hippocampal slice. **446**, 442*P*, 1992

Ao Z.

Cheeseman C.I., Tsang R. & Ao Z. The influence of vascular and lumenal hexoses on rat isolated intestinal basolateral membrane glucose transport. **452**, 333*P*, 1992

Appenteng Kwabena

Grimwood Paul & Appenteng Kwabena Monosynaptic EPSPs elicited by trigeminal spindle afferents in trigeminal motoneurones of anaesthetized rats. **446**, 20*P*, 1992

Saha Sikha, Appenteng Kwabena & Batten Trevor F.C. Serial EM reconstructions of individual boutons forming synaptic contacts within the rat V motor nucleus. **446**, 26*P*, 1992

Saha Sikha, Appenteng Kwabena & Batten Trevor F.C. The frequency and postsynaptic targets of glutamate-immunoreactive boutons within the V motor nucleus of rats. **446**, 378*P*, 1992

Apps Richard

Trott Judy R. & Apps Richard The use of a customized image analysis software package in investigations of branching patterns in cat cerebellar afferent pathways. **452**, 151*P*, 1992

ARBLASTER L.A.
ARBLASTER L.A., LAKIE M. & ROBERTS R.C. Localized cooling can reduce essential tremor in man. **452**, 26*P*, 1992

ARGENT B.E.
GRAY M.A. & ARGENT B.E. Properties of a cyclic AMP-regulated chloride conductance in isolated rat pancreatic duct cells. **446**, 353*P*, 1992
LINGARD Jennifer M., AL-NAKKASH Layla, TAYLOR Nicola & ARGENT B.E. ^{125}I efflux from a human pancreatic adenocarcinoma cell line (B × PC-3). **446**, 354*P*, 1992
ASHTON N., EVANS R.L. & ARGENT B.E. Protein kinase C has an inhibitory role in the control of fluid secretion in isolated rat pancreatic ducts. **452**, 99*P*, 1992
MATHEWS C.J., SOHMA Y., HARRIS Ann, CHAMBERS Julie A. & ARGENT B.E. Maxi-K^+ channels on epithelial cells cultured from human fetal vas deferens. **452**, 344*P*, 1992
PLANT Susan, GRAY M.A. & ARGENT B.E. K^+ channels on rat pancreatic duct cells *in vitro*. **452**, 360*P*, 1992

ARGIBAY J.A.
PEINEAU N. & ARGIBAY J.A. Transient changes in action potential duration and calcium current after an increase in stimulation frequency in isolated guinea-pig ventricular cardiocytes. **446**, 338*P*, 1992

ARISAWA H.
LUDLAM Clare, ARISAWA H. & BORN G.V.R. Increased uptake of low-density lipoprotein after heparinase perfusion of carotid arteries in anaesthetized rabbits. **446**, 220*P*, 1992

ARITA M.
KIYOSUE T. & ARITA M. Ionic mechanisms underlying APD prolongation during hypothermia in isolated guinea-pig ventricular myocytes. **446**, 339*P*, 1992

ARMSTRONG D.M.
MARPLE-HORVAT D.E., AMOS A.J., ARMSTRONG D.M. & CRIADO J.M. A mechanism for provoking voluntary changes to ongoing locomotion in the cat. **452**, 150*P*, 1992

ASADA N.
HABARA Y., ASADA N. & KANNO T. Influence of pH_o on spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with CCK-8 in rat pancreatic acinar cells *in vitro*. **446**, 311*P*, 1992

ASHFORD M.L.J.
ROWE I.C.M. & ASHFORD M.L.J. The effects of Mg^{2+} ions on the inhibition of the ATP-sensitive K^+ channel by adenosine nucleotides in rat isolated hypothalamic neurones. **446**, 274*P*, 1992
REALE Vincenzina, HALES C.N. & ASHFORD M.L.J. Cyclic AMP regulates a calcium-activated non-selective cation channel in a rat insulinoma cell line. **446**, 312*P*, 1992
KHAN R.N., SMITH S.K., MORRISON J. & ASHFORD M.L.J. Single channel recording of a K^+-selective channel in pregnant human dispersed myometrial cells. **446**, 555*P*, 1992

ASHLEY C.C.
MAEDA Y., ASHLEY C.C., CECCHI G., GRIFFITHS P.J. & BAGNI M.A. Radial forces in single intact muscle fibres of *Rana temporaria* at different lattice spacings. **446**, 261*P*, 1992

ASHMORE J.F.
KOLSTON P.J. & ASHMORE J.F. Action of ATP on isolated Hensen's cells of guinea-pig cochlea investigated by calcium imaging and whole-cell recording. **446**, 389*P*, 1992
GALE J.E. & ASHMORE J.F. Pressure-activated whole-cell currents in isolated outer hair cells from the guinea-pig. **452**, 51*P*, 1992
MAMMANO F. & ASHMORE J.F. Basilar membrane mechanics stimulated by extracellular currents in the isolated cochlea of the guinea-pig. **452**, 131*P*, 1992
MAMMANO F. & ASHMORE J.F. A computer-controlled Michelson interferometer for the analysis of basilar membrane mechanics. **452**, 169*P*, 1992
KOLSTON P.J. & ASHMORE J.F. Using transputers to measure calcium changes in isolated cochlear cells. **452**, 170*P*, 1992

ASHTON N.
EVANS R.L., ASHTON N., ELLIOTT A.C. & GREEN R. Effects of acetylcholine on intracellular calcium and fluid secretion in isolated rat pancreatic ducts. **446**, 352*P*, 1992
ASHTON N., EVANS R.L. & ARGENT B.E. Protein kinase C has an inhibitory role in the control of fluid secretion in isolated rat pancreatic ducts. **452**, 99*P*, 1992

ASLAM M.
ALEXANDER B., ASLAM M. & BENJAMIN I.S. Prolongation of survival time of an isolated perfused rat brain by concomitant perfusion with an isolated perfused rat liver. **452**, 67*P*, 1992

ASLAM N.
ASLAM N. & MCARDLE H.J. Zinc uptake by microvillar vesicles isolated from human term placenta. **446**, 57*P*, 1992

ASSAD S.N.
LOW S.C., ASSAD S.N., EDWARDS C.R.W. & SECKL J.R. Effect of sex steroids on 11β-hydroxysteroid dehydrogenase in rat liver, kidney and hippocampus *in vivo*. **452**, 213*P*, 1992

ATAKAN Zerrin

ATAKAN Zerrin, CRAIG Tom K.J. & DAVIES Teifion W. Early cortical somatosensory-evoked potentials in schizophrenic patients. **446**, 602*P*, 1992

ATCHISON P.

ATCHISON P., CAVINESS J., WERHAHN K., ROTHWELL J.C., DAY B.L. & THOMPSON P.D. Magnetic stimulation over the motor cortex in man delays the onset of EMG activity more when a muscle acts as a prime mover than when used as a postural fixator. **452**, 275*P*, 1992

ATHERTON J.C.

SHALMI M., BURGESS W.J., ABU AMARAH I., EVANS M., CHRISTENSEN S., BALMENT R.J. & ATHERTON J.C. A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

PLANGE-RHULE J. & ATHERTON J.C. Natriuretic effect of arginine vasopressin (AVP) in chronically instrumented, conscious rats: fact or artefact? **452**, 82*P*, 1992

ATHERTON J.C., HARGREAVES P., HARTSHORN J., PRIEST R. & WOO L. Renal handling of magnesium in man: effects of acid/base balance, bumetanide and acetazolamide. **452**, 132*P*, 1992

ATKINS N.

ATKINS N., O'BRIEN E. & O'MALLEY K. Rhythm pattern analysis of blood pressure – a simplified approach. **446**, 464*P*, 1992

ATTWELL David

MILLER Barbara A., SARANTIS Monique & ATTWELL David Effects of arachidonic acid on glutamate-gated channels in granule cells cultured from rat cerebellum. **446**, 184*P*, 1992

BOUVIER Muriel, SZATKOWSKI Marek, AMATO Alessandra, BREW Helen, BARBOUR Boris & ATTWELL David Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992

BOUVIER Muriel, AMATO Alessandra, SZATKOWSKI Marek & ATTWELL David Anion efflux associated with electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **452**, 182*P*, 1992

AUSTIN Clare

AUSTIN Clare & WRAY Susan Simultaneous measurement of intracellular pH (pH_i) and contraction of isolated rat arteries. **446**, 418*P*, 1992

AUSTIN Clare & WRAY Susan Fast changes in intracellular pH (pH_i) following alteration of external pH (pH_e) in isolated vascular smooth muscle cells from rat mesenteric arteries. **452**, 307*P*, 1992

AVERILL S.

AVERILL S., CURTIS R., WILKIN G.P. & PRIESTLEY J.V. Ultrastructural localization of GAP-43 immunoreactive terminals in the adult rat spinal cord. **446**, 600*P*, 1992

AVERY J.L.

JOHNSON M.S., THOMSON F.J., AVERY J.L., MACEWAN D.J. & MITCHELL P.R. Differential actions of protein kinase C modulators on the release of hormones from rat anterior pituitary tissue *in vitro*. **446**, 283*P*, 1992

BABU A.

GULATI J., BABU A., SU Hong & GULATI Martha The genetic deletion of the ^{88}KGKSEEE^{94} residues from the troponin-C central helix enhances the Ca^{2+}-affinity in rabbit psoas skinned fast-twitch muscle fibres. **446**, 458*P*, 1992

BACON J.P.

THOMPSON K.S.J., BACON J.P. & TYRER N.M. Segmental homology of peptidergic neurones in grasshoppers. **452**, 148*P*, 1992

BAGNI M.A.

MAEDA Y., ASHLEY C.C., CECCHI G., GRIFFITHS P.J. & BAGNI M.A. Radial forces in single intact muscle fibres of *Rana temporaria* at different lattice spacings. **446**, 261*P*, 1992

BAHLS F.H.

BAHLS F.H. & HAYDON P.G. FMRFamide activates a potassium conductance in an identified neurone of *Helisoma in vitro*. **446**, 318*P*, 1992

BÄHRING J.

BRUNN G., LANGER C., BÄHRING J., WESSLER I. & RACKÉ K. Epithelium-derived prostanoids inhibit the release of endogenous noradrenaline from rat isolated trachea. **446**, 115*P*, 1992

BAILEY C.J.

HUGHES S., SMITH M.E. & BAILEY C.J. POMC-derived peptides in the neuromuscular system of mice with streptozotocin-induced diabetes mellitus studied *in vitro*. **446**, 286*P*, 1992

BAILEY L.L.

BURTON P.B.J., HAUCK A., NEHLSEN-CANNARELLA S.L., SORENSEN C., MONIZ C. & BAILEY L.L. Hypoplastic left heart syndrome: some clues to its aetiology. **446**, 574*P*, 1992

BAIRD T.

WATT P.W., BAIRD T., WOOD N.J. & HARPER A.A. The effect of temperature acclimation on cardiac pacemaker activity of the carp (*Cyprinus carpio*) heart measured *in vitro*. **446**, 49*P*, 1992

BAJWA S.

WALLACE M.N. & BAJWA S. Intrinsic organisation of the ferret primary auditory cortex. **446**, 27*P*, 1992

BAKER G.F.

WIDDAS W.F. & BAKER G.F. The action of maltose on glucose exits in human erythrocytes in the presence of high concentrations of methanol. **446**, 174*P*, 1992

BAKER G.F. & WIDDAS W.F. The effect of methanol on the cytochalasin B inhibition of glucose exits in human erythrocytes. **446**, 589*P*, 1992

BAKER G.F. & WIDDAS W.F. The effect of quinidine on the inhibition of glucose exits in human erythrocytes and on the optical responses in the absence of glucose. **452**, 329*P*, 1992

BALBI D.

BALBI D. & ALLEN Janet M. Nerve growth factor may mediate the increase in neuropeptide Y mRNA levels in PC12 cells through activation of protein kinase C. **452**, 254*P*, 1992

BALDWIN B.A.

BALDWIN B.A. & DE LA RIVA C. Effects on food intake in pigs of antagonists acting on cholecystokinin type A and B receptors. **446**, 291*P*, 1992

BALDWIN S.A.

BARROS L.F., BALDWIN S.A., JARVIS S.M., COWEN T., THRASIVOULOU C., BEAUMONT N. & YUDILEVICH D.L. In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992

BARROS L.F., BEAUMONT N., JARVIS S.M., YOUNG J.D., HENDERSON P.J.F., YUDILEVICH D.L., THRASIVOULOU C. & BALDWIN S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992

BALKWILL P.

BALKWILL P., HABGOOD M.D., KNOTT G., MØLLGÅRD K., SAUNDERS N.R. & TREHERNE J.M. Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992

BALLARD H.J.

ACHIKE F.I. & BALLARD H.J. The relationship between adenosine, lactate and carbon dioxide release from contracting skeletal muscle in anaesthetized dogs. **446**, 211*P*, 1992

BALLARD H.J. & ACHIKE F.I. Prostaglandin E_2 produces presynaptic inhibition of carotid-baroreflex-induced vasoconstriction in skeletal muscle of anaesthetized dogs. **452**, 12*P*, 1992

BALMENT R.J.

BURGESS W.J., ABU AMARAH I. & BALMENT R.J. Impaired renal excretion of sodium in the Brattleboro (DI) rat: fact or artefact? **446**, 54*P*, 1992

SHALMI M., BURGESS W.J., ABU AMARAH I., EVANS M., CHRISTENSEN S., BALMENT R.J. & ATHERTON J.C. A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

SAINSBURY R.J., PERROTT M.N. & BALMENT R.J. In vitro atrial natriuretic peptide- (ANP) stimulated cGMP production in nephrons from seawater- (SW) and freshwater- (FW) adapted euryhaline fish. **452**, 91*P*, 1992

BURGESS W.J. & BALMENT R.J. Renal and endocrine effects of atrial natriuretic peptide (ANP) in conscious Brattleboro (DI) and Long Evans (LE) rats. **452**, 93*P*, 1992

ACHAABAN M.R., FORSLING Mary L., BALMENT R.J., OUHSINE A. & SCHROTER R.C. Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992

BAMFORD M.

SHORTE S.L., BAMFORD M., STAFFORD S.J.V., COLLETT V.J. & SCHOFIELD J.G. Use of TMA-DPH (trimethylammonio-diphenylhexatriene) to monitor secretory responses of isolated bovine anterior pituitary cells. **452**, 208*P*, 1992

BAND D.M.

SNEYD J.R., LINTON R.A.F. & BAND D.M. Intravenous infusion of adrenaline during exercise in man. **446**, 210*P*, 1992

MCLOUGHLIN P., LINTON R.A.F. & BAND D.M. The effect of intravenous infusions of KCl and lactic acid on ventilation in anaesthetized cats. **446**, 426*P*, 1992

BAND D.M., LINTON R.A.F. & MCLOUGHLIN P. Afferent carotid chemoreceptor response to step increases in arterial P_{CO_2} in anaesthetized cats. **446**, 431*P*, 1992

MCLOUGHLIN P., LINTON R.A.F. & BAND D.M. Response of carotid chemoreceptors to elevated arterial potassium in anaesthetized cats ventilated with air or 100% oxygen. **446**, 580*P*, 1992

BANIJAMALI Hamid S.

BANIJAMALI Hamid S., TER KEURS Mark H.C., PAUL Leendert C. & TER KEURS Henk The effect of cyclosporine-A on excitation–contraction coupling in isolated rat cardiac trabeculae. **452**, 23*P*, 1992

BANKHEAD Clare R.
CODY F.W.J., BANKHEAD Clare R., CAWLEY Linda M. & MUNEER Asif Visual and proprioceptive feedback in human visuo-motor tracking tasks. **446**, 231*P*, 1992

BANKS D.
BANKS D., KURIAKOSE M. & MATTHEWS B. A movable microwire technique for chronic recording from the brain-stem. **446**, 78*P*, 1992
KURIAKOSE M., BANKS D. & MATTHEWS B. Modulation of the jaw opening reflex and responses of trigeminal brain-stem neurones by peripheral conditioning stimuli in chronically prepared, anaesthetized cats. **446**, 386*P*, 1992
BANKS D., KURIAKOSE M. & MATTHEWS B. A technique for chronic recording from subnucleus caudalis in cats using microwires. **452**, 174*P*, 1992

BANKS J.
BANKS J. & WAREHAM A.C. Neuroscience practical instruction utilizing workstations. **452**, 76*P*, 1992

BANKS J.R.
BANKS J.R., GARDNER Ed, LOVGREEN Brenda & RICHARDSON Helen C. Use of FM radio telemetry to record human electromyograms during 'dry' slope skiing. **452**, 72*P*, 1992

BARANOWSKI Andrew
BARANOWSKI Andrew, PRIESTLEY John & MCMAHON Stephen The consequences of delayed *versus* immediate nerve repair on the properties of regenerating sensory nerve fibres in the adult rat. **446**, 561*P*, 1992

BARBER B.
MARPLES D., BARBER B. & TAYLOR A. Evidence for involvement of a dynein-like motor in vasopressin action in the isolated toad urinary bladder. **452**, 81*P*, 1992

BARBEZAT G.O.
BARBEZAT G.O., HIGGS N.B., TONGE A., TURNBERG L.A. & WARHURST G. Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992

BARBOUR Boris
BOUVIER Muriel, SZATKOWSKI Marek, AMATO Alessandra, BREW Helen, BARBOUR Boris & ATTWELL David Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992

BARLOW H.B.
GARDNER-MEDWIN A.R. & BARLOW H.B. The effect of sparseness in distributed representations on the detectability of associations between sensory events. **452**, 282*P*, 1992

BARNARD E.A.
DJAMGOZ M.B.A., FRASER S.P., DARLISON M.G. & BARNARD E.A. Amino acid neurotransmitter receptor expression in *Xenopus* oocytes by injection of messenger ribonucleic acid extracted from vertebrate (*Rutilus rutilus*) retina. **446**, 531*P*, 1992

BARNES G.R.
WORFOLK R. & BARNES G.R. Ocular pursuit over a structured background in subjects with Parkinson's Disease and cerebellar lesions. **452**, 270*P*, 1992

BARNES Peter J.
HIRST Stuart J., TWORT Charles H.C. & BARNES Peter J. Quantifying the proliferative response in cultured human and rabbit airway smooth muscle. **446**, 591*P*, 1992

BARNES P.J.
FOX A.J., BARNES P.J., URBAN L. & DRAY A. Selective activation of single vagal C fibres by capsaicin and bradykinin in the guinea-pig trachea *in vitro*. **452**, 203*P*, 1992

BARRÉ H.
DUCHAMP C. & BARRÉ H. Skeletal muscle as a major site of glucagon-mediated non-shivering thermogenesis in cold-acclimated ducklings. **446**, 290*P*, 1992

BARRETT-JOLLEY R.
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Inhibition of ACh-currents by human plasma in a whole-cell voltage-clamped human muscle cell line. **446**, 267*P*, 1992
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Caffeine inhibition of ACh nicotinic currents in the human skeletal muscle (TE671) cell line not mediated by cyclic AMP/Ca^{2+}_i. **452**, 193*P*, 1992

BARRON M.J.
ROCHESTER L., BARRON M.J., CHANDLER C.S., JOHNSON M.A., MILLER S. & SUTTON R.A. Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992

BARRON R.M.
BARRON R.M., ELLIOTT J.R., HOLLOWBREAD A. & LAMBERT J.J. The influence of n-alkanols and various intravenous general anaesthetics on a whole body withdrawal response of *Physa*. **446**, 45*P*, 1992

BARROS L.F.

BARROS L.F., BALDWIN S.A., JARVIS S.M., COWEN T., THRASIVOULOU C., BEAUMONT N. & YUDILEVICH D.L. In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992

BARROS L.F., BEAUMONT N., JARVIS S.M., YOUNG J.D., HENDERSON P.J.F., YUDILEVICH D.L., THRASIVOULOU C. & BALDWIN S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992

BASHIR Z.I.

BASHIR Z.I. High frequency stimulation of the Schaffer collateral–commissural pathway is associated with a transient depression of the presynaptic fibre volley in rat hippocampal slices *in vitro* **452**, 180*P*, 1992

BASTIDE B.

HERVÉ J.C., NOBLE D., BASTIDE B., CRONIER L. & DÉLÈZE J. Nexus channel requirements for action potential entrainment in ventricular cardiac cells: simulation and experimental approaches. **446**, 343*P*, 1992

BATEMAN Nigel T.

NEVILLE Edward M. & BATEMAN Nigel T. Increased resistance of isolated cardiac muscle to an acute hypercapnia following chronic hypoxia in the rat. **446**, 540*P*, 1992

BATES D.O.

BATES D.O., LEVICK J.R. & MORTIMER P.S. Human interstitial fluid pressure and arm volume following breast cancer treatment. **452**, 14*P*, 1992

BATES Susan E.

BATES Susan E. & GURNEY Alison M. Modulation of L-type calcium current in guinea-pig isolated ventricular myocytes by photolysis of caged calcium. **446**, 553*P*, 1992

BATTEN T.F.C.

BATTEN T.F.C., MAQBOOL A., SAHA S., BERRY P.A. & MCWILLIAM P.N. Glutamate- and GABA-immunoreactive nerve terminals in the nucleus tractus solitarius of the cat revealed by ultrastructural immunogold staining. **452**, 247*P*, 1992

BATTEN Trevor F.C.

SAHA Sikha, APPENTENG Kwabena & BATTEN Trevor F.C. Serial EM reconstructions of individual boutons forming synaptic contacts within the rat V motor nucleus. **446**, 26*P*, 1992

SAHA Sikha, APPENTENG Kwabena & BATTEN Trevor F.C. The frequency and postsynaptic targets of glutamate-immunoreactive boutons within the V motor nucleus of rats. **446**, 378*P*, 1992

BAUMANN Klaus I.

BAUMANN Klaus I. & CHAN Eliza Naloxone has no effect on responsiveness of slowly adapting type I cutaneous mechanoreceptors in a rat skin–nerve *in vitro* preparation. **446**, 235*P*, 1992

TSU Stephen Y.H. & BAUMANN Klaus I. Differential changes in discharge pattern of slowly adapting type I and type II receptors in a rat skin–nerve *in vitro* preparation exposed to neomycin or Mg^{2+}. **446**, 388*P*, 1992

BAX C.M.R.

GILL J.S., SHANKAR V.S., BAX C.M.R., LU F., MOONGA B.S., ZAIDI M. & CAMM A.J. The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992

BAXENDALE R.H.

ROUSE M.E. & BAXENDALE R.H. Acoustic myogram recorded during isometric contractions of rectus femoris in man. **446**, 462*P*, 1992

BAXTER G.D.

BAXTER G.D., ALLEN J.M., WALSH D.M., BELL A.J. & RAVEY J. Localization of the effect of low energy laser irradiation upon conduction latencies in the human median nerve *in vivo*. **446**, 445*P*, 1992

BAYDOUN A.R.

BAYDOUN A.R., BOGLE R.G., PEARSON J.D. & MANN G.E. Induction of nitric oxide synthase in cultured murine macrophages modulates intracellular levels of L-arginine and L-citrulline. **452**, 302*P*, 1992

MADGE L.A., BAYDOUN A.R., PEARSON J.D. & MANN G.E. Amino acid deprivation stimulates L-glutamine transport in cultured human venous endothelial cells. **452**, 306*P*, 1992

BEAUMONT N.

BARROS L.F., BALDWIN S.A., JARVIS S.M., COWEN T., THRASIVOULOU C., BEAUMONT N. & YUDILEVICH D.L. In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992

BARROS L.F., BEAUMONT N., JARVIS S.M., YOUNG J.D., HENDERSON P.J.F., YUDILEVICH D.L., THRASIVOULOU C. & BALDWIN S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992

BEE D.

SKOYLES J. & BEE D. Attenuation of hypoxic pressor responses by WIN47203 (milrinone) in isolated chronically hypoxic rat lungs. **446**, 357*P*, 1992

BEE Denise

BEE Denise Interaction of acute hypoxic ventilatory response (HVR) and the respiratory stimulant S9581. **446**, 118*P*, 1992

BEGLEY D.J.

BEGLEY D.J. & EVANS J.E. Vincristine in therapeutic dosage appears to increase blood–brain barrier permeability to colchicine in the anaesthetized guinea-pig. **446**, 499*P*, 1992

BÉHÉ P.

BÉHÉ P. & MEVES H. Arachidonic acid has a biphasic effect on the M current of NG108-15 neuroblastoma × glioma hybrid cells. **446**, 551*P*, 1992

BELL A.J.

BAXTER G.D., ALLEN J.M., WALSH D.M., BELL A.J. & RAVEY J. Localization of the effect of low energy laser irradiation upon conduction latencies in the human median nerve *in vivo*. **446**, 445*P*, 1992

BELOOZEROVA I.N.

BELOOZEROVA I.N. & SIROTA M.G. Activity of neurones in area 5 of the cerebral cortex during locomotion in awake cats. **452**, 291*P*, 1992

BELYAVIN A.

HEYWOOD P., MURPHY K., STRONG B., BELYAVIN A., FARMER E. & GUZ A. Is human cortico-spinal control of ventilation as precise as control of hand movement? **452**, 30*P*, 1992

BENJAMIN I.S.

ALEXANDER B., ASLAM M. & BENJAMIN I.S. Prolongation of survival time of an isolated perfused rat brain by concomitant perfusion with an isolated perfused rat liver. **452**, 67*P*, 1992

BENJAMIN P.R.

YEOMAN M. & BENJAMIN P.R. Acetylcholine is the putative transmitter of the slow oscillator modulatory interneurone in the snail feeding system. **446**, 161*P*, 1992

BENNDORF K.

BENNDORF K., BISKUP C., FRIEDRICH M. & HIRCHE H. Current–voltage relationship of the transient inward current (I_{ti}) in guinea-pig heart cells measured with pairs of short pulses. **446**, 341*P*, 1992

BENNET L.

MORRAY J., BENNET L., NOBLE R. & HANSON M.A. Effect of halothane on the carotid chemoreceptor response to hypoxia in anaesthetized kittens. **446**, 425*P*, 1992

GIUSSANI D.A., MOORE P.J., BENNET L., SPENCER J.A.D. & HANSON M.A. Phentolamine increases the incidence of fetal breathing movements both in normoxia and in hypoxia in term fetal sheep. **452**, 320*P*, 1992

BENNETT K.M.B.

BENNETT K.M.B., MAIER M.A. & HEPP-REYMOND M.-C. The relationship between discharge of cortico-motoneuronal (CM) cells and precision grip force in the conscious monkey. **446**, 225*P*, 1992

BENNIE J.

FINK G., DOW R.C., CASLEY D., JOHNSTON C.I., LIM A.T., COPOLOV D.L., BENNIE J., CARROLL S. & DICK H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

BENOS D.J.

HACKNEY C.M., FURNESS D.N. & BENOS D.J. Binding of a polyclonal antibody raised against an amiloride-sensitive Na^+ channel to guinea-pig cochlear hair cells *in vitro* is reduced by drugs known to affect mechanoelectrical transduction. **446**, 113*P*, 1992

BERARDI N.

BERARDI N., CATTANEO A., CELLERINO A., DOMENICI L., FAGIOLINI M., MAFFEI L. & PIZZORUSSO T. Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992

BERNHEIM Laurent

MATHIE Alistair, BERNHEIM Laurent & HILLE Bertil Classification of muscarinic receptors inhibiting calcium current and M current in dissociated rat superior cervical ganglion (SCG) neurons. **446**, 548*P*, 1992

BERRIDGE M.J.

BOOTMAN M.D., BERRIDGE M.J. & TAYLOR C.W. Quantal mobilization of Ca^{2+} from intracellular stores of single HeLa cells. **446**, 207*P*, 1992

BERRY P.A.

BATTEN T.F.C., MAQBOOL A., SAHA S., BERRY P.A. & MCWILLIAM P.N. Glutamate- and GABA-immunoreactive nerve terminals in the nucleus tractus solitarius of the cat revealed by ultrastructural immunogold staining. **452**, 247*P*, 1992

BEST L.
BEST L., TREBILCOCK R. & ELLIOTT A.C. Activation of cultured HIT-T15 insulinoma cells by glyceraldehyde. **452**, 300*P*, 1992

BEVAN S.
YEATS J.C., DOCHERTY R.J. & BEVAN S. Calcium-dependent and independent desensitization of capsaicin-evoked responses in voltage-clamped adult rat dorsal root ganglion (DRG) neurones in culture. **446**, 390*P*, 1992

BHARATH A.A.
BHARATH A.A. & KITNEY R.I. Further theoretical investigations into Doppler angle dependence. **452**, 219*P*, 1992

BHATIA Vinay
ANAND Uma, BHATIA Vinay & MCMAHON Stephen Target induced re-specification of somatovisceral reflexes in the anaesthetized rat. **446**, 562*P*, 1992

BHOOLA Kanti
BOND Alison, BHOOLA Kanti & DIEPPE Paul High performance liquid chromatography profiles for bradykinin, kallidin and a kinin antagonist (HOE 140). **452**, 175*P*, 1992
HENDERSON Lydia, BHOOLA Kanti, FIGUEROA Carlos & MÜLLER-ESTERL Werner Confocal laser scanning images of neutrophils: the circulating transporter of kallikreins and kininogens. **452**, 175*P*, 1992

BICKERSTAFF Maria
BICKERSTAFF Maria Posture and isometric exercise. **446**, 572*P*, 1992
BICKERSTAFF Maria & WARD Jane Comparison of skin blood flow in man measured by near infra-red laser Doppler flowmeter and by plethysmography. **446**, 579*P*, 1992

BICKNELL R.J.
BICKNELL R.J., OLDFIELD B.J., MCALLEN R.M., WEISINGER R.S. & MCKINLEY M.J. Fos immunoreactivity is induced in cells throughout the lamina terminalis following intravenous hypertonic saline infusions in rats. **446**, 80*P*, 1992
BICKNELL R.J., CHAPMAN C. & KATO M. Regulation of intracellular calcium in secretory nerve terminals of rat neurohypophysis *in vitro*. **446**, 284*P*, 1992

BIELEN Frieda V.
BIELEN Frieda V., GLITSCH H.G. & VERDONCK F. Voltage dependence of the sodium pump current of isolated rabbit cardiac Purkinje cells in sodium-free, thallium-containing solution. **446**, 186*P*, 1992

BIELLO S.M.
BIELLO S.M. & MASON R. The effects of lithium on Syrian hamster suprachiasmatic circadian clock neurones *in vitro*. **446**, 443*P*, 1992

BIGNALL S.
KITNEY R.I., BIGNALL S. & SAW N. Analysis of unstable cardiorespiratory waveforms by the frequency tracking locus in human preterm infants. **452**, 27*P*, 1992

BILLARD J.M.
DEISZ R.A., BILLARD J.M. & ZIEGLGÄNSBERGER W. Evidence for two types of $GABA_B$ receptors located pre- and postsynaptically in the rat neocortical slice *in vitro*. **446**, 514*P*, 1992

BINDMAN L.J.
CHRISTOFI G., NOWICKY A.V., RAY J., KHAN H. & BINDMAN L.J. Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992

BINGHAM S.
BINGHAM S. Plasticity of mechanisms controlling gastric motility in the anaesthetized ferret. **446**, 529*P*, 1992

BIRCHALL M.A.
BIRCHALL M.A., PRIDE N.B. & SCHROTER R.C. The effect of saline and histamine on blood flux in the human nasal septal mucosa as measured by a laser Doppler flowmeter. **446**, 114*P*, 1992

BIRDSEY T.J.
BIRDSEY T.J., OAKES L.M. & GARLAND H.O. Effects of gentamycin and tobramycin on renal calcium and magnesium handling in anaesthetized Fischer 344 rats. **452**, 133*P*, 1992

BIRSE E.F.
BIRSE E.F., MEWETT K.N., POOK P.C.-K., TYRELL K., UDVARHELYI P.M., WHARTON B. & WATKINS J.C. Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and poly-synaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992

BISKUP C.
BENNDORF K., BISKUP C., FRIEDRICH M. & HIRCHE H. Current–voltage relationship of the transient inward current (I_{ti}) in guinea-pig heart cells measured with pairs of short pulses. **446**, 341*P*, 1992

BLAKE Gavin J.
BLAKE Gavin J. & PATERSON David J. Effect of noradrenaline on systolic blood pressure and mean aortic flow in the anaesthetized rabbit during hyperkalaemia. **446**, 216*P*, 1992

BLAKE J.F.
BLAKE J.F. & EVANS R.H. Patch pipette recording of dorsal root-evoked synaptic activity in dorsal horn neurones of rodent *in vitro* spinal preparations. **452**, 175*P*, 1992

BLANN A.D.
MCKENNA Kathleen, MCGRANN S., BLANN A.D. & ALLEN Judith A. A factory study of vasospasm in riveters. **446**, 417*P*, 1992

BLEAZARD L.
MORRIS R., BLEAZARD L. & HILL R.G. The responses of neurones, in the deep dorsal horn of rat spinal cord slices *in vitro*, to the application of neurokinin agonists are correlated with their responses to peripheral nerve stimulation. **452**, 252*P*, 1992

BLUTHÉ R.M.
BLUTHÉ R.M., SPARBER S., KENT S. & DANTZER R. Inhibition of nitric oxide synthase potentiates the behavioural effects of interleukin-1 in the mouse. **452**, 123*P*, 1992
KENT S., BLUTHÉ R.M., KELLEY K.W. & DANTZER R. Role of interleukin-1 in the behavioural effects of lipopolysaccharide in the rat. **452**, 124*P*, 1992

BODELSSON M.
DAHM P., BODELSSON M., TORNEBRANDT K., MUDDLE J.R., SYKES R.M., YACOUB M. & DASHWOOD M.R. [^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992

BODIN P.
DOMER F., ALEXANDER B., MILNER P., BODIN P. & BURNSTOCK G. Cerebrovascular perfusion of the rabbit brain: a method that permits evaluation of compounds in effluent samples. **452**, 323*P*, 1992

BOGLE R.G.
BOGLE R.G., MORGAN D.M.L., PEARSON J.D. & MANN G.E. Polyamine transporters in cultured porcine aortic endothelial cells. **446**, 95*P*, 1992
BAYDOUN A.R., BOGLE R.G., PEARSON J.D. & MANN G.E. Induction of nitric oxide synthase in cultured murine macrophages modulates intracellular levels of L-arginine and L-citrulline. **452**, 302*P*, 1992

BOISACQ-SCHEPENS D.
DE JAEGER D. & BOISACQ-SCHEPENS D. Is it possible to learn a new timing in a sequential movement in man? **452**, 140*P*, 1992

BOLAND Benoit
BOLAND Benoit, HIMPENS Bernard, GILLIS Jean-Marie & CASTEELS Rik Unimpaired Ca^{2+} homeostasis is found in dystrophin-lacking smooth muscle from *mdx* mice. **446**, 137*P*, 1992

BOLSOVER Stephen
AL-MOHANNA Futwan & BOLSOVER Stephen Depolarization-induced $[Ca^{2+}]_i$ changes in regenerating axons of rat cultured dorsal root ganglion cells. **452**, 188*P*, 1992
AMATO Alessandra & BOLSOVER Stephen Mapping of $[Ca^{2+}]_i$ in regenerating axons of rat isolated dorsal root ganglion cells. **452**, 189*P*, 1992

BOND Alison
BOND Alison, BHOOLA Kanti & DIEPPE Paul High performance liquid chromatography profiles for bradykinin, kallidin and a kinin antagonist (HOE 140). **452**, 175*P*, 1992

BOOBIS L.
GREENHAFF P.L., NEVILL M.E., SODERLUND K., BOOBIS L., WILLIAMS C. & HULTMAN E. Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992

BOON A.P.
LEE J.A., BOON A.P., HUBSCHER S.G., HINES J.E. & BURT A.D. Hepatic reinnervation following orthotopic liver transplantation in man. **446**, 292*P*, 1992

BOOTMAN M.D.
BOOTMAN M.D., BERRIDGE M.J. & TAYLOR C.W. Quantal mobilization of Ca^{2+} from intracellular stores of single HeLa cells. **446**, 207*P*, 1992

BORN G.V.R.
LUDLAM Clare, ARISAWA H. & BORN G.V.R. Increased uptake of low-density lipoprotein after heparinase perfusion of carotid arteries in anaesthetized rabbits. **446**, 220*P*, 1992
CARDONA-SANCLEMENTE L.E., GOROG P. & BORN G.V.R. Increased uptake of low density lipoprotein induced by adrenaline in the aortae of unrestrained rats. **452**, 56*P*, 1992

BORON Walter F.
SCHWIENING Christof J. & BORON Walter F. Fractional rate of dye signal decrease as an aid in assessing membrane permeability. **452**, 187*P*, 1992

BOSCH T.J.
BOSCH T.J. & PAUL D.H. Is there a tecto-reticular 'map' in the trout? **446**, 314*P*, 1992

BOSLEY M.
BOSLEY M., ROWLERSON Anthea & SCIOTE J.J. Spindles in jaw-closer muscles of the cat. **446**, 604*P*, 1992

BOTHE G.

BOTHE G. & MIYAN J.A. Pharmacological properties of eclosion muscles in *Sarcophaga bullata*. **452**, 146*P*, 1992

BOUCHARD R.A.

BOUCHARD R.A. & FEDIDA D. The positive inotropic effect of α_1-adrenoceptor activation is dependent upon action potential prolongation in rat cardiac myocytes. **446**, 143*P*, 1992

BOUCHIER-HAYES D.J.

GRACE A., GRACE P.A. & BOUCHIER-HAYES D.J. Intra-arterial 6-hydroxydopamine induces a regional chemical sympathectomy in the rabbit. **446**, 423*P*, 1992

HENNESSY A., GRACE P., LEADER M. & BOUCHIER-HAYES D.J. Local hypothermia protects the small bowel from ischaemia in the rat. **446**, 456*P*, 1992

BOURNAUD R.

INOUE I., BOURNAUD R. & SHIMAHARA T. Effects of lipophilic cations on intramembrane charge movement and L-type calcium current in isolated mouse skeletal muscle cells. **446**, 363*P*, 1992

BOUVIER Muriel

BOUVIER Muriel, SZATKOWSKI Marek, AMATO Alessandra, BREW Helen, BARBOUR Boris & ATTWELL David Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992

BOUVIER Muriel, AMATO Alessandra, SZATKOWSKI Marek & ATTWELL David Anion efflux associated with electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **452**, 182*P*, 1992

BOWNS L.

BOWNS L. & MORGAN M.J. Facial features and axis of symmetry extracted using natural orientation information. **452**, 285*P*, 1992

BOWSER-RILEY F.

SHUKER M.A., BOWSER-RILEY F. & DAVIES S.N. NMDA antagonist properties of drugs that affect high pressure neurological syndrome investigated in the rat hippocampal slice. **446**, 46*P*, 1992

BOWSER-RILEY F., CORNISH M., FARQUHAR J., HAINSWORTH R. & KIDD C. The influence of breath-hold tachycardia on human baroreflex heart rate responses to changes in carotid transmural pressure at 37 ATA. **446**, 215*P*, 1992

BOWSER-RILEY F., CORNISH M., FARQUHAR J. & KIDD C. A dynamic estimate of respiratory sinus arrhythmia in man. **446**, 360*P*, 1992

BOXALL C.

ERTAN N.Z., RAMPLING M.W., WINLOVE P., GRIBBON P., DENISON D. & BOXALL C. The effect of trypsin treatment on dextran-induced erythrocyte aggregation. **452**, 314*P*, 1992

BOYD C.A.R.

ELENO N. & BOYD C.A.R. A kinetic analysis of the inhibition by taurochenodeoxycholic acid for glycocholic acid transport in placental basal membrane vesicles. **446**, 33*P*, 1992

DEVÉS R., CHÁVEZ P. & BOYD C.A.R. The effect of neutral amino acids on lysine transport in human erythrocytes discriminates between two high affinity transporters for cationic amino acids. **446**, 409*P*, 1992

VATISH M. & BOYD C.A.R. Inhibition of human placental chloride permeability by Cd^{2+} in brush-border membrane vesicles. **446**, 588*P*, 1992

ELENO N., MARIN J.J.G. & BOYD C.A.R. DIDS shows substrate-like behaviour for the bile acid transporter of human placental basal membrane vesicles. **452**, 59*P*, 1992

VATISH M. & BOYD C.A.R. Regulation of potassium permeability of *in vitro* human placental brush-border membrane vesicles by arachidonic acid. **452**, 233*P*, 1992

ELENO N., DEVÉS R. & BOYD C.A.R. Discrimination between two lysine transporters in human placental brush-border membrane vesicles by altering membrane potential. **452**, 349*P*, 1992

BOYD R.D.H.

STULC J., HUSAIN S.M., BOYD R.D.H. & SIBLEY C.P. Mechanisms of chloride transport across the *in situ* perfused placenta of the anaesthetized rat. **452**, 94*P*, 1992

BOYD S.G.

TOWELL A.D. & BOYD S.G. The CO_2-laser-evoked cerebral potential in humans is not a P300 oddball potential. **452**, 281*P*, 1992

BOYETT M.R.

BOYETT M.R. & HARRISON S.M. The control of cardiac contractility by Na–Ca exchange: a study using a computer model of excitation–contraction coupling in the heart. **446**, 241*P*, 1992

HONJO H. & BOYETT M.R. Correlation between action potential parameters and the size of single sino-atrial node cells isolated from the rabbit heart. **452**, 128*P*, 1992

BRAATVEDT G.D.

BRAATVEDT G.D., CORRALL R.J.M. & HALLIWELL M. Glucagon selectively decreases splanchnic blood flow in man. **446**, 221*P*, 1992

BRACE C.
SUTTERS M., HATFIELD E., BRACE C., WHITEHURST A., LIGHTMAN S. & PEART W. Water and sodium homeostasis during dietary sodium restriction in patients with cranial diabetes insipidus. **446**, 452*P*, 1992

BRADA M.
HALL A.J.H., GREENWOOD J., PATEL B.C.K., BRADA M. & LIGHTMAN S. The effect of histamine and interleukin-2 on the blood–brain and blood–retinal barriers of the anaesthetized rat. **446**, 497*P*, 1992

BRADBURY M.W.B.
UEDA F. & BRADBURY M.W.B. Rate and mechanism of ^{59}Fe transport into brain and other tissues of the anaesthetized rat and mouse. **446**, 98*P*, 1992

BRADFORD A.
MCKEOGH D., NOLAN P., O'REGAN R.G. & BRADFORD A. Artificial ventilation of the isolated larynx in the anaesthetized cat using a servo-controlled pump. **446**, 396*P*, 1992

BRADFORD A. The effects of superior laryngeal nerve section on ventilatory responses to hypercapnia and hypoxia in conscious rats. **446**, 465*P*, 1992

BRADFORD C.M.
BRADFORD C.M. & MCCABE B.J. An association between imprinting and spontaneous neuronal activity in the hyperstriatum ventrale of the anaesthetized domestic chick. **452**, 238*P*, 1992

BRADING A.F.
O'KELLY T.J., BRADING A.F. & MORTENSEN N.J. Inhibitory transmission in isolated pig internal anal sphincter: the role of nitric oxide. **446**, 523*P*, 1992

BRADLEY D.J.
BRADLEY D.J., GORING M.A. & SPYER K.M. The effects of posterior cerebellar vermal lesions on the hypothalamic defence response in the urethane-anaesthetized rabbit. **452**, 243*P*, 1992

BRADLEY P.M.
BRADLEY P.M., BURNS B. DELISLE, KING T.M. & WEBB A.C. Intracellular recordings made *in vitro* from an area of the avian forebrain which is known to be essential for early learning. **452**, 294*P*, 1992

BRADLEY P.M., BURNS B. DELISLE, KING T.M. & WEBB A.C. Age and NMDA receptor activity in the IMHV of the chick brain slice. **452**, 295*P*, 1992

BRADLEY W.A.
KIM J., VIGLIONE M.P., BRADLEY W.A. & KIM Y.I. Action of Lambert–Eaton syndrome antibodies on voltage-dependent calcium currents and exocytosis in human small-cell lung cancer cells and bovine adrenal chromaffin cells. **446**, 245*P*, 1992

BRADY P.
THORN P. & BRADY P. The action of thimerosal on calcium-dependent currents in mouse isolated pancreatic acinar cells. **452**, 312*P*, 1992

BRANAGAN G.W.
HAIDER Z.J., BRANAGAN G.W., WALTER S.J. & SHIRLEY D.G. Effect of 1′ desamino-8-D-arginine vasopressin (dDAVP) on renal lithium reabsorption in anaesthetized Brattleboro rats. **446**, 368*P*, 1992

BRANISTEANU Dimitrie D.
VAN DER KLOOT William & BRANISTEANU Dimitrie D. Evidence that hypertonic solutions increase quantal size at isolated frog neuromuscular junctions by activating protein kinase A. **446**, 47*P*, 1992

BRAVO P.
BRAVO P., EL-MIR M.Y., SERRANO M.A. & MARIN J.J.G. Cross-inhibition between bile acids for their transport across basal plasma membrane of human term trophoblast. **446**, 34*P*, 1992

BREATHNACH C.S.
SMITH J.J. & BREATHNACH C.S. Irish Founder Members: 1. Jeremiah McCarthy (1837–1924). **446**, 398*P*, 1992

KENNEDY M. & BREATHNACH C.S. Irish Founder Members: 3. Henry Newell Martin (1848–1893). **446**, 400*P*, 1992

BREATHNACH C.S. Irish Founder Members: 4. Gerald Francis Yeo (1843–1909). **446**, 401*P*, 1992

BREDT D.S.
PICKARD R.S., POWELL P.H., ZAR M.A., BREDT D.S. & SNYDER S.H. Lack of brain nitric oxide synthase in human cavernosal tissue. **452**, 303*P*, 1992

BRENT P.J.
BRENT P.J. & KELANI M.Y. Equiluminance stimuli elicit low frequency temporal responses in human vision. **452**, 39*P*, 1992

BRESLIN E.
BRESLIN E., TEOH T., DARLING M. & DOCHERTY J.R. Investigations of responses to 5-hydroxytryptamine in isolated human arteries and veins. **446**, 415*P*, 1992

BREW Helen
BOUVIER Muriel, SZATKOWSKI Marek, AMATO Alessandra, BREW Helen, BARBOUR Boris & ATTWELL David Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992

BRICK-GHANNAM C.

BRICK-GHANNAM C., CHABARDES D., GRIFFITHS N.M. & SIAUME-PEREZ S. The effect of prostaglandin E_2 on agonist-sensitive cAMP accumulation in the distal convoluted tubule isolated from rabbit kidney. **452**, 354*P*, 1992

BRICKLEY S.G.

BRICKLEY S.G., GRANT S. & WILLIAMS J.H. The frog optic tectum *in vitro*: differential effects of the NMDA receptor antagonist DL-2-amino-5-phosphonovaleric acid (APV) on postsynaptic potentials. **452**, 36*P*, 1992

BROAD K.D.

BROAD K.D., KENDRICK K.M., KEVERNE E.B. & SIRINATHSINGHJI D.J.S. Changes in oxytocin, corticotrophin-releasing factor and opioid mRNA in the sheep brain during pregnancy, parturition and lactation, and in response to sex steroids. **446**, 281*P*, 1992

BROCK James A.

BROCK James A. & CUNNANE Thomas C. On the cause of the intermittent arrival of the action potential in sympathetic nerve terminals in the guinea-pig vas deferens *in vitro*. **446**, 268*P*, 1992

BRONSTEIN A.

BRONSTEIN A., RUDDOCK K.H. & WOODING D.S. Spatial vision during motion in the absence of vestibular functions in man. **452**, 40*P*, 1992

BROOKE-WAVELL K.

STENSEL D.J., HARDMAN A.E., BROOKE-WAVELL K., JONES P.R.M. & NORGAN N.G. The influence of brisk walking on endurance fitness in previously sedentary, middle-aged men. **446**, 123*P*, 1992

BROOKS Penelope A.

HARRISON Neil L., BROOKS Penelope A., HORNBERGER Liesa A., RADKE H. Karl & JONES Mathew V. The effects of some volatile anaesthetics on responses to exogenous GABA and inhibitory postsynaptic currents in cultured rat hippocampal neurons. **446**, 258*P*, 1992

BROOKS S.

ALMEY J., BROOKS S., GLEESON M., GRIFFITHS H. & LEWIS A. Indices of the acute phase inflammatory response following eccentric exercise in man. **446**, 208*P*, 1992

BROOKSBY Paul

LEVI Allan J., HANCOX Jules & BROOKSBY Paul Rapid changes of extracellular solution combined with measurements of contraction in isolated ventricular myocytes from the rat heart. **452**, 158*P*, 1992

LEVI Allan J., LEE Chin O. & BROOKSBY Paul Calibration of the fluorescent indicator SBFI for intracellular sodium in ventricular myocytes isolated from rabbit and rat hearts. **452**, 159*P*, 1992

BROOKSBY Paul & LEVI Allan J. Does Ca influx via Na–Ca exchange trigger intracellular Ca release and contraction in isolated rat ventricular myocytes? **452**, 227*P*, 1992

BROWN C.D.A.

MCNICHOLAS C.M., BROWN C.D.A. & TURNBERG L.A. (Na–K–Cl) co-transport in intact villus tips and crypt units from rat duodenum. **446**, 6*P*, 1992

BROWN C.D.A. & SIMMONS N.L. Measurement of pH_i in intact epithelial monolayers of MDCK cells. **452**, 266*P*, 1992

BROWN D.

BROWN D., HERBISON A.E., LENG G. & MARRS R.W. A mathematical model for the interaction between luteinizing hormone-releasing hormone (LHRH), GABA and noradrenaline cells in the rat. **446**, 67*P*, 1992

BROWN D.A.

CAULFIELD M.P., ROBBINS J. & BROWN D.A. Pharmacological definition of the calcium current (I_{Ca}) component inhibited by neurotransmitters in rodent neuroblastoma × glioma hybrid (NG 108-15) cells. **452**, 48*P*, 1992

TROUSLARD J., MARSH S.J. & BROWN D.A. Calcium entry through nicotinic channels in dissociated rat superior cervical ganglion (SCG) cells. **452**, 49*P*, 1992

BROWN Euan R.

BROWN Euan R. & ABBOTT N. Joan Membrane potential in squid Schwann cells: stable impalements in the split open giant axon preparation of *Loligo*. **446**, 320*P*, 1992

BROWN J.

BROWN J. & ZUO Z. Rat kidney expresses GC-A, not GC-B receptors for natriuretic peptides. **446**, 90*P*, 1992

BROWN J. & CHEUNG B. Binding of rat brain natriuretic peptide (BNP) to atrial natriuretic peptide (ANP) receptors in rat kidney. **446**, 91*P*, 1992

BROWN J. & ZUO Z. In vitro receptor binding of C-type natriuretic peptide ($CNP_{(1-22)}$) in rat brain. **446**, 440*P*, 1992

BROWN J. & ZUO Z. Natriuretic peptide receptors and the growth of fetal brain. **452**, 89*P*, 1992

BROWN J. & ZUO Z. Cyclic guanosine monophosphate (cGMP) production stimulated in isolated rat glomeruli by natriuretic peptides. **452**, 92*P*, 1992

BROWN K.A.
BROWN K.A., VORA A., PERRY M.E., MUSTAPHA Y., HOBBS C., DAVIES D. & DUMONDE D.C. An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992

BROWN K.D.
SMITH R.D., CORPS A.N. & BROWN K.D. Angiotensin II stimulates phosphoinositide hydrolysis and proliferation in a rat intestinal epithelial (RIE-1) cell line. **446**, 295*P*, 1992
CORPS A.N., PASCALL J.C. & BROWN K.D. Constitutive secretion of an insulin-like growth factor-binding protein by a rat intestinal epithelial (RIE-1) cell-line. **446**, 296*P*, 1992

BROWN Margaret D.
BROWN Margaret D., HUDLICKÁ Olga, DAMON David & DULING Brian R. Vasoactive effects of basic and acidic fibroblast growth factors on arteriolar vessels in the cheek pouch of the anaesthetized hamster. **452**, 11*P*, 1992

BROWN M.J.
NUNEZ D.J., VASSILIKIOTI S. & BROWN M.J. The human atrial natriuretic factor (ANF) 'C' receptor is encoded by two messenger RNAs. **446**, 307*P*, 1992

BROWN M.W.
BROWN M.W. & HORN G. Neurones in the intermediate and medial part of the hyperstriatum ventrale (IMHV) of freely moving chicks respond to visual and/or auditory stimuli. **452**, 237*P*, 1992

BROWN P.D.
HARPER G.D. & BROWN P.D. Ion channels in the choroid plexus isolated from the fourth ventricle of the fetal rat. **446**, 349*P*, 1992
GARNER C. & BROWN P.D. The effect of CO_2/HCO_3^--buffered saline on Cl^- channel activity in isolated rat choroid plexus. **446**, 350*P*, 1992
KOTERA T. & BROWN P.D. Whole-cell currents in epithelial cells from rat choroid plexus *in vitro*. **452**, 356*P*, 1992

BROWN U.M.O.
WILSON S.M., LEE C.M., SMITH G.L., PEDIANI J.D., BROWN U.M.O. & ELDER H.Y. Second messenger signals in cultured, human sweat gland epithelia. **452**, 230*P*, 1992

BROWNBILL P.
LARCOMBE-MCDOUALL J.B., BROWNBILL P. & STEWARD M.C. Continuous measurement of intracellular water content in the isolated, perfused rat mandibular salivary gland by proton NMR spectroscopy. **452**, 74*P*, 1992

BRUCE S.A.
BRUCE S.A., PHILLIPS S.K. & WOLEDGE R.C. Strength and cross-sectional area of adductor pollicis muscle in men and women. **446**, 266*P*, 1992
PHILLIPS S.K., BRUCE S.A., WOLEDGE R.C. & SIDDLE N. Force and cross-sectional area of adductor pollicis muscle in post-menopausal women, with and without hormone replacement therapy. **446**, 364*P*, 1992
ROOK K.M., PHILLIPS S.K., BRUCE S.A. & WOLEDGE R.C. The effects of ageing on muscle strength in men and women. **452**, 25*P*, 1992

BRUGGER F.
BRUGGER F. & EVANS R.H. Comparison of quinoxalinedione antagonist potency at non-NMDA receptors of rat primary afferent C fibres *in vitro*. **452**, 184*P*, 1992

BRUNN G.
BRUNN G., LANGER C., BÄHRING J., WESSLER I. & RACKÉ K. Epithelium-derived prostanoids inhibit the release of endogenous noradrenaline from rat isolated trachea. **446**, 115*P*, 1992

BRUTON J.D.
LIU Y.K. & BRUTON J.D. Recovery from fatigue in rat isolated skeletal muscle. **446**, 265*P*, 1992

BRYANT C.E.
BRYANT C.E. & CLARKE K.W. Postjunctional α-adrenoceptor subtypes in the isolated equine saphenous vein and digital artery. **452**, 245*P*, 1992

BUCK A.C.
ROTHWELL P.J.N. & BUCK A.C. Do prostaglandins affect renal calcium handling? – a study in conscious rats. **452**, 83*P*, 1992

BUCKLER K.J.
BUCKLER K.J. & VAUGHAN-JONES R.D. Raising P_{CO_2} elevates $[Ca^{2+}]_i$ in isolated carotid body glomus cells of the neonatal rat. **452**, 228*P*, 1992

BUCKLEY Cliona
BUCKLEY Cliona Irish Founder Members: 2. Robert McDonnell (1828–1889). **446**, 399*P*, 1992

BUCKNALL R.M.
STRONG A.J., KIRKPATRICK P.J., BUCKNALL R.M., NAYLOR P. & RUDMAN S. Measurement of superficial cerebral cortical blood flow by imaging umbelliferone clearance in anaesthetized cats and rabbits. **446**, 569*P*, 1992

BUHL E.H.

JONES R.S.G. & BUHL E.H. Synaptic and intrinsic responses of morphologically identified basket neurones in layer II of the rat entorhinal cortex *in vitro*. **446**, 257*P*, 1992

BULL P.M.

DOUGLAS A.J., RUSSELL J.A. & BULL P.M. Oxytocin (OXT) secretion evoked by stimulation of the AV3V region and its modulation by opioids in urethane-anaesthetized pregnant rats. **446**, 81*P*, 1992

BULL P.M. & RUSSELL J.A. Oxytocin secretory responses to hypernatraemia and inhibition by morphine in pregnant urethane-anaesthetized rats. **452**, 210*P*, 1992

BUNT S.M.

AL-GOSHAE H. & BUNT S.M. Selection of pathways by regenerating axons in the transected spinal cord of the goldfish. **446**, 43*P*, 1992

BUNTING R.

ZOREC R., HOYLAND J., RELF G., BUNTING R. & MASON W.T. Dynamic four-wavelength video imaging of intracellular pH and calcium homeostasis in cultured bovine lactotrophs. **446**, 64*P*, 1992

BURGESS W.J.

BURGESS W.J., ABU AMARAH I. & BALMENT R.J. Impaired renal excretion of sodium in the Brattleboro (DI) rat: fact or artefact? **446**, 54*P*, 1992

SHALMI M., BURGESS W.J., ABU AMARAH I., EVANS M., CHRISTENSEN S., BALMENT R.J. & ATHERTON J.C. A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

BURGESS W.J. & BALMENT R.J. Renal and endocrine effects of atrial natriuretic peptide (ANP) in conscious Brattleboro (DI) and Long Evans (LE) rats. **452**, 93*P*, 1992

BURKE J.

HORGAN P.G., COUSE N., BURKE J., DELANEY C., GOREY T. & FITZPATRICK J.M. Substance P effects in the isolated canine ureter. **446**, 421*P*, 1992

BURNASHEV N.

KHODOROVA A. & BURNASHEV N. Glutamate receptor channels with high Ca^{2+} permeability in fusiform glial cells in rat cerebellar cultures. **446**, 516*P*, 1992

BURN-MURDOCH R.A.

BURN-MURDOCH R.A. & LIGHT Lucinda Assessing the stability of reference points used for recording movements by discontinuing measurements of position. **446**, 477*P*, 1992

BURN-MURDOCH R.A. The effect of consistency of the diet and shortening incisor teeth in rats on the eruption rates and intra-oral lengths of the unshortened incisors. **446**, 530*P*, 1992

BURNS B. Delisle

BRADLEY P.M., BURNS B. Delisle, KING T.M. & WEBB A.C. Intracellular recordings made *in vitro* from an area of the avian forebrain which is known to be essential for early learning. **452**, 294*P*, 1992

BRADLEY P.M., BURNS B. Delisle, KING T.M. & WEBB A.C. Age and NMDA receptor activity in the IMHV of the chick brain slice. **452**, 295*P*, 1992

BURNSTOCK G.

DOMER F., ALEXANDER B., MILNER P., BODIN P. & BURNSTOCK G. Cerebrovascular perfusion of the rabbit brain: a method that permits evaluation of compounds in effluent samples. **452**, 323*P*, 1992

BURT A.D.

LEE J.A., BOON A.P., HUBSCHER S.G., HINES J.E. & BURT A.D. Hepatic reinnervation following orthotopic liver transplantation in man. **446**, 292*P*, 1992

BURTON K.A.

TIVEY D.R., PARKAR A., BURTON K.A. & DAUNCEY M.J. Nutritional influences on circulating and hepatic concentrations of insulin-like growth factor-I in the neonatal pig. **446**, 298*P*, 1992

BURTON P.B.J.

BURTON P.B.J., KAMALATI T., RATCLIFF W. & KNIGHT D.E. Evidence implicating parathyroid hormone-related peptide as an autocrine growth factor for human lung cancer cells. **446**, 534*P*, 1992

BURTON P.B.J., HAUCK A., NEHLSEN-CANNARELLA S.L., SORENSEN C., MONIZ C. & BAILEY L.L. Hypoplastic left heart syndrome: some clues to its aetiology. **446**, 574*P*, 1992

BUSCH A.E.

KAVANAUGH M.P., BUSCH A.E., HURST R.S., ADELMAN J.P. & NORTH R.A. Identification of a histidine residue in the rat lymphocyte channel (RGK5) that is involved in current inactivation. **446**, 125*P*, 1992

BUSCH A.E., KAVANAUGH M.P., ADELMAN J.P. & NORTH R.A. Second messenger regulation of the slowly activating, voltage-dependent potassium current (I_{sK}) in *Xenopus* oocytes. **446**, 133*P*, 1992

BUSH B.M.H.

BUSH B.M.H., SKORUPSKI P., MURPHY G.J., CAYZER S.A. & RAWAT B.M. An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992

BUSH Brian M.H.
SKORUPSKI Peter & BUSH Brian M.H. Reflex and central control of a motoneurone to a crayfish muscle receptor studied *in vitro*. **446**, 315*P*, 1992
RAWAT Bilal M., SKORUPSKI Peter & BUSH Brian M.H. Central synaptic coupling of non-spiking afferent neurones from adjacent joints of the crayfish leg. **446**, 316*P*, 1992
SKORUPSKI Peter & BUSH Brian M.H. Selective effects of octopamine within a crayfish motor pool. **452**, 167*P*, 1992

BUSZA A.L.
ALLEN K.L., BUSZA A.L., CROCKARD H.A. & GADIAN D.G. A magnetic resonance imaging study of cerebral ischaemia in the anaesthetized gerbil. **446**, 510*P*, 1992

BUTCHER P.A.
BUTCHER P.A., SHAW A.M., STEELE L.W., WARD M.R. & OLVER R.E. Cyclic AMP-regulated Na^+ conductance in the apical membrane of fetal sheep alveolar type II cells. **446**, 16*P*, 1992

BUTLER P.J.
RANSON R.N., BUTLER P.J. & TAYLOR E.W. The localization of vagal preganglionic neurones in the ferret, *Mustela putorius furo* and the mink, *Mustela vison*. **452**, 246*P*, 1992

BUTT A.M.
BUTT A.M., HASSAN S. & JENKINS H.G. Intracellular dye-injection study of oligodendrocyte morphology in the isolated intact mouse optic nerve: response to demyelination in a viral model of multiple sclerosis and to tumour necrosis factor. **446**, 474*P*, 1992
ABBOTT N. Joan & BUTT A.M. Contribution of ion permeability and transport at the brain endothelium to the DC potential between blood and CSF. **452**, 61*P*, 1992

BUTT Arthur M.
BUTT Arthur M. & JONES Hazel C. Effect of inflammatory mediators on blood–brain barrier (BBB) permeability in brain-surface microvessels of anaesthetized rats. **446**, 504*P*, 1992

BUXTON H.
JOHNSTON A., MCOWAN P.W. & BUXTON H. A biologically plausible scheme for measuring image velocity. **452**, 288*P*, 1992

BYRNE N.G.
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Inhibition of ACh-currents by human plasma in a whole-cell voltage-clamped human muscle cell line. **446**, 267*P*, 1992
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Caffeine inhibition of ACh nicotinic currents in the human skeletal muscle (TE671) cell line not mediated by cyclic AMP/Ca_i^{2+}. **452**, 193*P*, 1992

BYRNE S.
BYRNE S., GLAZIER J.D., MAHENDRAN D., EDWARDS D. & SIBLEY C.P. Effects of diisothiocyano-2-2-disulfonic stilbene (DIDS), dephenylamine-2-carboxylate (DPC) and furosemide on chloride transport across human placental microvillus membrane vesicles (MVV). **452**, 145*P*, 1992

CADDEN S.W.
MITCHELL Stella, LLOYD C.H. & CADDEN S.W. Does a stretch reflex contribute to the excitations which follow inhibitory jaw reflexes in man? **446**, 4*P*, 1992
NEWTON J.P., STURROCK K.C., MUNRO A.M. & CADDEN S.W. A means of standardizing the application of electrical stimuli to intra-oral structures during studies of jaw reflexes in man. **446**, 5*P*, 1992
MATTHEWS B., CADDEN S.W. & YEMM R. Model of an interference electromyogram containing an inhibitory reflex. **446**, 19*P*, 1992

CADDY Keith W.T.
CADDY Keith W.T. Reorganization of the synapses on the deep cerebellar nuclei neurons in the mutant mouse *Lurcher*. **446**, 373*P*, 1992

CAIRNS S.P.
ELLIOTT A.C., CAIRNS S.P. & ALLEN D.G. Acetylcholine and di(tert-butyl)-hydroquinone evoke spatially distinct patterns of intracellular Ca release in isolated rat lacrimal acinar cells. **452**, 96*P*, 1992

CALLEJA M.A.
SWEENEY M.T., CALLEJA M.A., KEEGAN M., CAMPBELL I.T. & DAVIES M.K. Maximal oxygen uptake (V_{O_2}max) measured with powered treadmill, cycle ergometry and self powered treadmill in man. **452**, 116*P*, 1992

CALLEWAERT G.
CALLEWAERT G., LIPP P., SIPIDO K.R., POTT L. & CARMELIET E. Regenerative Ca^{2+} release in guinea-pig atrial myocytes. **446**, 146*P*, 1992

CALLEWAERT Geert
SIPIDO Karin R., CALLEWAERT Geert, VEREECKE Johan & CARMELIET Edward $[Ca^{2+}]_i$ transients in isolated Purkinje cells from rabbit heart. **446**, 332*P*, 1992

CAMELLO P.J.
WISDOM D., SINGH J., SALIDO G.M., PARIENTE J.A., LENNARD R. & CAMELLO P.J. Effects of nerve stimulation and secretin on exocrine pancreatic secretion in the rat *in vivo* and *in vitro* **452**, 100*P*, 1992

Wisdom D., Francis L.P., Singh J., Salido G.M. & Camello P.J. Effects of phorbol ester on vagal stimulation and secretagogue-evoked secretory responses in the rat pancreas. **452**, 334*P*, 1992

Cameron Ian R.

Agrawal Bella, Leach Richard M., Cameron Ian R. & Ward Jeremy P.T. Acute hypoxic vasoconstriction in isolated pulmonary arteries of the rat is dependent on the endothelium. **446**, 490*P*, 1992

Camm A.J.

Gill J.S., Shankar V.S., Bax C.M.R., Lu F., Moonga B.S., Zaidi M. & Camm A.J. The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992

Gill J.S., Lu F., McKenna W.J. & Camm A.J. Effect of propafenone on the calcium current in guinea-pig ventricular myocytes. **452**, 22*P*, 1992

Campbell E.R.

Campbell E.R., Regan M.F., McCullagh P.J., McClelland R.J. & Wallace W.F.M. Evidence from slow wave potentials of functional asymmetry in the human brain during an analytical task. **446**, 448*P*, 1992

Campbell I.T.

Sweeney M.T., Calleja M.A., Keegan M., Campbell I.T. & Davies M.K. Maximal oxygen uptake (V_{O_2}max) measured with powered treadmill, cycle ergometry and self powered treadmill in man. **452**, 116*P*, 1992

Campbell N.J.

Toescu E.C. & Campbell N.J. Effect of La^{3+} on acetylcholine-induced increase of Ca^{2+}-dependent Cl^--channel activity in single mouse pancreatic acinar cells. **446**, 202*P*, 1992

Cardinaud B.

Cardinaud B. & Coles J.A. The hyperpolarization in *Xenopus* oocytes induced by lowering external sodium. **452**, 315*P*, 1992

Cardona-Sanclemente L.E.

Cardona-Sanclemente L.E., Gorog P. & Born G.V.R. Increased uptake of low density lipoprotein induced by adrenaline in the aortae of unrestrained rats. **452**, 56*P*, 1992

Carlsson L.M.S.

Carlsson L.M.S., Carmignac D.F., Clark R.G., Robinson I.C.A.F. & Wells T. Growth hormone (GH) binding protein in the normal and GH-deficient dwarf rat. **452**, 216*P*, 1992

Carmeliet E.

Callewaert G., Lipp P., Sipido K.R., Pott L. & Carmeliet E. Regenerative Ca^{2+} release in guinea-pig atrial myocytes. **446**, 146*P*, 1992

Carmeliet Edward

Sipido Karin R., Callewaert Geert, Vereecke Johan & Carmeliet Edward $[Ca^{2+}]_i$ transients in isolated Purkinje cells from rabbit heart. **446**, 332*P*, 1992

Carmignac D.F.

Carlsson L.M.S., Carmignac D.F., Clark R.G., Robinson I.C.A.F. & Wells T. Growth hormone (GH) binding protein in the normal and GH-deficient dwarf rat. **452**, 216*P*, 1992

Caro C.G.

Dumoulin C.L., Doorly D.J. & Caro C.G. Measurement of local arterial pulse wave velocity in a human subject by a comb-excitation magnetic resonance imaging (MRI) technique. **452**, 17*P*, 1992

Carr L.J.

Carr L.J., Harrison L.M., Stephens J.A., Lotay I., Farmer S., Ironton R. & Jones T. Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992

Carr L.J., Harrison L.M., Evans A.L. & Stephens J.A. Patterns of central motor reorganization in children with hemiplegic cerebral palsy. **452**, 107*P*, 1992

Carr P.

Carr P. & Poston L. Effect of endothelin-1 on intracellular pH in isolated human resistance arteries in the presence of a physiological buffer. **446**, 489*P*, 1992

Carrington C.A.

Carrington C.A. & White M.J. The pressor response to isometric exercise of the elbow flexors in young and elderly men. **446**, 212*P*, 1992

Carroll J.

Carroll J. & Swann K. Cytosolic Ca^{2+} oscillations driven by inositol trisphosphate occur during spontaneous maturation of mouse oocytes. **446**, 560*P*, 1992

Carroll S.

Fink G., Dow R.C., Casley D., Johnston C.I., Lim A.T., Copolov D.L., Bennie J., Carroll S. & Dick H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

Carstairs Jill R.

Nimmo A.J., Carstairs Jill R., Whitaker Elaine M. & Morrison J.F.B. A possible explanation for the difference between the apparent affinity of agonists for their receptors and the concentrations at which they activate those receptors; studied in tissue sections from the rat heart. **446**, 180*P*, 1992

CARTER D.C.
FLYNN R., GERAGHTY J.G., ANGERSON W.J., TANNER W.A., KEANE F.B.V. & CARTER D.C. The relationship between portal pressure and portasystemic shunting in portal hypertension in the anaesthetized rat. **446**, 414*P*, 1992

CARTER T.D.
CARTER T.D. & OGDEN D.C. Calcium release evoked by intracellular inositol 1,4,5-trisphosphate in porcine aortic endothelial cells in tissue culture. **446**, 558*P*, 1992
KHODAKHAH K., CARTER T.D., TÖRÖK K., OGDEN D. & SMITH S. Patch permeabilization with staphylococcal α-toxin in wholecell recording. **452**, 160*P*, 1992

CASADEI B.
CASADEI B., COCHRANE S., DAVEY P. & CONWAY J. Autonomic control of heart rate during exercise in young rowers. **446**, 269*P*, 1992

CASE R.M.
EVANS R.L., LAU K.R. & CASE R.M. The effect of isoprenaline on intracellular Cl^- concentration in isolated rabbit mandibular salivary gland ducts. **446**, 351*P*, 1992
EVANS R.L., LAU K.R. & CASE R.M. Isolation and characterization of individual striated ducts from the rabbit mandibular salivary gland. **452**, 73*P*, 1992
RIPLEY J.K. & CASE R.M. Stimulation *in vitro* of rat pancreatic enzyme synthesis by pancreatic polypeptide and peptide YY. **452**, 98*P*, 1992

CASLEY D.
FINK G., DOW R.C., CASLEY D., JOHNSTON C.I., LIM A.T., COPOLOV D.L., BENNIE J., CARROLL S. & DICK H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

CASTEELS R.
HIMPENS B., DROOGMANS G., DE SMEDT H. & CASTEELS R. Nucleo-cytoplasmic Ca^{2+} gradients at rest and during stimulation in DDT_1MF_2 smooth muscle cells. **446**, 138*P*, 1992

CASTEELS Rik
BOLAND Benoit, HIMPENS Bernard, GILLIS Jean-Marie & CASTEELS Rik Unimpaired Ca^{2+} homeostasis is found in dystrophin-lacking smooth muscle from *mdx* mice. **446**, 137*P*, 1992

CASTRO M.G.
LOWENSTEIN P.R., SHERING A.F., JAMES J.L., LOWRY P.J., LINTON E.A. & CASTRO M.G. Corticotrophin-releasing hormone-like immunoreactive neurones in the rat cerebral cortex. **446**, 24*P*, 1992

CATTANEO A.
BERARDI N., CATTANEO A., CELLERINO A., DOMENICI L., FAGIOLINI M., MAFFEI L. & PIZZORUSSO T. Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992

CAULFIELD M.P.
CAULFIELD M.P., ROBBINS J. & BROWN D.A. Pharmacological definition of the calcium current (I_{Ca}) component inhibited by neurotransmitters in rodent neuroblastoma × glioma hybrid (NG 108-15) cells. **452**, 48*P*, 1992

CAVANAGH J.B.
ROMERO I.A., CAVANAGH J.B., NOLAN C.C., RAY D.E. & SEVILLE M.P. 1,3-Dinitrobenzene, a neurotoxin acting at the rat blood–brain barrier. **446**, 498*P*, 1992

CAVE R.
GLEESON M. & CAVE R. The biphasic leucocytosis of exercise in man: influence of static or dynamic activity. **446**, 581*P*, 1992
GLEESON M., ALMEY J. & CAVE R. Changes in circulating white blood cells and platelets following eccentric exercise in man. **452**, 31*P*, 1992

CAVIERES J.D.
WARD D.G. & CAVIERES J.D. High- and low-affinity ATP effects on solubilized $\alpha\beta$-protomers of pig kidney Na–K-ATPase. **446**, 586*P*, 1992

CAVINESS J.
ATCHISON P., CAVINESS J., WERHAHN K., ROTHWELL J.C., DAY B.L. & THOMPSON P.D. Magnetic stimulation over the motor cortex in man delays the onset of EMG activity more when a muscle acts as a prime mover than when used as a postural fixator. **452**, 275*P*, 1992

CAWLEY Linda M.
CODY F.W.J., BANKHEAD Clare R., CAWLEY Linda M. & MUNEER Asif Visual and proprioceptive feedback in human visuo-motor tracking tasks. **446**, 231*P*, 1992

CAYZER S.A.
BUSH B.M.H., SKORUPSKI P., MURPHY G.J., CAYZER S.A. & RAWAT B.M. An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992

CECCHI G.
MAEDA Y., ASHLEY C.C., CECCHI G., GRIFFITHS P.J. & BAGNI M.A. Radial forces in single intact muscle fibres of *Rana temporaria* at different lattice spacings. **446**, 261*P*, 1992

CELLERINO A.
BERARDI N., CATTANEO A., CELLERINO A., DOMENICI L., FAGIOLINI M., MAFFEI L. & PIZZORUSSO T. Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992

CEÑA V.
KEYNES R.D., ROJAS E. & CEÑA V. Blocking of the sodium channel by external Tris in the squid *Doryteuthis bleekeri* giant axon. **446**, 169*P*, 1992

CERVERO Fernando
POZO Miguel A. & CERVERO Fernando Corneal inputs to neurones in the spinal trigeminal nucleus of anaesthetized rats. **452**, 239*P*, 1992
CERVERO Fernando, LAIRD Jennifer M.A. & POZO Miguel A. Plastic changes of spinal nociceptive neurones induced by noxious visceral stimulation in the anaesthetized cat. **452**, 240*P*, 1992

CHABARDES D.
BRICK-GHANNAM C., CHABARDES D., GRIFFITHS N.M. & SIAUME-PEREZ S. The effect of prostaglandin E_2 on agonist-sensitive cAMP accumulation in the distal convoluted tubule isolated from rabbit kidney. **452**, 354*P*, 1992

CHAE S.W.
CHAE S.W., KIM J.S., LEE H.S. & CHO K.P. Effect of Na–H exchange inhibitor (amiloride-5-*N*,*N*-hexamethylene) on the carbachol-induced intracellular sodium activity increase in beating and quiescent guinea-pig papillary muscle *in vitro*. **446**, 327*P*, 1992

CHAEN Shigeru
TREGEAR Richard, OIWA Kazuhiro, CHAEN Shigeru & SUGI Haruo The effect of magnetic force on the movement of myosin-coated beads along actin cables in an algal cell. **452**, 325*P*, 1992

CHAM C.-K.
SPURWAY N.C., GODFREY R.J. & CHAM C.-K. Relaxation of isolated, perfused rat and rabbit blood vessels by organic bases applied at neutral pH. **446**, 488*P*, 1992

CHAMBERS J.P.
CHAMBERS J.P., LIVINGSTON A., WATERMAN A.E. & GOODSHIP A.E. Chronic tendon injury in horses reduces their noxious pressure thresholds and response to analgesics. **452**, 205*P*, 1992

CHAMBERS Julie A.
MATHEWS C.J., SOHMA Y., HARRIS Ann, CHAMBERS Julie A. & ARGENT B.E. Maxi-K^+ channels on epithelial cells cultured from human fetal vas deferens. **452**, 344*P*, 1992

CHAN Eliza
BAUMANN Klaus I. & CHAN Eliza Naloxone has no effect on responsiveness of slowly adapting type I cutaneous mechanoreceptors in a rat skin–nerve *in vitro* preparation. **446**, 235*P*, 1992

CHAN K.M.
PROCTOR G.B., CHAN K.M., SHORI D.K. & GARRETT J.R. Different proportions of secretory proteinases occur in submandibular salivas elicited from anaesthetized rats by different nerve stimulations. **446**, 200*P*, 1992

CHAN P.S.F.
WONG P.Y.D., HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W. & CHAN P.S.F. Human epididymal cells respond to adrenaline by increase in short-circuit current and whole-cell chloride current. **446**, 93*P*, 1992

CHANDLER C.S.
ROCHESTER L., BARRON M.J., CHANDLER C.S., JOHNSON M.A., MILLER S. & SUTTON R.A. Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992

CHANG Y.S.
JO Y.H., RHIE D.J., HAHN S.J., CHANG Y.S., KIM C.C. & KIM M.S. The effect of body position on pancreatic exocrine secretion in anaesthetized and conscious rats. **446**, 198*P*, 1992

CHAPMAN C.
BICKNELL R.J., CHAPMAN C. & KATO M. Regulation of intracellular calcium in secretory nerve terminals of rat neurohypophysis *in vitro*. **446**, 284*P*, 1992

CHAPMAN I.D.
MORLEY J., HOSHIKO K., CHAPMAN I.D. & MAZZONI L. The selective nature of airway hyperreactivity. **446**, 117*P*, 1992

CHAPMAN K.
MULDERRY P.K., CHAPMAN K., LYONS V. & HARMAR A.J. A region of 5′-flanking DNA from the rat preprotachykinin-A gene which directs high-level expression in cultured rat dorsal root ganglion neurones transfected by microinjection of plasmid DNA. **452**, 199*P*, 1992

CHAPMAN R.A.
SULEIMAN M.S. & CHAPMAN R.A. Na-dependent taurine uptake in isolated bovine cardiac sarcolemmal vesicles. **446**, 57*P*, 1992
CHAPMAN R.A. The effect of 2,3-butanedione 2-monoxime (BDM) on the dihydropyridine-sensitive Ca-current in isolated guinea-pig ventricular myocytes. **446**, 437*P*, 1992

Suleiman M.S., Minezaki K.K. & Chapman R.A. A phospholipase A_2 inhibitor (Ro 31-4493) prevents the protein loss associated with the Ca-paradox in isolated guinea-pig hearts and is without effect on the currents through L-type Ca channels of isolated myocytes. **446**, 439*P*, 1992

Jeff T., Allen A. & Chapman R.A. Temperature dependence of L-type calcium currents in single isolated guinea-pig ventricular myocytes. **446**, 554*P*, 1992

Suleiman M.S., Fernando K., Dihmis W., Hutter J. & Chapman R.A. Determination of free intracellular amino acids in ventricular biopsies taken from patients undergoing heart surgery. **452**, 162*P*, 1992

Chatamra K.R., Suleiman M.S. & Chapman R.A. Measurement of the recovery from an acid load in the isolated guinea-pig papillary muscle in media free of divalent cations. **452**, 163*P*, 1992

Minezaki K.K., Suleiman M.S. & Chapman R.A. Metabolic changes in isolated guinea-pig ventricular myocytes during calcium depletion and repletion as detected with a fluorescent technique. **452**, 164*P*, 1992

Mistry D.K. & Chapman R.A. A perfusion system for exchanging the intracellular solution of single guinea-pig ventricular myocytes. **452**, 165*P*, 1992

Chapman R.A. The action of 2,3-butanedione monoxime (BDM), pyridine-2-aldoxime (norPAM) and pyridine-2-aldoxime methochloride (PAM) on the inactivation of the L-type calcium current in isolated guinea-pig ventricular myocytes. **452**, 196*P*, 1992

Allen T.J.A. & Chapman R.A. Effects of temperature on unitary L-type calcium channel currents carried by barium in isolated guinea-pig ventricular myocytes. **452**, 311*P*, 1992

Charlesworth P.

Charlesworth P., Pocock G. & Richards C.D. Methoxyflurane and methohexitone modulate the decay of voltage-activated calcium currents in cultured bovine adrenal chromaffin cells. **452**, 191*P*, 1992

Charlton J.A.

Charlton J.A. & Simmons N.L. Expression of nephron-segment-specific phenotypes in cultured human renal cell lines. **452**, 138*P*, 1992

Chatamra K.R.

Chatamra K.R., Suleiman M.S. & Chapman R.A. Measurement of the recovery from an acid load in the isolated guinea-pig papillary muscle in media free of divalent cations. **452**, 163*P*, 1992

Chatrath P.

Dyball R.E.J., Chatrath P., Ebling F.J.P. & Hastings M.H. Afferents to and projections from the suprachiasmatic nucleus in the Syrian hamster. **452**, 251*P*, 1992

Chauhan S.

Chauhan S. & Part N.J. The effect of work load on the modulation of the soleus H reflex during cycling in man. **446**, 18*P*, 1992

Chávez P.

Devés R., Chávez P. & Boyd C.A.R. The effect of neutral amino acids on lysine transport in human erythrocytes discriminates between two high affinity transporters for cationic amino acids. **446**, 409*P*, 1992

Devés R., Angelo S. & Chávez P. Functional isolation of amino acid transport system y^+L in human erythrocytes using *N*-ethylmaleimide. **452**, 330*P*, 1992

Cheeseman C.I.

Cheeseman C.I., Tsang R. & Ao Z. The influence of vascular and lumenal hexoses on rat isolated intestinal basolateral membrane glucose transport. **452**, 333*P*, 1992

Chen Shuhau

Chen Shuhau, Fry C.H., Illner Hana, Kickenweiz Elisabeth, McGuigan J.A.S., Powell T. & Twist V.W. Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992

Cheng J.T.

Whyte A., Cheng J.T., King I.S. & Wang M.W. Anti-progesterone antibodies specifically target the uterus in mice before implantation and up-regulate uterine progesterone receptors. **446**, 289*P*, 1992

Cherubini E.

Nistri A. & Cherubini E. Properties of a sustained Ca^{2+} independent K^+ current of rat hippocampal neurones *in vitro*. **446**, 37*P*, 1992

Cheung B.

Brown J. & Cheung B. Binding of rat brain natriuretic peptide (BNP) to atrial natriuretic peptide (ANP) receptors in rat kidney. **446**, 91*P*, 1992

Chida Y.

Chida Y. & Toyosawa K. Rhythmic slow activity (RSA) recorded from the bilateral hippocampus in the freely moving rat. **446**, 382*P*, 1992

Chipperfield A.R.

Chipperfield A.R., Davis J.P.L. & Harper A.A. An estimate of the permeability ratios of Na, K and Cl in rat femoral arterial smooth muscle measured *in vitro*. **446**, 51*P*, 1992

Chipperfield A.R., Davis J.P.L. & Harper A.A. The effect of loop diuretics on contraction in isolated rat arterial smooth muscle in normotension and hypertension. **446**, 416*P*, 1992

Chipperfield A.R., Davis J.P.L., Gittins C.M., Harper A.A. & Hunter F.J. The effect of loop diuretics on pacemaker activity in the isolated rat heart. **446**, 436*P*, 1992

Harper A.A., Davis J.P.L. & Chipperfield A.R. Indirect evidence for a volume regulatory decrease by (K–Cl) co-transport in isolated rat femoral arterial smooth muscle. **446**, 590*P*, 1992

Davis J.P.L., Chipperfield A.R. & Harper A.A. (Na^+–K^+–Cl^-) co-transport and chloride accumulation in arterial smooth muscle from normotensive rats and rats with deoxycorticosterone acetate (DOCA)/salt hypertension, measured *in vitro*. **452**, 229*P*, 1992

Cho K.P.

Chae S.W., Kim J.S., Lee H.S. & Cho K.P. Effect of Na–H exchange inhibitor (amiloride-5-*N*,*N*-hexamethylene) on the carbachol-induced intracellular sodium activity increase in beating and quiescent guinea-pig papillary muscle *in vitro*. **446**, 327*P*, 1992

Chopra L.C.

Warley A., Ward J.P.T. & Chopra L.C. Element concentrations in rabbit bronchial smooth muscle cells in culture measured using X-ray microanalysis. **446**, 251*P*, 1992

Warley A., Ward J.P.T. & Chopra L.C. Measurement of element concentrations in cultured rabbit bronchial smooth muscle cells of the rabbit using X-ray microanalysis. **446**, 473*P*, 1992

Christensen S.

Shalmi M., Burgess W.J., Abu Amarah I., Evans M., Christensen S., Balment R.J. & Atherton J.C. A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

Christofi G.

Christofi G., Nowicky A.V., Ray J., Khan H. & Bindman L.J. Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992

Chung Y.W.

Wong P.Y.D., Huang S.J., Leung A.Y.H., Fu W.O., Chung Y.W. & Chan P.S.F. Human epididymal cells respond to adrenaline by increase in short-circuit current and whole-cell chloride current. **446**, 93*P*, 1992

Clark R.B.

Fedida D., Clark R.B. & Giles W.R. Persistent activation of a chloride current in rabbit cardiac myocytes. **446**, 152*P*, 1992

Clark R.G.

Carlsson L.M.S., Carmignac D.F., Clark R.G., Robinson I.C.A.F. & Wells T. Growth hormone (GH) binding protein in the normal and GH-deficient dwarf rat. **452**, 216*P*, 1992

Clarke K.A.

Clarke K.A. A technique for spatio-temporal visualization of footfall patterns in the walking rat. **452**, 62*P*, 1992

Clarke K.A. Differential effects of a TRH analogue on fore- and hindpaw footfall patterns in the rat. **452**, 250*P*, 1992

Clarke K.W.

Bryant C.E. & Clarke K.W. Postjunctional α-adrenoceptor subtypes in the isolated equine saphenous vein and digital artery. **452**, 245*P*, 1992

Clarke R.W.

Clarke R.W., Harris J. & Houghton Andrea K. Modulation by endogenous opioids of reflexes evoked by mechanical stimulation of the heel in the decerebrated and spinalized rabbit. **452**, 241*P*, 1992

Clarkson W.D.

Sargeant P., Clarkson W.D., Sage S.O. & Heemskerk J.W.M. Calcium influx evoked by 2,5-di-(t-butyl)-1,4-benzohydroquinone in Fura-2-loaded human platelets is reduced by inhibitors of cytochrome P-450. **452**, 57*P*, 1992

Clinch N.F.

Clinch N.F., Daly C.J., Gordon J.F., Moss V.A. & Spurway N.C. Wide-field volume visualization of thick microscope sections by computed nearest neighbour deconvolutions. **452**, 3*P*, 1992

Close W.H.

Taylor J.A., Salter D.N., Close W.H. & Laswai G.H. Effects of feeding level and sex on lymphocyte β-adrenoceptor numbers in growing pigs. **446**, 293*P*, 1992

Clough Geraldine

Neal C.R. & Clough Geraldine The changes in hydraulic permeability and porous area of walls of mesenteric microvessels of pithed frogs during acute inflammation. **452**, 7*P*, 1992

Neal C.R., Clough Geraldine & Michel C.C. The spatial relationship between intercellular clefts and gaps in the endothelium of inflamed mesenteric microvessels of pithed frogs. **452**, 63*P*, 1992

Coadwell W.J.

Tregear R.T., Miller N.G.A., Skinner D.C. & Coadwell W.J. Analysis of cytosolic free calcium records from lectin-activated rat T-lymphocytes and human lymphoma cells in the fluorescence-activated cell sorter. **446**, 62*P*, 1992

COCHRANE S.
CASADEI B., COCHRANE S., DAVEY P. & CONWAY J. Autonomic control of heart rate during exercise in young rowers. **446**, 269*P*, 1992

CODY F.W.J.
CODY F.W.J., BANKHEAD Clare R., CAWLEY Linda M. & MUNEER Asif Visual and proprioceptive feedback in human visuo-motor tracking tasks. **446**, 231*P*, 1992
CODY F.W.J., LOVGREEN Brenda & SCHADY W. Human visuo-motor tracking in cerebellar dysfunction. **446**, 449*P*, 1992
CODY F.W.J., LOVGREEN Brenda & SCHADY W. Computer-based visuo-motor tracking system. **452**, 70*P*, 1992
MEARA R.J. & CODY F.W.J. Electromyographic activities in wrist muscles of parkinsonian and healthy human subjects during clinical evaluation of rigidity. **452**, 105*P*, 1992

COETZEE William A.
ICHIKAWA Hajime & COETZEE William A. The effect of R56865 on transient inward current and intracellular calcium transients of isolated guinea-pig ventricular myocytes. **446**, 542*P*, 1992
COETZEE William A. Effects of intra- and extracellular pH on current through ATP-sensitive potassium channels of isolated guinea-pig ventricular myocytes. **446**, 543*P*, 1992

COHEN L.G.
KUJIRAI T., SATO M., ROTHWELL J.C. & COHEN L.G. The effect of transcranial magnetic stimulation on median nerve somatosensory evoked potentials in man. **446**, 374*P*, 1992

COLES J.A.
VALLET A.M., COLES J.A. & EILBECK J.C. Effects of 4-aminopyridine on the responses to small decreases in light intensity in photoreceptors in the isolated retina of the drone honeybee. **446**, 110*P*, 1992
CARDINAUD B. & COLES J.A. The hyperpolarization in *Xenopus* oocytes induced by lowering external sodium. **452**, 315*P*, 1992

COLLETT V.J.
SHORTE S.L., BAMFORD M., STAFFORD S.J.V., COLLETT V.J. & SCHOFIELD J.G. Use of TMA-DPH (trimethylammonio-diphenylhexatriene) to monitor secretory responses of isolated bovine anterior pituitary cells. **452**, 208*P*, 1992

COLLIER Mei Lin
COLLIER Mei Lin, TWORT Charles H.C. & WARD Jeremy P.T. Direct G protein activation of the Ca^{2+}-activated K^+ channel in isolated bovine airway smooth muscle. **446**, 596*P*, 1992

COLLINGRIDGE G.L.
ALFORD S., FRENGUELLI B.G. & COLLINGRIDGE G.L. Ca^{2+} release from intracellular stores magnifies the Ca^{2+} signal which permeates dendritic NMDA channels following synaptic activation of CA1 hippocampal neurones *in vitro* **452**, 178*P*, 1992

COLLINGTON Georgina K.
COLLINGTON Georgina K., SIMMONS Nicholas L. & HIRST Barry H. Polarized efflux of bis-carboxyethyl-carboxyfluorescein (BCECF) from cultured renal (MDCK) and colonic (Caco-2) epithelial cell monolayers. **446**, 96*P*, 1992

COLOVER J.
COLOVER J. Relationship between CNS demyelination and vasculitis in autosensitized guinea-pigs following pre-treatment with non-encephalitogenic protein antigens. **446**, 500*P*, 1992

COLQUHOUN D.
COLQUHOUN D., JONAS P. & SAKMANN B. Glutamate receptor channel activation following fast agonist application to patches from rat hippocampus CA1 and CA3 pyramidal cells. **446**, 183*P*, 1992
COLQUHOUN D., JONAS P. & SAKMANN B. Differences in desensitization of glutamate receptor channels in three areas of rat hippocampus. **446**, 547*P*, 1992

COLQUHOUN L.M.
COLQUHOUN L.M., HOLDEN-DYE L. & WALKER R.J. The effects of two nicotinomimetics, suberyldicholine and cytisine, on the cholinoceptor of the somatic muscle cell of the parasitic nematode *Ascaris suum in vitro*. **446**, 322*P*, 1992

CONTRACTOR S.F.
SOORANNA S.R., CONTRACTOR S.F., SHORE I. & MOSS Jill Apparent differences in the intracellular pathways of low density lipoprotein and immunoglobulin G in cultured human trophoblast cells. **446**, 533*P*, 1992

CONTRERAS D.
NADAL A., CONTRERAS D., SORIA B. & VALDEOLMILLOS M. Simultaneous measurement of $[Ca^{2+}]_i$ and K(ATP) channel activity in single dissociated mouse pancreatic B-cells. **446**, 132*P*, 1992

CONWAY E.A.
CONWAY E.A., EYRE J.A., KELLY S., DE KROON J. & MILLER S. Is the corticospinal projection to the motoneurones of biceps brachii monosynaptic in the human neonate? **452**, 274*P*, 1992

CONWAY J.
CASADEI B., COCHRANE S., DAVEY P. & CONWAY J. Autonomic control of heart rate during exercise in young rowers. **446**, 269*P*, 1992

COOPER D.H.
STOKES M.J., HIDES J.A., JULL G.A. & COOPER D.H. Mechanism of human paraspinal muscle wasting with acute low back pain. **452**, 280*P*, 1992

COOPER G.
COOPER G., STONE V. & HUNTER M. Furosemide induces cytoplasmic alkalinization in frog early distal tubules. **446**, 404*P*, 1992

COOPER G.J.
COOPER G.J. & HUNTER M. Chronic K^+-loading of frogs raises the set point of the Na^+-H^+ exchanger in isolated early distal tubules. **452**, 77*P*, 1992

COOPER R.G.
COOPER R.G. & STOKES M.J. Load-induced inflexion in surface electromyographic (EMG) activity during fatiguing contractions of normal human paraspinal muscle. **452**, 276*P*, 1992

COOPER R.L.
COOPER R.L., FERNANDEZ DE MIGUEL F. & NICHOLLS J.G. Synapse formation induces changes in the distribution of calcium currents in leech neurons in culture. **446**, 255*P*, 1992

COOTE J.H.
LEWIS D.I., SERMASI E. & COOTE J.H. The adult rat spinal cord *in vitro*: a novel preparation for recording from lateral horn cells. **452**, 322*P*, 1992

COPOLOV D.L.
FINK G., DOW R.C., CASLEY D., JOHNSTON C.I., LIM A.T., COPOLOV D.L., BENNIE J., CARROLL S. & DICK H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

CORNISH M.
BOWSER-RILEY F., CORNISH M., FARQUHAR J., HAINSWORTH R. & KIDD C. The influence of breath-hold tachycardia on human baroreflex heart rate responses to changes in carotid transmural pressure at 37 ATA. **446**, 215*P*, 1992

BOWSER-RILEY F., CORNISH M., FARQUHAR J. & KIDD C. A dynamic estimate of respiratory sinus arrhythmia in man. **446**, 360*P*, 1992

CORPS A.N.
SMITH R.D., CORPS A.N. & BROWN K.D. Angiotensin II stimulates phosphoinositide hydrolysis and proliferation in a rat intestinal epithelial (RIE-1) cell line. **446**, 295*P*, 1992

CORPS A.N., PASCALL J.C. & BROWN K.D. Constitutive secretion of an insulin-like growth factor-binding protein by a rat intestinal epithelial (RIE-1) cell-line. **446**, 296*P*, 1992

CORRALL R.J.M.
BRAATVEDT G.D., CORRALL R.J.M. & HALLIWELL M. Glucagon selectively decreases splanchnic blood flow in man. **446**, 221*P*, 1992

CORRY P.R.
ROBERTSON B.E., CORRY P.R., NYE P.C.G. & KOZLOWSKI R.Z. Mg-ATP activates calcium-activated potassium channels in rat pulmonary arterial cells. **446**, 556*P*, 1992

COSTA A.
YASIN Sharifah, COSTA A., HUCKS D., GROSSMAN A. & FORSLING Mary L. The effect of melatonin on vasopressin release from the rat hypothalamus *in vitro*. **446**, 513*P*, 1992

YASIN Sharifah, FORSLING Mary L., COSTA A., SUGDEN D. & GROSSMAN A. Modulation by melatonin analogues of neurohypophysial hormone release from the rat hypothalamus *in vitro*. **452**, 296*P*, 1992

COUSE N.
HORGAN P.G., COUSE N., BURKE J., DELANEY C., GOREY T. & FITZPATRICK J.M. Substance P effects in the isolated canine ureter. **446**, 421*P*, 1992

COUSE N.F.
DELANEY C.P., MCGEENEY K., HORGAN P.G., COUSE N.F., GOREY T.F. & FITZPATRICK J.M. L-arginine: a role for inducing chronic pancreatitis in the anaesthetized rat. **446**, 402*P*, 1992

COVENEY E.C.
GERAGHTY J.G., COVENEY E.C., KIERNAN M. & O'HIGGINS N.J. A comparison of plain radiology and flow volume loop curves in patients with goitres. **446**, 432*P*, 1992

COWEN T.
BARROS L.F., BALDWIN S.A., JARVIS S.M., COWEN T., THRASIVOULOU C., BEAUMONT N. & YUDILEVICH D.L. In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992

CRACCO J.B.
AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. Identifying hemispheric asymmetry in humans by magnetic coil stimulation. **446**, 222*P*, 1992

AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992

CRACCO R.Q.
AMASSIAN V.E., EBERLE L., MACCABEE P.J. & CRACCO R.Q. Factors influencing magnetic coil excitation of isolated amphibian, cat and primate nerves immersed in a human brain-shaped volume conductor. **446**, 23*P*, 1992
AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. Identifying hemispheric asymmetry in humans by magnetic coil stimulation. **446**, 222*P*, 1992
MACCABEE P.J., AMASSIAN V.E., EBERLE L.P., CRACCO R.Q. & RUDELL A.P. The magnetic coil activates amphibian and primate nerve *in vitro* at two sites and selectively at a bend. **446**, 228*P*, 1992
AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992
CRAGGS M.D.
CROSS P.M., CRAGGS M.D. & LEIGH P.N. The effect of antagonistic voluntary movement on F wave modulation in man. **452**, 45*P*, 1992
CRAIG Tom K.J.
ATAKAN Zerrin, CRAIG Tom K.J. & DAVIES Teifion W. Early cortical somatosensory-evoked potentials in schizophrenic patients. **446**, 602*P*, 1992
CRAMB G.
MCCARTNEY Shirley, CRAMB G. & AITON J.F. Dietary modulation of atrial natriuretic peptide receptors in liver plasma membranes isolated from Dahl salt-sensitive rats. **446**, 56*P*, 1992
CREMER J.E.
VAN BRUGGEN N., CULLEN B.M., KING M.D., GADIAN D.G., WILLIAMS S.R. & CREMER J.E. The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992
CUNNINGHAM V.J., SARNA G.S., KENNEDY A.M., CREMER J.E. & JONES T. Spectral analysis of cerebral 2-[^{18}F]fluoro-2-deoxy-D-glucose uptake and phosphorylation in man: application to a study of fed and fasted states. **446**, 607*P*, 1992
CRIADO J.M.
MARPLE-HORVAT D.E., AMOS A.J., ARMSTRONG D.M. & CRIADO J.M. A mechanism for provoking voluntary changes to ongoing locomotion in the cat. **452**, 150*P*, 1992
CRICHTON C.A.
SMITH G.L., STEELE D.S. & CRICHTON C.A. The effect of inorganic phosphate on the SR of isolated saponin-treated rat heart. **446**, 147*P*, 1992
SMITH G.L., CRICHTON C.A. & STEELE D.S. The effect of EGTA on Ca^{2+}-activated force in α-toxin permeabilized rat anococcygeus muscle. **446**, 243*P*, 1992
CRICHTON C.A., TEMPLETON A.G.B., MCGRATH J.C. & SMITH G.L. The effect of a stable thromboxane analogue, U46619, on calcium-activated force in α-toxin -permeabilized human umbilical artery. **446**, 491*P*, 1992
CRIDDLE D.N.
CRIDDLE D.N., GREENWOOD I.A. & WESTON A.H. Comparison of the effects of BRL 38227 and nifedipine on intracellular calcium levels in isolated mesenteric resistance vessels of the rat. **452**, 129*P*, 1992
CROCKARD H.A.
ALLEN K.L., BUSZA A.L., CROCKARD H.A. & GADIAN D.G. A magnetic resonance imaging study of cerebral ischaemia in the anaesthetized gerbil. **446**, 510*P*, 1992
CROLL R.P.
MCCROHAN C.R. & CROLL R.P. Inhibition of feeding motor output by an identified interneurone in the isolated central nervous system of *Lymnaea stagnalis*. **446**, 317*P*, 1992
MCCROHAN C.R. & CROLL R.P. Modulation of feeding motor output by the neuropeptide, APGWamide, in the isolated central nervous system of *Lymnaea stagnalis*. **452**, 147*P*, 1992
CRONIER L.
HERVÉ J.C., NOBLE D., BASTIDE B., CRONIER L. & DÉLÈZE J. Nexus channel requirements for action potential entrainment in ventricular cardiac cells: simulation and experimental approaches. **446**, 343*P*, 1992
CROSS P.M.
CROSS P.M., CRAGGS M.D. & LEIGH P.N. The effect of antagonistic voluntary movement on F wave modulation in man. **452**, 45*P*, 1992
CROWLEY James
STANTON Alice, TAN Soon, CROWLEY James, AKINS Neil, O'MALLEY Kevin & O'BRIEN Eoin The interrelations of blood pressure levels, circadian pressure alterations and left ventricular mass in mild to moderate hypertension in human subjects. **446**, 419*P*, 1992
CUI Y.
CUI Y. & TERRAR D.A. Possible effects of caffeine on potassium current in ventricular cells isolated from guinea-pig heart. **446**, 328*P*, 1992
CULL-CANDY Stuart G.
SILVER R. Angus, TRAYNELIS Stephen F. & CULL-CANDY Stuart G. Excitatory currents at the rat mossy fibre–granule cell synapse in thin cerebellar slices. **446**, 177*P*, 1992

Wyllie David J.A., Traynelis Stephen F. & Cull-Candy Stuart G. Multiple non-NMDA glutamate receptors in rat cerebellar granule neurones in explant culture. **446**, 178*P*, 1992

Takahashi Tomoyuki, Momiyama Akiko & Cull-Candy Stuart G. Presynaptic receptors for the glutamate analogue APB reduce transmitter release from neonatal rat spinal neurones in thin slices. **446**, 549*P*, 1992

Wyllie David J.A. & Cull-Candy Stuart G. Calcium permeability of glutamate receptor channels in rat cerebellar granule cells and type-2 astrocytes in explant culture. **446**, 598*P*, 1992

Traynelis Stephen F., Silver R. Angus & Cull-Candy Stuart G. Estimated conductance of synaptic glutamate channels activated during EPSCs in rat cerebellar granule cells in thin slices. **452**, 183*P*, 1992

Cullen B.M.

van Bruggen N., Cullen B.M., King M.D., Gadian D.G., Williams S.R. & Cremer J.E. The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992

Cummings Rachel

Iles J.F. & Cummings Rachel Electrical and magnetic stimulation of motor cortex in man. **446**, 223*P*, 1992

Cunnane Thomas C.

Brock James A. & Cunnane Thomas C. On the cause of the intermittent arrival of the action potential in sympathetic nerve terminals in the guinea-pig vas deferens *in vitro*. **446**, 268*P*, 1992

Evans Richard J., Ziogas James & Cunnane Thomas C. Modulation of nerve activity recorded extracellularly from the surface of rat mesenteric arteries *in vivo* by α-adrenoceptor agonists. **446**, 595*P*, 1992

Cunningham V.J.

Cunningham V.J., Sarna G.S., Kennedy A.M., Cremer J.E. & Jones T. Spectral analysis of cerebral 2-[^{18}F]fluoro-2-deoxy-D-glucose uptake and phosphorylation in man: application to a study of fed and fasted states. **446**, 607*P*, 1992

Currie K.P.M.

Currie K.P.M., Scott R.H. & Swann K. A cytosolic sperm factor causes Ca^{2+}-dependent inward current oscillations in cultured rat DRG neurones. **446**, 550*P*, 1992

Curtis John C.

Curtis John C. & Moore Jane A. Unitary monosynaptic potentials recorded in rat trigeminal motoneurones *in vitro*. **446**, 379*P*, 1992

Curtis R.

Averill S., Curtis R., Wilkin G.P. & Priestley J.V. Ultrastructural localization of GAP-43 immunoreactive terminals in the adult rat spinal cord. **446**, 600*P*, 1992

Cynk Mark

Durbaba Rade, Cynk Mark & Davies Teifion W. Force production in the human cutaneomuscular reflex. **446**, 603*P*, 1992

Dahm P.

Dahm P., Bodelsson M., Tornebrandt K., Muddle J.R., Sykes R.M., Yacoub M. & Dashwood M.R. [^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992

Dale N.

Dale N. A sodium- and voltage-dependent potassium current in spinal neurons of the *Xenopus* embryo. **446**, 135*P*, 1992

Dalvi U.

Walsh E.G., Dalvi U., Lambert C.M. & Nuki G. Resonance at the wrist in patients with rheumatoid arthritis. **452**, 106*P*, 1992

Daly C.J.

Clinch N.F., Daly C.J., Gordon J.F., Moss V.A. & Spurway N.C. Wide-field volume visualization of thick microscope sections by computed nearest neighbour deconvolutions. **452**, 3*P*, 1992

Daly M. de Burgh

Daly M. de Burgh, Jordan D. & Spyer K.M. Modification of respiratory activities during stimulation of carotid chemoreceptors, arterial baroreceptors and pulmonary C fibre afferents in the anaesthetized cat. **446**, 466*P*, 1992

Damon David

Brown Margaret D., Hudlická Olga, Damon David & Duling Brian R. Vasoactive effects of basic and acidic fibroblast growth factors on arteriolar vessels in the cheek pouch of the anaesthetized hamster. **452**, 11*P*, 1992

Daniels S.

Shelton C.J., Doyle M.G., Gibson E.C.D., Inman N., Price D.J., Wooltorton J.R.A., Zhao D.M., Daniels S. & Smith E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992

Shelton C.J., Doyle M., Daniels S. & Smith E.B. The effect of hydrostatic pressure on glycine receptors expressed in *Xenopus oocytes*. **446**, 179*P*, 1992

Dantzer R.

Bluthé R.M., Sparber S., Kent S. & Dantzer R. Inhibition of nitric oxide synthase potentiates the behavioural effects of interleukin-1 in the mouse. **452**, 123*P*, 1992

Kent S., Bluthé R.M., Kelley K.W. & Dantzer R. Role of interleukin-1 in the behavioural effects of lipopolysaccharide in the rat. **452**, 124*P*, 1992

Darling M.

Breslin E., Teoh T., Darling M. & Docherty J.R. Investigations of responses to 5-hydroxytryptamine in isolated human arteries and veins. **446**, 415*P*, 1992

Darlison M.G.

Djamgoz M.B.A., Fraser S.P., Darlison M.G. & Barnard E.A. Amino acid neurotransmitter receptor expression in *Xenopus* oocytes by injection of messenger ribonucleic acid extracted from vertebrate (*Rutilus rutilus*) retina. **446**, 531*P*, 1992

Dashwood M.R.

Dahm P., Bodelsson M., Tornebrandt K., Muddle J.R., Sykes R.M., Yacoub M. & Dashwood M.R. [^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992

Dauncey M.J.

Herpin P., Le Dividich J., Duchamp C. & Dauncey M.J. Relation between plasma concentration of insulin-like growth factor-I and birth-weight in pigs. **446**, 276*P*, 1992

Tivey D.R., Parkar A., Burton K.A. & Dauncey M.J. Nutritional influences on circulating and hepatic concentrations of insulin-like growth factor-I in the neonatal pig. **446**, 298*P*, 1992

Davenport A.P.

Morton A.J., Mason W.T. & Davenport A.P. Endothelin induces changes in intracellular free calcium in both neuronal and non-neuronal cells of primary dissociated rat cerebellum cultures. **446**, 313*P*, 1992

Davey N.J.

Davey N.J., Romaiguere P., Maskill D.W. & Ellaway P.H. Inhibition of voluntary contraction by transcranial magnetic stimulation of the brain subthreshold for excitation in man. **446**, 447*P*, 1992

Davey P.

Casadei B., Cochrane S., Davey P. & Conway J. Autonomic control of heart rate during exercise in young rowers. **446**, 269*P*, 1992

David J.A.

David J.A. & Pitman R.M. The pharmacology of muscarinic receptors on the soma membrane of an identified cockroach (*Periplaneta americana*) motoneurone *in vitro*. **446**, 326*P*, 1992

Davidson I.

Wilson W., Maughan R.J. & Davidson I. The effect of diet and exercise on plasma amino acid concentrations in man. **452**, 118*P*, 1992

Davies D.

Brown K.A., Vora A., Perry M.E., Mustapha Y., Hobbs C., Davies D. & Dumonde D.C. An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992

Davies M.K.

Sweeney M.T., Calleja M.A., Keegan M., Campbell I.T. & Davies M.K. Maximal oxygen uptake (V_{O_2},max) measured with powered treadmill, cycle ergometry and self powered treadmill in man. **452**, 116*P*, 1992

Davies S.N.

Shuker M.A., Bowser-Riley F. & Davies S.N. NMDA antagonist properties of drugs that affect high pressure neurological syndrome investigated in the rat hippocampal slice. **446**, 46*P*, 1992

Davies Teifion W.

Atakan Zerrin, Craig Tom K.J. & Davies Teifion W. Early cortical somatosensory-evoked potentials in schizophrenic patients. **446**, 602*P*, 1992

Durbaba Rade, Cynk Mark & Davies Teifion W. Force production in the human cutaneomuscular reflex. **446**, 603*P*, 1992

Davis A.

Fleet I.R., Davis A., Richardson M. & Heap R.B. The effects of recombinantly-derived insulin-like growth factor-I and insulin-like growth factor-II on mammary vasodilatation in the goat. **446**, 69*P*, 1992

Davis A.J.

Heap R.B., Fleet I.R., Davis A.J., Hamon M. & Goode J.A. Localized transfer of prostaglandin $F_{2\alpha}$ from an ovarian lymphatic into adjacent blood vessels with release of ovarian oxytocin in anaesthetized sheep. **446**, 270*P*, 1992

DAVIS G.

DAVIS G. & JOHNS E.J. Renal functional responses to somatic afferent nerve stimulation in hypertensive rats following vagotomy. **446**, 55*P*, 1992

DAVIS G. & JOHNS E.J. Renal functional responses to somatic afferent nerve stimulation in hypertensive rats following carotid sinus denervation. **446**, 372*P*, 1992

HUANG C., DAVIS G. & JOHNS E.J. Autoregulation of perfusion through the renal cortex and papilla of Wistar and stroke-prone spontaneously hypertensive rats. **452**, 134*P*, 1992

DAVIS J.P.L.

CHIPPERFIELD A.R., DAVIS J.P.L. & HARPER A.A. An estimate of the permeability ratios of Na, K and Cl in rat femoral arterial smooth muscle measured *in vitro*. **446**, 51*P*, 1992

CHIPPERFIELD A.R., DAVIS J.P.L. & HARPER A.A. The effect of loop diuretics on contraction in isolated rat arterial smooth muscle in normotension and hypertension. **446**, 416*P*, 1992

CHIPPERFIELD A.R., DAVIS J.P.L., GITTINS C.M., HARPER A.A. & HUNTER F.J. The effect of loop diuretics on pacemaker activity in the isolated rat heart. **446**, 436*P*, 1992

HARPER A.A., DAVIS J.P.L. & CHIPPERFIELD A.R. Indirect evidence for a volume regulatory decrease by (K–Cl) co-transport in isolated rat femoral arterial smooth muscle. **446**, 590*P*, 1992

DAVIS J.P.L., CHIPPERFIELD A.R. & HARPER A.A. (Na^+–K^+–Cl^-) co-transport and chloride accumulation in arterial smooth muscle from normotensive rats and rats with deoxycorticosterone acetate (DOCA)/salt hypertension, measured *in vitro*. **452**, 229*P*, 1992

DAVISON J.M.

STURGISS S.N., WILKINSON R. & DAVISON J.M. Renal Haemodynamic Reserve (RHR) during normal human pregnancy. **452**, 317*P*, 1992

DAVISON J.S.

DAVISON J.S. & WOOTON P. Effect of intracerebroventricular injection of thyrotropin releasing hormone on gastric and duodenal motility in the urethane-anaesthetized rat. **446**, 194*P*, 1992

JENNINGS L., MALEK N., GIMENO A., POZO M.J., SINGH J., SALIDO G.M. & DAVISON J.S. Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992

DAWES E.A.

IKEDA H., HANKINS M.W. & DAWES E.A. The contrasting effects of NMDA receptor antagonists on low and high spontaneous firing of retinal ganglion cells in the anaesthetized cat. **446**, 518*P*, 1992

DAWID-MILNER M.S.

DAWID-MILNER M.S., LARA J.P., MILAN A. & GONZALEZ-BARON S. Activity of inspiratory neurones in the nucleus ambiguus (NA) during the cough reflex at different respiratory loading resistances in the decerebrate cat. **452**, 225*P*, 1992

DAY B.L.

ROTHWELL J.C., DAY B.L. & AMASSIAN V.E. Near threshold electrical and magnetic transcranial stimuli activate overlapping sets of cortical neurones in humans. **452**, 109*P*, 1992

DAY B.L., THOMPSON P.D., HARDING A.E. & MARSDEN C.D. The influence of vision on the accuracy of reaching movements in patients with cerebellar disease. **452**, 271*P*, 1992

ATCHISON P., CAVINESS J., WERHAHN K., ROTHWELL J.C., DAY B.L. & THOMPSON P.D. Magnetic stimulation over the motor cortex in man delays the onset of EMG activity more when a muscle acts as a prime mover than when used as a postural fixator. **452**, 275*P*, 1992

DEANE R.

MAKAREM F., PRASHAD D.N. & DEANE R. Sex-related differences in urinary catecholamine excretion in humans. **446**, 582*P*, 1992

DEANE R. & SEGAL M.B. The effect of glucose concentration in plasma and cerebrospinal fluid (CSF) on the secretion of CSF by the *in vitro* sheep choroid plexus. **446**, 609*P*, 1992

DEBAER F.

LEVER M.J., JAY M.T., DEBAER F. & THOME G. Effect of vasomotor tone on the hydraulic conductivity and reflection coefficient of the medial layers of isolated rabbit aorta and carotid artery. **452**, 18*P*, 1992

DEBNAM E.S.

DEBNAM E.S. & SHARP P.A. Bradykinin and glucose transport across the brush-border and basolateral membranes of isolated rat jejunal enterocytes. **452**, 362*P*, 1992

DE CORT S.C.

INNES J.A., DE CORT S.C. & GUZ A. Effect of step changes in intrathoracic pressure on left ventricular ejection in man. **446**, 430*P*, 1992

DE FRANCESCO N.

DE FRANCESCO N. & MATTHEWS B. Studies on the permeability of cat dentine *in vivo* and *in vitro*. **452**, 173*P*, 1992

DEISZ R.A.

DEISZ R.A., BILLARD J.M. & ZIEGLGÄNSBERGER W. Evidence for two types of $GABA_B$ receptors located pre- and postsynaptically in the rat neocortical slice *in vitro*. **446**, 514*P*, 1992

DE JAEGER D.
DE JAEGER D. & BOISACQ-SCHEPENS D. Is it possible to learn a new timing in a sequential movement in man? **452**, 140*P*, 1992

DE KROON J.
CONWAY E.A., EYRE J.A., KELLY S., DE KROON J. & MILLER S. Is the corticospinal projection to the motoneurones of biceps brachii monosynaptic in the human neonate? **452**, 274*P*, 1992

DELAMONT R.S.
JULU P.O.O., DELAMONT R.S. & JAMAL G.A. Relationship between sleep stages and the beat variability measured from ECG R–R intervals in sleep-deprived human subjects. **452**, 206*P*, 1992

DELANEY C.
HORGAN P.G., COUSE N., BURKE J., DELANEY C., GOREY T. & FITZPATRICK J.M. Substance P effects in the isolated canine ureter. **446**, 421*P*, 1992

DELANEY C.P.
DELANEY C.P., MCGEENEY K., HORGAN P.G., COUSE N.F., GOREY T.F. & FITZPATRICK J.M. L-arginine: a role for inducing chronic pancreatitis in the anaesthetized rat. **446**, 402*P*, 1992

DE LA RIVA C.
BALDWIN B.A. & DE LA RIVA C. Effects on food intake in pigs of antagonists acting on cholecystokinin type A and B receptors. **446**, 291*P*, 1992

DÉLÈZE J.
HERVÉ J.C., NOBLE D., BASTIDE B., CRONIER L. & DÉLÈZE J. Nexus channel requirements for action potential entrainment in ventricular cardiac cells: simulation and experimental approaches. **446**, 343*P*, 1992

DEMPSTER J.
SOMASUNDARAM B., HOYLAND J., DEMPSTER J., RILEY J. & MASON W.T. Simultaneous patch-clamp and photometric fluorescence ratio measurements of optical probes for ions using a computer-based data acquisition system, PhoCal. **446**, 63*P*, 1992

DENISON D.
ERTAN N.Z., RAMPLING M.W., WINLOVE P., GRIBBON P., DENISON D. & BOXALL C. The effect of trypsin treatment on dextran-induced erythrocyte aggregation. **452**, 314*P*, 1992

DENYER J.C.
WINSLOW R., VARGHESE A., NOBLE D., DENYER J.C. & KIMBALL A. Modelling large SA node–atrial cell networks on a massively parallel computer. **446**, 242*P*, 1992

DEPINO R.
ERULKAR S.D., LUDMIR J., GER B. & DEPINO R. Transient outward K^+ currents are expressed with high probability in human uterine fibroid cells in culture in comparison to normal myometrial cells. **446**, 131*P*, 1992

DERRINGTON A.M.
DERRINGTON A.M. & GODDARD P.A. Does the human visual system combine information from motion analyses at different spatial scales? **452**, 283*P*, 1992
DERRINGTON A.M. Relative sensitivity to colour and luminance gratings in human observers and monkey parvocellular neurones. **452**, 286*P*, 1992

DE SILVA R.
DE SILVA R., YAMAMOTO Y., RHODES C.G., IIDA H., MASERI A. & JONES T. Non-invasive quantification of regional myocardial oxygen consumption in anaesthetized greyhounds. **446**, 219*P*, 1992

DE SMEDT H.
HIMPENS B., DROOGMANS G., DE SMEDT H. & CASTEELS R. Nucleo-cytoplasmic Ca^{2+} gradients at rest and during stimulation in DDT_1MF_2 smooth muscle cells. **446**, 138*P*, 1992

DE SOUZA S.C.R.
DE SOUZA S.C.R. Calcium regulation during aerial exposure in *Carcinus maenas*: a role for moulting hormones? **446**, 190*P*, 1992

DEUCHARS J.
DEUCHARS J., SPYER K.M. & IZZO P.N. Demonstration of substance P-containing axons in synaptic contact with vagal preganglionic neurones in the nucleus ambiguus of the anaesthetized rat. **452**, 223*P*, 1992

DEUCHARS Jim
THOMSON Alex M., WEST David C. & DEUCHARS Jim Excitatory connections from pyramids to interneurones studied using double intracellular recordings in slices of rat neocortex. **452**, 198*P*, 1992

DEVÉS R.
DEVÉS R., CHÁVEZ P. & BOYD C.A.R. The effect of neutral amino acids on lysine transport in human erythrocytes discriminates between two high affinity transporters for cationic amino acids. **446**, 409*P*, 1992
DEVÉS R., ANGELO S. & CHÁVEZ P. Functional isolation of amino acid transport system y^+L in human erythrocytes using *N*-ethylmaleimide. **452**, 330*P*, 1992
ELENO N., DEVÉS R. & BOYD C.A.R. Discrimination between two lysine transporters in human placental brush-border membrane vesicles by altering membrane potential. **452**, 349*P*, 1992

DICK D.

TAYLOR H.P., EVANS S.K., DICK D., HARRISON F.G. & LAB M.J. Rate dependency of stretch-induced ectopic beats in isolated perfused rabbit ventricle. **446**, 337*P*, 1992

LAB M.J., DICK D. & HARRISON F.G. Propranolol reduces stretch arrhythmia in isolated rabbit heart. **446**, 538*P*, 1992

DICK H.

FINK G., DOW R.C., CASLEY D., JOHNSTON C.I., LIM A.T., COPOLOV D.L., BENNIE J., CARROLL S. & DICK H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

DICKENSON A.H.

STANFA L.C. & DICKENSON A.H. Increased potency of spinal opiates after peripheral inflammation in the halothane anaesthetized rat. **446**, 564*P*, 1992

DICKSON S.L.

DICKSON S.L., LENG G. & ROBINSON I.C.A.F. Stimulus patterning and growth hormone (GH) secretion in male rats. **452**, 215*P*, 1992

DIEPPE Paul

BOND Alison, BHOOLA Kanti & DIEPPE Paul High performance liquid chromatography profiles for bradykinin, kallidin and a kinin antagonist (HOE 140). **452**, 175*P*, 1992

DIETZ V.

DIETZ V., DISCHER M. & TRIPPEL M. Neuronal regulation of enhanced body sway in man. **452**, 104*P*, 1992

DIHMIS W.

SULEIMAN M.S., FERNANDO K., DIHMIS W., HUTTER J. & CHAPMAN R.A. Determination of free intracellular amino acids in ventricular biopsies taken from patients undergoing heart surgery. **452**, 162*P*, 1992

DIMALINE R.

DIMALINE R., SANDVIK A.K. & EVANS D. Time course of changes in gastric histidine decarboxylase mRNA and plasma gastrin, with fasting and feeding in the rat. **452**, 103*P*, 1992

DIMALINE R., SANDVIK A.K., WATKINSON A. & DOCKRAY G.J. Control of chromogranin A biosynthesis in rat gastric corpus. **452**, 332*P*, 1992

DISCHER M.

DIETZ V., DISCHER M. & TRIPPEL M. Neuronal regulation of enhanced body sway in man. **452**, 104*P*, 1992

DJAMGOZ M.B.A.

PARRI H.R., DJAMGOZ M.B.A., HOLDEN-DYE L. & WALKER R.J. The effect of ivermectin on intracellular chloride activity of somatic muscle cells of the parasitic nematode *Ascaris suum in vitro*. **446**, 321*P*, 1992

YAMADA M., DJAMGOZ M.B.A., LOW J.C., FURUKAWA T. & YASUI S. Dynamic characteristics of multiple cone synaptic input to H1 horizontal cells in carp retina *in vitro*. **446**, 375*P*, 1992

DJAMGOZ M.B.A., FRASER S.P., DARLISON M.G. & BARNARD E.A. Amino acid neurotransmitter receptor expression in *Xenopus* oocytes by injection of messenger ribonucleic acid extracted from vertebrate (*Rutilus rutilus*) retina. **446**, 531*P*, 1992

LEE J.-Y., DJAMGOZ M.B.A., HODOS W., HOLDEN A.L. & PORCIATTI V. Life span changes in the visual acuity of the Japanese quail. **452**, 42*P*, 1992

DJAMGOZ M.B.A., LOW J.C., SAITO T. & YAMADA M. Voltage- and current-clamp recordings of light-evoked transient amacrine cell responses in isolated retinae of carp. **452**, 52*P*, 1992

DOCHERTY J.R.

BRESLIN E., TEOH T., DARLING M. & DOCHERTY J.R. Investigations of responses to 5-hydroxytryptamine in isolated human arteries and veins. **446**, 415*P*, 1992

SMITH K., MOORE D., SHANIK G. & DOCHERTY J.R. Investigations of subtypes of functional pre- and post-junctional α_2 adrenoceptors. **446**, 435*P*, 1992

DOCHERTY R.J.

YEATS J.C., DOCHERTY R.J. & BEVAN S. Calcium-dependent and independent desensitization of capsaicin-evoked responses in voltage-clamped adult rat dorsal root ganglion (DRG) neurones in culture. **446**, 390*P*, 1992

DOCKRAY G.J.

DIMALINE R., SANDVIK A.K., WATKINSON A. & DOCKRAY G.J. Control of chromogranin A biosynthesis in rat gastric corpus. **452**, 332*P*, 1992

FORSTER E.R. & DOCKRAY G.J. Cholecystokinin binding sites on vagal afferent fibres in the rat. **452**, 336*P*, 1992

DOLPHIN A.C.

PEARSON H.A., KOBRINSKY E.M. & DOLPHIN A.C. Ca^{2+} channel currents in the dorsal root ganglion cell × neuroblastoma hybrid cell line, ND7-23. **446**, 181*P*, 1992

Menon-Johansson A.S. & Dolphin A.C. Inhibition of $GABA_B$ modulation of calcium channel currents in cultured rat dorsal root ganglion neurones by loading replated cells with anti-G protein antibodies. **452**, 177*P*, 1992

Dolphin Annette C.

Dolphin Annette C. The effect of phosphatase inhibitors on calcium channel currents in cultured rat dorsal root ganglion neurones. **446**, 39*P*, 1992

Domenici L.

Berardi N., Cattaneo A., Cellerino A., Domenici L., Fagiolini M., Maffei L. & Pizzorusso T. Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992

Domer F.

Domer F., Alexander B., Milner P., Bodin P. & Burnstock G. Cerebrovascular perfusion of the rabbit brain: a method that permits evaluation of compounds in effluent samples. **452**, 323*P*, 1992

Donaghy K.M.

Donaghy K.M. & Scholfield C.N. Protective effect of adenosine in slices of rat olfactory cortex during anoxia. **452**, 64*P*, 1992

Donaldson L.F.

Donaldson L.F., McQueen D.S. & Seckl J.R. Expression of neuropeptide messenger RNAs in rat dorsal root ganglia during development of adjuvant monoarthritis *in vivo*. **452**, 209*P*, 1992

Donne B.

Rawas O., Donne B., Kelly M. & Andrews J.F. The effect of competitive submaximal endurance exercise (The Marathon) on plasma β-endorphin concentration in recreational runners. **446**, 450*P*, 1992

Donoso P.

Negretti N., Donoso P., O'Neill S.C. & Eisner D.A. The effect of stimulation on the refilling of the sarcoplasmic reticulum of single isolated rat ventricular myocytes. **446**, 438*P*, 1992

Doorly D.J.

Dumoulin C.L., Doorly D.J. & Caro C.G. Measurement of local arterial pulse wave velocity in a human subject by a comb-excitation magnetic resonance imaging (MRI) technique. **452**, 17*P*, 1992

Douglas A.J.

Douglas A.J., Russell J.A. & Bull P.M. Oxytocin (OXT) secretion evoked by stimulation of the AV3V region and its modulation by opioids in urethane-anaesthetized pregnant rats. **446**, 81*P*, 1992

Douglas W.W.

Shibuya I., Kongsamut S. & Douglas W.W. Cytosolic Ca in isolated melanotrophs of an amphibian, *Xenopus laevis*: spontaneous Ca oscillations and their modulation by dopamine, GABA, and neuropeptide Y, the transmitters of the secreto-inhibitory nerves. **446**, 203*P*, 1992

Shibuya I., Kongsamut S. & Douglas W.W. Importance of voltage-dependent Ca channels of low threshold in maintenance of basal cytosolic free Ca and its reduction by dopamine and baclofen: evidence from Mn quenching of Fura-2 signals in isolated melanotrophs of rats. **446**, 310*P*, 1992

Dow R.C.

Yau J.L.W., Dow R.C., Fink G. & Seckl J.R. Medial septal lesions increase glucocorticoid receptor messenger RNA expression in the rat hippocampus *in vivo*. **446**, 280*P*, 1992

Fink G., Dow R.C., Casley D., Johnston C.I., Lim A.T., Copolov D.L., Bennie J., Carroll S. & Dick H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

Doyle A.J.

Doyle A.J., Richards C.D. & Wann K.T. Potassium channels active at resting membrane potential in cultured rat striatal neurones. **452**, 299*P*, 1992

Doyle C.A.

Doyle C.A. & Maxwell D.J. Immunocytochemical evidence for a catecholaminergic innervation of postsynaptic dorsal column neurons in the cat. **446**, 25*P*, 1992

Doyle M.

Shelton C.J., Doyle M., Daniels S. & Smith E.B. The effect of hydrostatic pressure on glycine receptors expressed in *Xenopus oocytes*. **446**, 179*P*, 1992

Doyle M.G.

Shelton C.J., Doyle M.G., Gibson E.C.D., Inman N., Price D.J., Wooltorton J.R.A., Zhao D.M., Daniels S. & Smith E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992

Dray A.

Fox A.J., Barnes P.J., Urban L. & Dray A. Selective activation of single vagal C fibres by capsaicin and bradykinin in the guinea-pig trachea *in vitro*. **452**, 203*P*, 1992

Andreev N. & Dray A. Inhibition of nociceptor activity by receptor-selective opioids studied in an isolated skin–nerve preparation from hyperalgesic rat. **452**, 204*P*, 1992

DREWRY J.

MACDONALD A.G., DREWRY J., RAMSEY R.L. & USHERWOOD P.N.R. The effect of high pressure on the ketamine blockade of the cation-selective channel of locust (*Schistocerca gregaria*) muscle. **446**, 557*P*, 1992

MACDONALD A.G., DREWRY J., RAMSEY R.L., SHELTON C. & USHERWOOD P.N.R. The effect of high pressure on the quisqualate-sensitive glutamate receptor channel of locust (*Schistocerca gregaria*) muscle. **452**, 186*P*, 1992

DRINKHILL M.J.

MOORE J., DRINKHILL M.J. & HAINSWORTH R. An electrophysiological study of ventricular receptors in anaesthetized dogs. **446**, 544*P*, 1992

DROOGMANS G.

HIMPENS B., DROOGMANS G., DE SMEDT H. & CASTEELS R. Nucleo-cytoplasmic Ca^{2+} gradients at rest and during stimulation in DDT_1MF_2 smooth muscle cells. **446**, 138*P*, 1992

DUCHAMP C.

HERPIN P., LE DIVIDICH J., DUCHAMP C. & DAUNCEY M.J. Relation between plasma concentration of insulin-like growth factor-I and birth-weight in pigs. **446**, 276*P*, 1992

DUCHAMP C. & BARRÉ H. Skeletal muscle as a major site of glucagon-mediated non-shivering thermogenesis in cold-acclimated ducklings. **446**, 290*P*, 1992

DUCHEN Michael R.

PEARCE Rosalyn J. & DUCHEN Michael R. Actions of the convulsant barbiturate 5-(2-cyclohexylidine-ethyl)-5-ethyl barbituric acid (CHEB) on dissociated mouse sensory neurons. **446**, 136*P*, 1992

DULING Brian R.

BROWN Margaret D., HUDLICKÁ Olga, DAMON David & DULING Brian R. Vasoactive effects of basic and acidic fibroblast growth factors on arteriolar vessels in the cheek pouch of the anaesthetized hamster. **452**, 11*P*, 1992

DUMONDE D.C.

BROWN K.A., VORA A., PERRY M.E., MUSTAPHA Y., HOBBS C., DAVIES D. & DUMONDE D.C. An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992

DUMOULIN C.L.

DUMOULIN C.L., DOORLY D.J. & CARO C.G. Measurement of local arterial pulse wave velocity in a human subject by a comb-excitation magnetic resonance imaging (MRI) technique. **452**, 17*P*, 1992

DUNLOP W.

THORNTON S., OTUN H.A., NICHOLLS J.A., GILLESPIE J.I., GREENWELL J.R. & DUNLOP W. Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992

OTUN H., GILLESPIE J.I., GREENWELL J.R. & DUNLOP W. Modulation of oscillations in intracellular calcium induced by the removal of extracellular sodium in single isolated human vascular smooth muscle cells. **446**, 593*P*, 1992

THORNTON S., ANSON L.C., GILLESPIE J.I. & DUNLOP W. The modulation of intracellular calcium transients in single cultured human myometrial cells by the oxytocin antagonist F327. **452**, 309*P*, 1992

DUNNE J.B.

DUNNE J.B. & RANKIN J.C. Effects of atrial natriuretic peptide and angiotensin II on salt and water excretion by the perfused rainbow trout kidney. **446**, 92*P*, 1992

DUPOUY B.

AMÉDÉE T., DUPOUY B., ELLIE E. & VINCENT J.D. Voltage-dependent calcium and potassium channels in mouse Schwann cells. **446**, 170*P*, 1992

DURBABA R.

TAYLOR A., RODGERS J.F., FOWLE A.J. & DURBABA R. Conduction velocity and bag_1 influence on gastrocnemius muscle spindle afferents in the anaesthetized cat. **446**, 21*P*, 1992

RODGERS J.F., TAYLOR A., DURBABA R. & FOWLE A.J. The value of dynamic index in assessing muscle spindle afferent properties in the anaesthetized cat. **446**, 22*P*, 1992

FOWLE A.J., TAYLOR A., RODGERS J. & DURBABA R. Mesencephalic and diencephalic areas for fusimotor control in the anaesthetized cat. **446**, 230*P*, 1992

FOWLE A.J., TAYLOR A., RODGERS J.F. & DURBABA R. Recording and analysis of multiple single spike trains in the anaesthetized cat. **446**, 471*P*, 1992

RODGERS J.F., TAYLOR A., FOWLE A.J. & DURBABA R. Differences in the time course of effects of succinylcholine on different muscle spindle afferent types in the anaesthetized cat. **446**, 565*P*, 1992

DURBABA Rade

DURBABA Rade, CYNK Mark & DAVIES Teifion W. Force production in the human cutaneomuscular reflex. **446**, 603*P*, 1992

DWIGHT J.F. St J.

DWIGHT J.F. St J. & HENDRY B.M. Effects of arachidonic acid on rubidium uptake in human erythrocytes. **446**, 173*P*, 1992

DYBALL R.E.J.
DYBALL R.E.J. & LENG G. Estimation of stimulus spread from stimulating electrodes in the CNS of the anaesthetized rat. **446**, 68*P*, 1992
DYBALL R.E.J., CHATRATH P., EBLING F.J.P. & HASTINGS M.H. Afferents to and projections from the suprachiasmatic nucleus in the Syrian hamster. **452**, 251*P*, 1992
DYER J.
SHIRAZI-BEECHEY S.P., LESCALE-MATYS L., DYER J., FREEMAN T.C., SCOTT D. & WRIGHT E.M. Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992
DYER R.G.
FERNANDEZ-GALAZ C., HERBISON A. & DYER R.G. Use of [^{3}H]noradrenaline (NA) for detection of low levels of NA in samples obtained by microdialysis from the preoptic area (POA) of the anaesthetized rat. **446**, 65*P*, 1992
DZIEGIELEWSKA K.M.
READER M.R., MATTHEWS N. & DZIEGIELEWSKA K.M. Synthesis of the plasma protein fetuin in the fetal sheep brain, as demonstrated by *in situ* hybridization. **446**, 605*P*, 1992
DZIEGIELEWSKA K.M., MATTHEWS N., MØLLGÅRD K. & SAUNDERS N.R. Zinc-binding globulin, a passive marker for blood–brain barrier permeability in the human fetal brain. **446**, 606*P*, 1992
EARM Y.E.
LEEM C.H., SO I.S., HO W.K. & EARM Y.E. Taurine modulates the inward background current induced by isoprenaline in isolated ventricular cells of the rabbit. **446**, 149*P*, 1992
PARK C.O., HO W.K. & EARM Y.E. Cl^--sensitive component of Ca^{2+}-activated tail current in rabbit atrial myocytes. **446**, 150*P*, 1992
LEE S.H., HO W.K. & EARM Y.E. Ca^{2+}-activated inward current in isolated rabbit pulmonary arterial cells. **446**, 246*P*, 1992
EASTON A.S.
EASTON A.S. & FRASER P.A. Two phases in blood–brain barrier disruption in single cerebral microvessels of the anaesthetized rat. **446**, 503*P*, 1992
EATON B.M.
TOOTHILL V.J., EATON B.M., PEARSON J.D. & MANN G.E. Human neutrophil elastase and polylysine increase junctional solute permeability in umbilical vein endothelial cell monolayers perfused in microcarrier culture. **452**, 4*P*, 1992
EBERLE L.
AMASSIAN V.E., EBERLE L., MACCABEE P.J. & CRACCO R.Q. Factors influencing magnetic coil excitation of isolated amphibian, cat and primate nerves immersed in a human brain-shaped volume conductor. **446**, 23*P*, 1992
AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. Identifying hemispheric asymmetry in humans by magnetic coil stimulation. **446**, 222*P*, 1992
AMASSIAN V.E., MACCABEE P.J., CRACCO R.Q., CRACCO J.B., RUDELL A.P. & EBERLE L. The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992
EBERLE L.P.
MACCABEE P.J., AMASSIAN V.E., EBERLE L.P., CRACCO R.Q. & RUDELL A.P. The magnetic coil activates amphibian and primate nerve *in vitro* at two sites and selectively at a bend. **446**, 228*P*, 1992
EBLING F.J.P.
DYBALL R.E.J., CHATRATH P., EBLING F.J.P. & HASTINGS M.H. Afferents to and projections from the suprachiasmatic nucleus in the Syrian hamster. **452**, 251*P*, 1992
EDGLEY S.A.
EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER S. Direct and indirect activation of corticospinal neurones by electrical and magnetic stimulation in the anaesthetized macaque monkey. **446**, 224*P*, 1992
EDWARDS A.V.
GARRETT J.R. & EDWARDS A.V. Vascular submandibular responses to stimulation of the sympathetic innervation in the presence of an inhibitor of EDRF synthesis in anaesthetized cats. **452**, 15*P*, 1992
EDWARDS C.R.W.
LOW S.C., ASSAD S.N., EDWARDS C.R.W. & SECKL J.R. Effect of sex steroids on 11β-hydroxysteroid dehydrogenase in rat liver, kidney and hippocampus *in vivo*. **452**, 213*P*, 1992
EDWARDS D.
BYRNE S., GLAZIER J.D., MAHENDRAN D., EDWARDS D. & SIBLEY C.P. Effects of diisothiocyano-2-2-disulfonic stilbene (DIDS), dephenylamine-2-carboxylate (DPC) and furosemide on chloride transport across human placental microvillus membrane vesicles (MVV). **452**, 145*P*, 1992
EDWARDS G.
MORITA T., EDWARDS G., ANDERSSON P., GREENGRASS P., IBOTTSON T., NEWGREEN D.T., WESTON A.H. & WYLLIE M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992

EGGINTON S.
WILSON R. & EGGINTON S. Cardiovascular responses in rainbow trout (*Oncorhynchus mykiss*) to aerobic exercise. **446**, 192*P*, 1992
EGGINTON S. Acid–base status of Antarctic teleosts in response to exercise-induced stress. **446**, 460*P*, 1992
EGGINTON S. & HUDLICKÁ O. Effect of long-term muscle overload on capillary supply, blood flow and performance in rat fast muscle. **452**, 9*P*, 1992
EHARA Tsuguhisa
MATSUURA Hiroshi & EHARA Tsuguhisa Two ionic conductances activated by extracellularly applied ATP in guinea-pig atrial cell. **446**, 154*P*, 1992
EILBECK J.C.
VALLET A.M., COLES J.A. & EILBECK J.C. Effects of 4-aminopyridine on the responses to small decreases in light intensity in photoreceptors in the isolated retina of the drone honeybee. **446**, 110*P*, 1992
EISNER D.A.
O'NEILL S.C., LAMONT C., NEGRETTI N. & EISNER D.A. The effect of thapsigargin on the calcium transient and twitch of single myocytes isolated from rat heart. **446**, 148*P*, 1992
TOESCU E.C., O'NEILL S.C., PETERSEN O.H. & EISNER D.A. Inhibition by caffeine of ACh-evoked cytoplasmic Ca^{2+} signals studied by simultaneous measurements of $[Ca^{2+}]_i$ and $[caffeine]_i$ in single mouse pancreatic acinar cells. **446**, 201*P*, 1992
NEGRETTI N., DONOSO P., O'NEILL S.C. & EISNER D.A. The effect of stimulation on the refilling of the sarcoplasmic reticulum of single isolated rat ventricular myocytes. **446**, 438*P*, 1992
HEATON R.C., WRAY S. & EISNER D.A. Cyanide increases ^{86}Rb efflux from isolated non-pregnant rat uterus. **446**, 487*P*, 1992
VARRO A., HESTER S.B. & EISNER D.A. An estimate of the relative contributions of the sarcoplasmic reticulum and calcium current to contraction of isolated rat ventricular myocytes. **452**, 127*P*, 1992
EKEN T.
KIEHN O. & EKEN T. Discontinuous changes in discharge pattern of human motor units. **452**, 277*P*, 1992
ELDER H.Y.
WILSON S.M., PEDIANI J.D., ELDER H.Y. & MCEWAN JENKINSON D. Voltage-evoked currents in cultured equine sweat gland cells. **446**, 433*P*, 1992
WILSON S.M., LEE C.M., SMITH G.L., PEDIANI J.D., BROWN U.M.O. & ELDER H.Y. Second messenger signals in cultured, human sweat gland epithelia. **452**, 230*P*, 1992
ELENO N.
ELENO N. & BOYD C.A.R. A kinetic analysis of the inhibition by taurochenodeoxycholic acid for glycocholic acid transport in placental basal membrane vesicles. **446**, 33*P*, 1992
ELENO N., MARIN J.J.G. & BOYD C.A.R. DIDS shows substrate-like behaviour for the bile acid transporter of human placental basal membrane vesicles. **452**, 59*P*, 1992
ELENO N., DEVÉS R. & BOYD C.A.R. Discrimination between two lysine transporters in human placental brush-border membrane vesicles by altering membrane potential. **452**, 349*P*, 1992
ELFORD Barry C.
KIRK Kiaran, ELFORD Barry C., ELLORY J. Clive & NEWBOLD Chris I. A transport pathway responsible for the increased permeability of malaria-infected erythrocytes shows characteristics of a Cl^- channel. **452**, 342*P*, 1992
ELLAWAY P.H.
DAVEY N.J., ROMAIGUERE P., MASKILL D.W. & ELLAWAY P.H. Inhibition of voluntary contraction by transcranial magnetic stimulation of the brain subthreshold for excitation in man. **446**, 447*P*, 1992
ELLIE E.
AMÉDÉE T., DUPOUY B., ELLIE E. & VINCENT J.D. Voltage-dependent calcium and potassium channels in mouse Schwann cells. **446**, 170*P*, 1992
ELLIOTT A.A.
ELLIOTT A.A. & ELLIOTT J.R. Differences in the repriming kinetics of TTX-sensitive and TTX-resistant sodium currents in cells isolated from adult rat dorsal root ganglia. **452**, 50*P*, 1992
ELLIOTT A.C.
EVANS R.L., ASHTON N., ELLIOTT A.C. & GREEN R. Effects of acetylcholine on intracellular calcium and fluid secretion in isolated rat pancreatic ducts. **446**, 352*P*, 1992
ELLIOTT A.C., CAIRNS S.P. & ALLEN D.G. Acetylcholine and di(tert-butyl)-hydroquinone evoke spatially distinct patterns of intracellular Ca release in isolated rat lacrimal acinar cells. **452**, 96*P*, 1992
BEST L., TREBILCOCK R. & ELLIOTT A.C. Activation of cultured HIT-T15 insulinoma cells by glyceraldehyde. **452**, 300*P*, 1992
YODOZAWA S. & ELLIOTT A.C. ACh-evoked $[Ca^{2+}]_i$ signals are augmented in isolated rat lacrimal acinar cells bathed in Na^+-free medium. **452**, 347*P*, 1992
ELLIOTT J.R.
BARRON R.M., ELLIOTT J.R., HOLLOWBREAD A. & LAMBERT J.J. The influence of n-alkanols and various intravenous general anaesthetics on a whole body withdrawal response of *Physa*. **446**, 45*P*, 1992

Winpenny J.P., Elliott J.R. & Harper A.A. Effects of n-hexane on the transient potassium current (I_A) in isolated *Helix* neurones. **452**, 46*P*, 1992

Elliott A.A. & Elliott J.R. Differences in the repriming kinetics of TTX-sensitive and TTX-resistant sodium currents in cells isolated from adult rat dorsal root ganglia. **452**, 50*P*, 1992

Ellory J. Clive

Figueiredo Carlos E. Poli de, Ellory J. Clive & Hendry B.M. Erythrocyte lactate transport in patients with chronic renal failure. **452**, 316*P*, 1992

Kirk Kiaran, Elford Barry C., Ellory J. Clive & Newbold Chris I. A transport pathway responsible for the increased permeability of malaria-infected erythrocytes shows characteristics of a Cl^- channel. **452**, 342*P*, 1992

Ellory J.C.

Poli de Figueiredo C.E., Ellory J.C. & Hendry B.M. A longitudinal study of human erythrocyte choline transport after renal transplantation. **446**, 403*P*, 1992

Gehl K.A. & Ellory J.C. Sulphate–hydroxyl exchange in isolated bovine chondrocytes. **446**, 532*P*, 1992

El-Mir M.Y.

Bravo P., El-Mir M.Y., Serrano M.A. & Marin J.J.G. Cross-inhibition between bile acids for their transport across basal plasma membrane of human term trophoblast. **446**, 34*P*, 1992

Elnazir B.K.

Elnazir B.K., Kumar P. & Marshall Janice M. Modulation by theophylline of the ventilatory response to moderate hypoxia in conscious, newborn rats. **446**, 120*P*, 1992

Emoto Y.

Yamada K., Emoto Y., Horiuti K. & Tawada K. Tension transient upon flash photolysis of caged ATP in covalently cross-linked muscle fibres isolated from rabbit psoas. **446**, 264*P*, 1992

Emson P.C.

Wiese U.H. & Emson P.C. Expression of growth-associated protein (GAP-43) mRNA in adult normal and axotomized rat lumbar primary sensory neurons. **446**, 305*P*, 1992

Morton A.J., Emson P.C. & Harding M. Expression of calbindin D_{28K} after retrovirally-mediated gene transfer to non-expressing Swiss-3T3 cells. **446**, 306*P*, 1992

Lledo P.M., Somasundaram B., Morton A.J., Emson P.C. & Mason W.T. Transfection of calbindin D28K alters calcium entry and intracellular calcium dynamics in the GH_3 cell line. **452**, 218*P*, 1992

England S.

McFadzean I. & England S. Properties of the inactivating outward current in single smooth muscle cells isolated from the rat anococcygeus. **446**, 248*P*, 1992

Enoki Y.

Kohzuki H. & Enoki Y. The influence of high O_2 affinity of blood on maximal oxygen consumption in skeletal muscle in anaesthetized dogs. **446**, 356*P*, 1992

Eriksen M.

Toska K., Eriksen M. & Walløe L. Short-time cardiovascular responses to a sudden increase in peripheral vascular resistance in humans, with and without parasympathetic blockade. **452**, 19*P*, 1992

Erskine L.

Ahmed T., Erskine L., Shewan D.A., Stewart R. & McCaig C.D. Neurotransmitters, second messengers and protein kinase C may underlie orientation of cultured frog nerves in an applied electric field. **446**, 42*P*, 1992

Ertan N.Z.

Ertan N.Z., Rampling M.W., Winlove P., Gribbon P., Denison D. & Boxall C. The effect of trypsin treatment on dextran-induced erythrocyte aggregation. **452**, 314*P*, 1992

Erulkar S.D.

Erulkar S.D., Ludmir J., Ger B. & DePino R. Transient outward K^+ currents are expressed with high probability in human uterine fibroid cells in culture in comparison to normal myometrial cells. **446**, 131*P*, 1992

Evans A.L.

Carr L.J., Harrison L.M., Evans A.L. & Stephens J.A. Patterns of central motor reorganization in children with hemiplegic cerebral palsy. **452**, 107*P*, 1992

Evans D.

Dimaline R., Sandvik A.K. & Evans D. Time course of changes in gastric histidine decarboxylase mRNA and plasma gastrin, with fasting and feeding in the rat. **452**, 103*P*, 1992

Evans J.E.

Begley D.J. & Evans J.E. Vincristine in therapeutic dosage appears to increase blood–brain barrier permeability to colchicine in the anaesthetized guinea-pig. **446**, 499*P*, 1992

Evans M.

Shalmi M., Burgess W.J., Abu Amarah I., Evans M., Christensen S., Balment R.J. & Atherton J.C. A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

EVANS P.
EVANS P., HARRIES D.M.P. & HARRISON P.J. Correlation of the components of the reflex modulation of force with the underlying EMG in a human cutaneomuscular reflex. **452**, 207*P*, 1992

EVANS R.H.
BLAKE J.F. & EVANS R.H. Patch pipette recording of dorsal root-evoked synaptic activity in dorsal horn neurones of rodent *in vitro* spinal preparations. **452**, 175*P*, 1992
BRUGGER F. & EVANS R.H. Comparison of quinoxalinedione antagonist potency at non-NMDA receptors of rat primary afferent C fibres *in vitro*. **452**, 184*P*, 1992
SIAREY R.J., LONG S.K. & EVANS R.H. A comparison of the effect of diazepam and tizanidine on synaptically evoked primary afferent depolarization in the rat spinal cord *in vitro*. **452**, 200*P*, 1992

EVANS Richard J.
EVANS Richard J., ZIOGAS James & CUNNANE Thomas C. Modulation of nerve activity recorded extracellularly from the surface of rat mesenteric arteries *in vivo* by α-adrenoceptor agonists. **446**, 595*P*, 1992

EVANS R.J.
EVANS R.J. & SURPRENANT A. Contraction of guinea-pig isolated submucosal arterioles following sympathetic nerve stimulation is mediated by the activation of P_{2x}-purinoceptors. **446**, 493*P*, 1992

EVANS R.L.
EVANS R.L., LAU K.R. & CASE R.M. The effect of isoprenaline on intracellular Cl^- concentration in isolated rabbit mandibular salivary gland ducts. **446**, 351*P*, 1992
EVANS R.L., ASHTON N., ELLIOTT A.C. & GREEN R. Effects of acetylcholine on intracellular calcium and fluid secretion in isolated rat pancreatic ducts. **446**, 352*P*, 1992
EVANS R.L., LAU K.R. & CASE R.M. Isolation and characterization of individual striated ducts from the rabbit mandibular salivary gland. **452**, 73*P*, 1992
ASHTON N., EVANS R.L. & ARGENT B.E. Protein kinase C has an inhibitory role in the control of fluid secretion in isolated rat pancreatic ducts. **452**, 99*P*, 1992

EVANS S.K.
TAYLOR H.P., EVANS S.K., DICK D., HARRISON F.G. & LAB M.J. Rate dependency of stretch-induced ectopic beats in isolated perfused rabbit ventricle. **446**, 337*P*, 1992

EYRE J.A.
EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER S. Direct and indirect activation of corticospinal neurones by electrical and magnetic stimulation in the anaesthetized macaque monkey. **446**, 224*P*, 1992
WATTS C., EYRE J.A., KELLY S. & RAMESH V. Development of the pincer grasp and its relationship to the development of adult corticospinal delays in man. **452**, 273*P*, 1992
CONWAY E.A., EYRE J.A., KELLY S., DE KROON J. & MILLER S. Is the corticospinal projection to the motoneurones of biceps brachii monosynaptic in the human neonate? **452**, 274*P*, 1992

FAGIOLINI M.
BERARDI N., CATTANEO A., CELLERINO A., DOMENICI L., FAGIOLINI M., MAFFEI L. & PIZZORUSSO T. Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992

FAHLE Manfred
FAHLE Manfred Short-term learning in vernier acuity in humans. **452**, 284*P*, 1992

FAHY M.M.
FAHY M.M. & KANE M.T. Effects of lithium on accumulation of inositol phosphates by rabbit blastocysts. **446**, 407*P*, 1992

FAN Z.
HIRAOKA M., FAN Z., NAKAYAMA K. & SAWANOBORI T. Reactivation of ATP-sensitive K^+ channel current by pinacidil in guinea-pig ventricular myocytes. **446**, 155*P*, 1992

FARMER E.
HEYWOOD P., MURPHY K., STRONG B., BELYAVIN A., FARMER E. & GUZ A. Is human cortico-spinal control of ventilation as precise as control of hand movement? **452**, 30*P*, 1992

FARMER S.
CARR L.J., HARRISON L.M., STEPHENS J.A., LOTAY I., FARMER S., IRONTON R. & JONES T. Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992

FARQUHAR J.
BOWSER-RILEY F., CORNISH M., FARQUHAR J., HAINSWORTH R. & KIDD C. The influence of breath-hold tachycardia on human baroreflex heart rate responses to changes in carotid transmural pressure at 37 ATA. **446**, 215*P*, 1992
BOWSER-RILEY F., CORNISH M., FARQUHAR J. & KIDD C. A dynamic estimate of respiratory sinus arrhythmia in man. **446**, 360*P*, 1992

FAULSTROH K.
TAYLOR D.C.M., FAULSTROH K. & PIERAU Fr.-K. Opioid inhibition of electrogenic flare in anaesthetized pigs is blocked by μ receptor antagonists. **452**, 121*P*, 1992

FEDIDA D.

BOUCHARD R.A. & FEDIDA D. The positive inotropic effect of α_1-adrenoceptor activation is dependent upon action potential prolongation in rat cardiac myocytes. **446**, 143*P*, 1992

FEDIDA D., CLARK R.B. & GILES W.R. Persistent activation of a chloride current in rabbit cardiac myocytes. **446**, 152*P*, 1992

FEELY S.

KENNEDY M., FEELY S., GILES S. & O'REGAN R.G. The effects of physiological saline solutions, perfused at constant inflow pressure or volume, on the ultrastructure of the cat carotid body. **446**, 467*P*, 1992

FERNANDEZ DE MIGUEL F.

COOPER R.L., FERNANDEZ DE MIGUEL F. & NICHOLLS J.G. Synapse formation induces changes in the distribution of calcium currents in leech neurons in culture. **446**, 255*P*, 1992

FERNANDEZ-GALAZ C.

FERNANDEZ-GALAZ C., HERBISON A. & DYER R.G. Use of [^{3}H]noradrenaline (NA) for detection of low levels of NA in samples obtained by microdialysis from the preoptic area (POA) of the anaesthetized rat. **446**, 65*P*, 1992

FERNANDO K.

SULEIMAN M.S., FERNANDO K., DIHMIS W., HUTTER J. & CHAPMAN R.A. Determination of free intracellular amino acids in ventricular biopsies taken from patients undergoing heart surgery. **452**, 162*P*, 1992

FERRETTI G.

FERRETTI G., KAYSER B., SCHENA F., TURNER D.L. & HOPPELER H. Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **446**, 427*P*, 1992

FIGUEIREDO Carlos E. Poli de

FIGUEIREDO Carlos E. Poli de, ELLORY J. Clive & HENDRY B.M. Erythrocyte lactate transport in patients with chronic renal failure. **452**, 316*P*, 1992

FIGUEROA Carlos

HENDERSON Lydia, BHOOLA Kanti, FIGUEROA Carlos & MÜLLER-ESTERL Werner Confocal laser scanning images of neutrophils: the circulating transporter of kallikreins and kininogens. **452**, 175*P*, 1992

FINCHAM Daron A.

HARVEY Catherine M., FINCHAM Daron A. & YOUNG James D. Inhibition of the y^+ amino acid transporter in human red cells by Na^+ and harmaline. **446**, 8*P*, 1992

FINK G.

YAU J.L.W., DOW R.C., FINK G. & SECKL J.R. Medial septal lesions increase glucocorticoid receptor messenger RNA expression in the rat hippocampus *in vivo*. **446**, 280*P*, 1992

FINK G., DOW R.C., CASLEY D., JOHNSTON C.I., LIM A.T., COPOLOV D.L., BENNIE J., CARROLL S. & DICK H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

FIRTH J.A.

SCHULZE C., LEACH L., FIRTH J.A. & HALDENBY K. Endothelial cell–cell contacts in mammalian continuous capillaries: evidence for the existence of regularly spaced, cleft-spanning structures. **452**, 65*P*, 1992

LEACH L., WARD B.J., SCHULZE C. & FIRTH J.A. Endothelial cell–cell contacts in continuous mammalian capillaries: the tight junction. **452**, 66*P*, 1992

FITZPATRICK F.T.A.

FITZPATRICK F.T.A. & GREENSTEIN B.D. The effects of time after orchidectomy (OCX) on the thymus and accessory sex organs of 10-week- and 18-month-old rats. **446**, 453*P*, 1992

FITZPATRICK J.M.

DELANEY C.P., MCGEENEY K., HORGAN P.G., COUSE N.F., GOREY T.F. & FITZPATRICK J.M. L-arginine: a role for inducing chronic pancreatitis in the anaesthetized rat. **446**, 402*P*, 1992

HORGAN P.G., COUSE N., BURKE J., DELANEY C., GOREY T. & FITZPATRICK J.M. Substance P effects in the isolated canine ureter. **446**, 421*P*, 1992

LENNON G.M. & FITZPATRICK J.M. Recovery of ureteric motility following complete and partial ureteric obstruction in the dog: an *in vivo/in vitro* comparative study. **446**, 454*P*, 1992

FITZSIMONS J.T.

FITZSIMONS J.T. & THORNTON S.N. Failure of intracerebroventricular porcine relaxin to augment NaCl intake when given with systemic deoxycorticosterone to conscious male rats. **446**, 457*P*, 1992

FLAMENT D.

GOLDSMITH P., FLAMENT D. & LEMON R.N. Task-related differences in the response of human 1st dorsal interosseous (1 DI) muscle to magnetic brain stimulation. **446**, 226*P*, 1992

FLATEBØ T.

IVERSEN P.O., FLATEBØ T. & NICOLAYSEN G. No correlation exists between regional blood flow and regional aerobic, metabolic capacity expressed as citrate synthase activity, within single cat skeletal muscle. **446**, 461*P*, 1992

Kramer-Johansen J., Flatebø T., Melsom M.N., Iversen P.O., Müller C. & Nicolaysen G. Regional distribution of ventilation–perfusion ratio ($\dot{V}/\dot{Q}$ ratio) in the goat. **452**, 28*P*, 1992

Fleet I.R.

Fleet I.R., Davis A., Richardson M. & Heap R.B. The effects of recombinantly-derived insulin-like growth factor-I and insulin-like growth factor-II on mammary vasodilatation in the goat. **446**, 69*P*, 1992

Heap R.B., Fleet I.R., Davis A.J., Hamon M. & Goode J.A. Localized transfer of prostaglandin $F_{2\alpha}$ from an ovarian lymphatic into adjacent blood vessels with release of ovarian oxytocin in anaesthetized sheep. **446**, 270*P*, 1992

Flynn R.

Flynn R., Geraghty J.G., Angerson W.J., Tanner W.A., Keane F.B.V. & Carter D.C. The relationship between portal pressure and portasystemic shunting in portal hypertension in the anaesthetized rat. **446**, 414*P*, 1992

Fogg K.E.

Fogg K.E., Higgs N.B., Grundy J. & Warhurst G. Involvement of calmodulin and PKC in regulation of Ca^{2+}-activated K^+ (Rb^+) efflux in human colonic cell line, HT29-19A. **452**, 343*P*, 1992

Forsling Mary L.

Forsling Mary L., Stempniak Bozena & Guzek J.W. The effect of intracerebroventricular administration of insulin on the neurohypophysial response to haemorrhage in the anaesthetized rat. **446**, 272*P*, 1992

Yasin Sharifah, Costa A., Hucks D., Grossman A. & Forsling Mary L. The effect of melatonin on vasopressin release from the rat hypothalamus *in vitro*. **446**, 513*P*, 1992

Sinnathamby Wendy, Windle R.J., Zhou Yan & Forsling Mary L. The renal responsiveness to exogenous vasopressin on different days of the oestrous cycle in the conscious rat. **446**, 587*P*, 1992

Windle R.J., Judah Jeanette M. & Forsling Mary L. The effect of altered sodium intake on neurohypophysial function in the rat. **452**, 35*P*, 1992

Louwerse Anne-Marie, Marshall Janice M. & Forsling Mary L. The role of vasopressin (AVP) in the cardiovascular response evoked by hypocapnic- and normocapnic-hypoxia in the anaesthetized rat. **452**, 220*P*, 1992

Achaaban M.R., Forsling Mary L., Balment R.J., Ouhsine A. & Schroter R.C. Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992

Yasin Sharifah, Forsling Mary L., Costa A., Sugden D. & Grossman A. Modulation by melatonin analogues of neurohypophysial hormone release from the rat hypothalamus *in vitro*. **452**, 296*P*, 1992

Forsling Mary L., Zhou Yan & Windle R.J. The effect of ovariectomy and oestrogen replacement on the renal actions of vasopressin in the rat. **452**, 318*P*, 1992

Forster E.R.

Forster E.R. & Dockray G.J. Cholecystokinin binding sites on vagal afferent fibres in the rat. **452**, 336*P*, 1992

Forster I.C.

Forster I.C. & Greeff N.G. The application of Eyring–Boltzmann transition rate theory to the study of fast displacement charge movements in the giant axon of *Loligo forbesi*. **446**, 166*P*, 1992

Foster William R.

Paton Julian F.R., Foster William R., Graves Eliza B. & Schwaber James S. Characteristic cell types and network modelling in the cardiorespiratory region of the nucleus of the solitary tract (NTS) of the rat. **452**, 357*P*, 1992

Fothergill Lindsay K.

Hammond Peter & Fothergill Lindsay K. Interocular comparisons of length summation and end-inhibition in striate cortical neurones of the anaesthetized cat. **446**, 232*P*, 1992

Fothergill Lindsay K. & Hammond Peter Spatial frequency selectivity of striate cortical neurones in the anaesthetized cat: velocity *vs.* temporal frequency. **452**, 289*P*, 1992

Fowden Abigail L.

Fowden Abigail L. & Silver Marian The effects of hypophysectomy on glucose metabolism in the sheep fetus. **446**, 85*P*, 1992

Fowden A.L.

Sangild P., Fowden A.L. & Silver M. Effect of glucocorticoids on gastric prochymosin in the fetal pig. **446**, 86*P*, 1992

Fowle A.J.

Taylor A., Rodgers J.F., Fowle A.J. & Durbaba R. Conduction velocity and bag_1 influence on gastrocnemius muscle spindle afferents in the anaesthetized cat. **446**, 21*P*, 1992

Rodgers J.F., Taylor A., Durbaba R. & Fowle A.J. The value of dynamic index in assessing muscle spindle afferent properties in the anaesthetized cat. **446**, 22*P*, 1992

Fowle A.J., Taylor A., Rodgers J. & Durbaba R. Mesencephalic and diencephalic areas for fusimotor control in the anaesthetized cat. **446**, 230*P*, 1992

Fowle A.J., Taylor A., Rodgers J.F. & Durbaba R. Recording and analysis of multiple single spike trains in the anaesthetized cat. **446**, 471*P*, 1992

Rodgers J.F., Taylor A., Fowle A.J. & Durbaba R. Differences in the time course of effects of succinylcholine on different muscle spindle afferent types in the anaesthetized cat. **446**, 565*P*, 1992

Fox A.J.

Fox A.J., Barnes P.J., Urban L. & Dray A. Selective activation of single vagal C fibres by capsaicin and bradykinin in the guinea-pig trachea *in vitro*. **452**, 203*P*, 1992

Frampton J.E.

Frampton J.E. & Orchard C.H. The effect of the calmodulin inhibitor W7 upon intracellular $[Ca^{2+}]$ (Ca_i) and contraction in ventricular myocytes isolated from rat hearts. **446**, 335*P*, 1992

Francis L.P.

Wisdom D., Francis L.P., Singh J., Salido G.M. & Camello P.J. Effects of phorbol ester on vagal stimulation and secretagogue-evoked secretory responses in the rat pancreas. **452**, 334*P*, 1992

Francis W.

Taylor A., Francis W. & Gomez K. Methods of investigating the effects of changing force and loading on human elbow tremor. **446**, 470*P*, 1992

Franklin P.A.

Franklin P.A. & Pullen R.G.L. ^{65}Zn efflux from brain in the anaesthetized rat. **446**, 29*P*, 1992

Pullen R.G.L. & Franklin P.A. Brain uptake of ^{54}Mn in the anaesthetized rat. **446**, 507*P*, 1992

Fraser P.A.

Easton A.S. & Fraser P.A. Two phases in blood–brain barrier disruption in single cerebral microvessels of the anaesthetized rat. **446**, 503*P*, 1992

Fraser S.P.

Djamgoz M.B.A., Fraser S.P., Darlison M.G. & Barnard E.A. Amino acid neurotransmitter receptor expression in *Xenopus* oocytes by injection of messenger ribonucleic acid extracted from vertebrate (*Rutilus rutilus*) retina. **446**, 531*P*, 1992

Free S.L.

Free S.L., Straughan K. & Goode A.W. Digital image processing of human x-ray and MR breast images. **452**, 24*P*, 1992

Freeman P.

Freeman P., Sturman G. & Jakobson M.E. Analgesia and hypothermia induced by cold water swims in mice. **446**, 599*P*, 1992

Freeman T.C.

Freeman T.C. & Sirinathsinghji D.J.S. Expression of the Na^+–glucose co-transporter (SGLT1) gene in rabbit small intestine. **452**, 327*P*, 1992

Shirazi-Beechey S.P., Lescale-Matys L., Dyer J., Freeman T.C., Scott D. & Wright E.M. Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992

Frenguelli B.G.

Alford S., Frenguelli B.G. & Collingridge G.L. Ca^{2+} release from intracellular stores magnifies the Ca^{2+} signal which permeates dendritic NMDA channels following synaptic activation of CA1 hippocampal neurones *in vitro* **452**, 178*P*, 1992

Friedrich M.

Benndorf K., Biskup C., Friedrich M. & Hirche H. Current–voltage relationship of the transient inward current (I_{ti}) in guinea-pig heart cells measured with pairs of short pulses. **446**, 341*P*, 1992

Fry C.H.

Montgomery B.S.I., McIntyre H., Gallegos C.R.R. & Fry C.H. The preparation of isolated muscle cells from human biopsy samples. **446**, 478*P*, 1992

Gallegos C.R.R., Montgomery B.S.I. & Fry C.H. Actions of extracellular H^+ on the inward Ca^{2+} current measured in isolated human detrusor smooth muscle cells. **446**, 482*P*, 1992

Langley S.E.M. & Fry C.H. Factors influencing the urinary free $[Ca^{2+}]$ in normal subjects and from patients with urinary tract stones. **446**, 584*P*, 1992

Thomas P.J. & Fry C.H. Effects of hypoxia and metabolic inhibition on isolated human detrusor smooth muscle. **452**, 55*P*, 1992

Chen Shuhau, Fry C.H., Illner Hana, Kickenweiz Elisabeth, McGuigan J.A.S., Powell T. & Twist V.W. Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992

Gallegos C.R.R., Montgomery B.S.I. & Fry C.H. Altered characteristics of the inward calcium current associated with hypertrophy in isolated human detrusor smooth muscle cells. **452**, 308*P*, 1992

Fry C.H., Hall S.K. & Griffiths H. The effects of extracellular chloride removal on isolated guinea-pig cardiac muscle. **452**, 310*P*, 1992

Fu W.O.

Wong P.Y.D., Huang S.J., Leung A.Y.H., Fu W.O., Chung Y.W. & Chan P.S.F. Human epididymal cells respond to adrenaline by increase in short-circuit current and whole-cell chloride current. **446**, 93*P*, 1992

FUNG D.C.K.
ALLENBY M.I., FUNG D.C.K. & RICHARDSON P.S. Non-adrenergic, non-cholinergic (NANC) vagal pathways mediating mucus glycoconjugate release in the trachea of the anaesthetized cat. **446**, 527*P*, 1992
HAMILTON M.A., FUNG D.C.K. & RICHARDSON P.S. Mechanism of mucus glycoconjugate release into feline trachea *in vitro* by monorhamnolipid. **446**, 535*P*, 1992
FURNESS D.N.
HACKNEY C.M., FURNESS D.N. & BENOS D.J. Binding of a polyclonal antibody raised against an amiloride-sensitive Na^+ channel to guinea-pig cochlear hair cells *in vitro* is reduced by drugs known to affect mechanoelectrical transduction. **446**, 113*P*, 1992
FURUKAWA T.
YAMADA M., DJAMGOZ M.B.A., LOW J.C., FURUKAWA T. & YASUI S. Dynamic characteristics of multiple cone synaptic input to H1 horizontal cells in carp retina *in vitro*. **446**, 375*P*, 1992
YASUI S., FURUKAWA T., YAMADA M. & SAITO T. S/N-dependent modulation of centre–surround opponent receptive fields: similarities in real and artificial neural networks. **446**, 376*P*, 1992
FURUYA K.
YAMAGISHI S., KUKITA F. & FURUYA K. Regulatory effects of intracellularly applied calcium and magnesium ions on ion channel activities in the giant axon of the squid *Doryteuthis bleekeri* giant axon. **446**, 168*P*, 1992
FURUYAMA S.
SUGIYA H., HAKA YOKOYAMA M. & FURUYAMA S. Isoprenaline stimulates ADP-ribosylation in rat parotid acinar cells *in vitro*. **446**, 308*P*, 1992
GADIAN D.G.
VAN BRUGGEN N., CULLEN B.M., KING M.D., GADIAN D.G., WILLIAMS S.R. & CREMER J.E. The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992
ALLEN K.L., BUSZA A.L., CROCKARD H.A. & GADIAN D.G. A magnetic resonance imaging study of cerebral ischaemia in the anaesthetized gerbil. **446**, 510*P*, 1992
GADSBY David C.
HORIE Minoru, HWANG Tzyh-Chang & GADSBY David C. Intra-pipette GTP prevents the rapid rundown of β-adrenoceptor-mediated activation of Cl current in isolated guinea-pig ventricular myocytes. **446**, 153*P*, 1992
GALE J.E.
GALE J.E. & ASHMORE J.F. Pressure-activated whole-cell currents in isolated outer hair cells from the guinea-pig. **452**, 51*P*, 1992
GALLACHER D.V.
SMITH P.M. & GALLACHER D.V. Acetylcholine and caffeine evoke repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **446**, 128*P*, 1992
GALLEGOS C.R.R.
MONTGOMERY B.S.I., MCINTYRE H., GALLEGOS C.R.R. & FRY C.H. The preparation of isolated muscle cells from human biopsy samples. **446**, 478*P*, 1992
GALLEGOS C.R.R., MONTGOMERY B.S.I. & FRY C.H. Actions of extracellular H^+ on the inward Ca^{2+} current measured in isolated human detrusor smooth muscle cells. **446**, 482*P*, 1992
GALLEGOS C.R.R., MONTGOMERY B.S.I. & FRY C.H. Altered characteristics of the inward calcium current associated with hypertrophy in isolated human detrusor smooth muscle cells. **452**, 308*P*, 1992
GAMBLE John
GAMBLE John & GARTSIDE Ivor B. Strain gauge plethysmographic (MSG) assessment of the effect of large pressure steps on the time course of the vascular compliance response of human limbs. **452**, 29*P*, 1992
GANITKEVICH V.Ya.
GANITKEVICH V.Ya. & ISENBERG G. Contribution of Ca^{2+}-induced Ca^{2+} release to the depolarization-induced Ca^{2+} transients in smooth muscle cells from the guinea-pig urinary bladder. **446**, 140*P*, 1992
GANNIER F.
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Simultaneous measurement of tension, intracellular calcium ($[Ca]_i$) and membrane potential in stretched, single guinea-pig ventricular myocytes. **446**, 75*P*, 1992
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Some effects of stretch in single guinea-pig ventricular myocytes. **446**, 238*P*, 1992
GARDNER Ed
BANKS J.R., GARDNER Ed, LOVGREEN Brenda & RICHARDSON Helen C. Use of FM radio telemetry to record human electromyograms during 'dry' slope skiing. **452**, 72*P*, 1992
GARDNER-MEDWIN A.R.
GARDNER-MEDWIN A.R. & BARLOW H.B. The effect of sparseness in distributed representations on the detectability of associations between sensory events. **452**, 282*P*, 1992

GARLAND H.O.
BIRDSEY T.J., OAKES L.M. & GARLAND H.O. Effects of gentamycin and tobramycin on renal calcium and magnesium handling in anaesthetized Fischer 344 rats. **452**, 133*P*, 1992

GARNER Andrew
PINCHES Stuart A., GOULD Gwyn W., GARNER Andrew & SHIRAZI-BEECHEY Soraya P. Characteristics of glucose transport by human and pig colonocyte basolateral membrane. **452**, 326*P*, 1992

GARNER C.
GARNER C. & BROWN P.D. The effect of CO_2/HCO_3^--buffered saline on Cl^- channel activity in isolated rat choroid plexus. **446**, 350*P*, 1992

GARNIER D.
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Simultaneous measurement of tension, intracellular calcium ($[Ca]_i$) and membrane potential in stretched, single guinea-pig ventricular myocytes. **446**, 75*P*, 1992
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Some effects of stretch in single guinea-pig ventricular myocytes. **446**, 238*P*, 1992

GARNSWORTHY P.C.
ROYLE C., GARNSWORTHY P.C., MCARTHUR A.J. & MEPHAM T.B. Heart rate changes in dairy cows associated with milking. **446**, 575*P*, 1992

GARRETT J.R.
PROCTOR G.B., CHAN K.M., SHORI D.K. & GARRETT J.R. Different proportions of secretory proteinases occur in submandibular salivas elicited from anaesthetized rats by different nerve stimulations. **446**, 200*P*, 1992
GARRETT J.R. & EDWARDS A.V. Vascular submandibular responses to stimulation of the sympathetic innervation in the presence of an inhibitor of EDRF synthesis in anaesthetized cats. **452**, 15*P*, 1992

GARRETT M.
GARRETT M., MURRAY C. & PAOR Ade The relationship between changes in the excitability of the Hoffman reflex and movement of the ankle joint during walking in freely moving man. **446**, 446*P*, 1992

GARTSIDE Ivor B.
GAMBLE John & GARTSIDE Ivor B. Strain gauge plethysmographic (MSG) assessment of the effect of large pressure steps on the time course of the vascular compliance response of human limbs. **452**, 29*P*, 1992

GATTULLO Donatella
GATTULLO Donatella, LINDEN R.J., LOSANO G., PAGLIARO P., VONO P. & WESTERHOF N. The effects of left ventricular diastolic pressure and volume on diastolic coronary flow in the isovolumically beating heart in the anaesthetized dog. **452**, 222*P*, 1992

GEBRUERS E.M.
GEBRUERS E.M., HALL W.J. & HARRIS A. A urinary excretory response to intragastric infusion of a bowel-lavage solution in the anaesthetized minipig. **446**, 455*P*, 1992

GEEVES M.A.
GEEVES M.A., RANATUNGA K.W. & KNIGHT P.J. Effect of hydrostatic pressure on low angle X-ray scattering by isolated frog muscle during contraction. **452**, 155*P*, 1992

GEHL K.A.
GEHL K.A. & ELLORY J.C. Sulphate–hydroxyl exchange in isolated bovine chondrocytes. **446**, 532*P*, 1992

GER B.
ERULKAR S.D., LUDMIR J., GER B. & DEPINO R. Transient outward K^+ currents are expressed with high probability in human uterine fibroid cells in culture in comparison to normal myometrial cells. **446**, 131*P*, 1992

GERAGHTY J.G.
FLYNN R., GERAGHTY J.G., ANGERSON W.J., TANNER W.A., KEANE F.B.V. & CARTER D.C. The relationship between portal pressure and portasystemic shunting in portal hypertension in the anaesthetized rat. **446**, 414*P*, 1992
GERAGHTY J.G., COVENEY E.C., KIERNAN M. & O'HIGGINS N.J. A comparison of plain radiology and flow volume loop curves in patients with goitres. **446**, 432*P*, 1992

GHARIB-NASERI M.K.
GRUNDY D., GHARIB-NASERI M.K. & HUTSON D. Role of nitric oxide and vasoactive intestinal polypeptide in vagally mediated relaxation of the gastric corpus in the anaesthetized ferret. **452**, 337*P*, 1992

GIBSON E.C.D.
SHELTON C.J., DOYLE M.G., GIBSON E.C.D., INMAN N., PRICE D.J., WOOLTORTON J.R.A., ZHAO D.M., DANIELS S. & SMITH E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992

GIBSON I.C.
GIBSON I.C. & LOGAN S.D. A phorbol ester modulates calcium currents in neurones of *Helix aspersa*. **446**, 172*P*, 1992

Spanswick D., Pickering A.E., Gibson I.C. & Logan S.D. Induction of rhythmic oscillations in rat sympathetic preganglionic neurones (SPN) *in vitro* by a metabotropic-like excitatory amino acid receptor **452**, 179*P*, 1992

Pickering A.E., Spanswick D., Gibson I.C. & Logan S.D. Inhibition of membrane potential oscillations in rat sympathetic preganglionic neurones *in vitro* by noradrenaline. **452**, 226*P*, 1992

Gilbert M.T.

Rayson B.M. & Gilbert M.T. [Ca^{2+}] regulates transcription rate of the Na^+–K^+-ATPase α_1 subunit in rat kidney tubular segments, *in vitro*. **446**, 405*P*, 1992

Gilbey Michael P.

Johnson Christopher D. & Gilbey Michael P. Factors influencing sympathetic nerve activity to the tail of the anaesthetized rat. **452**, 255*P*, 1992

Gilbey S.L.

Marple-Horvat D.E. & Gilbey S.L. A method for automatic identification of periods of muscular activity from EMG recordings in the mammal. **452**, 152*P*, 1992

Giles S.

Kennedy M., Feely S., Giles S. & O'Regan R.G. The effects of physiological saline solutions, perfused at constant inflow pressure or volume, on the ultrastructure of the cat carotid body. **446**, 467*P*, 1992

Giles W.R.

Fedida D., Clark R.B. & Giles W.R. Persistent activation of a chloride current in rabbit cardiac myocytes. **446**, 152*P*, 1992

Gill J.S.

Gill J.S., Shankar V.S., Bax C.M.R., Lu F., Moonga B.S., Zaidi M. & Camm A.J. The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992

Gill J.S., Lu F., McKenna W.J. & Camm A.J. Effect of propafenone on the calcium current in guinea-pig ventricular myocytes. **452**, 22*P*, 1992

Gillespie J.I.

Thornton S., Otun H.A., Nicholls J.A., Gillespie J.I., Greenwell J.R. & Dunlop W. Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992

Otun H., Gillespie J.I., Greenwell J.R. & Dunlop W. Modulation of oscillations in intracellular calcium induced by the removal of extracellular sodium in single isolated human vascular smooth muscle cells. **446**, 593*P*, 1992

Otun H., Harvey I., Greenwell J.R. & Gillespie J.I. An objective and light guide system to convert any simple microscope into a microspectrofluorimeter. **452**, 263*P*, 1992

Gillespie J.I., Lynch M., Johnson Carol & Greenwell J.R. Fluctuations in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells in response to adenosine triphosphate. **452**, 264*P*, 1992

Greenwell J.R., Nicholls Juliet, Harvey I. & Gillespie J.I. The application of slow scan cooled integrating charge coupled devices (CCD) to the measurement of intracellular free calcium (Ca^{2+}) in single isolated mammalian cells. **452**, 265*P*, 1992

Gillespie J.I. The competition for the Physiological Society logo: the entries so far. **452**, 269*P*, 1992

Gillespie J.I., Johnson Carol, Lynch M. & Greenwell J.R. Changes in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells as a result of bathing in solutions with nominally free calcium. **452**, 304*P*, 1992

Thornton S., Anson L.C., Gillespie J.I. & Dunlop W. The modulation of intracellular calcium transients in single cultured human myometrial cells by the oxytocin antagonist F327. **452**, 309*P*, 1992

Gillis Jean-Marie

Boland Benoit, Himpens Bernard, Gillis Jean-Marie & Casteels Rik Unimpaired Ca^{2+} homeostasis is found in dystrophin-lacking smooth muscle from *mdx* mice. **446**, 137*P*, 1992

Gilmour R.S.

Pell J.M., Saunders J.C., Stewart C.E.H. & Gilmour R.S. Growth hormone (GH) and nutritional control of hepatic insulin-like growth factor-1 (IGF-1) production in the lamb. **446**, 300*P*, 1992

Gimeno A.

Jennings L., Malek N., Gimeno A., Pozo M.J., Singh J., Salido G.M. & Davison J.S. Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992

Gittins C.M.

Chipperfield A.R., Davis J.P.L., Gittins C.M., Harper A.A. & Hunter F.J. The effect of loop diuretics on pacemaker activity in the isolated rat heart. **446**, 436*P*, 1992

Giussani D.A.

Giussani D.A., Moore P.J., Bennet L., Spencer J.A.D. & Hanson M.A. Phentolamine increases the incidence of fetal breathing movements both in normoxia and in hypoxia in term fetal sheep. **452**, 320*P*, 1992

GLAZIER J.D.

BYRNE S., GLAZIER J.D., MAHENDRAN D., EDWARDS D. & SIBLEY C.P. Effects of diisothiocyano-2-2-disulfonic stilbene (DIDS), dephenylamine-2-carboxylate (DPC) and furosemide on chloride transport across human placental microvillus membrane vesicles (MVV). **452**, 145*P*, 1992

GLEESON M.

ALMEY J., BROOKS S., GLEESON M., GRIFFITHS H. & LEWIS A. Indices of the acute phase inflammatory response following eccentric exercise in man. **446**, 208*P*, 1992

GLEESON M. & CAVE R. The biphasic leucocytosis of exercise in man: influence of static or dynamic activity. **446**, 581*P*, 1992

GLEESON M., ALMEY J. & CAVE R. Changes in circulating white blood cells and platelets following eccentric exercise in man. **452**, 31*P*, 1992

GLITSCH H.G.

BIELEN Frieda V., GLITSCH H.G. & VERDONCK F. Voltage dependence of the sodium pump current of isolated rabbit cardiac Purkinje cells in sodium-free, thallium-containing solution. **446**, 186*P*, 1992

GODDARD P.A.

DERRINGTON A.M. & GODDARD P.A. Does the human visual system combine information from motion analyses at different spatial scales? **452**, 283*P*, 1992

GODFREY R.J.

SPURWAY N.C., GODFREY R.J. & CHAM C.-K. Relaxation of isolated, perfused rat and rabbit blood vessels by organic bases applied at neutral pH. **446**, 488*P*, 1992

GOLDSMITH P.

GOLDSMITH P., FLAMENT D. & LEMON R.N. Task-related differences in the response of human 1st dorsal interosseous (1DI) muscle to magnetic brain stimulation. **446**, 226*P*, 1992

GOLDSPINK G.

WILLIAMS P.E., SIMPSON A.H.R.W., KYBERD P., KENWRIGHT J. & GOLDSPINK G. Physiological and structural changes in the rabbit anterior tibialis muscle following surgical limb-lengthening. **446**, 571*P*, 1992

GOMEZ K.

TAYLOR A., FRANCIS W. & GOMEZ K. Methods of investigating the effects of changing force and loading on human elbow tremor. **446**, 470*P*, 1992

GONZALEZ-BARON S.

DAWID-MILNER M.S., LARA J.P., MILAN A. & GONZALEZ-BARON S. Activity of inspiratory neurones in the nucleus ambiguus (NA) during the cough reflex at different respiratory loading resistances in the decerebrate cat. **452**, 225*P*, 1992

GONZALEZ-SERRATOS Hugo

GONZALEZ-SERRATOS Hugo & ROZYCKA Monika Non-homogeneous Ca release revealed by Ca imaging in isolated frog skeletal muscle fibres. **446**, 262*P*, 1992

GOODE A.W.

FREE S.L., STRAUGHAN K. & GOODE A.W. Digital image processing of human x-ray and MR breast images. **452**, 24*P*, 1992

GOODE J.A.

HEAP R.B., FLEET I.R., DAVIS A.J., HAMON M. & GOODE J.A. Localized transfer of prostaglandin $F_{2\alpha}$ from an ovarian lymphatic into adjacent blood vessels with release of ovarian oxytocin in anaesthetized sheep. **446**, 270*P*, 1992

GOODE Jane A.

STEWART Francesca, GOODE Jane A. & ALLEN W.R. Growth hormone secretion in the horse: dynamic changes at birth and pulsatile secretion through to maturity. **446**, 299*P*, 1992

GOODSHIP A.E.

CHAMBERS J.P., LIVINGSTON A., WATERMAN A.E. & GOODSHIP A.E. Chronic tendon injury in horses reduces their noxious pressure thresholds and response to analgesics. **452**, 205*P*, 1992

GOODSTADT L.J.

KOZLOWSKI R.Z., GOODSTADT L.J., TWIST V.W. & POWELL T. Rapid effects of photo-released guanosine nucleotides on L-type Ca^{2+} and Ba^{2+} currents in guinea-pig cardiac ventricular myocytes. **446**, 144*P*, 1992

KOZLOWSKI R.Z., GOODSTADT L.J., TWIST V.W. & POWELL T. Intracellular GTPγS inhibits L-type Ca^{2+} channel activation by isoprenaline or photoreleased GTPγS in guinea-pig ventricular myocytes. **452**, 197*P*, 1992

GORDON J.F.

CLINCH N.F., DALY C.J., GORDON J.F., MOSS V.A. & SPURWAY N.C. Wide-field volume visualization of thick microscope sections by computed nearest neighbour deconvolutions. **452**, 3*P*, 1992

GOREY T.

HORGAN P.G., COUSE N., BURKE J., DELANEY C., GOREY T. & FITZPATRICK J.M. Substance P effects in the isolated canine ureter. **446**, 421*P*, 1992

GOREY T.F.
DELANEY C.P., MCGEENEY K., HORGAN P.G., COUSE N.F., GOREY T.F. & FITZPATRICK J.M. L-arginine: a role for inducing chronic pancreatitis in the anaesthetized rat. **446**, 402*P*, 1992
GORING M.A.
BRADLEY D.J., GORING M.A. & SPYER K.M. The effects of posterior cerebellar vermal lesions on the hypothalamic defence response in the urethane-anaesthetized rabbit. **452**, 243*P*, 1992
GOROG P.
CARDONA-SANCLEMENTE L.E., GOROG P. & BORN G.V.R. Increased uptake of low density lipoprotein induced by adrenaline in the aortae of unrestrained rats. **452**, 56*P*, 1992
GOTOH H.
GOTOH H. Early and late components of β-adrenergic chronotrophy in the cardiac pacemaker of the guinea-pig studied *in vitro*. **446**, 340*P*, 1992
GOULD Gwyn W.
PINCHES Stuart A., GOULD Gwyn W., GARNER Andrew & SHIRAZI-BEECHEY Soraya P. Characteristics of glucose transport by human and pig colonocyte basolateral membrane. **452**, 326*P*, 1992
GOW N.A.R.
RAJNICEK A.M., GOW N.A.R. & MCCAIG C.D. Directional growth of cultured rat hippocampal neurones in electric fields. **446**, 41*P*, 1992
GRACE A.
GRACE A., GRACE P.A. & BOUCHIER-HAYES D.J. Intra-arterial 6-hydroxydopamine induces a regional chemical sympathectomy in the rabbit. **446**, 423*P*, 1992
GRACE A.A.
GRACE A.A., KIRSCHENLOHR H.L., SMITH G.A., METCALFE J.C., WEISSBERG P.L. & VANDENBERG J.I. HCO_3^--dependence of recovery from intracellular acidosis in the perfused ferret heart during $Na^+ - H^+$ antiport inhibition. **446**, 141*P*, 1992
GRACE P.
HENNESSY A., GRACE P., LEADER M. & BOUCHIER-HAYES D.J. Local hypothermia protects the small bowel from ischaemia in the rat. **446**, 456*P*, 1992
GRACE P.A.
GRACE A., GRACE P.A. & BOUCHIER-HAYES D.J. Intra-arterial 6-hydroxydopamine induces a regional chemical sympathectomy in the rabbit. **446**, 423*P*, 1992
GRANT S.
BRICKLEY S.G., GRANT S. & WILLIAMS J.H. The frog optic tectum *in vitro*: differential effects of the NMDA receptor antagonist DL-2-amino-5-phosphonovaleric acid (APV) on postsynaptic potentials. **452**, 36*P*, 1992
GRATTON J.
GRATTON J., GREENWOOD J., LUTHERT P. & LIGHTMAN S. A quantitative comparison of blood–retinal and blood–brain barrier capillary distribution and density in the rat using image analysis. **446**, 508*P*, 1992
GRAVES Eliza B.
PATON Julian F.R., FOSTER William R., GRAVES Eliza B. & SCHWABER James S. Characteristic cell types and network modelling in the cardiorespiratory region of the nucleus of the solitary tract (NTS) of the rat. **452**, 357*P*, 1992
GRAVES J.
GRAVES J., WOOLFSON R.G. & POSTON L. Effects of the toad bufodienolide, bufalin (BU), on contraction and relaxation of isolated human resistance arteries. **446**, 494*P*, 1992
GRAY M.A.
GRAY M.A. & ARGENT B.E. Properties of a cyclic AMP-regulated chloride conductance in isolated rat pancreatic duct cells. **446**, 353*P*, 1992
GRAY M.A. & PLANT S. Acute regulation of the macroscopic chloride conductance of isolated rat pancreatic duct cells. **452**, 345*P*, 1992
PLANT Susan, GRAY M.A. & ARGENT B.E. K^+ channels on rat pancreatic duct cells *in vitro*. **452**, 360*P*, 1992
GRAY Peter T.A.
HASSONI Abdul A. & GRAY Peter T.A. Temporal characteristics of current activation by agonist in rat isolated parotid acinar cells. **446**, 545*P*, 1992
GREEFF N.G.
FORSTER I.C. & GREEFF N.G. The application of Eyring–Boltzmann transition rate theory to the study of fast displacement charge movements in the giant axon of *Loligo forbesi*. **446**, 166*P*, 1992
GREEFF N.G. Efficiency of electromechanical transduction in the voltage sensor of ion channels: a theoretical study. **446**, 167*P*, 1992
GREEN G.G.R.
GREEN G.G.R. & SANDERS D.J. Computer-assisted learning in a physiology teaching laboratory. **452**, 261*P*, 1992

Green G.G.R., Melrose R., Wray J. & Sanders D.J. Computer based data collection system for practical class teaching. **452**, 262*P*, 1992

Agar E., Green G.G.R. & Sanders D.J. Intracellular recordings from neurones of the whole cochlear nucleus of the mouse *in vitro*. **452**, 267*P*, 1992

Agar E., Green G.G.R. & Sanders D.J. Electrophysiology of dorsal cochlear nucleus neurones in the mouse *in vitro*. **452**, 292*P*, 1992

Green R.

Evans R.L., Ashton N., Elliott A.C. & Green R. Effects of acetylcholine on intracellular calcium and fluid secretion in isolated rat pancreatic ducts. **446**, 352*P*, 1992

Wareing M. & Green R. Effect of changes in oxalate concentration on fluid reabsorption in the proximal convoluted tubule of the anaesthetized rat. **452**, 80*P*, 1992

Speake P.F., Pirie S. & Green R. Atrial natriuretic factor (ANF) secretion from isolated guinea-pig atrial strips. **452**, 90*P*, 1992

Greengrass P.

Morita T., Edwards G., Andersson P., Greengrass P., Ibottson T., Newgreen D.T., Weston A.H. & Wyllie M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992

Greenhaff P.L.

Greenhaff P.L., Nevill M.E., Soderlund K., Boobis L., Williams C. & Hultman E. Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992

Greenstein B.D.

Fitzpatrick F.T.A. & Greenstein B.D. The effects of time after orchidectomy (OCX) on the thymus and accessory sex organs of 10-week- and 18-month-old rats. **446**, 453*P*, 1992

Greenwell J.R.

Thornton S., Otun H.A., Nicholls J.A., Gillespie J.I., Greenwell J.R. & Dunlop W. Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992

Otun H., Gillespie J.I., Greenwell J.R. & Dunlop W. Modulation of oscillations in intracellular calcium induced by the removal of extracellular sodium in single isolated human vascular smooth muscle cells. **446**, 593*P*, 1992

Otun H., Harvey I., Greenwell J.R. & Gillespie J.I. An objective and light guide system to convert any simple microscope into a microspectrofluorimeter. **452**, 263*P*, 1992

Gillespie J.I., Lynch M., Johnson Carol & Greenwell J.R. Fluctuations in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells in response to adenosine triphosphate. **452**, 264*P*, 1992

Greenwell J.R., Nicholls Juliet, Harvey I. & Gillespie J.I. The application of slow scan cooled integrating charge coupled devices (CCD) to the measurement of intracellular free calcium (Ca^{2+}) in single isolated mammalian cells. **452**, 265*P*, 1992

Gillespie J.I., Johnson Carol, Lynch M. & Greenwell J.R. Changes in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells as a result of bathing in solutions with nominally free calcium. **452**, 304*P*, 1992

Scratcherd T., Hutson D. & Greenwell J.R. Oscillatory phenomena in the pancreatic circulation of cat and ferret in response to adrenergic stimulation. **452**, 341*P*, 1992

Greenwood I.A.

Criddle D.N., Greenwood I.A. & Weston A.H. Comparison of the effects of BRL 38227 and nifedipine on intracellular calcium levels in isolated mesenteric resistance vessels of the rat. **452**, 129*P*, 1992

Greenwood J.

Hall A.J.H., Greenwood J., Patel B.C.K., Brada M. & Lightman S. The effect of histamine and interleukin-2 on the blood–brain and blood–retinal barriers of the anaesthetized rat. **446**, 497*P*, 1992

Gratton J., Greenwood J., Luthert P. & Lightman S. A quantitative comparison of blood–retinal and blood–brain barrier capillary distribution and density in the rat using image analysis. **446**, 508*P*, 1992

Gregory J.E.

Gregory J.E., Morgan D.L., Proske U. & Scott J.J.A. Small signal sensitivity of muscle-spindle primary endings in the anaesthetized cat. **452**, 290*P*, 1992

Gribbon P.

Ertan N.Z., Rampling M.W., Winlove P., Gribbon P., Denison D. & Boxall C. The effect of trypsin treatment on dextran-induced erythrocyte aggregation. **452**, 314*P*, 1992

Grieve K.L.

Grieve K.L. & Sillito A.M. Spatial frequency selectivity of cells in layer VI of the visual cortex of the anaesthetized cat. **446**, 233*P*, 1992

Griffiths E.C.

Higham A.D., Thompson D.G. & Griffiths E.C. Assessment of rat jejunal circular muscle activity in response to intraluminal balloon inflation. **452**, 75*P*, 1992

GRIFFITHS H.
ALMEY J., BROOKS S., GLEESON M., GRIFFITHS H. & LEWIS A. Indices of the acute phase inflammatory response following eccentric exercise in man. **446**, 208*P*, 1992
FRY C.H., HALL S.K. & GRIFFITHS H. The effects of extracellular chloride removal on isolated guinea-pig cardiac muscle. **452**, 310*P*, 1992
GRIFFITHS N.M.
BRICK-GHANNAM C., CHABARDES D., GRIFFITHS N.M. & SIAUME-PEREZ S. The effect of prostaglandin E_2 on agonist-sensitive cAMP accumulation in the distal convoluted tubule isolated from rabbit kidney. **452**, 354*P*, 1992
GRIFFITHS P.J.
MAEDA Y., ASHLEY C.C., CECCHI G., GRIFFITHS P.J. & BAGNI M.A. Radial forces in single intact muscle fibres of *Rana temporaria* at different lattice spacings. **446**, 261*P*, 1992
GRIMWOOD Paul
GRIMWOOD Paul & APPENTENG Kwabena Monosynaptic EPSPs elicited by trigeminal spindle afferents in trigeminal motoneurones of anaesthetized rats. **446**, 20*P*, 1992
GROSSMAN A.
YASIN Sharifah, COSTA A., HUCKS D., GROSSMAN A. & FORSLING Mary L. The effect of melatonin on vasopressin release from the rat hypothalamus *in vitro*. **446**, 513*P*, 1992
YASIN Sharifah, FORSLING Mary L., COSTA A., SUGDEN D. & GROSSMAN A. Modulation by melatonin analogues of neurohypophysial hormone release from the rat hypothalamus *in vitro*. **452**, 296*P*, 1992
GRUNDY D.
GRUNDY D., GHARIB-NASERI M.K. & HUTSON D. Role of nitric oxide and vasoactive intestinal polypeptide in vagally mediated relaxation of the gastric corpus in the anaesthetized ferret. **452**, 337*P*, 1992
GRUNDY J.
FOGG K.E., HIGGS N.B., GRUNDY J. & WARHURST G. Involvement of calmodulin and PKC in regulation of Ca^{2+}-activated K^+ (Rb^+) efflux in human colonic cell line, HT29-19A. **452**, 343*P*, 1992
GULATI J.
GULATI J., BABU A., SU Hong & GULATI Martha The genetic deletion of the ^{88}KGKSEEE^{94} residues from the troponin-C central helix enhances the Ca^{2+}-affinity in rabbit psoas skinned fast-twitch muscle fibres. **446**, 458*P*, 1992
GULATI Martha
GULATI J., BABU A., SU Hong & GULATI Martha The genetic deletion of the ^{88}KGKSEEE^{94} residues from the troponin-C central helix enhances the Ca^{2+}-affinity in rabbit psoas skinned fast-twitch muscle fibres. **446**, 458*P*, 1992
GURNEY Alison M.
BATES Susan E. & GURNEY Alison M. Modulation of L-type calcium current in guinea-pig isolated ventricular myocytes by photolysis of caged calcium. **446**, 553*P*, 1992
GURNEY K.N.
GURNEY K.N. & WRIGHT M.J. Representing image velocity in a self-organized artificial neural network. **452**, 287*P*, 1992
GUZ A.
INNES J.A., DE CORT S.C. & GUZ A. Effect of step changes in intrathoracic pressure on left ventricular ejection in man. **446**, 430*P*, 1992
HEYWOOD P., MURPHY K., STRONG B., BELYAVIN A., FARMER E. & GUZ A. Is human cortico-spinal control of ventilation as precise as control of hand movement? **452**, 30*P*, 1992
GUZEK J.W.
FORSLING Mary L., STEMPNIAK Bozena & GUZEK J.W. The effect of intracerebroventricular administration of insulin on the neurohypophysial response to haemorrhage in the anaesthetized rat. **446**, 272*P*, 1992
HABARA Y.
KANNO T. & HABARA Y. Spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with carbachol at different concentrations in adrenal chromaffin cells isolated from guinea-pig. **446**, 206*P*, 1992
HABARA Y., ASADA N. & KANNO T. Influence of pH_o on spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with CCK-8 in rat pancreatic acinar cells *in vitro*. **446**, 311*P*, 1992
HABGOOD M.D.
HABGOOD M.D. & KNOTT G.W. [^{14}C]Theophylline permeability in the developing rat brain. **446**, 501*P*, 1992
HABGOOD M.D., KNOTT G.W. & SAUNDERS N.R. The nature of the barrier permeability decrease during postnatal brain development in the rat. **446**, 502*P*, 1992
BALKWILL P., HABGOOD M.D., KNOTT G., MØLLGÅRD K., SAUNDERS N.R. & TREHERNE J.M. Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992
HACKNEY C.M.
HACKNEY C.M., FURNESS D.N. & BENOS D.J. Binding of a polyclonal antibody raised against an amiloride-sensitive Na^+ channel to guinea-pig cochlear hair cells *in vitro* is reduced by drugs known to affect mechanoelectrical transduction. **446**, 113*P*, 1992

HAGIWARA N.
SHODA M., HAGIWARA N. & IRISAWA H. ATP-activated cationic current in rabbit single cardiac myocytes. **446**, 329*P*, 1992
HAGIWARA N., MASUDA H., SHODA M., TAMURA K. & IRISAWA H. Chloride conductance activated by membrane stretch in rabbit single cardiac myocytes. **446**, 330*P*, 1992
HAHN S.J.
JO Y.H., RHIE D.J., HAHN S.J., CHANG Y.S., KIM C.C. & KIM M.S. The effect of body position on pancreatic exocrine secretion in anaesthetized and conscious rats. **446**, 198*P*, 1992
HAIDER Z.J.
HAIDER Z.J., BRANAGAN G.W., WALTER S.J. & SHIRLEY D.G. Effect of 1′ desamino-8-D-arginine vasopressin (dDAVP) on renal lithium reabsorption in anaesthetized Brattleboro rats. **446**, 368*P*, 1992
HAIGH R.M.
HAIGH R.M. & JONES C.T. Mineralocorticoids regulate noradrenaline-stimulated inositol phosphate generation in cultured vascular smooth muscle cells isolated from rat aorta. **446**, 366*P*, 1992
HAIGH R.M., JONES C.T., HODSON E.A. & HARTSHORN R.M. Deoxycorticosterone acetate acts through specific mineralocorticoid receptors to regulate the α_1-adrenergic transmembrane signalling pathway in rat vascular smooth muscle. **446**, 594*P*, 1992
HAIN J.M.H.
HAIN J.M.H. & LESLIE G.C. Effect of vibration or 'Jendrassik manoeuvre' on integrated rectified electromyogram (IREMG) and tension during fatigue of a sustained maximal voluntary contraction (MVC) of adductor pollicis (ADP) in man. **446**, 17*P*, 1992
HAINSWORTH R.
BOWSER-RILEY F., CORNISH M., FARQUHAR J., HAINSWORTH R. & KIDD C. The influence of breath-hold tachycardia on human baroreflex heart rate responses to changes in carotid transmural pressure at 37 ATA. **446**, 215*P*, 1992
MOORE J., DRINKHILL M.J. & HAINSWORTH R. An electrophysiological study of ventricular receptors in anaesthetized dogs. **446**, 544*P*, 1992
HAJAT C.
JENKINS H.G. & HAJAT C. Evidence for long-lived amino acid and monosaccharide pools in the mouse eye: a cautionary note for radiolabelling studies of axonal transport in the optic nerve. **446**, 519*P*, 1992
HALDENBY K.
SCHULZE C., LEACH L., FIRTH J.A. & HALDENBY K. Endothelial cell–cell contacts in mammalian continuous capillaries: evidence for the existence of regularly spaced, cleft-spanning structures. **452**, 65*P*, 1992
HALES C.N.
REALE Vincenzina, HALES C.N. & ASHFORD M.L.J. Cyclic AMP regulates a calcium-activated non-selective cation channel in a rat insulinoma cell line. **446**, 312*P*, 1992
HALL A.C.
WILKINS R.J., HALL A.C. & URBAN J.P.G. Some factors involved in the control of intracellular pH in chondrocytes isolated from bovine articular cartilage. **446**, 361*P*, 1992
HALL A.J.H.
HALL A.J.H., GREENWOOD J., PATEL B.C.K., BRADA M. & LIGHTMAN S. The effect of histamine and interleukin-2 on the blood–brain and blood–retinal barriers of the anaesthetized rat. **446**, 497*P*, 1992
HALL S.K.
FRY C.H., HALL S.K. & GRIFFITHS H. The effects of extracellular chloride removal on isolated guinea-pig cardiac muscle. **452**, 310*P*, 1992
HALL W.J.
GEBRUERS E.M., HALL W.J. & HARRIS A. A urinary excretory response to intragastric infusion of a bowel-lavage solution in the anaesthetized minipig. **446**, 455*P*, 1992
HALLIWELL M.
BRAATVEDT G.D., CORRALL R.J.M. & HALLIWELL M. Glucagon selectively decreases splanchnic blood flow in man. **446**, 221*P*, 1992
HAMBA M.
HAMBA M. Wind-up phenomenon and its supression in tooth pulp-evoked responses of trigeminal caudal neurons in chloralose-anaesthetized rats. **446**, 385*P*, 1992
HAMILTON M.A.
HAMILTON M.A., FUNG D.C.K. & RICHARDSON P.S. Mechanism of mucus glycoconjugate release into feline trachea *in vitro* by monorhamnolipid. **446**, 535*P*, 1992
HAMMOND C.
HAMMOND C., HENDERSON G., MASON W.T. & MORTON A.J. Characterization of L- and N-type calcium channels in cultured SH-SY5Y human neuroblastoma cells *in vitro*: calcium imaging and single channel recording. **446**, 40*P*, 1992

HAMMOND G.R.
MURPHY P.R. & HAMMOND G.R. The discharge patterns of tibialis anterior γ motoneurones during locomotion in the decerebrate cat. **446**, 568*P*, 1992

HAMMOND Peter
HAMMOND Peter & FOTHERGILL Lindsay K. Interocular comparisons of length summation and end-inhibition in striate cortical neurones of the anaesthetized cat. **446**, 232*P*, 1992
FOTHERGILL Lindsay K. & HAMMOND Peter Spatial frequency selectivity of striate cortical neurones in the anaesthetized cat: velocity *vs.* temporal frequency. **452**, 289*P*, 1992

HAMON M.
HEAP R.B., FLEET I.R., DAVIS A.J., HAMON M. & GOODE J.A. Localized transfer of prostaglandin $F_{2\alpha}$ from an ovarian lymphatic into adjacent blood vessels with release of ovarian oxytocin in anaesthetized sheep. **446**, 270*P*, 1992

HAN J.H.
HONG S.G., HAN J.H., KWUN J.K. & PERES A. Inactivation property of the Ca^{2+} channel in the mouse egg. **446**, 304*P*, 1992

HANASHIRO K.
NAKAMURA M., HANASHIRO K., KINJOH K. & KOSUGI T. The properties of monoclonal antibody to Habutobin, a thrombin-like enzyme (TLE) derived from the venom of *Trimeresurus flavoviridis* (*Habu*). **446**, 362*P*, 1992

HANCOX J.C.
HANCOX J.C. & PITMAN R.M. Two distinct calcium-mediated events in the soma of an identified cockroach (*Periplaneta americana*) motoneurone *in vitro*. **446**, 324*P*, 1992

HANCOX Jules
LEVI Allan J., LEE Chin O., HANCOX Jules, ISSBERNER Jon & WANG Xuemin A method for obtaining a high yield of healthy myocytes from the ventricle and atrioventricular node of isolated rabbit hearts. **452**, 157*P*, 1992
LEVI Allan J., HANCOX Jules & BROOKSBY Paul Rapid changes of extracellular solution combined with measurements of contraction in isolated ventricular myocytes from the rat heart. **452**, 158*P*, 1992

HANKINS M.W.
HANKINS M.W. & IKEDA H. Horizontal cell depolarization as a consequence of hypoxia in the *in vitro* rat retina. **446**, 517*P*, 1992
IKEDA H., HANKINS M.W. & DAWES E.A. The contrasting effects of NMDA receptor antagonists on low and high spontaneous firing of retinal ganglion cells in the anaesthetized cat. **446**, 518*P*, 1992

HANNAH M.J.
HARD D.L., ADRIAENS F., PROSSER C.G., NEWBOLD J.A., HEAP R.B., PHIPPS R.H. & HANNAH M.J. Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992

HANSON M.A.
MORRAY J., BENNET L., NOBLE R. & HANSON M.A. Effect of halothane on the carotid chemoreceptor response to hypoxia in anaesthetized kittens. **446**, 425*P*, 1992
GIUSSANI D.A., MOORE P.J., BENNET L., SPENCER J.A.D. & HANSON M.A. Phentolamine increases the incidence of fetal breathing movements both in normoxia and in hypoxia in term fetal sheep. **452**, 320*P*, 1992

HARA-YOKOYAMA M.
SUGIYA H., HARA-YOKOYAMA M. & FURUYAMA S. Isoprenaline stimulates ADP-ribosylation in rat parotid acinar cells *in vitro*. **446**, 308*P*, 1992

HARD D.L.
HARD D.L., ADRIAENS F., PROSSER C.G., NEWBOLD J.A., HEAP R.B., PHIPPS R.H. & HANNAH M.J. Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992

HARDIE R.C.
HARDIE R.C. Whole-cell recordings of the light-induced current in dissociated *Drosophila* photoreceptors. **446**, 325*P*, 1992

HARDING A.E.
DAY B.L., THOMPSON P.D., HARDING A.E. & MARSDEN C.D. The influence of vision on the accuracy of reaching movements in patients with cerebellar disease. **452**, 271*P*, 1992

HARDING M.
MORTON A.J., EMSON P.C. & HARDING M. Expression of calbindin D_{28K} after retrovirally-mediated gene transfer to non-expressing Swiss-3T3 cells. **446**, 306*P*, 1992

HARDING R.
HOOPER S.B. & HARDING R. The relationship between expansion and DNA synthesis in the lungs of fetal sheep. **446**, 429*P*, 1992

HARDMAN A.E.
STENSEL D.J., HARDMAN A.E., BROOKE-WAVELL K., JONES P.R.M. & NORGAN N.G. The influence of brisk walking on endurance fitness in previously sedentary, middle-aged men. **446**, 123*P*, 1992
HARDWICK Anthea J.
ROTHWELL Nancy J. & HARDWICK Anthea J. Effect of interleukin-1 receptor antagonist on fever and thermogenesis induced by interleukin-1 in the rat. **452**, 125*P*, 1992
HARDY S.P.
HARDY S.P. Electrogenic colonic ion transport in human Hirschsprung's disease. **452**, 352*P*, 1992
HARGREAVES P.
ATHERTON J.C., HARGREAVES P., HARTSHORN J., PRIEST R. & WOO L. Renal handling of magnesium in man: effects of acid/base balance, bumetanide and acetazolamide. **452**, 132*P*, 1992
HARMAR A.J.
MULDERRY P.K., CHAPMAN K., LYONS V. & HARMAR A.J. A region of 5′-flanking DNA from the rat preprotachykinin-A gene which directs high-level expression in cultured rat dorsal root ganglion neurones transfected by microinjection of plasmid DNA. **452**, 199*P*, 1992
HARPER A.A.
WATT P.W., BAIRD T., WOOD N.J. & HARPER A.A. The effect of temperature acclimation on cardiac pacemaker activity of the carp (*Cyprinus carpio*) heart measured *in vitro*. **446**, 49*P*, 1992
CHIPPERFIELD A.R., DAVIS J.P.L. & HARPER A.A. An estimate of the permeability ratios of Na, K and Cl in rat femoral arterial smooth muscle measured *in vitro*. **446**, 51*P*, 1992
CHIPPERFIELD A.R., DAVIS J.P.L. & HARPER A.A. The effect of loop diuretics on contraction in isolated rat arterial smooth muscle in normotension and hypertension. **446**, 416*P*, 1992
CHIPPERFIELD A.R., DAVIS J.P.L., GITTINS C.M., HARPER A.A. & HUNTER F.J. The effect of loop diuretics on pacemaker activity in the isolated rat heart. **446**, 436*P*, 1992
KHOGALI S.E.O., HARPER A.A. & RENNIE M.J. Effect of hypoxia on tracer glutamine uptake in the isolated working rat heart. **446**, 539*P*, 1992
HARPER A.A., DAVIS J.P.L. & CHIPPERFIELD A.R. Indirect evidence for a volume regulatory decrease by (K–Cl) co-transport in isolated rat femoral arterial smooth muscle. **446**, 590*P*, 1992
WINPENNY J.P., ELLIOTT J.R. & HARPER A.A. Effects of n-hexane on the transient potassium current (I_A) in isolated *Helix* neurones. **452**, 46*P*, 1992
DAVIS J.P.L., CHIPPERFIELD A.R. & HARPER A.A. (Na^+–K^+–Cl^-) co-transport and chloride accumulation in arterial smooth muscle from normotensive rats and rats with deoxycorticosterone acetate (DOCA)/salt hypertension, measured *in vitro*. **452**, 229*P*, 1992
HARPER G.D.
HARPER G.D. & BROWN P.D. Ion channels in the choroid plexus isolated from the fourth ventricle of the fetal rat. **446**, 349*P*, 1992
HARRIES D.M.P.
EVANS P., HARRIES D.M.P. & HARRISON P.J. Correlation of the components of the reflex modulation of force with the underlying EMG in a human cutaneomuscular reflex. **452**, 207*P*, 1992
HARRIS A.
GEBRUERS E.M., HALL W.J. & HARRIS A. A urinary excretory response to intragastric infusion of a bowel-lavage solution in the anaesthetized minipig. **446**, 455*P*, 1992
HARRIS Ann
MATHEWS C.J., SOHMA Y., HARRIS Ann, CHAMBERS Julie A. & ARGENT B.E. Maxi-K^+ channels on epithelial cells cultured from human fetal vas deferens. **452**, 344*P*, 1992
HARRIS J.
CLARKE R.W., HARRIS J. & HOUGHTON Andrea K. Modulation by endogenous opioids of reflexes evoked by mechanical stimulation of the heel in the decerebrated and spinalized rabbit. **452**, 241*P*, 1992
HARRIS J.B.
POSANGI J., HARRIS J.B., ZAR M.A. & MEAD S.H. Depletion of neurotransmitters in the autonomic nervous system by Palytoxin. **452**, 301*P*, 1992
HARRISON F.G.
TAYLOR H.P., EVANS S.K., DICK D., HARRISON F.G. & LAB M.J. Rate dependency of stretch-induced ectopic beats in isolated perfused rabbit ventricle. **446**, 337*P*, 1992
LAB M.J., DICK D. & HARRISON F.G. Propranolol reduces stretch arrhythmia in isolated rabbit heart. **446**, 538*P*, 1992
HARRISON L.M.
CARR L.J., HARRISON L.M., STEPHENS J.A., LOTAY I., FARMER S., IRONTON R. & JONES T. Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992
CARR L.J., HARRISON L.M., EVANS A.L. & STEPHENS J.A. Patterns of central motor reorganization in children with hemiplegic cerebral palsy. **452**, 107*P*, 1992
HARRISON Neil L.
HARRISON Neil L., BROOKS Penelope A., HORNBERGER Liesa A., RADKE H. Karl & JONES Mathew V. The effects of some volatile anaesthetics on responses to exogenous GABA and inhibitory postsynaptic currents in cultured rat hippocampal neurons. **446**, 258*P*, 1992

HARRISON P.J.
EVANS P., HARRIES D.M.P. & HARRISON P.J. Correlation of the components of the reflex modulation of force with the underlying EMG in a human cutaneomuscular reflex. **452**, 207*P*, 1992
HARRISON R.A.P.
KANE M.T., NORRIS M.L. & HARRISON R.A.P. Uptake of *myo*-inositol by pre-implantation mouse embryos. **446**, 44*P*, 1992
HARRISON S.M.
BOYETT M.R. & HARRISON S.M. The control of cardiac contractility by Na–Ca exchange: a study using a computer model of excitation–contraction coupling in the heart. **446**, 241*P*, 1992
HARTSHORN J.
ATHERTON J.C., HARGREAVES P., HARTSHORN J., PRIEST R. & WOO L. Renal handling of magnesium in man: effects of acid/base balance, bumetanide and acetazolamide. **452**, 132*P*, 1992
HARTSHORN R.M.
HAIGH R.M., JONES C.T., HODSON E.A. & HARTSHORN R.M. Deoxycorticosterone acetate acts through specific mineralocorticoid receptors to regulate the α_1-adrenergic transmembrane signalling pathway in rat vascular smooth muscle. **446**, 594*P*, 1992
HARVEY Catherine M.
HARVEY Catherine M., FINCHAM Daron A. & YOUNG James D. Inhibition of the y^+ amino acid transporter in human red cells by Na^+ and harmaline. **446**, 8*P*, 1992
LO Anthony W.-I., HARVEY Catherine M., WOLOWYK Michael W. & YOUNG James D. Characterization of L-proline transport in erythrocytes of a primitive vertebrate, the Pacific hagfish (*Eptatretus stouti*) **446**, 176*P*, 1992
HARVEY C.M.
TALBOT N.J., HARVEY C.M. & HENDRY B.M. Characterization of human erythrocyte choline transport in chronic renal failure. **446**, 355*P*, 1992
HARVEY I.
OTUN H., HARVEY I., GREENWELL J.R. & GILLESPIE J.I. An objective and light guide system to convert any simple microscope into a microspectrofluorimeter. **452**, 263*P*, 1992
GREENWELL J.R., NICHOLLS Juliet, HARVEY I. & GILLESPIE J.I. The application of slow scan cooled integrating charge coupled devices (CCD) to the measurement of intracellular free calcium (Ca^{2+}) in single isolated mammalian cells. **452**, 265*P*, 1992
HASSAN A.
ALBARWANI Sulayma, HASSAN A. & NYE P.C.G. Spontaneous oscillations of tension in isolated aortic rings from the rat. **446**, 492*P*, 1992
HASSAN S.
BUTT A.M., HASSAN S. & JENKINS H.G. Intracellular dye-injection study of oligodendrocyte morphology in the isolated intact mouse optic nerve: response to demyelination in a viral model of multiple sclerosis and to tumour necrosis factor. **446**, 474*P*, 1992
HASSONI Abdul A.
HASSONI Abdul A. & GRAY Peter T.A. Temporal characteristics of current activation by agonist in rat isolated parotid acinar cells. **446**, 545*P*, 1992
HASTINGS M.H.
DYBALL R.E.J., CHATRATH P., EBLING F.J.P. & HASTINGS M.H. Afferents to and projections from the suprachiasmatic nucleus in the Syrian hamster. **452**, 251*P*, 1992
HATFIELD E.
SUTTERS M., HATFIELD E., BRACE C., WHITEHURST A., LIGHTMAN S. & PEART W. Water and sodium homeostasis during dietary sodium restriction in patients with cranial diabetes insipidus. **446**, 452*P*, 1992
HAUCK A.
BURTON P.B.J., HAUCK A., NEHLSEN-CANNARELLA S.L., SORENSEN C., MONIZ C. & BAILEY L.L. Hypoplastic left heart syndrome: some clues to its aetiology. **446**, 574*P*, 1992
HAYASHI H.
WAKUI M., SAWADA E., HAYASHI H. & NISHIYAMA A. Effects of Ni^{2+} on Ca^{2+}-activated K^+ and Cl^- currents in rat mandibular acinar cells **446**, 104*P*, 1992
HAYDON P.G.
BAHLS F.H. & HAYDON P.G. FMRFamide activates a potassium conductance in an identified neurone of *Helisoma in vitro*. **446**, 318*P*, 1992
HEALY T.E.J.
SNEYD J.R., POMFRETT C.J.D. & HEALY T.E.J. Continuous acquisition and real-time analysis of EEG, ECG and respiratory data in the anaesthetized human. **446**, 76*P*, 1992
HEAP R.B.
FLEET I.R., DAVIS A., RICHARDSON M. & HEAP R.B. The effects of recombinantly-derived insulin-like growth factor-I and insulin-like growth factor-II on mammary vasodilatation in the goat. **446**, 69*P*, 1992

Heap R.B., Fleet I.R., Davis A.J., Hamon M. & Goode J.A. Localized transfer of prostaglandin $F_{2\alpha}$ from an ovarian lymphatic into adjacent blood vessels with release of ovarian oxytocin in anaesthetized sheep. **446**, 270*P*, 1992

Hard D.L., Adriaens F., Prosser C.G., Newbold J.A., Heap R.B., Phipps R.H. & Hannah M.J. Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992

Heaton R.C.

Heaton R.C., Wray S. & Eisner D.A. Cyanide increases ^{86}Rb efflux from isolated non-pregnant rat uterus. **446**, 487*P*, 1992

Heaton Richard C.

Heaton Richard C. & Wray Susan Intracellular alkalinization increases contraction in isolated rat uterus. **446**, 50*P*, 1992

Heemskerk J.W.M.

Heemskerk J.W.M., Hoyland J., Mason W.T. & Sage S.O. Digital imaging of ADP-evoked spikes in cytosolic calcium in fibrinogen-attached Fura-2-loaded human platelets. **446**, 204*P*, 1992

Sage S.O. & Heemskerk J.W.M. Stopped-flow kinetic analysis of exocytosis and rise in cytosolic calcium concentration in human platelets. **446**, 344*P*, 1992

Sargeant P., Clarkson W.D., Sage S.O. & Heemskerk J.W.M. Calcium influx evoked by 2,5-di-(t-butyl)-1,4-benzohydroquinone in Fura-2-loaded human platelets is reduced by inhibitors of cytochrome P-450. **452**, 57*P*, 1992

Helm Paul Johannes

Melamed Naomi, Helm Paul Johannes & Rahamimoff Rami Confocal microscopy of the isolated lizard neuromuscular junction: calcium oscillations in resting synaptic boutons. **452**, 47*P*, 1992

Henderson G.

Hammond C., Henderson G., Mason W.T. & Morton A.J. Characterization of L- and N-type calcium channels in cultured SH-SY5Y human neuroblastoma cells *in vitro*: calcium imaging and single channel recording. **446**, 40*P*, 1992

Henderson Lydia

Henderson Lydia, Bhoola Kanti, Figueroa Carlos & Müller-Esterl Werner Confocal laser scanning images of neutrophils: the circulating transporter of kallikreins and kininogens. **452**, 175*P*, 1992

Henderson P.J.F.

Barros L.F., Beaumont N., Jarvis S.M., Young J.D., Henderson P.J.F., Yudilevich D.L., Thrasivoulou C. & Baldwin S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992

Hendry B.M.

Dwight J.F. St J. & Hendry B.M. Effects of arachidonic acid on rubidium uptake in human erythrocytes. **446**, 173*P*, 1992

Talbot N.J., Harvey C.M. & Hendry B.M. Characterization of human erythrocyte choline transport in chronic renal failure. **446**, 355*P*, 1992

Poli de Figueiredo C.E., Ellory J.C. & Hendry B.M. A longitudinal study of human erythrocyte choline transport after renal transplantation. **446**, 403*P*, 1992

Figueiredo Carlos E. Poli de, Ellory J. Clive & Hendry B.M. Erythrocyte lactate transport in patients with chronic renal failure. **452**, 316*P*, 1992

Hennessy A.

Hennessy A., Grace P., Leader M. & Bouchier-Hayes D.J. Local hypothermia protects the small bowel from ischaemia in the rat. **446**, 456*P*, 1992

Hepp-Reymond M.-C.

Bennett K.M.B., Maier M.A. & Hepp-Reymond M.-C. The relationship between discharge of cortico-motoneuronal (CM) cells and precision grip force in the conscious monkey. **446**, 225*P*, 1992

Herbert J.

Herbert J., Howes S.R. & Stacey P.M. Regional expression of *c-fos* in AV3V, hypothalamus and amygdala of the male rat following intraventricular angiotensin II and its modulation by drinking. **446**, 288*P*, 1992

Herbison A.

Fernandez-Galaz C., Herbison A. & Dyer R.G. Use of [^{3}H]noradrenaline (NA) for detection of low levels of NA in samples obtained by microdialysis from the preoptic area (POA) of the anaesthetized rat. **446**, 65*P*, 1992

Herbison A.E.

Brown D., Herbison A.E., Leng G. & Marrs R.W. A mathematical model for the interaction between luteinizing hormone-releasing hormone (LHRH), GABA and noradrenaline cells in the rat. **446**, 67*P*, 1992

Voisin D., Herbison A.E. & Poulain D.A. Intracerebroventricular injection of muscimol or bicuculline inhibits the milk ejection reflex in the anaesthetized rat. **452**, 211*P*, 1992

HERBISON Allan E.
HERBISON Allan E. & THEODOSIS Dionysia T. Sexually dimorphic localization of oestrogen receptors within neurotensin-immunoreactive neurones in sections of the rat preoptic area. **452**, 212*P*, 1992

HERPIN P.
HERPIN P., LE DIVIDICH J., DUCHAMP C. & DAUNCEY M.J. Relation between plasma concentration of insulin-like growth factor-I and birth-weight in pigs. **446**, 276*P*, 1992

HERVÉ J.C.
HERVÉ J.C., NOBLE D., BASTIDE B., CRONIER L. & DÉLÈZE J. Nexus channel requirements for action potential entrainment in ventricular cardiac cells: simulation and experimental approaches. **446**, 343*P*, 1992

HESTER S.B.
VARRO A., HESTER S.B. & EISNER D.A. An estimate of the relative contributions of the sarcoplasmic reticulum and calcium current to contraction of isolated rat ventricular myocytes. **452**, 127*P*, 1992

HETHERINGTON M.S.
HETHERINGTON M.S., MCKENZIE J.D. & WINLOW W. Seasonal variability in brain dopamine and serotonin levels in *Lymnaea stagnalis*? **446**, 160*P*, 1992

HEYWOOD P.
HEYWOOD P., MURPHY K., STRONG B., BELYAVIN A., FARMER E. & GUZ A. Is human cortico-spinal control of ventilation as precise as control of hand movement? **452**, 30*P*, 1992

HICKS T.P.
HICKS T.P. & ITO K.-I. Long-term enhancement *in vitro* appears extracellularly as apparent long-term depression via depolarization masking in kitten area 17. **446**, 28*P*, 1992

HIDES J.A.
STOKES M.J., HIDES J.A., JULL G.A. & COOPER D.H. Mechanism of human paraspinal muscle wasting with acute low back pain. **452**, 280*P*, 1992

HIGAKI Jitsuo
MORISHITA Ryuichi, HIGAKI Jitsuo, KATAHIRA Katsutoshi, NAKAMURA Fumiaki, NAGANO Masahiro, MIKAMI Hiroshi, OKUNISHI Hideki, MIYAZAKI Mizuo & OGIHARA Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

HIGGS N.B.
BARBEZAT G.O., HIGGS N.B., TONGE A., TURNBERG L.A. & WARHURST G. Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992
FOGG K.E., HIGGS N.B., GRUNDY J. & WARHURST G. Involvement of calmodulin and PKC in regulation of Ca^{2+}-activated K^+ (Rb^+) efflux in human colonic cell line, HT29-19A. **452**, 343*P*, 1992

HIGHAM A.D.
HIGHAM A.D., THOMPSON D.G. & GRIFFITHS E.C. Assessment of rat jejunal circular muscle activity in response to intraluminal balloon inflation. **452**, 75*P*, 1992

HIGUTI T.
INOUE I., NAGASE H., KISHI K. & HIGUTI T. An ATP-sensitive K^+ channel in the membrane of fused giant mitoplasts. **446**, 130*P*, 1992

HILGEMANN D.W.
HILGEMANN D.W. Functional homologies between the Na–Ca exchange cycle and the Na–K pump cycle in giant excised patches of guinea-pig cardiac sarcolemma. **446**, 187*P*, 1992

HILL R.G.
MORRIS R., BLEAZARD L. & HILL R.G. The responses of neurones, in the deep dorsal horn of rat spinal cord slices *in vitro*, to the application of neurokinin agonists are correlated with their responses to peripheral nerve stimulation. **452**, 252*P*, 1992

HILLE Bertil
MATHIE Alistair, BERNHEIM Laurent & HILLE Bertil Classification of muscarinic receptors inhibiting calcium current and M current in dissociated rat superior cervical ganglion (SCG) neurons **446**, 548*P*, 1992

HILLHOUSE E.W.
MILTON N.G.N., HILLHOUSE E.W. & MILTON A.S. Peripheral antagonism of corticotrophin-releasing factor (CRF-41) modifies both the febrile response and the increase in blood prostaglandin E_2 induced by polyinosinic:polycytidylic acid in the conscious rabbit. **446**, 287*P*, 1992

HIMPENS B.
HIMPENS B., DROOGMANS G., DE SMEDT H. & CASTEELS R. Nucleo-cytoplasmic Ca^{2+} gradients at rest and during stimulation in DDT_1MF_2 smooth muscle cells. **446**, 138*P*, 1992

HIMPENS Bernard
BOLAND Benoit, HIMPENS Bernard, GILLIS Jean-Marie & CASTEELS Rik Unimpaired Ca^{2+} homeostasis is found in dystrophin-lacking smooth muscle from *mdx* mice. **446**, 137*P*, 1992

HINCKEL P.
HINCKEL P., RÜSING M. & SCHRÖDER-ROSENSTOCK K. Changes in EEG pattern and responsiveness of raphe neurones during thermal skin stimulation in anaesthetized guinea-pigs. **446**, 512*P*, 1992

HINES J.E.
LEE J.A., BOON A.P., HUBSCHER S.G., HINES J.E. & BURT A.D. Hepatic reinnervation following orthotopic liver transplantation in man. **446**, 292*P*, 1992

HINTON M.R.
KENDRICK K.M. & HINTON M.R. Microdialysis sampling of *in vivo* neurotransmitter release in the brain of the conscious sheep: measurement of acetylcholine, amino acid and monoamine concentrations by high performance liquid chromatography (HPLC). **446**, 66*P*, 1992

HIRAOKA M.
HIRAOKA M., FAN Z., NAKAYAMA K. & SAWANOBORI T. Reactivation of ATP-sensitive K^+ channel current by pinacidil in guinea-pig ventricular myocytes. **446**, 155*P*, 1992

HIRCHE H.
BENNDORF K., BISKUP C., FRIEDRICH M. & HIRCHE H. Current–voltage relationship of the transient inward current (I_{ti}) in guinea-pig heart cells measured with pairs of short pulses. **446**, 341*P*, 1992

HIROSE M.
HIROSE M., MORIMOTO T., NOSE H., ITOH T. & TANAKA Y. Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992

HIRST Barry H.
COLLINGTON Georgina K., SIMMONS Nicholas L. & HIRST Barry H. Polarized efflux of bis-carboxyethyl-carboxyfluorescein (BCECF) from cultured renal (MDCK) and colonic (Caco-2) epithelial cell monolayers. **446**, 96*P*, 1992

THWAITES David T., SIMMONS Nicholas L. & HIRST Barry H. Intestinal absorption of thyrotrophin-releasing hormone is not mediated by a Na^+- or H^+-dependent carrier: *in vitro* studies with rat and rabbit brush-border membrane vesicles. **446**, 410*P*, 1992

MATTHEWS C. Jane, REDFERN Christopher P.F., THOMAS Eric J. & HIRST Barry H. Electrolyte transport by primary monolayer cultures of human endometrial glandular epithelial cells. **452**, 95*P*, 1992

JEPSON Mark A., SIMMONS Nicholas L., SAVIDGE Tor C., JAMES Peter S. & HIRST Barry H. Transcytosis of particulates by rabbit M cells studied by confocal microscopy. **452**, 258*P*, 1992

JEPSON Mark A., SIMMONS Nicholas L. & HIRST Barry H. Heterogeneity of epithelia in rabbit gut-associated lymphoid tissues. **452**, 359*P*, 1992

HIRST B.H.
MCEWAN G.T.A., HIRST B.H. & SIMMONS N.L. Poly-L-lysine induced apical membrane permeability associated with increased transepithelial conductance in cultured epithelial cell (MDCK) monolayers. **446**, 31*P*, 1992

HUNTER Janice, HIRST B.H. & SIMMONS N.L. Transepithelial transport of vinblastine by cultured canine renal epithelia (MDCK). **446**, 32*P*, 1992

MATTHEWS C. Jane, MCEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Electrical properties of primary monolayer cultures of human endometrial glandular epithelial cells. **446**, 97*P*, 1992

MATTHEWS C.J., MCEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Isolation, culture and functional analysis of glands from human endometrium. **452**, 260*P*, 1992

MCEWAN G.T.A., HIRST B.H. & SIMMONS N.L. Inhibition by 4,4′-diisothiocyanostilbene-2,2′-disulphonic acid (DIDS) separates volume and cAMP-activated Cl^- conductances in intact T_{84} epithelial monolayers. **452**, 346*P*, 1992

HIRST Stuart J.
HIRST Stuart J., TWORT Charles H.C. & BARNES Peter J. Quantifying the proliferative response in cultured human and rabbit airway smooth muscle. **446**, 591*P*, 1992

HO W.K.
LEEM C.H., SO I.S., HO W.K. & EARM Y.E. Taurine modulates the inward background current induced by isoprenaline in isolated ventricular cells of the rabbit. **446**, 149*P*, 1992

PARK C.O., HO W.K. & EARM Y.E. Cl^--sensitive component of Ca^{2+}-activated tail current in rabbit atrial myocytes. **446**, 150*P*, 1992

LEE S.H., HO W.K. & EARM Y.E. Ca^{2+}-activated inward current in isolated rabbit pulmonary arterial cells. **446**, 246*P*, 1992

HOBBS C.
BROWN K.A., VORA A., PERRY M.E., MUSTAPHA Y., HOBBS C., DAVIES D. & DUMONDE D.C. An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992

HOCKADAY A.R.
TOLHURST D.J., LEWIS P.R., SHELLEY A.M. & HOCKADAY A.R. The morphology of the optic nerve of the common shrew, *Sorex araneus*. **446**, 234*P*, 1992

SOCOLOVSKY Merav, HOCKADAY A.R. & ALLEN Janet Phagocytic properties can be endowed on a non-phagocytic cell line by expression of a single receptor for immunoglobulin G (IgG). **446**, 408*P*, 1992

HODOS W.
LEE J.-Y., DJAMGOZ M.B.A., HODOS W., HOLDEN A.L. & PORCIATTI V. Life span changes in the visual acuity of the Japanese quail. **452**, 42*P*, 1992

HODSON E.A.
HAIGH R.M., JONES C.T., HODSON E.A. & HARTSHORN R.M. Deoxycorticosterone acetate acts through specific mineralocorticoid receptors to regulate the α_1-adrenergic transmembrane signalling pathway in rat vascular smooth muscle. **446**, 594*P*, 1992

HOLDEN A.L.
LEE J.-Y., DJAMGOZ M.B.A., HODOS W., HOLDEN A.L. & PORCIATTI V. Life span changes in the visual acuity of the Japanese quail. **452**, 42*P*, 1992

HOLDEN-DYE L.
PARRI H.R., DJAMGOZ M.B.A., HOLDEN-DYE L. & WALKER R.J. The effect of ivermectin on intracellular chloride activity of somatic muscle cells of the parasitic nematode *Ascaris suum in vitro*. **446**, 321*P*, 1992

COLQUHOUN L.M., HOLDEN-DYE L. & WALKER R.J. The effects of two nicotinomimetics, suberyldicholine and cytisine, on the cholinoceptor of the somatic muscle cell of the parasitic nematode *Ascaris suum in vitro*. **446**, 322*P*, 1992

HOLDER D.S.
HOLDER D.S. & TEMPLE A.J. Electrical impedance tomography during pulmonary ventilation and perfusion in man. **446**, 479*P*, 1992

HOLLEY M.C.
HOLLEY M.C. A simple method for producing monoclonal antibodies to small quantities of tissue. **452**, 161*P*, 1992

HOLLOWAY M.
HOLLOWAY M., KITNEY R., RENTON S. & NICOLAIDES A. An evaluation of the use of edge detection when measuring atherosclerotic plaque from ultrasound images in man. **452**, 20*P*, 1992

HOLLOWBREAD A.
BARRON R.M., ELLIOTT J.R., HOLLOWBREAD A. & LAMBERT J.J. The influence of n-alkanols and various intravenous general anaesthetics on a whole body withdrawal response of *Physa*. **446**, 45*P*, 1992

HOLLYWOOD M.A.
HOLLYWOOD M.A., THORNBURY K.D. & MCHALE N.G. Augmentation of sheep lymphatic contractility by L-N^G-nitro arginine methyl ester. **446**, 420*P*, 1992

THORNBURY K.D., HOLLYWOOD M.A. & MCHALE N.G. Role of nitric oxide in neurogenic relaxation of the outlet sphincter of the urinary bladder in the sheep. **446**, 422*P*, 1992

HOLMAN S.D.
HOLMAN S.D. & HUTCHISON J.B. Effects of diethystilboestrol and neonatal castration on lateralization of a brain function in gerbils. **446**, 278*P*, 1992

HOLMES O.
HOLMES O. Lateral isolation of neocortex and strychnine spikes in the anaesthetized rat. **446**, 511*P*, 1992

WATSON M.J., MOSS V.A. & HOLMES O. Three-dimensional reconstruction of lesions in the rat brain. **452**, 2*P*, 1992

HONDA Y.
HONDA Y., TANAKA M. & KIMURA H. Ventilatory response to sustained hypoxia in carotid body-resected humans. **446**, 119*P*, 1992

HONG S.G.
HONG S.G., HAN J.H., KWUN J.K. & PERES A. Inactivation property of the Ca^{2+} channel in the mouse egg. **446**, 304*P*, 1992

HONJO H.
HONJO H. & BOYETT M.R. Correlation between action potential parameters and the size of single sino-atrial node cells isolated from the rabbit heart. **452**, 128*P*, 1992

HOOPER S.B.
HOOPER S.B. & HARDING R. The relationship between expansion and DNA synthesis in the lungs of fetal sheep. **446**, 429*P*, 1992

HOPPELER H.
FERRETTI G., KAYSER B., SCHENA F., TURNER D.L. & HOPPELER H. Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **446**, 427*P*, 1992

HORGAN P.G.
DELANEY C.P., MCGEENEY K., HORGAN P.G., COUSE N.F., GOREY T.F. & FITZPATRICK J.M. L-arginine: a role for inducing chronic pancreatitis in the anaesthetized rat. **446**, 402*P*, 1992

HORGAN P.G., COUSE N., BURKE J., DELANEY C., GOREY T. & FITZPATRICK J.M. Substance P effects in the isolated canine ureter. **446**, 421*P*, 1992

HORIE Hajime
PAMPLIN Philip James, HORIE Hajime, KOYAMA Natsu & YOKOTA Toshikatsu Inhibition of nociceptive neurons in the nucleus ventralis posterolateralis following conditioning stimulation of either the nucleus

raphe magnus or the periaqueductal grey of the anaesthetized cat. Evidence for an ascending inhibitory pathway. **446**, 237*P*, 1992

HORIE Minoru

HORIE Minoru, HWANG Tzyh-Chang & GADSBY David C. Intra-pipette GTP prevents the rapid rundown of β-adrenoceptor-mediated activation of Cl current in isolated guinea-pig ventricular myocytes. **446**, 153*P*, 1992

HORIUTI K.

YAMADA K., EMOTO Y., HORIUTI K. & TAWADA K. Tension transient upon flash photolysis of caged ATP in covalently cross-linked muscle fibres isolated from rabbit psoas. **446**, 264*P*, 1992

HORN G.

BROWN M.W. & HORN G. Neurones in the intermediate and medial part of the hyperstriatum ventrale (IMHV) of freely moving chicks respond to visual and/or auditory stimuli. **452**, 237*P*, 1992

HORNBERGER Liesa A.

HARRISON Neil L., BROOKS Penelope A., HORNBERGER Liesa A., RADKE H. Karl & JONES Mathew V. The effects of some volatile anaesthetics on responses to exogenous GABA and inhibitory postsynaptic currents in cultured rat hippocampal neurons. **446**, 258*P*, 1992

HOSHIKO K.

MORLEY J., HOSHIKO K., CHAPMAN I.D. & MAZZONI L. The selective nature of airway hyperreactivity. **446**, 117*P*, 1992

HOUGHTON Andrea K.

CLARKE R.W., HARRIS J. & HOUGHTON Andrea K. Modulation by endogenous opioids of reflexes evoked by mechanical stimulation of the heel in the decerebrated and spinalized rabbit. **452**, 241*P*, 1992

HOWES S.R.

HERBERT J., HOWES S.R. & STACEY P.M. Regional expression of *c-fos* in AV3V, hypothalamus and amygdala of the male rat following intraventricular angiotensin II and its modulation by drinking. **446**, 288*P*, 1992

HOYLAND J.

SOMASUNDARAM B., HOYLAND J., DEMPSTER J., RILEY J. & MASON W.T. Simultaneous patch-clamp and photometric fluorescence ratio measurements of optical probes for ions using a computer-based data acquisition system, PhoCal. **446**, 63*P*, 1992

ZOREC R., HOYLAND J., RELF G., BUNTING R. & MASON W.T. Dynamic four-wavelength video imaging of intracellular pH and calcium homeostasis in cultured bovine lactotrophs. **446**, 64*P*, 1992

HEEMSKERK J.W.M., HOYLAND J., MASON W.T. & SAGE S.O. Digital imaging of ADP-evoked spikes in cytosolic calcium in fibrinogen-attached Fura-2-loaded human platelets. **446**, 204*P*, 1992

HUANG C.

HUANG C., DAVIS G. & JOHNS E.J. Autoregulation of perfusion through the renal cortex and papilla of Wistar and stroke-prone spontaneously hypertensive rats. **452**, 134*P*, 1992

HUANG S.J.

WONG P.Y.D., HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W. & CHAN P.S.F. Human epididymal cells respond to adrenaline by increase in short-circuit current and whole-cell chloride current. **446**, 93*P*, 1992

HUBER J.

RIDDELL J.S., JANKOWSKA E. & HUBER J. Primary afferent depolarization of group II muscle afferent terminals evoked by stimulation in the locus coeruleus and raphe nuclei of the anaesthetized cat. **452**, 143*P*, 1992

HUBSCHER S.G.

LEE J.A., BOON A.P., HUBSCHER S.G., HINES J.E. & BURT A.D. Hepatic reinnervation following orthotopic liver transplantation in man. **446**, 292*P*, 1992

HUCKS D.

YASIN Sharifah, COSTA A., HUCKS D., GROSSMAN A. & FORSLING Mary L. The effect of melatonin on vasopressin release from the rat hypothalamus *in vitro*. **446**, 513*P*, 1992

HUDLICKÁ O.

EGGINTON S. & HUDLICKÁ O. Effect of long-term muscle overload on capillary supply, blood flow and performance in rat fast muscle. **452**, 9*P*, 1992

HUDLICKÁ Olga

BROWN Margaret D., HUDLICKÁ Olga, DAMON David & DULING Brian R. Vasoactive effects of basic and acidic fibroblast growth factors on arteriolar vessels in the cheek pouch of the anaesthetized hamster. **452**, 11*P*, 1992

HUGHES Ruth A. & HUDLICKÁ Olga Changes in capillary ultrastructure, blood flow and muscle performance during development of collateral circulation in rat fast muscles. **452**, 115*P*, 1992

HUGHES Ruth A.

HUGHES Ruth A. & HUDLICKÁ Olga Changes in capillary ultrastructure, blood flow and muscle performance during development of collateral circulation in rat fast muscles. **452**, 115*P*, 1992

HUGHES S.

SMITH M.E., HUGHES S. & SIMPSON M.G. Effect of IDPN on POMC peptide expression in rat motoneurones *in vitro*. **446**, 285*P*, 1992

HUGHES S., SMITH M.E. & BAILEY C.J. POMC-derived peptides in the neuromuscular system of mice with streptozotocin-induced diabetes mellitus studied *in vitro*. **446**, 286*P*, 1992

HULTMAN E.

GREENHAFF P.L., NEVILL M.E., SODERLUND K., BOOBIS L., WILLIAMS C. & HULTMAN E. Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992

HUME K.I.

ROBERTSON F., HUME K.I. & O'BOYLE D.J. The effect of alcohol, at two times of day, on the distribution of relative power within the frequency-spectrum of the human EEG. **452**, 119*P*, 1992

HUNDAL H.S.

HUNDAL H.S. & WATT P.W. Taurine uptake in perfused rat skeletal muscle is mediated by a low capacity, high affinity transport system *in vitro*. **446**, 12*P*, 1992

HUNDAL H.S., MITSUMOTO Y., MARETTE A., RAMLAL T. & KLIP A. Expression and localization of Na^+ pump isoforms in rat skeletal muscle and L6 muscle cells: effect of insulin. **452**, 101*P*, 1992

HUNTER F.J.

CHIPPERFIELD A.R., DAVIS J.P.L., GITTINS C.M., HARPER A.A. & HUNTER F.J. The effect of loop diuretics on pacemaker activity in the isolated rat heart. **446**, 436*P*, 1992

HUNTER Janice

HUNTER Janice, HIRST B.H. & SIMMONS N.L. Transepithelial transport of vinblastine by cultured canine renal epithelia (MDCK). **446**, 32*P*, 1992

HUNTER M.

ROBSON L. & HUNTER M. What is the cause of the repolarization observed after addition of alanine to the bathing solution of cells isolated from frog proximal tubule? **446**, 252*P*, 1992

COOPER G., STONE V. & HUNTER M. Furosemide induces cytoplasmic alkalinization in frog early distal tubules. **446**, 404*P*, 1992

COOPER G.J. & HUNTER M. Chronic K^+-loading of frogs raises the set point of the Na^+-H^+ exchanger in isolated early distal tubules. **452**, 77*P*, 1992

ROBSON L. & HUNTER M. Depolarization-activated whole-cell conductance in single proximal cells isolated from frog kidney is blocked by gadolinium. **452**, 78*P*, 1992

HURLEY J.

HURLEY J., MCDONAGH P., PHELAN D., LUKE D. & MCGOVERN E. The occurrence of a tissue oxygen debt in anaesthetized man and its attenuation with positive inotropic support. **446**, 463*P*, 1992

HURST R.S.

KAVANAUGH M.P., BUSCH A.E., HURST R.S., ADELMAN J.P. & NORTH R.A. Identification of a histidine residue in the rat lymphocyte channel (RGK5) that is involved in current inactivation. **446**, 125*P*, 1992

HUSAIN S.M.

STULC J., HUSAIN S.M., BOYD R.D.H. & SIBLEY C.P. Mechanisms of chloride transport across the *in situ* perfused placenta of the anaesthetized rat. **452**, 94*P*, 1992

HUSSAIN M.

HUSSAIN M. Morphological abnormalities in isolated skeletal muscle of dystrophic mice. **452**, 114*P*, 1992

HUTCHISON J.B.

HOLMAN S.D. & HUTCHISON J.B. Effects of diethystilboestrol and neonatal castration on lateralization of a brain function in gerbils. **446**, 278*P*, 1992

STEIMER Th. & HUTCHISON J.B. In vivo study of brain steroid metabolism using intracerebral microdialysis: evidence for 5β-reduction of testosterone in the dove. **446**, 279*P*, 1992

HUTSON D.

GRUNDY D., GHARIB-NASERI M.K. & HUTSON D. Role of nitric oxide and vasoactive intestinal polypeptide in vagally mediated relaxation of the gastric corpus in the anaesthetized ferret. **452**, 337*P*, 1992

SCRATCHERD T., HUTSON D. & GREENWELL J.R. Oscillatory phenomena in the pancreatic circulation of cat and ferret in response to adrenergic stimulation. **452**, 341*P*, 1992

HUTTER J.

SULEIMAN M.S., FERNANDO K., DIHMIS W., HUTTER J. & CHAPMAN R.A. Determination of free intracellular amino acids in ventricular biopsies taken from patients undergoing heart surgery. **452**, 162*P*, 1992

HWANG S.I.

JUN J.Y., LEE S.J., HWANG S.I. & KIM K.W. Effect of noradrenaline on the spontaneous contractions and Ca^{2+} current in the isolated antral circular muscle of guinea-pig. **446**, 247*P*, 1992

HWANG Tzyh-Chang

HORIE Minoru, HWANG Tzyh-Chang & GADSBY David C. Intra-pipette GTP prevents the rapid rundown of β-adrenoceptor-mediated activation of Cl current in isolated guinea-pig ventricular myocytes. **446**, 153*P*, 1992

IBOTTSON T.
MORITA T., EDWARDS G., ANDERSSON P., GREENGRASS P., IBOTTSON T., NEWGREEN D.T., WESTON A.H. & WYLLIE M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992

ICHIJO M.
IIOKA H., MORIYAMA I.S. & ICHIJO M. Platelet-aggregation inhibiting activity of human placental syncytiotrophoblast brush-border membrane vesicles. **452**, 350*P*, 1992

ICHIKAWA Hajime
ICHIKAWA Hajime & COETZEE William A. The effect of R56865 on transient inward current and intracellular calcium transients of isolated guinea-pig ventricular myocytes. **446**, 542*P*, 1992

IHMIED Y.M.
IHMIED Y.M. & TAYLOR E.W. Relocation of preganglionic vagal motoneurones in the brainstem of the axolotl at metamorphosis. **446**, 165*P*, 1992
IHMIED Y.M. & TAYLOR E.W. The topography of the vagal motor column in anaesthetized *Xenopus laevis*. **452**, 235*P*, 1992

IIDA H.
DE SILVA R., YAMAMOTO Y., RHODES C.G., IIDA H., MASERI A. & JONES T. Non-invasive quantification of regional myocardial oxygen consumption in anaesthetized greyhounds. **446**, 219*P*, 1992

IIOKA H.
IIOKA H., MORIYAMA I.S. & ICHIJO M. Platelet-aggregation inhibiting activity of human placental syncytiotrophoblast brush-border membrane vesicles. **452**, 350*P*, 1992

IKEDA H.
HANKINS M.W. & IKEDA H. Horizontal cell depolarization as a consequence of hypoxia in the *in vitro* rat retina. **446**, 517*P*, 1992
IKEDA H., HANKINS M.W. & DAWES E.A. The contrasting effects of NMDA receptor antagonists on low and high spontaneous firing of retinal ganglion cells in the anaesthetized cat. **446**, 518*P*, 1992

ILES J.F.
ILES J.F. & CUMMINGS Rachel Electrical and magnetic stimulation of motor cortex in man. **446**, 223*P*, 1992

ILLNER Hana
CHEN Shuhau, FRY C.H., ILLNER Hana, KICKENWEIZ Elisabeth, MCGUIGAN J.A.S., POWELL T. & TWIST V.W. Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992

IMAI Y.
SOHMA Y., YOSHIDA H. & IMAI Y. Linear impedance of isolated frog skin measured over a wide frequency range. **452**, 353*P*, 1992

IMAI Yusuke
IMAI Yusuke, MIYAMOTO Manabu, NAKAHARI Takashi, YOSHIDA Hideyo & SOHMA Yoshiro Network simulation of epithelial transport. **446**, 99*P*, 1992
SOHMA Yoshiro, YOSHIDA Hideyo & IMAI Yusuke Effect of ionic fluxes on the non-linear impedance of isolated frog skin. **446**, 346*P*, 1992

IMMS F.J.
IMMS F.J. & TADESSE K. Body core cooling by gastric lavage in man. **446**, 124*P*, 1992
KONG C.H., THOMPSON F.D. & IMMS F.J. Oxygen transport following renal transplantation in man. **446**, 573*P*, 1992

INENAGA K.
YAMASHITA H., YAMAMOTO S. & INENAGA K. Effects of endothelin (ET) on neurones in the anteroventral third ventricle region and supra-optic nucleus of rat hypothalamic slice preparations. **446**, 83*P*, 1992
INENAGA K. & YAMASHITA H. Electrophysiological properties of neurones in the subfornical organ of rat slice preparation. **446**, 383*P*, 1992

INGLIS Sarah K.
INGLIS Sarah K., WARD Martyn R. & ACEVEDO Mercedes Changes in the isolated basolateral potassium conductance induced by Acetylcholine (ACh) in isolated sheep tracheal epithelium. **452**, 144*P*, 1992

INGRAM C.G.
AITON J.F., INGRAM C.G. & O'CONNOR J.J. Digital colour image display and capture for computer-assisted learning programmes on the Apple Macintosh computer. **446**, 3*P*, 1992

INMAN C.
TODD Barbara A., INMAN C. & ABBOTT N. Joan K^+ and La^{3+} permeability of the perineurium of the isolated frog nerve. **446**, 319*P*, 1992

INMAN N.
SHELTON C.J., DOYLE M.G., GIBSON E.C.D., INMAN N., PRICE D.J., WOOLTORTON J.R.A., ZHAO D.M., DANIELS S. & SMITH E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992

INNES J.A.

INNES J.A., DE CORT S.C. & GUZ A. Effect of step changes in intrathoracic pressure on left ventricular ejection in man. **446**, 430*P*, 1992

INOUE I.

INOUE I., NAGASE H., KISHI K. & HIGUTI T. An ATP-sensitive K^+ channel in the membrane of fused giant mitoplasts. **446**, 130*P*, 1992

INOUE I., BOURNAUD R. & SHIMAHARA T. Effects of lipophilic cations on intramembrane charge movement and L-type calcium current in isolated mouse skeletal muscle cells. **446**, 363*P*, 1992

IRISAWA H.

SHODA M., HAGIWARA N. & IRISAWA H. ATP-activated cationic current in rabbit single cardiac myocytes. **446**, 329*P*, 1992

HAGIWARA N., MASUDA H., SHODA M., TAMURA K. & IRISAWA H. Chloride conductance activated by membrane stretch in rabbit single cardiac myocytes. **446**, 330*P*, 1992

IRONTON R.

CARR L.J., HARRISON L.M., STEPHENS J.A., LOTAY I., FARMER S., IRONTON R. & JONES T. Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992

ISENBERG G.

GANITKEVICH V.Ya. & ISENBERG G. Contribution of Ca^{2+}-induced Ca^{2+} release to the depolarization-induced Ca^{2+} transients in smooth muscle cells from the guinea-pig urinary bladder. **446**, 140*P*, 1992

ISOBE Y.

ISOBE Y. Effects of 6-hydroxydopamine lesions of the ventral tegmental area on circadian rhythms in drinking and wheel activity in the rat. **446**, 275*P*, 1992

ISSBERNER Jon

LEVI Allan J., LEE Chin O., HANCOX Jules, ISSBERNER Jon & WANG Xuemin A method for obtaining a high yield of healthy myocytes from the ventricle and atrioventricular node of isolated rabbit hearts. **452**, 157*P*, 1992

ITO K.-I.

HICKS T.P. & ITO K.-I. Long-term enhancement *in vitro* appears extracellularly as apparent long-term depression via depolarization masking in kitten area 17. **446**, 28*P*, 1992

ITOH T.

HIROSE M., MORIMOTO T., NOSE H., ITOH T. & TANAKA Y. Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992

IVERSEN P.O.

IVERSEN P.O., FLATEBØ T. & NICOLAYSEN G. No correlation exists between regional blood flow and regional aerobic, metabolic capacity expressed as citrate synthase activity, within single cat skeletal muscle. **446**, 461*P*, 1992

KRAMER-JOHANSEN J., FLATEBØ T., MELSOM M.N., IVERSEN P.O., MÜLLER C. & NICOLAYSEN G. Regional distribution of ventilation–perfusion ratio ($\dot{V}/\dot{Q}$ ratio) in the goat. **452**, 28*P*, 1992

IZAWA T.

KOMABAYASHI T., IZAWA T., MOCHIZUKI T. & TSUBOI M. Substance P-induced diacylglycerol formation in rat parotid acinar cells *in vitro*. **446**, 392*P*, 1992

IZZO P.N.

PARKES M.J., LARA MUNOZ J.P., IZZO P.N. & SPYER K.M. Projections of neurones with respiratory-related discharge in the medulla of the anaesthetized rat. **446**, 428*P*, 1992

DEUCHARS J., SPYER K.M. & IZZO P.N. Demonstration of substance P-containing axons in synaptic contact with vagal preganglionic neurones in the nucleus ambiguus of the anaesthetized rat. **452**, 223*P*, 1992

LARA J.P., PARKES M.J., IZZO P.N. & SPYER K.M. Respiratory and circulatory responses to electrical and chemical stimulation in the parabrachial complex (PB) of the anaesthetized rat. **452**, 321*P*, 1992

JACOB T.J.C.

JACOB T.J.C. Of the two outward K^+-currents, $i_{K(Ca)}$ and $i_{K(V)}$, in isolated bovine ciliary epithelial cells, only $i_{K(Ca)}$ will contribute to ion transport. **446**, 36*P*, 1992

ZHANG Jin Jun & JACOB T.J.C. Transepithelial potential and resistance of the isolated rabbit and bovine lens epithelia. **452**, 58*P*, 1992

JAKOBSON M.E.

FREEMAN P., STURMAN G. & JAKOBSON M.E. Analgesia and hypothermia induced by cold water swims in mice. **446**, 599*P*, 1992

JAMAL G.A.

JULU P.O.O., DELAMONT R.S. & JAMAL G.A. Relationship between sleep stages and the beat variability measured from ECG R–R intervals in sleep-deprived human subjects. **452**, 206*P*, 1992

JAMES C.

JAMES C. & SACCO P. Does central inhibition contribute to fatigue resulting from maximal dynamic contractions in man? **452**, 117*P*, 1992

JAMES J.L.
LOWENSTEIN P.R., SHERING A.F., JAMES J.L., LOWRY P.J., LINTON E.A. & CASTRO M.G. Corticotrophin-releasing hormone-like immunoreactive neurones in the rat cerebral cortex. **446**, 24*P*, 1992

JAMES Peter S.
JEPSON Mark A., SIMMONS Nicholas L., SAVIDGE Tor C., JAMES Peter S. & HIRST Barry H. Transcytosis of particulates by rabbit M cells studied by confocal microscopy. **452**, 258*P*, 1992

JAMES P.S.
JAMES P.S., SAVIDGE T.C. & SMITH M.W. A new method to identify and study surface interactions taking place on mouse Peyer's patch M cells. **446**, 60*P*, 1992
SAVIDGE T.C., SMITH M.W. & JAMES P.S. Evidence that membraneous (M) cells do not originate as a separate cell lineage from mouse intestinal stem cells. **446**, 294*P*, 1992

JANKOWSKA E.
JANKOWSKA E., RIDDELL J.S., SKOOG B. & NOGA B.R. Effects of stimulation in the locus coeruleus and raphe nuclei on transmission in group II reflex pathways of the anaesthetized cat. **452**, 111*P*, 1992
RIDDELL J.S., JANKOWSKA E. & HUBER J. Primary afferent depolarization of group II muscle afferent terminals evoked by stimulation in the locus coeruleus and raphe nuclei of the anaesthetized cat. **452**, 143*P*, 1992

JANSSEN J.-C.
WALTER S.J., JANSSEN J.-C., STURMER H.L., SKINNER J. & SHIRLEY D.G. Renal tubular lithium reabsorption in anaesthetized, potassium-depleted rats. **452**, 135*P*, 1992

JARVIS S.M.
BARROS L.F., BALDWIN S.A., JARVIS.S.M., COWEN T., THRASIVOULOU C., BEAUMONT N. & YUDILEVICH D.L. In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992
BARROS L.F., BEAUMONT N., JARVIS S.M., YOUNG J.D., HENDERSON P.J.F., YUDILEVICH D.L., THRASIVOULOU C. & BALDWIN S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992

JAY M.T.
JAY M.T. & LEVER M.J. Spatial variations in the permeability of the luminal surfaces of large blood vessels of the rabbit. **452**, 5*P*, 1992
LEVER M.J., JAY M.T., DEBAER F. & THOME G. Effect of vasomotor tone on the hydraulic conductivity and reflection coefficient of the medial layers of isolated rabbit aorta and carotid artery. **452**, 18*P*, 1992

JEFF T.
JEFF T., ALLEN A. & CHAPMAN R.A. Temperature dependence of L-type calcium currents in single isolated guinea-pig ventricular myocytes. **446**, 554*P*, 1992

JEFFERSON J.M.
JEFFERSON J.M., THOMPSON G.A. & KILPATRICK I.C. Improved separation of sulphinic and sulphonic amino acids from rat brain. **452**, 156*P*, 1992

JEFFERYS J.G.R.
JEFFERYS J.G.R. & TRAUB R.D. Synchronization of CA3 pyramidal neurons by NMDA-mediated excitatory synaptic potentials in hippocampal slices incubated in low Mg^{2+} solutions. **452**, 32*P*, 1992

JENKINS H.G.
BUTT A.M., HASSAN S. & JENKINS H.G. Intracellular dye-injection study of oligodendrocyte morphology in the isolated intact mouse optic nerve: response to demyelination in a viral model of multiple sclerosis and to tumour necrosis factor. **446**, 474*P*, 1992
JENKINS H.G. & HAJAT C. Evidence for long-lived amino acid and monosaccharide pools in the mouse eye: a cautionary note for radiolabelling studies of axonal transport in the optic nerve. **446**, 519*P*, 1992

JENNINGS L.
JENNINGS L., MALEK N., GIMENO A., POZO M.J., SINGH J., SALIDO G.M. & DAVISON J.S. Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992

JEPSON Mark A.
JEPSON Mark A., SIMMONS Nicholas L., SAVIDGE Tor C., JAMES Peter S. & HIRST Barry H. Transcytosis of particulates by rabbit M cells studied by confocal microscopy. **452**, 258*P*, 1992
JEPSON Mark A., SIMMONS Nicholas L. & HIRST Barry H. Heterogeneity of epithelia in rabbit gut-associated lymphoid tissues. **452**, 359*P*, 1992

JESSUP R.
MCAULIFFE S.J.G., SNOW H.M., MOORS J., JESSUP R., WAYNE M. & NOBLE M.I.M. Inhibition of arachidonic acid metabolism by aspirin can promote thrombus formation in a stenosed coronary artery of the anaesthetized dog. **446**, 413*P*, 1992

JO Y.H.
JO Y.H., RHIE D.J., HAHN S.J., CHANG Y.S., KIM C.C. & KIM M.S. The effect of body position on pancreatic exocrine secretion in anaesthetized and conscious rats. **446**, 198*P*, 1992

JOËLS Marian
KARST Henk, WADMAN Wytse J. & JOËLS Marian Effect of corticosteroid hormones on potassium currents of rat CA1 hippocampal neurons *in vitro*. **452**, 217*P*, 1992

JOHNS E.J.
DAVIS G. & JOHNS E.J. Renal functional responses to somatic afferent nerve stimulation in hypertensive rats following vagotomy. **446**, 55*P*, 1992
DAVIS G. & JOHNS E.J. Renal functional responses to somatic afferent nerve stimulation in hypertensive rats following carotid sinus denervation. **446**, 372*P*, 1992
NEYLON Marie, JOHNS E.J. & MARSHALL Janice M. The renal response to systemic hypoxia in the anaesthetized rat. **452**, 88*P*, 1992
HUANG C., DAVIS G. & JOHNS E.J. Autoregulation of perfusion through the renal cortex and papilla of Wistar and stroke-prone spontaneously hypertensive rats. **452**, 134*P*, 1992

JOHNSON Carol
GILLESPIE J.I., LYNCH M., JOHNSON Carol & GREENWELL J.R. Fluctuations in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells in response to adenosine triphosphate. **452**, 264*P*, 1992
GILLESPIE J.I., JOHNSON Carol, LYNCH M. & GREENWELL J.R. Changes in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells as a result of bathing in solutions with nominally free calcium. **452**, 304*P*, 1992

JOHNSON C.D.
MCKIRDY M. & JOHNSON C.D. Non-adrenergic, non-cholinergic (NANC) inhibitory innervation of the isolated human gallbladder. **446**, 526*P*, 1992
MOLE D.R. & JOHNSON C.D. Absence of the postprandial urinary alkaline tide under controlled conditions in man. **446**, 583*P*, 1992

JOHNSON Christopher D.
JOHNSON Christopher D. & GILBEY Michael P. Factors influencing sympathetic nerve activity to the tail of the anaesthetized rat. **452**, 255*P*, 1992

JOHNSON M.A.
ROCHESTER L., BARRON M.J., CHANDLER C.S., JOHNSON M.A., MILLER S. & SUTTON R.A. Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992

JOHNSON M.S.
MACEWAN D.J., JOHNSON M.S., THOMSON F.J. & MITCHELL R. Protein kinase C may be required to maintain activity of nimodipine-sensitive Ca^{2+} channels in rat anterior pituitary cells *in vitro*. **446**, 282*P*, 1992
JOHNSON M.S., THOMSON F.J., AVERY J.L., MACEWAN D.J. & MITCHELL P.R. Differential actions of protein kinase C modulators on the release of hormones from rat anterior pituitary tissue *in vitro*. **446**, 283*P*, 1992

JOHNSTON A.
JOHNSTON A., MCOWAN P.W. & BUXTON H. A biologically plausible scheme for measuring image velocity. **452**, 288*P*, 1992

JOHNSTON C.I.
FINK G., DOW R.C., CASLEY D., JOHNSTON C.I., LIM A.T., COPOLOV D.L., BENNIE J., CARROLL S. & DICK H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

JONAS P.
COLQUHOUN D., JONAS P. & SAKMANN B. Glutamate receptor channel activation following fast agonist application to patches from rat hippocampus CA1 and CA3 pyramidal cells. **446**, 183*P*, 1992
JONAS P. & SAKMANN B. Unitary stimulus-evoked excitatory postsynaptic currents in CA3 pyramidal cells of rat hippocampal slices as resolved by patch clamp techniques. **446**, 515*P*, 1992
COLQUHOUN D., JONAS P. & SAKMANN B. Differences in desensitization of glutamate receptor channels in three areas of rat hippocampus. **446**, 547*P*, 1992

JONES C.T.
KHOUJA A.Y. & JONES C.T. G protein regulation of prostaglandin production in cultured guinea-pig myometrium. **446**, 139*P*, 1992
HAIGH R.M. & JONES C.T. Mineralocorticoids regulate noradrenaline-stimulated inositol phosphate generation in cultured vascular smooth muscle cells isolated from rat aorta. **446**, 366*P*, 1992
HAIGH R.M., JONES C.T., HODSON E.A. & HARTSHORN R.M. Deoxycorticosterone acetate acts through specific mineralocorticoid receptors to regulate the α_1-adrenergic transmembrane signalling pathway in rat vascular smooth muscle. **446**, 594*P*, 1992

JONES D.A.
TURNER D.L., MCINTYRE D.B., JONES D.A. & NEWHAM D.J. Phosphorus metabolite concentration profiles of three human hand muscles. **452**, 112*P*, 1992

JONES Hazel C.
BUTT Arthur M. & JONES Hazel C. Effect of inflammatory mediators on blood–brain barrier (BBB) permeability in brain-surface microvessels of anaesthetized rats. **446**, 504*P*, 1992
REVEST Patricia A., JONES Hazel C. & ABBOTT N. Joan Contribution of active and passive ion transport to the potential difference (PD) across *in situ* pial microvessels in anaesthetized rats. **452**, 6*P*, 1992
JONES H.C.
REVEST P.A., JONES H.C. & ABBOTT N.J. Transendothelial electrical potential of blood–brain barrier vessels *in situ* in anaesthetized rats. **446**, 608*P*, 1992
JONES Mathew V.
HARRISON Neil L., BROOKS Penelope A., HORNBERGER Liesa A., RADKE H. Karl & JONES Mathew V. The effects of some volatile anaesthetics on responses to exogenous GABA and inhibitory postsynaptic currents in cultured rat hippocampal neurons. **446**, 258*P*, 1992
JONES P.R.M.
STENSEL D.J., HARDMAN A.E., BROOKE-WAVELL K., JONES P.R.M. & NORGAN N.G. The influence of brisk walking on endurance fitness in previously sedentary, middle-aged men. **446**, 123*P*, 1992
JONES R.S.G.
JONES R.S.G. & BUHL E.H. Synaptic and intrinsic responses of morphologically identified basket neurones in layer II of the rat entorhinal cortex *in vitro*. **446**, 257*P*, 1992
JONES T.
DE SILVA R., YAMAMOTO Y., RHODES C.G., IIDA H., MASERI A. & JONES T. Non-invasive quantification of regional myocardial oxygen consumption in anaesthetized greyhounds. **446**, 219*P*, 1992
CARR L.J., HARRISON L.M., STEPHENS J.A., LOTAY I., FARMER S., IRONTON R. & JONES T. Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992
CUNNINGHAM V.J., SARNA G.S., KENNEDY A.M., CREMER J.E. & JONES T. Spectral analysis of cerebral 2-[^{18}F]fluoro-2-deoxy-D-glucose uptake and phosphorylation in man: application to a study of fed and fasted states. **446**, 607*P*, 1992
JORDAN D.
DALY M. de Burgh, JORDAN D. & SPYER K.M. Modification of respiratory activities during stimulation of carotid chemoreceptors, arterial baroreceptors and pulmonary C fibre afferents in the anaesthetized cat. **446**, 466*P*, 1992
JUDAH Jeanette M.
WINDLE R.J., JUDAH Jeanette M. & FORSLING Mary L. The effect of altered sodium intake on neurohypophysial function in the rat. **452**, 35*P*, 1992
JULL G.A.
STOKES M.J., HIDES J.A., JULL G.A. & COOPER D.H. Mechanism of human paraspinal muscle wasting with acute low back pain. **452**, 280*P*, 1992
JULU P.O.O.
JULU P.O.O., DELAMONT R.S. & JAMAL G.A. Relationship between sleep stages and the beat variability measured from ECG R–R intervals in sleep-deprived human subjects. **452**, 206*P*, 1992
JUN J.Y.
JUN J.Y., LEE S.J., HWANG S.I. & KIM K.W. Effect of noradrenaline on the spontaneous contractions and Ca^{2+} current in the isolated antral circular muscle of guinea-pig. **446**, 247*P*, 1992
KAMALATI T.
BURTON P.B.J., KAMALATI T., RATCLIFF W. & KNIGHT D.E. Evidence implicating parathyroid hormone-related peptide as an autocrine growth factor for human lung cancer cells. **446**, 534*P*, 1992
KANE M.T.
KANE M.T., NORRIS M.L. & HARRISON R.A.P. Uptake of *myo*-inositol by pre-implantation mouse embryos. **446**, 44*P*, 1992
FAHY M.M. & KANE M.T. Effects of lithium on accumulation of inositol phosphates by rabbit blastocysts. **446**, 407*P*, 1992
KANEKO A.
VILLA P. & KANEKO A. Calcium current of isolated bipolar cells of the cat retina. **446**, 111*P*, 1992
KANEKO Y.
SAITO T., KANEKO Y., SAKAI H. & NIINO M. Development of excitability in cultured neurons dissociated from the regenerating newt retina. **446**, 377*P*, 1992
KANG S.H.
SHIN H.K., KIM J.H., KANG S.H. & KIM K.S. Effects of 4-aminopyridine on the transmission of sensory signals in the spinal cord of the anaesthetized cat. **446**, 384*P*, 1992
KANNO T.
KANNO T. & HABARA Y. Spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with carbachol at different concentrations in adrenal chromaffin cells isolated from guinea-pig. **446**, 206*P*, 1992
HABARA Y., ASADA N. & KANNO T. Influence of pH_o on spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with CCK-8 in rat pancreatic acinar cells *in vitro*. **446**, 311*P*, 1992

Kanno T. & Shimizu T. Effects of bradycardia on blood distribution in the low pressure area of the cardiovascular system during brain ischaemia in anaesthetized rabbits. **446**, 371*P*, 1992

Saito T. & Kanno T. Effects of vasoactive intestinal polypeptide (VIP) on redox state of cytochromes, oxygen consumption, and evoked potentials in the rat olfactory cortex slice. **446**, 391*P*, 1992

Karst Henk

Karst Henk, Wadman Wytse J. & Joëls Marian Effect of corticosteroid hormones on potassium currents of rat CA1 hippocampal neurons *in vitro*. **452**, 217*P*, 1992

Katahira Katsutoshi

Morishita Ryuichi, Higaki Jitsuo, Katahira Katsutoshi, Nakamura Fumiaki, Nagano Masahiro, Mikami Hiroshi, Okunishi Hideki, Miyazaki Mizuo & Ogihara Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

Kato M.

Bicknell R.J., Chapman C. & Kato M. Regulation of intracellular calcium in secretory nerve terminals of rat neurohypophysis *in vitro*. **446**, 284*P*, 1992

Kaur Surinder

Kaur Surinder, Mackenzie Bryan & Taylor Peter M. Modulation of amino acid uptake in *Xenopus* oocytes in relation to environmental amino acid availability. **446**, 13*P*, 1992

Kavanaugh M.P.

Kavanaugh M.P., Busch A.E., Hurst R.S., Adelman J.P. & North R.A. Identification of a histidine residue in the rat lymphocyte channel (RGK5) that is involved in current inactivation. **446**, 125*P*, 1992

Busch A.E., Kavanaugh M.P., Adelman J.P. & North R.A. Second messenger regulation of the slowly activating, voltage-dependent potassium current (I_{sK}) in *Xenopus* oocytes. **446**, 133*P*, 1992

Kaye Jean C.

McMahon Sarah E., McWilliam Peter N., Robertson James & Kaye Jean C. Inhibition of carotid sinus baroreceptor neurones in the nucleus tractus solitarius of the anaesthetized cat by electrical stimulation of hindlimb afferent fibres. **452**, 224*P*, 1992

Kayser B.

Ferretti G., Kayser B., Schena F., Turner D.L. & Hoppeler H. Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **446**, 427*P*, 1992

Keane F.B.V.

Flynn R., Geraghty J.G., Angerson W.J., Tanner W.A., Keane F.B.V. & Carter D.C. The relationship between portal pressure and portasystemic shunting in portal hypertension in the anaesthetized rat. **446**, 414*P*, 1992

Kearns J.B.

Kernan R.P. & Kearns J.B. Channels, real and imaginary, recorded by patch clamp in rat skeletal muscle vesicles. **446**, 397*P*, 1992

Keegan M.

Sweeney M.T., Calleja M.A., Keegan M., Campbell I.T. & Davies M.K. Maximal oxygen uptake (V_{O_2}max) measured with powered treadmill, cycle ergometry and self powered treadmill in man. **452**, 116*P*, 1992

Kelani M.Y.

Brent P.J. & Kelani M.Y. Equiluminance stimuli elicit low frequency temporal responses in human vision. **452**, 39*P*, 1992

Kelley K.W.

Kent S., Bluthé R.M., Kelley K.W. & Dantzer R. Role of interleukin-1 in the behavioural effects of lipopolysaccharide in the rat. **452**, 124*P*, 1992

Kelly J.S.

McAllister-Williams R.H. & Kelly J.S. Multiple inactivation components of calcium currents in acutely isolated adult rat dorsal raphe cells are revealed by increases in temperature. **446**, 182*P*, 1992

Kelly M.

Rawas O., Donne B., Kelly M. & Andrews J.F. The effect of competitive submaximal endurance exercise (The Marathon) on plasma β-endorphin concentration in recreational runners. **446**, 450*P*, 1992

Kelly S.

Watts C., Eyre J.A., Kelly S. & Ramesh V. Development of the pincer grasp and its relationship to the development of adult corticospinal delays in man. **452**, 273*P*, 1992

Conway E.A., Eyre J.A., Kelly S., de Kroon J. & Miller S. Is the corticospinal projection to the motoneurones of biceps brachii monosynaptic in the human neonate? **452**, 274*P*, 1992

Kemp J.A.

Seabrook G.R. & Kemp J.A. Anomalous decrease in rate of transient outward current inactivation with membrane depolarization in neurones cultured from rat cortex. **452**, 190*P*, 1992

KEMP P.J.
MACGREGOR G.G. & KEMP P.J. A large conductance anion channel in cultured bovine aortic endothelial cells. **452**, 305*P*, 1992

KENDRICK K.M.
KENDRICK K.M. & HINTON M.R. Microdialysis sampling of *in vivo* neurotransmitter release in the brain of the conscious sheep: measurement of acetylcholine, amino acid and monoamine concentrations by high performance liquid chromatography (HPLC). **446**, 66*P*, 1992
ROBINSON J.E. & KENDRICK K.M. Opioids mediate the inhibitory actions of progesterone on luteinizing hormone (LH) secretion in the ewe by augmenting the release of GABA in the preoptic area. **446**, 79*P*, 1992
BROAD K.D., KENDRICK K.M., KEVERNE E.B. & SIRINATHSINGHJI D.J.S. Changes in oxytocin, corticotrophin-releasing factor and opioid mRNA in the sheep brain during pregnancy, parturition and lactation, and in response to sex steroids. **446**, 281*P*, 1992

KENNEDY A.M.
CUNNINGHAM V.J., SARNA G.S., KENNEDY A.M., CREMER J.E. & JONES T. Spectral analysis of cerebral 2-[^{18}F]fluoro-2-deoxy-D-glucose uptake and phosphorylation in man: application to a study of fed and fasted states. **446**, 607*P*, 1992

KENNEDY Helen J.
THOMAS Roger C. & KENNEDY Helen J. Simultaneous Fura-2 and ion-sensitive microelectrode measurement of free calcium ion changes in voltage-clamped *Helix aspersa* neurones. **446**, 134*P*, 1992

KENNEDY M.
KENNEDY M. & BREATHNACH C.S. Irish Founder Members: 3. Henry Newell Martin (1848–1893). **446**, 400*P*, 1992
KENNEDY M., FEELY S., GILES S. & O'REGAN R.G. The effects of physiological saline solutions, perfused at constant inflow pressure or volume, on the ultrastructure of the cat carotid body. **446**, 467*P*, 1992

KENNY Rose Anne
KENNY Rose Anne, ALLEN Judith A. & WALLACE William F.M. Autonomic reflexes in patients with carotid sinus syncope: a pilot study. **446**, 434*P*, 1992

KENT S.
BLUTHÉ R.M., SPARBER S., KENT S. & DANTZER R. Inhibition of nitric oxide synthase potentiates the behavioural effects of interleukin-1 in the mouse. **452**, 123*P*, 1992
KENT S., BLUTHÉ R.M., KELLEY K.W. & DANTZER R. Role of interleukin-1 in the behavioural effects of lipopolysaccharide in the rat. **452**, 124*P*, 1992

KENTISH Jon C.
STIENEN Ger J.M. & KENTISH Jon C. Length-dependence of maximum force production and ATPase activity in rat skinned cardiac trabeculae. **446**, 239*P*, 1992
PALMER Sue & KENTISH Jon C. Influence of pH, inorganic phosphate (P_i) and caffeine on the Ca^{2+} activation of skinned cardiac muscle: comparison between muscle from neonatal and adult rat hearts. **446**, 537*P*, 1992

KENWRIGHT J.
WILLIAMS P.E., SIMPSON A.H.R.W., KYBERD P., KENWRIGHT J. & GOLDSPINK G. Physiological and structural changes in the rabbit anterior tibialis muscle following surgical limb-lengthening. **446**, 571*P*, 1992

KERNAN R.P.
KERNAN R.P. & KEARNS J.B. Channels, real and imaginary, recorded by patch clamp in rat skeletal muscle vesicles. **446**, 397*P*, 1992

KEVERNE E.B.
BROAD K.D., KENDRICK K.M., KEVERNE E.B. & SIRINATHSINGHJI D.J.S. Changes in oxytocin, corticotrophin-releasing factor and opioid mRNA in the sheep brain during pregnancy, parturition and lactation, and in response to sex steroids. **446**, 281*P*, 1992

KEYNES R.D.
KEYNES R.D., ROJAS E. & CEÑA V. Blocking of the sodium channel by external Tris in the squid *Doryteuthis bleekeri* giant axon. **446**, 169*P*, 1992

KHAN H.
CHRISTOFI G., NOWICKY A.V., RAY J., KHAN H. & BINDMAN L.J. Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992

KHAN R.N.
KHAN R.N., SMITH S.K., MORRISON J. & ASHFORD M.L.J. Single channel recording of a K^+-selective channel in pregnant human dispersed myometrial cells. **446**, 555*P*, 1992

KHODAKHAH K.
KHODAKHAH K., CARTER T.D., TÖRÖK K., OGDEN D. & SMITH S. Patch permeabilization with staphylococcal α-toxin in wholecell recording. **452**, 160*P*, 1992

KHODOROVA A.
KHODOROVA A. & BURNASHEV N. Glutamate receptor channels with high Ca^{2+} permeability in fusiform glial cells in rat cerebellar cultures. **446**, 516*P*, 1992

KHOGALI S.E.O.
KHOGALI S.E.O., HARPER A.A. & RENNIE M.J. Effect of hypoxia on tracer glutamine uptake in the isolated working rat heart. **446**, 539*P*, 1992

KHOUJA A.Y.
KHOUJA A.Y. & JONES C.T. G protein regulation of prostaglandin production in cultured guinea-pig myometrium. **446**, 139*P*, 1992

KICKENWEIZ Elisabeth
CHEN Shuhau, FRY C.H., ILLNER Hana, KICKENWEIZ Elisabeth, McGUIGAN J.A.S., POWELL T. & TWIST V.W. Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992

KIDA S.
WELLER R.O., ZHANG E.T. & KIDA S. Anatomical pathways for lymphatic drainage of interstitial and cerebrospinal fluid from the rat brain. **446**, 505*P*, 1992

KIDD C.
BOWSER-RILEY F., CORNISH M., FARQUHAR J., HAINSWORTH R. & KIDD C. The influence of breath-hold tachycardia on human baroreflex heart rate responses to changes in carotid transmural pressure at 37 ATA. **446**, 215*P*, 1992

BOWSER-RILEY F., CORNISH M., FARQUHAR J. & KIDD C. A dynamic estimate of respiratory sinus arrhythmia in man. **446**, 360*P*, 1992

KIEHN O.
KIEHN O. & EKEN T. Discontinuous changes in discharge pattern of human motor units. **452**, 277*P*, 1992

KIERNAN M.
GERAGHTY J.G., COVENEY E.C., KIERNAN M. & O'HIGGINS N.J. A comparison of plain radiology and flow volume loop curves in patients with goitres. **446**, 432*P*, 1992

KILPATRICK I.C.
JEFFERSON J.M., THOMPSON G.A. & KILPATRICK I.C. Improved separation of sulphinic and sulphonic amino acids from rat brain. **452**, 156*P*, 1992

KILSHAW P.J.
MURANT S.J. & KILSHAW P.J. A novel β_7 integrin present on the surface of mouse intraepithelial lymphocytes and its relationship to LPAM-1, the Peyer's patch homing receptor. **446**, 297*P*, 1992

KIM C.C.
JO Y.H., RHIE D.J., HAHN S.J., CHANG Y.S., KIM C.C. & KIM M.S. The effect of body position on pancreatic exocrine secretion in anaesthetized and conscious rats. **446**, 198*P*, 1992

KIM J.
KIM J., VIGLIONE M.P., BRADLEY W.A. & KIM Y.I. Action of Lambert–Eaton syndrome antibodies on voltage-dependent calcium currents and exocytosis in human small-cell lung cancer cells and bovine adrenal chromaffin cells. **446**, 245*P*, 1992

KIM J.H.
SHIN H.K., KIM J.H., KANG S.H. & KIM K.S. Effects of 4-aminopyridine on the transmission of sensory signals in the spinal cord of the anaesthetized cat. **446**, 384*P*, 1992

KIM J.S.
CHAE S.W., KIM J.S., LEE H.S. & CHO K.P. Effect of Na–H exchange inhibitor (amiloride-5-*N*,*N*-hexamethylene) on the carbachol-induced intracellular sodium activity increase in beating and quiescent guinea-pig papillary muscle *in vitro*. **446**, 327*P*, 1992

KIM Ki Whan
RHEE Poong Lyul, SUH Suk Hyo, KIM Sung Joon & KIM Ki Whan Effect of dopamine on the Ca^{2+}-dependent K^+currents of isolated single gastric myocytes of the guinea-pig. **446**, 249*P*, 1992

KIM K.S.
KIM K.S., KOH S.D. & KOO J.R. Contracture induced by glycine and hypertonic solutions in vascular smooth muscle *in vitro*. **446**, 367*P*, 1992

SHIN H.K., KIM J.H., KANG S.H. & KIM K.S. Effects of 4-aminopyridine on the transmission of sensory signals in the spinal cord of the anaesthetized cat. **446**, 384*P*, 1992

KIM K.W.
JUN J.Y., LEE S.J., HWANG S.I. & KIM K.W. Effect of noradrenaline on the spontaneous contractions and Ca^{2+} current in the isolated antral circular muscle of guinea-pig. **446**, 247*P*, 1992

KIM M.S.
JO Y.H., RHIE D.J., HAHN S.J., CHANG Y.S., KIM C.C. & KIM M.S. The effect of body position on pancreatic exocrine secretion in anaesthetized and conscious rats. **446**, 198*P*, 1992

KIM Sung Joon
RHEE Poong Lyul, SUH Suk Hyo, KIM Sung Joon & KIM Ki Whan Effect of dopamine on the Ca^{2+}-dependent K^+currents of isolated single gastric myocytes of the guinea-pig. **446**, 249*P*, 1992

KIM Y.I.
KIM J., VIGLIONE M.P., BRADLEY W.A. & KIM Y.I. Action of Lambert–Eaton syndrome antibodies on voltage-dependent calcium currents and exocytosis in human small-cell lung cancer cells and bovine adrenal chromaffin cells. **446**, 245*P*, 1992

KIMBALL A.
WINSLOW R., VARGHESE A., NOBLE D., DENYER J.C. & KIMBALL A. Modelling large SA node–atrial cell networks on a massively parallel computer. **446**, 242*P*, 1992

KIMURA H.
HONDA Y., TANAKA M. & KIMURA H. Ventilatory response to sustained hypoxia in carotid body-resected humans. **446**, 119*P*, 1992

KIMURA Junko
KIMURA Junko Effect of calmodulin antagonist on cardiac Na^+–Ca^{2+} exchange current in isolated ventricular cells from guinea-pig. **446**, 185*P*, 1992

KING I.S.
WHYTE A., CHENG J.T., KING I.S. & WANG M.W. Anti-progesterone antibodies specifically target the uterus in mice before implantation and up-regulate uterine progesterone receptors. **446**, 289*P*, 1992

KING M.D.
VAN BRUGGEN N., CULLEN B.M., KING M.D., GADIAN D.G., WILLIAMS S.R. & CREMER J.E. The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992

KING T.M.
BRADLEY P.M., BURNS B. Delisle, KING T.M. & WEBB A.C. Intracellular recordings made *in vitro* from an area of the avian forebrain which is known to be essential for early learning. **452**, 294*P*, 1992
BRADLEY P.M., BURNS B. Delisle, KING T.M. & WEBB A.C. Age and NMDA receptor activity in the IMHV of the chick brain slice. **452**, 295*P*, 1992

KINJOH K.
NAKAMURA M., HANASHIRO K., KINJOH K. & KOSUGI T. The properties of monoclonal antibody to Habutobin, a thrombin-like enzyme (TLE) derived from the venom of *Trimeresurus flavoviridis* (*Habu*). **446**, 362*P*, 1992

KINOSHITA Y.
KINOSHITA Y., SATO I., MARUSHIMA T. & NISHIMURA T. Co-existence of final ventricular depolarization and initial ventricular repolarization potentials in normal subjects studied by computer graphic electrocardiography. **446**, 217*P*, 1992

KIRBY F.
KIRBY F., MCCAUL C., O'DONOVAN F., MCGRATH K., MCDONALD N.J. & MCSHANE A.J. Tracheal acid aspiration in patients in the Intensive Care Unit. **446**, 424*P*, 1992

KIRK Kiaran
KIRK Kiaran KCl co-transport in erythrocytes from the river lamprey (*Lampetra fluviatilis*). **446**, 7*P*, 1992
KIRK Kiaran, ELFORD Barry C., ELLORY J. Clive & NEWBOLD Chris I. A transport pathway responsible for the increased permeability of malaria-infected erythrocytes shows characteristics of a Cl^- channel. **452**, 342*P*, 1992

KIRKPATRICK P.J.
STRONG A.J., KIRKPATRICK P.J., BUCKNALL R.M., NAYLOR P. & RUDMAN S. Measurement of superficial cerebral cortical blood flow by imaging umbelliferone clearance in anaesthetized cats and rabbits. **446**, 569*P*, 1992

KIRSCHENLOHR H.L.
GRACE A.A., KIRSCHENLOHR H.L., SMITH G.A., METCALFE J.C., WEISSBERG P.L. & VANDENBERG J.I. HCO_3^--dependence of recovery from intracellular acidosis in the perfused ferret heart during $Na^+ - H^+$ antiport inhibition. **446**, 141*P*, 1992

KISHI K.
INOUE I., NAGASE H., KISHI K. & HIGUTI T. An ATP-sensitive K^+ channel in the membrane of fused giant mitoplasts. **446**, 130*P*, 1992

KITANO S.
WELLS U.M., YURDAKOS E., KITANO S. & WEBBER S. Bradykinin-induced increases in albumin output and lysozyme secretion are reduced by indomethacin in the ferret trachea *in vivo*. **446**, 116*P*, 1992

KITNEY R.
HOLLOWAY M., KITNEY R., RENTON S. & NICOLAIDES A. An evaluation of the use of edge detection when measuring atherosclerotic plaque from ultrasound images in man. **452**, 20*P*, 1992

KITNEY R.I.
KITNEY R.I., BIGNALL S. & SAW N. Analysis of unstable cardiorespiratory waveforms by the frequency tracking locus in human preterm infants. **452**, 27*P*, 1992

Bharath A.A. & Kitney R.I. Further theoretical investigations into Doppler angle dependence. **452**, 219*P*, 1992

Kivlighn S.D.

Yang H.M., Lohmeier T.E., Kivlighn S.D., Min Y.K. & Shim D.W. The role of angiotensin II in mediating the renal actions of noradrenaline. **446**, 89*P*, 1992

Kiyosue T.

Kiyosue T. & Arita M. Ionic mechanisms underlying APD prolongation during hypothermia in isolated guinea-pig ventricular myocytes. **446**, 339*P*, 1992

Klip A.

Hundal H.S., Mitsumoto Y., Marette A., Ramlal T. & Klip A. Expression and localization of Na^+ pump isoforms in rat skeletal muscle and L6 muscle cells: effect of insulin. **452**, 101*P*, 1992

Knight D.E.

Burton P.B.J., Kamalati T., Ratcliff W. & Knight D.E. Evidence implicating parathyroid hormone-related peptide as an autocrine growth factor for human lung cancer cells. **446**, 534*P*, 1992

Newton J.S. & Knight D.E. Direct evidence of a role for Ca^{2+} and guanine nucleotide binding proteins in renin secretion from isolated, electropermeabilized, rat renal cortical cells. **446**, 585*P*, 1992

Knight P.J.

Geeves M.A., Ranatunga K.W. & Knight P.J. Effect of hydrostatic pressure on low angle X-ray scattering by isolated frog muscle during contraction. **452**, 155*P*, 1992

Knott G.

Balkwill P., Habgood M.D., Knott G., Møllgård K., Saunders N.R. & Treherne J.M. Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992

Knott G.W.

Habgood M.D. & Knott G.W. [^{14}C]Theophylline permeability in the developing rat brain. **446**, 501*P*, 1992

Habgood M.D., Knott G.W. & Saunders N.R. The nature of the barrier permeability decrease during postnatal brain development in the rat. **446**, 502*P*, 1992

Kobrinsky E.M.

Pearson H.A., Kobrinsky E.M. & Dolphin A.C. Ca^{2+} channel currents in the dorsal root ganglion cell × neuroblastoma hybrid cell line, ND7-23. **446**, 181*P*, 1992

Koh C.S.

Lee J., Yeum C.H. & Koh C.S. Both nifedipine and Bay K 8644 potentiate the atrial natriuretic peptide release in response to volume expansion in anaesthetized rats. **446**, 273*P*, 1992

Koh S.D.

Kim K.S., Koh S.D. & Koo J.R. Contracture induced by glycine and hypertonic solutions in vascular smooth muscle *in vitro*. **446**, 367*P*, 1992

Kohzuki H.

Kohzuki H. & Enoki Y. The influence of high O_2 affinity of blood on maximal oxygen consumption in skeletal muscle in anaesthetized dogs. **446**, 356*P*, 1992

Kolston J.

Kolston J. & Lisney S.J.W. Preventing regeneration abolishes the contralateral, transneuronal effects of peripheral nerve section in anaesthetized rats. **446**, 444*P*, 1992

Kolston J. & Lisney S.J.W. The stability of cutaneous vasodilatation responses elicited by stimulation of saphenous nerve Aδ fibres in the anaesthetized rat. **452**, 248*P*, 1992

Kolston P.J.

Kolston P.J. & Ashmore J.F. Action of ATP on isolated Hensen's cells of guinea-pig cochlea investigated by calcium imaging and whole-cell recording. **446**, 389*P*, 1992

Kolston P.J. & Ashmore J.F. Using transputers to measure calcium changes in isolated cochlear cells. **452**, 170*P*, 1992

Komabayashi T.

Komabayashi T., Izawa T., Mochizuki T. & Tsuboi M. Substance P-induced diacylglycerol formation in rat parotid acinar cells *in vitro*. **446**, 392*P*, 1992

Kong C.H.

Kong C.H., Thompson F.D. & Imms F.J. Oxygen transport following renal transplantation in man. **446**, 573*P*, 1992

Kongsamut S.

Shibuya I., Kongsamut S. & Douglas W.W. Cytosolic Ca in isolated melanotrophs of an amphibian, *Xenopus laevis*: spontaneous Ca oscillations and their modulation by dopamine, GABA, and neuropeptide Y, the transmitters of the secreto-inhibitory nerves. **446**, 203*P*, 1992

Shibuya I., Kongsamut S. & Douglas W.W. Importance of voltage-dependent Ca channels of low threshold in maintenance of basal cytosolic free Ca and its reduction by dopamine and baclofen: evidence from Mn quenching of Fura-2 signals in isolated melanotrophs of rats. **446**, 310*P*, 1992

Koo J.R.

Kim K.S., Koh S.D. & Koo J.R. Contracture induced by glycine and hypertonic solutions in vascular smooth muscle *in vitro*. **446**, 367*P*, 1992

KOSUGI T.

NAKAMURA M., HANASHIRO K., KINJOH K. & KOSUGI T. The properties of monoclonal antibody to Habutobin, a thrombin-like enzyme (TLE) derived from the venom of *Trimeresurus flavoviridis* (*Habu*). **446**, 362*P*, 1992

KOTERA T.

KOTERA T. & BROWN P.D. Whole-cell currents in epithelial cells from rat choroid plexus *in vitro*. **452**, 356*P*, 1992

KOYAMA Natsu

PAMPLIN Philip James, HORIE Hajime, KOYAMA Natsu & YOKOTA Toshikatsu Inhibition of nociceptive neurons in the nucleus ventralis posterolateralis following conditioning stimulation of either the nucleus raphe magnus or the periaqueductal grey of the anaesthetized cat. Evidence for an ascending inhibitory pathway. **446**, 237*P*, 1992

KOZLOWSKI R.Z.

KOZLOWSKI R.Z., GOODSTADT L.J., TWIST V.W. & POWELL T. Rapid effects of photo-released guanosine nucleotides on L-type Ca^{2+} and Ba^{2+} currents in guinea-pig cardiac ventricular myocytes. **446**, 144*P*, 1992

ROBERTSON B.E., CORRY P.R., NYE P.C.G. & KOZLOWSKI R.Z. Mg-ATP activates calcium-activated potassium channels in rat pulmonary arterial cells. **446**, 556*P*, 1992

KOZLOWSKI R.Z., GOODSTADT L.J., TWIST V.W. & POWELL T. Intracellular GTPγS inhibits L-type Ca^{2+} channel activation by isoprenaline or photoreleased GTPγS in guinea-pig ventricular myocytes. **452**, 197*P*, 1992

KRAMER-JOHANSEN J.

KRAMER-JOHANSEN J., FLATEBØ T., MELSOM M.N., IVERSEN P.O., MÜLLER C. & NICOLAYSEN G. Regional distribution of ventilation–perfusion ratio ($\dot{V}/\dot{Q}$ ratio) in the goat. **452**, 28*P*, 1992

KROESE A.B.A.

SCHUTTE I.W.M., KROESE A.B.A. & AKKERMANS L.M.A. Soma size and location within the ganglion of electrophysiologically identified myenteric plexus neurons in the guinea-pig ileum. **452**, 335*P*, 1992

KROS C.J.

KROS C.J., RÜSCH A., RICHARDSON G.P. & RUSSELL I.J. Transducer currents in outer hair cells in cochlear cultures of neonatal mice. **446**, 112*P*, 1992

KRUK Z.L.

MILLAR J., O'CONNOR J.J., TROUT S.J. & KRUK Z.L. 100 Hz sampling of the kinetics of dopamine release and re-uptake in isolated rat nucleus accumbens using continuous scan cyclic voltammetry (CSCV). **452**, 38*P*, 1992

KUBO Machiko

KUBO Machiko & OKADA Yasunobu Arachidonic acid inhibits volume-sensitive Cl currents in a human intestinal epithelial cell line. **446**, 105*P*, 1992

KUJIRAI T.

KUJIRAI T., SATO M., ROTHWELL J.C. & COHEN L.G. The effect of transcranial magnetic stimulation on median nerve somatosensory evoked potentials in man. **446**, 374*P*, 1992

KUKITA F.

YAMAGISHI S., KUKITA F. & FURUYA K. Regulatory effects of intracellularly applied calcium and magnesium ions on ion channel activities in the giant axon of the squid *Doryteuthis bleekeri* giant axon. **446**, 168*P*, 1992

KUMAKURA K.

TERAKAWA S., MANIVANNAN S. & KUMAKURA K. Exocytosis in nerve terminals of the cultured bovine chromaffin cell studied at a single granule level. **446**, 205*P*, 1992

KUMAR P.

ELNAZIR B.K., KUMAR P. & MARSHALL Janice M. Modulation by theophylline of the ventilatory response to moderate hypoxia in conscious, newborn rats. **446**, 120*P*, 1992

THOMAS T. & KUMAR P. Peripheral chemoreceptor modulation of respiration during alternating hypoxia in conscious, newborn rats. **446**, 121*P*, 1992

KURIAKOSE M.

BANKS D., KURIAKOSE M. & MATTHEWS B. A movable microwire technique for chronic recording from the brain-stem. **446**, 78*P*, 1992

KURIAKOSE M., BANKS D. & MATTHEWS B. Modulation of the jaw opening reflex and responses of trigeminal brain-stem neurones by peripheral conditioning stimuli in chronically prepared, anaesthetized cats. **446**, 386*P*, 1992

BANKS D., KURIAKOSE M. & MATTHEWS B. A technique for chronic recording from subnucleus caudalis in cats using microwires. **452**, 174*P*, 1992

KUWAHARA A.

KUWAHARA A. & KUWAHARA Y. 5-Hydroxytryptamine (5-HT)-induced anion secretion in isolated guinea-pig distal colon. **446**, 197*P*, 1992

KUWAHARA Y.
KUWAHARA A. & KUWAHARA Y. 5-Hydroxytryptamine (5-HT)-induced anion secretion in isolated guinea-pig distal colon. **446**, 197*P*, 1992
KWON H.Y.
PARK H.J., LEE Y.L. & KWON H.Y. Pancreatic polypeptide inhibits insulin action on exocrine secretion of isolated rat pancreas. **446**, 199*P*, 1992
KWUN J.K.
HONG S.G., HAN J.H., KWUN J.K. & PERES A. Inactivation property of the Ca^{2+} channel in the mouse egg. **446**, 304*P*, 1992
KYBERD P.
WILLIAMS P.E., SIMPSON A.H.R.W., KYBERD P., KENWRIGHT J. & GOLDSPINK G. Physiological and structural changes in the rabbit anterior tibialis muscle following surgical limb-lengthening. **446**, 571*P*, 1992
LAB M.J.
TAYLOR H.P., EVANS S.K., DICK D., HARRISON F.G. & LAB M.J. Rate dependency of stretch-induced ectopic beats in isolated perfused rabbit ventricle. **446**, 337*P*, 1992
LAB M.J., DICK D. & HARRISON F.G. Propranolol reduces stretch arrhythmia in isolated rabbit heart. **446**, 538*P*, 1992
LAGADIC-GOSSMANN Dominique
LAGADIC-GOSSMANN Dominique, RICHMOND P. & VAUGHAN-JONES R.D. α-Adrenergic receptors mediate inhibition of Na^+–HCO_3^- symport in the guinea-pig and rabbit ventricular myocyte. **446**, 142*P*, 1992
LAIRD Jennifer M.A.
CERVERO Fernando, LAIRD Jennifer M.A. & POZO Miguel A. Plastic changes of spinal nociceptive neurones induced by noxious visceral stimulation in the anaesthetized cat. **452**, 240*P*, 1992
LAKIE M.
ARBLASTER L.A., LAKIE M. & ROBERTS R.C. Localized cooling can reduce essential tremor in man. **452**, 26*P*, 1992
LAMB G.D.
LAMB G.D., RECUPERO E. & STEPHENSON D.G. Effect of pH on excitation–contraction coupling in isolated skeletal muscle of toad. **446**, 263*P*, 1992
LAMBERT C.M.
WALSH E.G., DALVI U., LAMBERT C.M. & NUKI G. Resonance at the wrist in patients with rheumatoid arthritis. **452**, 106*P*, 1992
LAMBERT J.D.C.
WHITTINGTON M.A., LITTLE H.J. & LAMBERT J.D.C. Withdrawal from *in vivo* chronic ethanol treatment increases APV-sensitive transmission in isolated mouse hippocampal slices. **452**, 201*P*, 1992
LAMBERT J.J.
BARRON R.M., ELLIOTT J.R., HOLLOWBREAD A. & LAMBERT J.J. The influence of n-alkanols and various intravenous general anaesthetics on a whole body withdrawal response of *Physa*. **446**, 45*P*, 1992
LAMONT C.
O'NEILL S.C., LAMONT C., NEGRETTI N. & EISNER D.A. The effect of thapsigargin on the calcium transient and twitch of single myocytes isolated from rat heart. **446**, 148*P*, 1992
LANGER C.
BRUNN G., LANGER C., BÄHRING J., WESSLER I. & RACKÉ K. Epithelium-derived prostanoids inhibit the release of endogenous noradrenaline from rat isolated trachea. **446**, 115*P*, 1992
LANGLEY S.E.M.
LANGLEY S.E.M. & FRY C.H. Factors influencing the urinary free $[Ca^{2+}]$ in normal subjects and from patients with urinary tract stones. **446**, 584*P*, 1992
LANT A.F.
NOORMOHAMED F.H. & LANT A.F. Sodium retaining action of arginine-vasopressin (AVP) in hydrated man. **452**, 87*P*, 1992
NOORMOHAMED F.H. & LANT A.F. Use of lithium in renal investigations: minimizing the impact on renal function. **452**, 136*P*, 1992
LARA J.P.
DAWID-MILNER M.S., LARA J.P., MILAN A. & GONZALEZ-BARON S. Activity of inspiratory neurones in the nucleus ambiguus (NA) during the cough reflex at different respiratory loading resistances in the decerebrate cat. **452**, 225*P*, 1992
LARA J.P., PARKES M.J., IZZO P.N. & SPYER K.M. Respiratory and circulatory responses to electrical and chemical stimulation in the parabrachial complex (PB) of the anaesthetized rat. **452**, 321*P*, 1992
LARA MUNOZ J.P.
PARKES M.J., LARA MUNOZ J.P., IZZO P.N. & SPYER K.M. Projections of neurones with respiratory-related discharge in the medulla of the anaesthetized rat. **446**, 428*P*, 1992
LARCOMBE-MCDOUALL J.B.
STEWARD M.C. & LARCOMBE-MCDOUALL J.B. Absence of volume regulation in acinar cells of the isolated, perfused rat mandibular gland. **446**, 102*P*, 1992

Larcombe-McDouall J.B., Brownbill P. & Steward M.C. Continuous measurement of intracellular water content in the isolated, perfused rat mandibular salivary gland by proton NMR spectroscopy. **452**, 74*P*, 1992

Steward M.C., Larcombe-McDouall J.B. & Nakahari T. Osmotic water permeability of acinar cell membranes in the isolated perfused rat mandibular salivary gland. **452**, 97*P*, 1992

Larsen E. Hviid

Willumsen Niels J., Vestergaard Lars O. & Larsen E. Hviid Evidence of β-agonist and cAMP-stimulated chloride conductance in toad skin epithelium being localized to the mitochondria-rich cells. **446**, 108*P*, 1992

Laswai G.H.

Taylor J.A., Salter D.N., Close W.H. & Laswai G.H. Effects of feeding level and sex on lymphocyte β-adrenoceptor numbers in growing pigs. **446**, 293*P*, 1992

Lau K.R.

Evans R.L., Lau K.R. & Case R.M. The effect of isoprenaline on intracellular Cl^- concentration in isolated rabbit mandibular salivary gland ducts. **446**, 351*P*, 1992

Evans R.L., Lau K.R. & Case R.M. Isolation and characterization of individual striated ducts from the rabbit mandibular salivary gland. **452**, 73*P*, 1992

Law R.O.

Law R.O. Efflux of [^{3}H]taurine from pre-loaded slices of rat cerebral cortex. **452**, 297*P*, 1992

Lawson S.N.

Prabhakar E. & Lawson S.N. The electrophysiological properties of rat primary afferent neurones with carbonic anhydrase activity or peripherin-like immunoreactivity. **452**, 242*P*, 1992

Leach L.

Schulze C., Leach L., Firth J.A. & Haldenby K. Endothelial cell–cell contacts in mammalian continuous capillaries: evidence for the existence of regularly spaced, cleft-spanning structures. **452**, 65*P*, 1992

Leach L., Ward B.J., Schulze C. & Firth J.A. Endothelial cell–cell contacts in continuous mammalian capillaries: the tight junction. **452**, 66*P*, 1992

Leach Richard M.

Agrawal Bella, Leach Richard M., Cameron Ian R. & Ward Jeremy P.T. Acute hypoxic vasoconstriction in isolated pulmonary arteries of the rat is dependent on the endothelium. **446**, 490*P*, 1992

Leader M.

Hennessy A., Grace P., Leader M. & Bouchier-Hayes D.J. Local hypothermia protects the small bowel from ischaemia in the rat. **446**, 456*P*, 1992

Le Dividich J.

Herpin P., Le Dividich J., Duchamp C. & Dauncey M.J. Relation between plasma concentration of insulin-like growth factor-I and birth-weight in pigs. **446**, 276*P*, 1992

Lee Chin O.

Levi Allan J., Lee Chin O., Hancox Jules, Issberner Jon & Wang Xuemin A method for obtaining a high yield of healthy myocytes from the ventricle and atrioventricular node of isolated rabbit hearts. **452**, 157*P*, 1992

Levi Allan J., Lee Chin O. & Brooksby Paul Calibration of the fluorescent indicator SBFI for intracellular sodium in ventricular myocytes isolated from rabbit and rat hearts. **452**, 159*P*, 1992

Lee C.M.

Wilson S.M., Lee C.M., Smith G.L., Pediani J.D., Brown U.M.O. & Elder H.Y. Second messenger signals in cultured, human sweat gland epithelia. **452**, 230*P*, 1992

Lee H.S.

Chae S.W., Kim J.S., Lee H.S. & Cho K.P. Effect of Na–H exchange inhibitor (amiloride-5-*N*,*N*-hexamethylene) on the carbachol-induced intracellular sodium activity increase in beating and quiescent guinea-pig papillary muscle *in vitro*. **446**, 327*P*, 1992

Lee J.

Lee J., Yeum C.H. & Koh C.S. Both nifedipine and Bay K 8644 potentiate the atrial natriuretic peptide release in response to volume expansion in anaesthetized rats. **446**, 273*P*, 1992

Lee J.A.

Lee J.A., Boon A.P., Hubscher S.G., Hines J.E. & Burt A.D. Hepatic reinnervation following orthotopic liver transplantation in man. **446**, 292*P*, 1992

Lee J.-Y.

Lee J.-Y., Djamgoz M.B.A., Hodos W., Holden A.L. & Porciatti V. Life span changes in the visual acuity of the Japanese quail. **452**, 42*P*, 1992

Lee S.H.

Lee S.H., Ho W.K. & Earm Y.E. Ca^{2+}-activated inward current in isolated rabbit pulmonary arterial cells. **446**, 246*P*, 1992

Lee S.J.

Jun J.Y., Lee S.J., Hwang S.I. & Kim K.W. Effect of noradrenaline on the spontaneous contractions and Ca^{2+} current in the isolated antral circular muscle of guinea-pig. **446**, 247*P*, 1992

LEE W.J.
LEE W.J., YANG E.K., PARK J.S., PARK Y.Y. & AHN D.K. Acute and chronic effects of potassium on aldosterone release in rats fed with different amounts of sodium. **446**, 88*P*, 1992
LEE Y.L.
PARK H.J., LEE Y.L. & KWON H.Y. Pancreatic polypeptide inhibits insulin action on exocrine secretion of isolated rat pancreas. **446**, 199*P*, 1992
LEEM C.H.
LEEM C.H., SO I.S., HO W.K. & EARM Y.E. Taurine modulates the inward background current induced by isoprenaline in isolated ventricular cells of the rabbit. **446**, 149*P*, 1992
LEFEVRE J.
LEFEVRE J. Is there a relationship between fractal complexity and functional efficiency in the pulmonary arterial tree? **446**, 578*P*, 1992
LEFLEY P.W.
MEAL A.G., LEFLEY P.W. & PARKER T.L. Electronic monitoring of drinking behaviour in rats. **446**, 395*P*, 1992
LE GUENNEC J.-Y.
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Simultaneous measurement of tension, intracellular calcium ($[Ca]_i$) and membrane potential in stretched, single guinea-pig ventricular myocytes. **446**, 75*P*, 1992
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Some effects of stretch in single guinea-pig ventricular myocytes. **446**, 238*P*, 1992
LEIGH P.N.
CROSS P.M., CRAGGS M.D. & LEIGH P.N. The effect of antagonistic voluntary movement on F wave modulation in man. **452**, 45*P*, 1992
LEIPER J.B.
VIST G.E., LEIPER J.B. & MAUGHAN R.J. Gastric emptying of glucose, glucose polymer and rice starch solutions in man. **446**, 52*P*, 1992
LEIPER J.B., PRIMROSE C.S. & MAUGHAN R.J. Absorption of water and solute from glucose-electrolyte solutions in the intact human jejunum. **446**, 53*P*, 1992
LEMON R.N.
EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER S. Direct and indirect activation of corticospinal neurones by electrical and magnetic stimulation in the anaesthetized macaque monkey. **446**, 224*P*, 1992
GOLDSMITH P., FLAMENT D. & LEMON R.N. Task-related differences in the response of human 1st dorsal interosseous (1 DI) muscle to magnetic brain stimulation. **446**, 226*P*, 1992
LENG G.
BROWN D., HERBISON A.E., LENG G. & MARRS R.W. A mathematical model for the interaction between luteinizing hormone-releasing hormone (LHRH), GABA and noradrenaline cells in the rat. **446**, 67*P*, 1992
DYBALL R.E.J. & LENG G. Estimation of stimulus spread from stimulating electrodes in the CNS of the anaesthetized rat. **446**, 68*P*, 1992
PUMFORD K.M., LENG G. & RUSSELL J.A. Inhibition of spontaneous and synaptically evoked activity of supraoptic neurones in the anaesthetized rat by μ- and κ-selective opioids in anaesthetized rats. **452**, 214*P*, 1992
DICKSON S.L., LENG G. & ROBINSON I.C.A.F. Stimulus patterning and growth hormone (GH) secretion in male rats. **452**, 215*P*, 1992
LENNARD R.
WISDOM D., SINGH J., SALIDO G.M., PARIENTE J.A., LENNARD R. & CAMELLO P.J. Effects of nerve stimulation and secretin on exocrine pancreatic secretion in the rat *in vivo* and *in vitro* **452**, 100*P*, 1992
LENNON G.M.
LENNON G.M. & FITZPATRICK J.M. Recovery of ureteric motility following complete and partial ureteric obstruction in the dog: an *in vivo/in vitro* comparative study. **446**, 454*P*, 1992
LESCALE-MATYS L.
SHIRAZI-BEECHEY S.P., LESCALE-MATYS L., DYER J., FREEMAN T.C., SCOTT D. & WRIGHT E.M. Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992
LESLIE G.C.
HAIN J.M.H. & LESLIE G.C. Effect of vibration or 'Jendrassik manoeuvre' on integrated rectified electromyogram (IREMG) and tension during fatigue of a sustained maximal voluntary contraction (MVC) of adductor pollicis (ADP) in man. **446**, 17*P*, 1992
LEUNG A.Y.H.
WONG P.Y.D., HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W. & CHAN P.S.F. Human epididymal cells respond to adrenaline by increase in short-circuit current and whole-cell chloride current. **446**, 93*P*, 1992

Leung A.Y.H. & Wong P.Y.D. A method for studying apical anion conductance in cultured rat epididymal cells using the short-circuit current technique. **446**, 94*P*, 1992

Lever M.J.

Jay M.T. & Lever M.J. Spatial variations in the permeability of the luminal surfaces of large blood vessels of the rabbit. **452**, 5*P*, 1992

Lever M.J., Jay M.T., Debaer F. & Thome G. Effect of vasomotor tone on the hydraulic conductivity and reflection coefficient of the medial layers of isolated rabbit aorta and carotid artery. **452**, 18*P*, 1992

Levi Allan J.

Levi Allan J., Lee Chin O., Hancox Jules, Issberner Jon & Wang Xuemin A method for obtaining a high yield of healthy myocytes from the ventricle and atrioventricular node of isolated rabbit hearts. **452**, 157*P*, 1992

Levi Allan J., Hancox Jules & Brooksby Paul Rapid changes of extracellular solution combined with measurements of contraction in isolated ventricular myocytes from the rat heart. **452**, 158*P*, 1992

Levi Allan J., Lee Chin O. & Brooksby Paul Calibration of the fluorescent indicator SBFI for intracellular sodium in ventricular myocytes isolated from rabbit and rat hearts. **452**, 159*P*, 1992

Brooksby Paul & Levi Allan J. Does Ca influx via Na–Ca exchange trigger intracellular Ca release and contraction in isolated rat ventricular myocytes? **452**, 227*P*, 1992

Levick J.R.

Bates D.O., Levick J.R. & Mortimer P.S. Human interstitial fluid pressure and arm volume following breast cancer treatment. **452**, 14*P*, 1992

Levin R.J.

Nzegwu Helen & Levin R.J. Fluid secretory responses to *Escherichia coli* Sta enterotoxin *in vivo* by ilea and jejuna from starved and chronically undernourished rats. **446**, 106*P*, 1992

Rolfe Vivien, Levin R.J. & Young A. Electrogenic secretion in rat intestine *in vitro* activated by *E. coli* Sta is not mediated by local release of 5-hydroxytryptamine. **446**, 107*P*, 1992

Przyborski S.A., Levin R.J. & Young A. McN-A-343 has an antagonistic action at cholinergic receptors on rat jejunal and ileal enterocytes. **452**, 53*P*, 1992

Nzegwu Helen & Levin R.J. The enteric nervous system is involved in the maintained hypersecretory response of the small intestine to *E. coli* STa in chronic undernourished rats *in vitro*. **452**, 102*P*, 1992

Nzegwu Helen & Levin R.J. Investigations of the enteric neural involvement in the maintained electrogenic hypersecretion induced by *E. coli* STa in chronic undernourished rat small intestine *in vitro*. **452**, 361*P*, 1992

Przyborski S.A., Levin R.J. & Young A. Acetylcholine activates electrogenic secretion in rat jejunum and ileum *in vitro* by M3 muscarinic receptors. **452**, 363*P*, 1992

Levinkind M.

Levinkind M., VanderNoot T.J. & O'Hare D. Study comparing the impedance characteristics of isolated normal and proteoglycan-depleted bovine articular cartilage. **452**, 60*P*, 1992

Lewin Gary R.

Lewin Gary R. & Mendell Lorne M. Regulation of cutaneous C fibre heat nociceptors by nerve growth factor in the developing rat. **452**, 43*P*, 1992

Lewis A.

Almey J., Brooks S., Gleeson M., Griffiths H. & Lewis A. Indices of the acute phase inflammatory response following eccentric exercise in man. **446**, 208*P*, 1992

Lewis D.I.

Lewis D.I., Sermasi E. & Coote J.H. The adult rat spinal cord *in vitro*: a novel preparation for recording from lateral horn cells. **452**, 322*P*, 1992

Lewis D.M.

Lewis D.M. & Schmalbruch H. Physiology and morphology of regenerated rat skeletal muscle. **452**, 175*P*, 1992

Lewis M.J.

McKirdy M.L., McKirdy H.C., Marshall R.W. & Lewis M.J. Evidence for the involvement of nitric oxide in the non-adrenergic non-cholinergic relaxation of human sphincteric muscle strips *in vitro*. **446**, 592*P*, 1992

Lewis P.R.

Tolhurst D.J., Lewis P.R., Shelley A.M. & Hockaday A.R. The morphology of the optic nerve of the common shrew, *Sorex araneus*. **446**, 234*P*, 1992

Liang Y.-F.

Terashima S. & Liang Y.-F. Central projections of Aδ nociceptive neurons in the trigeminal ganglion of the crotaline snake, *Trimeresurus flavoviridis*. **446**, 158*P*, 1992

Light Lucinda

Burn-Murdoch R.A. & Light Lucinda Assessing the stability of reference points used for recording movements by discontinuing measurements of position. **446**, 477*P*, 1992

LIGHTMAN S.

SUTTERS M., HATFIELD E., BRACE C., WHITEHURST A., LIGHTMAN S. & PEART W. Water and sodium homeostasis during dietary sodium restriction in patients with cranial diabetes insipidus. **446**, 452*P*, 1992

HALL A.J.H., GREENWOOD J., PATEL B.C.K., BRADA M. & LIGHTMAN S. The effect of histamine and interleukin-2 on the blood–brain and blood–retinal barriers of the anaesthetized rat. **446**, 497*P*, 1992

GRATTON J., GREENWOOD J., LUTHERT P. & LIGHTMAN S. A quantitative comparison of blood–retinal and blood–brain barrier capillary distribution and density in the rat using image analysis. **446**, 508*P*, 1992

LIM A.T.

FINK G., DOW R.C., CASLEY D., JOHNSTON C.I., LIM A.T., COPOLOV D.L., BENNIE J., CARROLL S. & DICK H. Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

LINDEN R.J.

GATTULLO Donatella, LINDEN R.J., LOSANO G., PAGLIARO P., VONO P. & WESTERHOF N. The effects of left ventricular diastolic pressure and volume on diastolic coronary flow in the isovolumically beating heart in the anaesthetized dog. **452**, 222*P*, 1992

LINDLEY K.J.

LINDLEY K.J., MULLER D.P.R. & MILLA P.J. Vitamin E deficiency, lipid peroxidation and rat small intestinal function *in vitro*. **452**, 331*P*, 1992

LINDSAY A.R.G.

TINKER A., LINDSAY A.R.G. & WILLIAMS A.J. A model for ionic conduction in the sheep cardiac ryanodine receptor-channel. **446**, 333*P*, 1992

LINGARD Jennifer M.

LINGARD Jennifer M., AL-NAKKASH Layla, TAYLOR Nicola & ARGENT B.E. ^{125}I efflux from a human pancreatic adenocarcinoma cell line (B × PC-3). **446**, 354*P*, 1992

LINTON E.A.

LOWENSTEIN P.R., SHERING A.F., JAMES J.L., LOWRY P.J., LINTON E.A. & CASTRO M.G. Corticotrophin-releasing hormone-like immunoreactive neurones in the rat cerebral cortex. **446**, 24*P*, 1992

LINTON R.A.F.

SNEYD J.R., LINTON R.A.F. & BAND D.M. Intravenous infusion of adrenaline during exercise in man. **446**, 210*P*, 1992

MCLOUGHLIN P., LINTON R.A.F. & BAND D.M. The effect of intravenous infusions of KCl and lactic acid on ventilation in anaesthetized cats. **446**, 426*P*. 1992

BAND D.M., LINTON R.A.F. & MCLOUGHLIN P. Afferent carotid chemoreceptor response to step increases in arterial P_{CO_2} in anaesthetized cats. **446**, 431*P*, 1992

MCLOUGHLIN P., LINTON R.A.F. & BAND D.M. Response of carotid chemoreceptors to elevated arterial potassium in anaesthetized cats ventilated with air or 100% oxygen. **446**, 580*P*, 1992

LIPP P.

CALLEWAERT G., LIPP P., SIPIDO K.R., POTT L. & CARMELIET E. Regenerative Ca^{2+} release in guinea-pig atrial myocytes. **446**, 146*P*, 1992

LISNEY S.J.W.

KOLSTON J. & LISNEY S.J.W. Preventing regeneration abolishes the contralateral, transneuronal effects of peripheral nerve section in anaesthetized rats. **446**, 444*P*, 1992

LISNEY S.J.W., MASSEY Emma J. & RAVEN Poppy E. Specificity of transneuronal signals after peripheral nerve injury investigated in anaesthetized rats. **452**, 168*P*, 1992

KOLSTON J. & LISNEY S.J.W. The stability of cutaneous vasodilatation responses elicited by stimulation of saphenous nerve Aδ fibres in the anaesthetized rat. **452**, 248*P*, 1992

LITTLE H.J.

WHITTINGTON M.A., LITTLE H.J. & LAMBERT J.D.C. Withdrawal from *in vivo* chronic ethanol treatment increases APV-sensitive transmission in isolated mouse hippocampal slices. **452**, 201*P*, 1992

LIU Y.K.

LIU Y.K. & BRUTON J.D. Recovery from fatigue in rat isolated skeletal muscle. **446**, 265*P*, 1992

LIVINGSTON A.

CHAMBERS J.P., LIVINGSTON A., WATERMAN A.E. & GOODSHIP A.E. Chronic tendon injury in horses reduces their noxious pressure thresholds and response to analgesics. **452**, 205*P*, 1992

LLEDO P.M.

LLEDO P.M., SOMASUNDARAM B., MORTON A.J., EMSON P.C. & MASON W.T. Transfection of calbindin D28K alters calcium entry and intracellular calcium dynamics in the GH_3 cell line. **452**, 218*P*, 1992

LLEDO P.-M.

LLEDO P.-M., ZOREC R., VERNIER P. & MASON W.T. Anti-sense oligonucleotides injected with patch clamp techniques reveal involvement of a small GTP-binding protein in the control of exocytosis in rat anterior pituitary cells. **452**, 298*P*, 1992

LLOYD C.H.
MITCHELL Stella, LLOYD C.H. & CADDEN S.W. Does a stretch reflex contribute to the excitations which follow inhibitory jaw reflexes in man? **446**, 4*P*, 1992

LO Anthony W.-I.
LO Anthony W.-I., HARVEY Catherine M., WOLOWYK Michael W. & YOUNG James D. Characterization of L-proline transport in erythrocytes of a primitive vertebrate, the Pacific hagfish (*Eptatretus stouti*) **446**, 176*P*, 1992

LOGAN S.D.
GIBSON I.C. & LOGAN S.D. A phorbol ester modulates calcium currents in neurones of *Helix aspersa*. **446**, 172*P*, 1992
PICKERING A.E., SPANSWICK D. & LOGAN S.D. 5-HT depolarizes and induces oscillations in rat sympathetic preganglionic neurones *in vitro*. **452**, 37*P*, 1992
SPANSWICK D., PICKERING A.E., GIBSON I.C. & LOGAN S.D. Induction of rhythmic oscillations in rat sympathetic preganglionic neurones (SPN) *in vitro* by a metabotropic-like excitatory amino acid receptor **452**, 179*P*, 1992
PICKERING A.E., SPANSWICK D., GIBSON I.C. & LOGAN S.D. Inhibition of membrane potential oscillations in rat sympathetic preganglionic neurones *in vitro* by noradrenaline. **452**, 226*P*, 1992

LOHMEIER T.E.
YANG H.M., LOHMEIER T.E., KIVLIGHN S.D., MIN Y.K. & SHIM D.W. The role of angiotensin II in mediating the renal actions of noradrenaline. **446**, 89*P*, 1992

LOMAX R.
LOMAX R. & SANDLE G.I. Aldosterone induces apical Na^+ channels in surface but not crypt cells of rat distal colon. **452**, 139, 1992

LONG S.K.
SIAREY R.J., LONG S.K. & EVANS R.H. A comparison of the effect of diazepam and tizanidine on synaptically evoked primary afferent depolarization in the rat spinal cord *in vitro*. **452**, 200*P*, 1992

LOSANO G.
GATTULLO Donatella, LINDEN R.J., LOSANO G., PAGLIARO P., VONO P. & WESTERHOF N. The effects of left ventricular diastolic pressure and volume on diastolic coronary flow in the isovolumically beating heart in the anaesthetized dog. **452**, 222*P*, 1992

LOTAY I.
CARR L.J., HARRISON L.M., STEPHENS J.A., LOTAY I., FARMER S., IRONTON R. & JONES T. Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992

LOTE C.J.
LOTE C.J., SAUNDERS H., WOOD J.A. & SPENCER A.J. Relationship between urinary aluminium and calcium excretion in the rat. **452**, 84*P*, 1992

LOUWERSE A.-M.
LOUWERSE A.-M. & MARSHALL Janice M. The role of the renin-angiotensin system in the cardiovascular response to systemic hypoxia in the anaesthetized rat with P_{a,CO_2} maintained. **452**, 319*P*, 1992

LOUWERSE Anne-Marie
LOUWERSE Anne-Marie, MARSHALL Janice M. & FORSLING Mary L. The role of vasopressin (AVP) in the cardiovascular response evoked by hypocapnic- and normocapnic-hypoxia in the anaesthetized rat. **452**, 220*P*, 1992

LOVGREEN Brenda
CODY F.W.J., LOVGREEN Brenda & SCHADY W. Human visuo-motor tracking in cerebellar dysfunction. **446**, 449*P*, 1992
CODY F.W.J., LOVGREEN Brenda & SCHADY W. Computer-based visuo-motor tracking system. **452**, 70*P*, 1992
BANKS J.R., GARDNER Ed, LOVGREEN Brenda & RICHARDSON Helen C. Use of FM radio telemetry to record human electromyograms during 'dry' slope skiing. **452**, 72*P*, 1992

LOVICK T.A.
WANG W.H. & LOVICK T.A. Inhibitory actions of 5-hydroxytryptamine on rostral ventrolateral medullary neurones in anaesthetized rats. **446**, 259*P*, 1992
WANG W.H. & LOVICK T.A. Role of medullary raphe nuclei in the inhibition of rostral ventrolateral medullary neurones evoked from the ventrolateral periaqueductal grey matter in anaesthetized rats. **446**, 521*P*, 1992

LOW J.C.
YAMADA M., DJAMGOZ M.B.A., LOW J.C., FURUKAWA T. & YASUI S. Dynamic characteristics of multiple cone synaptic input to H1 horizontal cells in carp retina *in vitro*. **446**, 375*P*, 1992
DJAMGOZ M.B.A., LOW J.C., SAITO T. & YAMADA M. Voltage- and current-clamp recordings of light-evoked transient amacrine cell responses in isolated retinae of carp. **452**, 52*P*, 1992

LOW S.C.
LOW S.C., ASSAD S.N., EDWARDS C.R.W. & SECKL J.R. Effect of sex steroids on 11β-hydroxysteroid dehydrogenase in rat liver, kidney and hippocampus *in vivo*. **452**, 213*P*, 1992

LOWENSTEIN P.R.
LOWENSTEIN P.R., SHERING A.F., JAMES J.L., LOWRY P.J., LINTON E.A. & CASTRO M.G. Corticotrophin-releasing hormone-like immunoreactive neurones in the rat cerebral cortex. **446**, 24*P*, 1992
LOWRIE M.B.
O'HANLON G.M. & LOWRIE M.B. Localized morphological changes in sciatic pool motoneurons following neonatal nerve injury at 5 days in the rat. **452**, 236*P*, 1992
LOWRY P.J.
LOWENSTEIN P.R., SHERING A.F., JAMES J.L., LOWRY P.J., LINTON E.A. & CASTRO M.G. Corticotrophin-releasing hormone-like immunoreactive neurones in the rat cerebral cortex. **446**, 24*P*, 1992
LU F.
GILL J.S., SHANKAR V.S., BAX C.M.R., LU F., MOONGA B.S., ZAIDI M. & CAMM A.J. The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992
GILL J.S., LU F., MCKENNA W.J. & CAMM A.J. Effect of propafenone on the calcium current in guinea-pig ventricular myocytes. **452**, 22*P*, 1992
LUCKMAN S.M.
LUCKMAN S.M. Peripheral administration of cholecystokinin (CCK) results in the expression of *fos*-like immunoreactivity in the brainstem of the rat. **452**, 249*P*, 1992
LUDLAM Clare
LUDLAM Clare, ARISAWA H. & BORN G.V.R. Increased uptake of low-density lipoprotein after heparinase perfusion of carotid arteries in anaesthetized rabbits. **446**, 220*P*, 1992
LUDMIR J.
ERULKAR S.D., LUDMIR J., GER B. & DEPINO R. Transient outward K^+ currents are expressed with high probability in human uterine fibroid cells in culture in comparison to normal myometrial cells. **446**, 131*P*, 1992
LUKE D.
HURLEY J., MCDONAGH P., PHELAN D., LUKE D. & MCGOVERN E. The occurrence of a tissue oxygen debt in anaesthetized man and its attenuation with positive inotropic support. **446**, 463*P*, 1992
LUMB B.M.
LUMB B.M. & SEMENENKO F.M. Anatomical analysis of projections from the hypothalamus to different subdivisions of the periaqueductal grey in the rat. **452**, 255*P*, 1992
LUTHERT P.
GRATTON J., GREENWOOD J., LUTHERT P. & LIGHTMAN S. A quantitative comparison of blood–retinal and blood–brain barrier capillary distribution and density in the rat using image analysis. **446**, 508*P*, 1992
LYNCH M.
GILLESPIE J.I., LYNCH M., JOHNSON Carol & GREENWELL J.R. Fluctuations in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells in response to adenosine triphosphate. **452**, 264*P*, 1992
GILLESPIE J.I., JOHNSON Carol, LYNCH M. & GREENWELL J.R. Changes in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells as a result of bathing in solutions with nominally free calcium. **452**, 304*P*, 1992
LYONS V.
MULDERRY P.K., CHAPMAN K., LYONS V. & HARMAR A.J. A region of 5′-flanking DNA from the rat preprotachykinin-A gene which directs high-level expression in cultured rat dorsal root ganglion neurones transfected by microinjection of plasmid DNA. **452**, 199*P*, 1992
MCAINSH A.M.
MCAINSH A.M., O'HARE D., SHERIDAN D.J. & WINLOVE C.P. Continuous measurement of oxygen tension in the isolated guinea-pig heart using a purpose designed oxygen electrode. **452**, 126*P*, 1992
MCALLEN R.M.
BICKNELL R.J., OLDFIELD B.J., MCALLEN R.M., WEISINGER R.S. & MCKINLEY M.J. Fos immunoreactivity is induced in cells throughout the lamina terminalis following intravenous hypertonic saline infusions in rats. **446**, 80*P*, 1992
MCALLISTER-WILLIAMS R.H.
MCALLISTER-WILLIAMS R.H. & KELLY J.S. Multiple inactivation components of calcium currents in acutely isolated adult rat dorsal raphe cells are revealed by increases in temperature. **446**, 182*P*, 1992
MCARDLE H.J.
ACKLAND M.L. & MCARDLE H.J. Zinc uptake by human fibroblasts; evidence for a potassium-mediated process. **446**, 30*P*, 1992
ASLAM N. & MCARDLE H.J. Zinc uptake by microvillar vesicles isolated from human term placenta. **446**, 57*P*, 1992
MCARTHUR A.J.
ROYLE C., GARNSWORTHY P.C., MCARTHUR A.J. & MEPHAM T.B. Heart rate changes in dairy cows associated with milking. **446**, 575*P*, 1992

McAuliffe S.J.G.
McAuliffe S.J.G., Snow H.M., Moors J., Jessup R., Wayne M. & Noble M.I.M. Inhibition of arachidonic acid metabolism by aspirin can promote thrombus formation in a stenosed coronary artery of the anaesthetized dog. **446**, 413*P*, 1992

McCabe B.J.
Bradford C.M. & McCabe B.J. An association between imprinting and spontaneous neuronal activity in the hyperstriatum ventrale of the anaesthetized domestic chick. **452**, 238*P*, 1992

Maccabee P.J.
Amassian V.E., Eberle L., Maccabee P.J. & Cracco R.Q. Factors influencing magnetic coil excitation of isolated amphibian, cat and primate nerves immersed in a human brain-shaped volume conductor. **446**, 23*P*, 1992
Amassian V.E., Maccabee P.J., Cracco R.Q., Cracco J.B., Rudell A.P. & Eberle L. Identifying hemispheric asymmetry in humans by magnetic coil stimulation. **446**, 222*P*, 1992
Maccabee P.J., Amassian V.E., Eberle L.P., Cracco R.Q. & Rudell A.P. The magnetic coil activates amphibian and primate nerve *in vitro* at two sites and selectively at a bend. **446**, 228*P*, 1992
Amassian V.E., Maccabee P.J., Cracco R.Q., Cracco J.B., Rudell A.P. & Eberle L. The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992

McCaig C.D.
Rajnicek A.M., Gow N.A.R. & McCaig C.D. Directional growth of cultured rat hippocampal neurones in electric fields. **446**, 41*P*, 1992
Ahmed T., Erskine L., Shewan D.A., Stewart R. & McCaig C.D. Neurotransmitters, second messengers and protein kinase C may underlie orientation of cultured frog nerves in an applied electric field. **446**, 42*P*, 1992

McCartney Shirley
McCartney Shirley, Cramb G. & Aiton J.F. Dietary modulation of atrial natriuretic peptide receptors in liver plasma membranes isolated from Dahl salt-sensitive rats. **446**, 56*P*, 1992

McCaul C.
Kirby F., McCaul C., O'Donovan F., McGrath K., McDonald N.J. & McShane A.J. Tracheal acid aspiration in patients in the Intensive Care Unit. **446**, 424*P*, 1992

McClelland R.J.
Campbell E.R., Regan M.F., McCullagh P.J., McClelland R.J. & Wallace W.F.M. Evidence from slow wave potentials of functional asymmetry in the human brain during an analytical task. **446**, 448*P*, 1992

McConnell A.K.
Semple E.S.G. & McConnell A.K. Plasticity of human ventilatory sensitivity to CO_2: the influence of athletic training. **446**, 358*P*, 1992
White M.J. & McConnell A.K. Short term voluntary hyperventilation and ischaemic human muscle fatigue. **452**, 279*P*, 1992

McCrohan C.R.
Whelan H.A. & McCrohan C.R. Effect of sensory stimuli on synaptic input to an identified interneurone and on feeding behaviour in *Lymnaea stagnalis*. **446**, 159*P*, 1992
McCrohan C.R. & Croll R.P. Inhibition of feeding motor output by an identified interneurone in the isolated central nervous system of *Lymnaea stagnalis*. **446**, 317*P*, 1992
McCrohan C.R. & Croll R.P. Modulation of feeding motor output by the neuropeptide, APGWamide, in the isolated central nervous system of *Lymnaea stagnalis*. **452**, 147*P*, 1992

McCullagh P.J.
Campbell E.R., Regan M.F., McCullagh P.J., McClelland R.J. & Wallace W.F.M. Evidence from slow wave potentials of functional asymmetry in the human brain during an analytical task. **446**, 448*P*, 1992

MacDermott Mary
MacDermott Mary The intracellular sodium and potassium activities, determined using ion-sensitive microelectrodes, in isolated soleus muscle fibres of hypothyroid rats. **446**, 459*P*, 1992

McDonagh P.
Hurley J., McDonagh P., Phelan D., Luke D. & McGovern E. The occurrence of a tissue oxygen debt in anaesthetized man and its attenuation with positive inotropic support. **446**, 463*P*, 1992

Macdonald A.G.
Macdonald A.G., Drewry J., Ramsey R.L. & Usherwood P.N.R. The effect of high pressure on the ketamine blockade of the cation-selective channel of locust (*Schistocerca gregaria*) muscle. **446**, 557*P*, 1992
Macdonald A.G., Drewry J., Ramsey R.L., Shelton C. & Usherwood P.N.R. The effect of high pressure on the quisqualate-sensitive glutamate receptor channel of locust (*Schistocerca gregaria*) muscle. **452**, 186*P*, 1992

McDonald N.J.
Kirby F., McCaul C., O'Donovan F., McGrath K., McDonald N.J. & McShane A.J. Tracheal acid aspiration in patients in the Intensive Care Unit. **446**, 424*P*, 1992

MacEwan D.J.

MacEwan D.J., Johnson M.S., Thomson F.J. & Mitchell R. Protein kinase C may be required to maintain activity of nimodipine-sensitive Ca^{2+} channels in rat anterior pituitary cells *in vitro*. **446**, 282*P*, 1992

Johnson M.S., Thomson F.J., Avery J.L., MacEwan D.J. & Mitchell P.R. Differential actions of protein kinase C modulators on the release of hormones from rat anterior pituitary tissue *in vitro*. **446**, 283*P*, 1992

McEwan G.T.A.

McEwan G.T.A., Hirst B.H. & Simmons N.L. Poly-L-lysine induced apical membrane permeability associated with increased transepithelial conductance in cultured epithelial cell (MDCK) monolayers. **446**, 31*P*, 1992

Matthews C. Jane, McEwan G.T.A., Redfern C.P.F., Thomas E.J. & Hirst B.H. Electrical properties of primary monolayer cultures of human endometrial glandular epithelial cells. **446**, 97*P*, 1992

Matthews C.J., McEwan G.T.A., Redfern C.P.F., Thomas E.J. & Hirst B.H. Isolation, culture and functional analysis of glands from human endometrium. **452**, 260*P*, 1992

McEwan G.T.A., Hirst B.H. & Simmons N.L. Inhibition by 4,4′-diisothiocyanostilbene-2,2′-disulphonic acid (DIDS) separates volume and cAMP-activated Cl^- conductances in intact T_{84} epithelial monolayers. **452**, 346*P*, 1992

McEwan Jenkinson D.

Wilson S.M., Pediani J.D., Elder H.Y. & McEwan Jenkinson D. Voltage-evoked currents in cultured equine sweat gland cells. **446**, 433*P*, 1992

McFadzean I.

McFadzean I. & England S. Properties of the inactivating outward current in single smooth muscle cells isolated from the rat anococcygeus. **446**, 248*P*, 1992

MacFarlane Niall G.

MacFarlane Niall G. & Miller David J. Superoxide free-radicals reduce force, but not calcium sensitivity, in isolated, chemically 'skinned', cardiac trabeculae of rat. **446**, 240*P*, 1992

McGarrick J.

Talhi F., Thexton A. & McGarrick J. Transmucous electrical stimulation of lingual nerve fibres in the anaesthetized rat. **446**, 475*P*, 1992

McGarrick J. & Ward J.P.T. Computer-aided learning resources at UMDS. **446**, 481*P*, 1992

McGarry Stephen J.

McGarry Stephen J. & Williams Alan J. Adenosine activates the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel. **446**, 597*P*, 1992

McGeeney K.

Delaney C.P., McGeeney K., Horgan P.G., Couse N.F., Gorey T.F. & Fitzpatrick J.M. L-arginine: a role for inducing chronic pancreatitis in the anaesthetized rat. **446**, 402*P*, 1992

McGeeney K.F.

O'Donnell Mary D. & McGeeney K.F. The 3D network of connective tissue fibres of isolated rat lung: demonstrated by SEM stereo-pair micrographs. **446**, 394*P*, 1992

McGovern E.

Hurley J., McDonagh P., Phelan D., Luke D. & McGovern E. The occurrence of a tissue oxygen debt in anaesthetized man and its attenuation with positive inotropic support. **446**, 463*P*, 1992

McGrann S.

McKenna Kathleen, McGrann S., Blann A.D. & Allen Judith A. A factory study of vasospasm in riveters. **446**, 417*P*, 1992

McGrath J.C.

Crichton C.A., Templeton A.G.B., McGrath J.C. & Smith G.L. The effect of a stable thromboxane analogue, U46619, on calcium-activated force in α-toxin -permeabilized human umbilical artery. **446**, 491*P*, 1992

McGrath K.

Kirby F., McCaul C., O'Donovan F., McGrath K., McDonald N.J. & McShane A.J. Tracheal acid aspiration in patients in the Intensive Care Unit. **446**, 424*P*, 1992

MacGregor G.A.

Singer D.R.J., Markandu N.D., Morton J.J. & MacGregor G.A. Suppression of angiotensin II is important in the early increase in natriuresis after saline infusion in man. **452**, 86*P*, 1992

MacGregor G.G.

MacGregor G.G. & Kemp P.J. A large conductance anion channel in cultured bovine aortic endothelial cells. **452**, 305*P*, 1992

McGuigan J.A.S.

Chen Shuhau, Fry C.H., Illner Hana, Kickenweiz Elisabeth, McGuigan J.A.S., Powell T. & Twist V.W. Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992

McGuinness N.
McGuinness N., Anwyl R. & Rowan M.J. Enhancement of long-term potentiation by an agonist of the metabotropic glutamate receptor in the rat hippocampal slice. **446**, 442*P*, 1992
McHale N.G.
Hollywood M.A., Thornbury K.D. & McHale N.G. Augmentation of sheep lymphatic contractility by L-N^G-nitro arginine methyl ester. **446**, 420*P*, 1992
Thornbury K.D., Hollywood M.A. & McHale N.G. Role of nitric oxide in neurogenic relaxation of the outlet sphincter of the urinary bladder in the sheep. **446**, 422*P*, 1992
McIntyre D.B.
Turner D.L., McIntyre D.B., Jones D.A. & Newham D.J. Phosphorus metabolite concentration profiles of three human hand muscles. **452**, 112*P*, 1992
McIntyre H.
Montgomery B.S.I., McIntyre H., Gallegos C.R.R. & Fry C.H. The preparation of isolated muscle cells from human biopsy samples. **446**, 478*P*, 1992
McKay G.S.
Mason A.G. & McKay G.S. Computer-based reconstruction of the innervation to the maxillary teeth and air sinus (lateral nasal recess) in the ferret. **446**, 5*P*, 1992
McKee Gábrielle
McKee Gábrielle & Andrews J.F. The costs and savings of hibernation in the golden hamster. **446**, 451*P*, 1992
McKenna Kathleen
McKenna Kathleen, McGrann S., Blann A.D. & Allen Judith A. A factory study of vasospasm in riveters. **446**, 417*P*, 1992
McKenna W.J.
Gill J.S., Lu F., McKenna W.J. & Camm A.J. Effect of propafenone on the calcium current in guinea-pig ventricular myocytes. **452**, 22*P*, 1992
Mackenzie Bryan
Kaur Surinder, Mackenzie Bryan & Taylor Peter M. Modulation of amino acid uptake in *Xenopus* oocytes in relation to environmental amino acid availability. **446**, 13*P*, 1992
Mackenzie Bryan & Taylor Peter M. Expression of rat liver glutamine transporters in *Xenopus* oocytes. **446**, 14*P*, 1992
McKenzie J.D.
Hetherington M.S., McKenzie J.D. & Winlow W. Seasonal variability in brain dopamine and serotonin levels in *Lymnaea stagnalis*? **446**, 160*P*, 1992
McKeogh D.
McKeogh D., Nolan P., O'Regan R.G. & Bradford A. Artificial ventilation of the isolated larynx in the anaesthetized cat using a servo-controlled pump. **446**, 396*P*, 1992
McKinley M.J.
Bicknell R.J., Oldfield B.J., McAllen R.M., Weisinger R.S. & McKinley M.J. Fos immunoreactivity is induced in cells throughout the lamina terminalis following intravenous hypertonic saline infusions in rats. **446**, 80*P*, 1992
McKirdy H.C.
McKirdy M.L., McKirdy H.C., Marshall R.W. & Lewis M.J. Evidence for the involvement of nitric oxide in the non-adrenergic non-cholinergic relaxation of human sphincteric muscle strips *in vitro*. **446**, 592*P*, 1992
McKirdy M.
McKirdy M. & Johnson C.D. Non-adrenergic, non-cholinergic (NANC) inhibitory innervation of the isolated human gallbladder. **446**, 526*P*, 1992
McKirdy M.L.
McKirdy M.L., McKirdy H.C., Marshall R.W. & Lewis M.J. Evidence for the involvement of nitric oxide in the non-adrenergic non-cholinergic relaxation of human sphincteric muscle strips *in vitro*. **446**, 592*P*, 1992
MacLeod K.T.
Mochizuki S. & MacLeod K.T. The effects of hypoxia on cytoplasmic Ca^{2+} during low Na^+ exposure in isolated cardiac myocytes from guinea-pig. **446**, 334*P*, 1992
McLoughlin P.
McLoughlin P., Linton R.A.F. & Band D.M. The effect of intravenous infusions of KCl and lactic acid on ventilation in anaesthetized cats. **446**, 426*P*, 1992
Band D.M., Linton R.A.F. & McLoughlin P. Afferent carotid chemoreceptor response to step increases in arterial P_{CO_2} in anaesthetized cats. **446**, 431*P*, 1992
McLoughlin P., Linton R.A.F. & Band D.M. Response of carotid chemoreceptors to elevated arterial potassium in anaesthetized cats ventilated with air or 100% oxygen. **446**, 580*P*, 1992

McMahon Sarah E.
McMahon Sarah E. & McWilliam Peter N. Cardiac acceleration at the onset of muscle contraction in the decerebrate cat. **446**, 214*P*, 1992
McMahon Sarah E., McWilliam Peter N., Robertson James & Kaye Jean C. Inhibition of carotid sinus baroreceptor neurones in the nucleus tractus solitarius of the anaesthetized cat by electrical stimulation of hindlimb afferent fibres. **452**, 224*P*, 1992
McMahon Stephen
Wright Ellen & McMahon Stephen The inhibition of itch by noxious, but not innocuous, sensory counterstimulation in man. **446**, 480*P*, 1992
Baranowski Andrew, Priestley John & McMahon Stephen The consequences of delayed *versus* immediate nerve repair on the properties of regenerating sensory nerve fibres in the adult rat. **446**, 561*P*, 1992
Anand Uma, Bhatia Vinay & McMahon Stephen Target induced re-specification of somatovisceral reflexes in the anaesthetized rat. **446**, 562*P*, 1992
Rice Andrew, McMahon Stephen & Wall Patrick Impairment of nerve conduction by microneurography electrodes in the anaesthetized rat. **452**, 44*P*, 1992
McNicholas C.M.
McNicholas C.M., Brown C.D.A. & Turnberg L.A. (Na–K–Cl) co-transport in intact villus tips and crypt units from rat duodenum. **446**, 6*P*, 1992
McOwan P.W.
Johnston A., McOwan P.W. & Buxton H. A biologically plausible scheme for measuring image velocity. **452**, 288*P*, 1992
MacPhee P.J.
MacPhee P.J. & Michel C.C. Microvascular closing pressures of the vasa recta in the renal medulla of the anaesthetized rat. **452**, 8*P*, 1992
McQueen D.S.
Donaldson L.F., McQueen D.S. & Seckl J.R. Expression of neuropeptide messenger RNAs in rat dorsal root ganglia during development of adjuvant monoarthritis *in vivo*. **452**, 209*P*, 1992
McShane A.J.
Kirby F., McCaul C., O'Donovan F., McGrath K., McDonald N.J. & McShane A.J. Tracheal acid aspiration in patients in the Intensive Care Unit. **446**, 424*P*, 1992
McVicar A.J.
McVicar A.J. Sodium balance, blood volume and glomerular hyperfiltration in streptozotocin-treated diabetic rats. **452**, 137*P*, 1992
McWilliam Peter N.
McMahon Sarah E. & McWilliam Peter N. Cardiac acceleration at the onset of muscle contraction in the decerebrate cat. **446**, 214*P*, 1992
McMahon Sarah E., McWilliam Peter N., Robertson James & Kaye Jean C. Inhibition of carotid sinus baroreceptor neurones in the nucleus tractus solitarius of the anaesthetized cat by electrical stimulation of hindlimb afferent fibres. **452**, 224*P*, 1992
McWilliam P.N.
Batten T.F.C., Maqbool A., Saha S., Berry P.A. & McWilliam P.N. Glutamate- and GABA-immunoreactive nerve terminals in the nucleus tractus solitarius of the cat revealed by ultrastructural immunogold staining. **452**, 247*P*, 1992
Madge L.A.
Madge L.A., Baydoun A.R., Pearson J.D. & Mann G.E. Amino acid deprivation stimulates L-glutamine transport in cultured human venous endothelial cells. **452**, 306*P*, 1992
Maeda Y.
Maeda Y., Ashley C.C., Cecchi G., Griffiths P.J. & Bagni M.A. Radial forces in single intact muscle fibres of *Rana temporaria* at different lattice spacings. **446**, 261*P*, 1992
Maffei L.
Berardi N., Cattaneo A., Cellerino A., Domenici L., Fagiolini M., Maffei L. & Pizzorusso T. Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992
Mahendran D.
Byrne S., Glazier J.D., Mahendran D., Edwards D. & Sibley C.P. Effects of diisothiocyano-2-2-disulfonic stilbene (DIDS), dephenylamine-2-carboxylate (DPC) and furosemide on chloride transport across human placental microvillus membrane vesicles (MVV). **452**, 145*P*, 1992
Maier M.A.
Bennett K.M.B., Maier M.A. & Hepp-Reymond M.-C. The relationship between discharge of cortico-motoneuronal (CM) cells and precision grip force in the conscious monkey. **446**, 225*P*, 1992
Makarem F.
Makarem F., Prashad D.N. & Deane R. Sex-related differences in urinary catecholamine excretion in humans. **446**, 582*P*, 1992

MALEK N.
JENNINGS L., MALEK N., GIMENO A., POZO M.J., SINGH J., SALIDO G.M. & DAVISON J.S. Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992

MAMMANO F.
MAMMANO F. & ASHMORE J.F. Basilar membrane mechanics stimulated by extracellular currents in the isolated cochlea of the guinea-pig. **452**, 131*P*, 1992
MAMMANO F. & ASHMORE J.F. A computer-controlled Michelson interferometer for the analysis of basilar membrane mechanics. **452**, 169*P*, 1992

MANIVANNAN S.
TERAKAWA S., MANIVANNAN S. & KUMAKURA K. Exocytosis in nerve terminals of the cultured bovine chromaffin cell studied at a single granule level. **446**, 205*P*, 1992

MANN G.E.
BOGLE R.G., MORGAN D.M.L., PEARSON J.D. & MANN G.E. Polyamine transporters in cultured porcine aortic endothelial cells. **446**, 95*P*, 1992
TOOTHILL V.J., EATON B.M., PEARSON J.D. & MANN G.E. Human neutrophil elastase and polylysine increase junctional solute permeability in umbilical vein endothelial cell monolayers perfused in microcarrier culture. **452**, 4*P*, 1992
BAYDOUN A.R., BOGLE R.G., PEARSON J.D. & MANN G.E. Induction of nitric oxide synthase in cultured murine macrophages modulates intracellular levels of L-arginine and L-citrulline. **452**, 302*P*, 1992
MADGE L.A., BAYDOUN A.R., PEARSON J.D. & MANN G.E. Amino acid deprivation stimulates L-glutamine transport in cultured human venous endothelial cells. **452**, 306*P*, 1992

MAQBOOL A.
BATTEN T.F.C., MAQBOOL A., SAHA S., BERRY P.A. & MCWILLIAM P.N. Glutamate- and GABA-immunoreactive nerve terminals in the nucleus tractus solitarius of the cat revealed by ultrastructural immunogold staining. **452**, 247*P*, 1992

MARETTE A.
HUNDAL H.S., MITSUMOTO Y., MARETTE A., RAMLAL T. & KLIP A. Expression and localization of Na^+ pump isoforms in rat skeletal muscle and L6 muscle cells: effect of insulin. **452**, 101*P*, 1992

MARIN J.J.G.
BRAVO P., EL-MIR M.Y., SERRANO M.A. & MARIN J.J.G. Cross-inhibition between bile acids for their transport across basal plasma membrane of human term trophoblast. **446**, 34*P*, 1992
ELENO N., MARIN J.J.G. & BOYD C.A.R. DIDS shows substrate-like behaviour for the bile acid transporter of human placental basal membrane vesicles. **452**, 59*P*, 1992

MARKANDU N.D.
SINGER D.R.J., MARKANDU N.D., MORTON J.J. & MACGREGOR G.A. Suppression of angiotensin II is important in the early increase in natriuresis after saline infusion in man. **452**, 86*P*, 1992

MARPLE-HORVAT D.E.
MARPLE-HORVAT D.E., AMOS A.J., ARMSTRONG D.M. & CRIADO J.M. A mechanism for provoking voluntary changes to ongoing locomotion in the cat. **452**, 150*P*, 1992
MARPLE-HORVAT D.E. & GILBEY S.L. A method for automatic identification of periods of muscular activity from EMG recordings in the mammal. **452**, 152*P*, 1992

MARPLES D.
MARPLES D., BARBER B. & TAYLOR A. Evidence for involvement of a dynein-like motor in vasopressin action in the isolated toad urinary bladder. **452**, 81*P*, 1992

MARRS R.W.
BROWN D., HERBISON A.E., LENG G. & MARRS R.W. A mathematical model for the interaction between luteinizing hormone-releasing hormone (LHRH), GABA and noradrenaline cells in the rat. **446**, 67*P*, 1992

MARSDEN C.D.
DAY B.L., THOMPSON P.D., HARDING A.E. & MARSDEN C.D. The influence of vision on the accuracy of reaching movements in patients with cerebellar disease. **452**, 271*P*, 1992
SATO M., ROTHWELL J.C. & MARSDEN C.D. Cutaneous conditioning of the stretch reflex in muscles of the human forearm. **452**, 272*P*, 1992

MARSH S.J.
TROUSLARD J., MARSH S.J. & BROWN D.A. Calcium entry through nicotinic channels in dissociated rat superior cervical ganglion (SCG) cells. **452**, 49*P*, 1992

MARSHALL Janice
MARSHALL Janice & MIAN Rubina The influence of vasopressin on the venous vessels of muscle during systemic hypoxia in the anaesthetized rat. **452**, 10*P*, 1992

MARSHALL Janice M.
ELNAZIR B.K., KUMAR P. & MARSHALL Janice M. Modulation by theophylline of the ventilatory response to moderate hypoxia in conscious, newborn rats. **446**, 120*P*, 1992

Mohan Junette & Marshall Janice M. Responses in the human forearm vasculature evoked by indirect cooling. **446**, 213*P*, 1992

Neylon Marie, Johns E.J. & Marshall Janice M. The renal response to systemic hypoxia in the anaesthetized rat. **452**, 88*P*, 1992

Louwerse Anne-Marie, Marshall Janice M. & Forsling Mary L. The role of vasopressin (AVP) in the cardiovascular response evoked by hypocapnic- and normocapnic-hypoxia in the anaesthetized rat. **452**, 220*P*, 1992

Mohan Junette & Marshall Janice M. The effects of indirect warming on forearm vasculature in normal human subjects. **452**, 221*P*, 1992

Louwerse A.-M. & Marshall Janice M. The role of the renin-angiotensin system in the cardiovascular response to systemic hypoxia in the anaesthetized rat with $P_{a.CO_2}$ maintained. **452**, 319*P*, 1992

Marshall R.W.

McKirdy M.L., McKirdy H.C., Marshall R.W. & Lewis M.J. Evidence for the involvement of nitric oxide in the non-adrenergic non-cholinergic relaxation of human sphincteric muscle strips *in vitro*. **446**, 592*P*, 1992

Martin S.C.

Martin S.C. ATP activates a Ca^{2+}-dependent Cl^- current via a novel type of P_2-receptor in the FRTL-5 rat thyroid cell line. **446**, 127*P*, 1992

Marushima T.

Kinoshita Y., Sato I., Marushima T. & Nishimura T. Co-existence of final ventricular depolarization and initial ventricular repolarization potentials in normal subjects studied by computer graphic electrocardiography. **446**, 217*P*, 1992

Maseri A.

de Silva R., Yamamoto Y., Rhodes C.G., Iida H., Maseri A. & Jones T. Non-invasive quantification of regional myocardial oxygen consumption in anaesthetized greyhounds. **446**, 219*P*, 1992

Maskill D.W.

Davey N.J., Romaiguere P., Maskill D.W. & Ellaway P.H. Inhibition of voluntary contraction by transcranial magnetic stimulation of the brain subthreshold for excitation in man. **446**, 447*P*, 1992

Mason A.G.

Mason A.G. & McKay G.S. Computer-based reconstruction of the innervation to the maxillary teeth and air sinus (lateral nasal recess) in the ferret. **446**, 5*P*, 1992

Mason R.

Scott G. & Mason R. Improved recording characteristics using silicone-coated multi-barrel micropipettes. **446**, 73*P*, 1992

Biello S.M. & Mason R. The effects of lithium on Syrian hamster suprachiasmatic circadian clock neurones *in vitro*. **446**, 443*P*, 1992

Scott G. & Mason R. Pharmacological segregation of visual responses in the dorsolateral geniculate nucleus (dLGN) of the anaesthetized rat **452**, 181*P*, 1992

Mason W.T.

Hammond C., Henderson G., Mason W.T. & Morton A.J. Characterization of L- and N-type calcium channels in cultured SH-SY5Y human neuroblastoma cells *in vitro*: calcium imaging and single channel recording. **446**, 40*P*, 1992

Somasundaram B., Hoyland J., Dempster J., Riley J. & Mason W.T. Simultaneous patch-clamp and photometric fluorescence ratio measurements of optical probes for ions using a computer-based data acquisition system, PhoCal. **446**, 63*P*, 1992

Zorec R., Hoyland J., Relf G., Bunting R. & Mason W.T. Dynamic four-wavelength video imaging of intracellular pH and calcium homeostasis in cultured bovine lactotrophs. **446**, 64*P*, 1992

Heemskerk J.W.M., Hoyland J., Mason W.T. & Sage S.O. Digital imaging of ADP-evoked spikes in cytosolic calcium in fibrinogen-attached Fura-2-loaded human platelets. **446**, 204*P*, 1992

Morton A.J., Mason W.T. & Davenport A.P. Endothelin induces changes in intracellular free calcium in both neuronal and non-neuronal cells of primary dissociated rat cerebellum cultures. **446**, 313*P*, 1992

Lledo P.M., Somasundaram B., Morton A.J., Emson P.C. & Mason W.T. Transfection of calbindin D28K alters calcium entry and intracellular calcium dynamics in the GH_3 cell line. **452**, 218*P*, 1992

Lledo P.-M., Zorec R., Vernier P. & Mason W.T. Anti-sense oligonucleotides injected with patch clamp techniques reveal involvement of a small GTP-binding protein in the control of exocytosis in rat anterior pituitary cells. **452**, 298*P*, 1992

Massey Emma J.

Lisney S.J.W., Massey Emma J. & Raven Poppy E. Specificity of transneuronal signals after peripheral nerve injury investigated in anaesthetized rats. **452**, 168*P*, 1992

Masuda H.

Hagiwara N., Masuda H., Shoda M., Tamura K. & Irisawa H. Chloride conductance activated by membrane stretch in rabbit single cardiac myocytes. **446**, 330*P*, 1992

MATHEWS C.J.
MATHEWS C.J., SOHMA Y., HARRIS Ann, CHAMBERS Julie A. & ARGENT B.E. Maxi-K^+ channels on epithelial cells cultured from human fetal vas deferens. **452**, 344*P*, 1992

MATHIE Alistair
MATHIE Alistair, BERNHEIM Laurent & HILLE Bertil Classification of muscarinic receptors inhibiting calcium current and M current in dissociated rat superior cervical ganglion (SCG) neurons. **446**, 548*P*, 1992

MATSUDA H.
MATSUDA H. Voltage-dependent block by internal sodium ions of the cardiac inwardly rectifying K^+ channel. **446**, 156*P*, 1992

MATSUURA Hiroshi
MATSUURA Hiroshi & EHARA Tsuguhisa Two ionic conductances activated by extracellularly applied ATP in guinea-pig atrial cell. **446**, 154*P*, 1992

MATTHEWS B.
MATTHEWS B., CADDEN S.W. & YEMM R. Model of an interference electromyogram containing an inhibitory reflex. **446**, 19*P*, 1992

BANKS D., KURIAKOSE M. & MATTHEWS B. A movable microwire technique for chronic recording from the brain-stem. **446**, 78*P*, 1992

VONGSAVAN N. & MATTHEWS B. Changes in the rate of fluid flow through exposed dentine produced by sympathetic and inferior alveolar nerve stimulation in anaesthetized cats. **446**, 209*P*, 1992

KURIAKOSE M., BANKS D. & MATTHEWS B. Modulation of the jaw opening reflex and responses of trigeminal brain-stem neurones by peripheral conditioning stimuli in chronically prepared, anaesthetized cats. **446**, 386*P*, 1992

VONGSAVAN N. & MATTHEWS B. Effects of electrical stimulation of teeth on blood flow in dental pulp in man. **452**, 171*P*, 1992

VONGSAVAN N. & MATTHEWS B. A method for obtaining a continuous record of very small volume flow rates of fluids. **452**, 172*P*, 1992

DE FRANCESCO N. & MATTHEWS B. Studies on the permeability of cat dentine *in vivo* and *in vitro*. **452**, 173*P*, 1992

BANKS D., KURIAKOSE M. & MATTHEWS B. A technique for chronic recording from subnucleus caudalis in cats using microwires. **452**, 174*P*, 1992

MATTHEWS C. Jane
MATTHEWS C. Jane, MCEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Electrical properties of primary monolayer cultures of human endometrial glandular epithelial cells. **446**, 97*P*, 1992

MATTHEWS C. Jane, REDFERN Christopher P.F., THOMAS Eric J. & HIRST Barry H. Electrolyte transport by primary monolayer cultures of human endometrial glandular epithelial cells. **452**, 95*P*, 1992

MATTHEWS C.J.
MATTHEWS C.J., MCEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Isolation, culture and functional analysis of glands from human endometrium. **452**, 260*P*, 1992

MATTHEWS E.K.
MATTHEWS E.K. Sub-cellular photon correlation spectroscopy of isolated rat pancreatic acinar cells. **446**, 35*P*, 1992

MATTHEWS H.R.
MATTHEWS H.R. A microprocessor-based digital timer for controlling physiological experiments. **446**, 70*P*, 1992

MATTHEWS H.R. & TOLHURST D.J. An ion-selective membrane to teach the resting properties of excitable cells. **446**, 71*P*, 1992

MATTHEWS H.R. Effects of lowered cytoplasmic calcium concentration and light on the responses of rod photoreceptors isolated from the retina of the tiger salamander. **446**, 109*P*, 1992

MATTHEWS H.R. Inability of light to accelerate the dim flash response without lowered calcium concentration in rod photoreceptors isolated from the tiger salamander. **446**, 559*P*, 1992

MATTHEWS N.
READER M.R., MATTHEWS N. & DZIEGIELEWSKA K.M. Synthesis of the plasma protein fetuin in the fetal sheep brain, as demonstrated by *in situ* hybridization. **446**, 605*P*, 1992

DZIEGIELEWSKA K.M., MATTHEWS N., MØLLGÅRD K. & SAUNDERS N.R. Zinc-binding globulin, a passive marker for blood–brain barrier permeability in the human fetal brain. **446**, 606*P*, 1992

MATTHEWS P.B.C.
MATTHEWS P.B.C. Evidence that long-latency reflexes of the human wrist flexors and extensors can respond at 20–25 Hz. **446**, 229*P*, 1992

MATTHEWS P.B.C. Transitions in phase at 20–30 Hz of the human stretch reflex elicited by sinusoidal stretching. **446**, 566*P*, 1992

MAUGHAN R.J.
VIST G.E., LEIPER J.B. & MAUGHAN R.J. Gastric emptying of glucose, glucose polymer and rice starch solutions in man. **446**, 52*P*, 1992

Leiper J.B., Primrose C.S. & Maughan R.J. Absorption of water and solute from glucose-electrolyte solutions in the intact human jejunum. **446**, 53*P*, 1992

Wilson W., Maughan R.J. & Davidson I. The effect of diet and exercise on plasma amino acid concentrations in man. **452**, 118*P*, 1992

Vist G.E. & Maughan R.J. Gastric emptying after repeated drinking in man. **452**, 338*P*, 1992

Maxwell D.J.

Doyle C.A. & Maxwell D.J. Immunocytochemical evidence for a catecholaminergic innervation of postsynaptic dorsal column neurons in the cat. **446**, 25*P*, 1992

Mazzocchio R.

Mazzocchio R. & Rossi A. Are Renshaw cells tonically active in humans? **452**, 110*P*, 1992

Mazzoni L.

Morley J., Hoshiko K., Chapman I.D. & Mazzoni L. The selective nature of airway hyperreactivity. **446**, 117*P*, 1992

Mead S.H.

Posangi J., Harris J.B., Zar M.A. & Mead S.H. Depletion of neurotransmitters in the autonomic nervous system by Palytoxin. **452**, 301*P*, 1992

Meal A.G.

Meal A.G., Lefley P.W. & Parker T.L. Electronic monitoring of drinking behaviour in rats. **446**, 395*P*, 1992

Meara R.J.

Meara R.J. & Cody F.W.J. Electromyographic activities in wrist muscles of parkinsonian and healthy human subjects during clinical evaluation of rigidity. **452**, 105*P*, 1992

Melamed Naomi

Melamed Naomi, Helm Paul Johannes & Rahamimoff Rami Confocal microscopy of the isolated lizard neuromuscular junction: calcium oscillations in resting synaptic boutons. **452**, 47*P*, 1992

Melrose R.

Green G.G.R., Melrose R., Wray J. & Sanders D.J. Computer based data collection system for practical class teaching. **452**, 262*P*, 1992

Melsom M.N.

Kramer-Johansen J., Flatebø T., Melsom M.N., Iversen P.O., Müller C. & Nicolaysen G. Regional distribution of ventilation–perfusion ratio ($\dot{V}/\dot{Q}$ ratio) in the goat. **452**, 28*P*, 1992

Mendell Lorne M.

Lewin Gary R. & Mendell Lorne M. Regulation of cutaneous C fibre heat nociceptors by nerve growth factor in the developing rat. **452**, 43*P*, 1992

Mendizabal M.V.

Mendizabal M.V. & Naftalin R.J. In vivo exposure of rat colonic mucosa to human semen induces mucosal cytolysis, abolishes fluid absorption and raises paracellular permeability. **446**, 411*P*, 1992

Menon-Johansson A.S.

Menon-Johansson A.S. & Dolphin A.C. Inhibition of $GABA_B$ modulation of calcium channel currents in cultured rat dorsal root ganglion neurones by loading replated cells with anti-G protein antibodies. **452**, 177*P*, 1992

Mepham T.B.

Royle C., Garnsworthy P.C., McArthur A.J. & Mepham T.B. Heart rate changes in dairy cows associated with milking. **446**, 575*P*, 1992

Metcalfe J.C.

Grace A.A., Kirschenlohr H.L., Smith G.A., Metcalfe J.C., Weissberg P.L. & Vandenberg J.I. HCO_3^--dependence of recovery from intracellular acidosis in the perfused ferret heart during $Na^+ - H^+$ antiport inhibition. **446**, 141*P*, 1992

Meves H.

Béhé P. & Meves H. Arachidonic acid has a biphasic effect on the M current of NG108-15 neuroblastoma × glioma hybrid cells. **446**, 551*P*, 1992

Mewett K.N.

Birse E.F., Mewett K.N., Pook P.C.-K., Tyrell K., Udvarhelyi P.M., Wharton B. & Watkins J.C. Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and polysynaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992

Mian Rubina

Marshall Janice & Mian Rubina The influence of vasopressin on the venous vessels of muscle during systemic hypoxia in the anaesthetized rat. **452**, 10*P*, 1992

Michel C.C.

MacPhee P.J. & Michel C.C. Microvascular closing pressures of the vasa recta in the renal medulla of the anaesthetized rat. **452**, 8*P*, 1992

Neal C.R., Clough Geraldine & Michel C.C. The spatial relationship between intercellular clefts and gaps in the endothelium of inflamed mesenteric microvessels of pithed frogs. **452**, 63*P*, 1992

MICHELANGELI F.
RUIZ M.C., ABAD M.J., ACOSTA A. & MICHELANGELI F. HCl and pepsinogen secretion by the isolated gastric oxynto-peptic cell of the amphibian. **452**, 365*P*, 1992

MIDTGAARD Jens
MIDTGAARD Jens Interactions between postsynaptic membrane properties and IPSPs in turtle Purkinje cells *in vitro*. **446**, 157*P*, 1992

MIJNSTER M.J.
RIBCHESTER R.R. & MIJNSTER M.J. A test of neurotrophic theory in reinnervated adult rat fourth deep lumbrical muscle. **446**, 520*P*, 1992

MIKAMI Hiroshi
MORISHITA Ryuichi, HIGAKI Jitsuo, KATAHIRA Katsutoshi, NAKAMURA Fumiaki, NAGANO Masahiro, MIKAMI Hiroshi, OKUNISHI Hideki, MIYAZAKI Mizuo & OGIHARA Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

MILAN A.
DAWID-MILNER M.S., LARA J.P., MILAN A. & GONZALEZ-BARON S. Activity of inspiratory neurones in the nucleus ambiguus (NA) during the cough reflex at different respiratory loading resistances in the decerebrate cat. **452**, 225*P*, 1992

MILLA P.J.
LINDLEY K.J., MULLER D.P.R. & MILLA P.J. Vitamin E deficiency, lipid peroxidation and rat small intestinal function *in vitro*. **452**, 331*P*, 1992

MILLAR J.
MILLAR J. Is vitamin C an oxygen carrier in the brain? **446**, 522*P*, 1992
MILLAR J., O'CONNOR J.J., TROUT S.J. & KRUK Z.L. 100 Hz sampling of the kinetics of dopamine release and re-uptake in isolated rat nucleus accumbens using continuous scan cyclic voltammetry (CSCV). **452**, 38*P*, 1992

MILLER Barbara A.
MILLER Barbara A., SARANTIS Monique & ATTWELL David Effects of arachidonic acid on glutamate-gated channels in granule cells cultured from rat cerebellum. **446**, 184*P*, 1992

MILLER David J.
MACFARLANE Niall G. & MILLER David J. Superoxide free-radicals reduce force, but not calcium sensitivity, in isolated, chemically 'skinned', cardiac trabeculae of rat. **446**, 240*P*, 1992

MILLER N.G.A.
TREGEAR R.T., MILLER N.G.A., SKINNER D.C. & COADWELL W.J. Analysis of cytosolic free calcium records from lectin-activated rat T-lymphocytes and human lymphoma cells in the fluorescence-activated cell sorter. **446**, 62*P*, 1992

MILLER S.
EDGLEY S.A., EYRE J.A., LEMON R.N. & MILLER S. Direct and indirect activation of corticospinal neurones by electrical and magnetic stimulation in the anaesthetized macaque monkey. **446**, 224*P*, 1992
CONWAY E.A., EYRE J.A., KELLY S., DE KROON J. & MILLER S. Is the corticospinal projection to the motoneurones of biceps brachii monosynaptic in the human neonate? **452**, 274*P*, 1992
ROCHESTER L., BARRON M.J., CHANDLER C.S., JOHNSON M.A., MILLER S. & SUTTON R.A. Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992

MILNER P.
DOMER F., ALEXANDER B., MILNER P., BODIN P. & BURNSTOCK G. Cerebrovascular perfusion of the rabbit brain: a method that permits evaluation of compounds in effluent samples. **452**, 323*P*, 1992

MILTON A.S.
MILTON N.G.N., HILLHOUSE E.W. & MILTON A.S. Peripheral antagonism of corticotrophin-releasing factor (CRF-41) modifies both the febrile response and the increase in blood prostaglandin E_2 induced by polyinosinic:polycytidylic acid in the conscious rabbit. **446**, 287*P*, 1992

MILTON N.G.N.
MILTON N.G.N., HILLHOUSE E.W. & MILTON A.S. Peripheral antagonism of corticotrophin-releasing factor (CRF-41) modifies both the febrile response and the increase in blood prostaglandin E_2 induced by polyinosinic:polycytidylic acid in the conscious rabbit. **446**, 287*P*, 1992

MIN Y.K.
YANG H.M., LOHMEIER T.E., KIVLIGHN S.D., MIN Y.K. & SHIM D.W. The role of angiotensin II in mediating the renal actions of noradrenaline. **446**, 89*P*, 1992

MINEZAKI K.K.
SULEIMAN M.S., MINEZAKI K.K. & CHAPMAN R.A. A phospholipase A_2 inhibitor (Ro 31-4493) prevents the protein loss associated with the Ca-paradox in isolated guinea-pig hearts and is without effect on the currents through L-type Ca channels of isolated myocytes. **446**, 439*P*, 1992
MINEZAKI K.K., SULEIMAN M.S. & CHAPMAN R.A. Metabolic changes in isolated guinea-pig ventricular myocytes during calcium depletion and repletion as detected with a fluorescent technique. **452**, 164*P*, 1992

MINORS D.S.
MINORS D.S. & WATERHOUSE J.M. Assessing the endogenous component of circadian rhythms in humans. **452**, 120*P*, 1992

MINTENIG G.M.
MONAGHAN A.S., MINTENIG G.M. & SEPÚLVEDA F.V. Hypotonicity activates a K^+ channel in enterocytes isolated from guinea-pig small intestinal villi. **446**, 302*P*, 1992

MISTRY D.K.
MISTRY D.K. & CHAPMAN R.A. A perfusion system for exchanging the intracellular solution of single guinea-pig ventricular myocytes. **452**, 165*P*, 1992

MITCHELL P.R.
JOHNSON M.S., THOMSON F.J., AVERY J.L., MACEWAN D.J. & MITCHELL P.R. Differential actions of protein kinase C modulators on the release of hormones from rat anterior pituitary tissue *in vitro*. **446**, 283*P*, 1992

MITCHELL R.
MACEWAN D.J., JOHNSON M.S., THOMSON F.J. & MITCHELL R. Protein kinase C may be required to maintain activity of nimodipine-sensitive Ca^{2+} channels in rat anterior pituitary cells *in vitro*. **446**, 282*P*, 1992

MITCHELL Stella
MITCHELL Stella, LLOYD C.H. & CADDEN S.W. Does a stretch reflex contribute to the excitations which follow inhibitory jaw reflexes in man? **446**, 4*P*, 1992

MITSUIYE T.
MITSUIYE T. & NOMA A. Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **446**, 188*P*, 1992

MITSUMOTO Y.
HUNDAL H.S., MITSUMOTO Y., MARETTE A., RAMLAL T. & KLIP A. Expression and localization of Na^+ pump isoforms in rat skeletal muscle and L6 muscle cells: effect of insulin. **452**, 101*P*, 1992

MIYAMOTO Manabu
IMAI Yusuke, MIYAMOTO Manabu, NAKAHARI Takashi, YOSHIDA Hideyo & SOHMA Yoshiro Network simulation of epithelial transport. **446**, 99*P*, 1992

MIYAMOTO T.
MIYAMOTO T. & OKADA Y. Involvement of the NMDA receptor, calmodulin and protein kinase C (PKC) system in long-term potentiation (LTP) in guinea-pig superior colliculus (SC) slice. **446**, 381*P*, 1992
OKADA Y., MIYAMOTO T. & SATO T. Transduction of acid stimuli into the receptor potential in frog taste cells. **446**, 387*P*, 1992

MIYAN J.A.
MIYAN J.A. & PREECE J. Neuromuscular gap junctions in the fly eclosion muscle system? **446**, 163*P*, 1992
BOTHE G. & MIYAN J.A. Pharmacological properties of eclosion muscles in *Sarcophaga bullata*. **452**, 146*P*, 1992

MIYAZAKI Mizuo
MORISHITA Ryuichi, HIGAKI Jitsuo, KATAHIRA Katsutoshi, NAKAMURA Fumiaki, NAGANO Masahiro, MIKAMI Hiroshi, OKUNISHI Hideki, MIYAZAKI Mizuo & OGIHARA Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

MOBBS Peter
SARANTIS Monique & MOBBS Peter The spatial relationship between Müller cell processes and the photoreceptor output synapse in salamander retina. **446**, 601*P*, 1992

MOCHIZUKI S.
MOCHIZUKI S. & MACLEOD K.T. The effects of hypoxia on cytoplasmic Ca^{2+} during low Na^+ exposure in isolated cardiac myocytes from guinea-pig. **446**, 334*P*, 1992

MOCHIZUKI T.
KOMABAYASHI T., IZAWA T., MOCHIZUKI T. & TSUBOI M. Substance P-induced diacylglycerol formation in rat parotid acinar cells *in vitro*. **446**, 392*P*, 1992

MOHAN Junette
MOHAN Junette & MARSHALL Janice M. Responses in the human forearm vasculature evoked by indirect cooling. **446**, 213*P*, 1992
MOHAN Junette & MARSHALL Janice M. The effects of indirect warming on forearm vasculature in normal human subjects. **452**, 221*P*, 1992

MOLE D.R.
MOLE D.R. & JOHNSON C.D. Absence of the postprandial urinary alkaline tide under controlled conditions in man. **446**, 583*P*, 1992

MOLEFHE T.R.
MOLEFHE T.R. High extracellular magnesium increases relaxation rate and labile heat in isolated frog muscle. **446**, 260*P*, 1992

Møllgård K.
Dziegielewska K.M., Matthews N., Møllgård K. & Saunders N.R. Zinc-binding globulin, a passive marker for blood–brain barrier permeability in the human fetal brain. **446**, 606*P*, 1992
Balkwill P., Habgood M.D., Knott G., Møllgård K., Saunders N.R. & Treherne J.M. Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992
Momiyama Akiko
Takahashi Tomoyuki, Momiyama Akiko & Cull-Candy Stuart G. Presynaptic receptors for the glutamate analogue APB reduce transmitter release from neonatal rat spinal neurones in thin slices. **446**, 549*P*, 1992
Monaghan A.S.
Monaghan A.S., Mintenig G.M. & Sepúlveda F.V. Hypotonicity activates a K^+ channel in enterocytes isolated from guinea-pig small intestinal villi. **446**, 302*P*, 1992
Moniz C.
Burton P.B.J., Hauck A., Nehlsen-Cannarella S.L., Sorensen C., Moniz C. & Bailey L.L. Hypoplastic left heart syndrome: some clues to its aetiology. **446**, 574*P*, 1992
Montgomery B.S.I.
Montgomery B.S.I., McIntyre H., Gallegos C.R.R. & Fry C.H. The preparation of isolated muscle cells from human biopsy samples. **446**, 478*P*, 1992
Gallegos C.R.R., Montgomery B.S.I. & Fry C.H. Actions of extracellular H^+ on the inward Ca^{2+} current measured in isolated human detrusor smooth muscle cells. **446**, 482*P*, 1992
Gallegos C.R.R., Montgomery B.S.I. & Fry C.H. Altered characteristics of the inward calcium current associated with hypertrophy in isolated human detrusor smooth muscle cells. **452**, 308*P*, 1992
Moonga B.S.
Gill J.S., Shankar V.S., Bax C.M.R., Lu F., Moonga B.S., Zaidi M. & Camm A.J. The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992
Moore D.
Smith K., Moore D., Shanik G. & Docherty J.R. Investigations of subtypes of functional pre- and post-junctional α_2 adrenoceptors. **446**, 435*P*, 1992
Moore J.
Moore J., Drinkhill M.J. & Hainsworth R. An electrophysiological study of ventricular receptors in anaesthetized dogs. **446**, 544*P*, 1992
Moore Jane A.
Curtis John C. & Moore Jane A. Unitary monosynaptic potentials recorded in rat trigeminal motoneurones *in vitro*. **446**, 379*P*, 1992
Moore P.J.
Giussani D.A., Moore P.J., Bennet L., Spencer J.A.D. & Hanson M.A. Phentolamine increases the incidence of fetal breathing movements both in normoxia and in hypoxia in term fetal sheep. **452**, 320*P*, 1992
Moors J.
McAuliffe S.J.G., Snow H.M., Moors J., Jessup R., Wayne M. & Noble M.I.M. Inhibition of arachidonic acid metabolism by aspirin can promote thrombus formation in a stenosed coronary artery of the anaesthetized dog. **446**, 413*P*, 1992
Morgan D.L.
Gregory J.E., Morgan D.L., Proske U. & Scott J.J.A. Small signal sensitivity of muscle-spindle primary endings in the anaesthetized cat. **452**, 290*P*, 1992
Morgan D.M.L.
Bogle R.G., Morgan D.M.L., Pearson J.D. & Mann G.E. Polyamine transporters in cultured porcine aortic endothelial cells. **446**, 95*P*, 1992
Morgan M.J.
Bowns L. & Morgan M.J. Facial features and axis of symmetry extracted using natural orientation information. **452**, 285*P*, 1992
Morimoto T.
Hirose M., Morimoto T., Nose H., Itoh T. & Tanaka Y. Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992
Morishita Ryuichi
Morishita Ryuichi, Higaki Jitsuo, Katahira Katsutoshi, Nakamura Fumiaki, Nagano Masahiro, Mikami Hiroshi, Okunishi Hideki, Miyazaki Mizuo & Ogihara Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992
Morita T.
Morita T., Edwards G., Andersson P., Greengrass P., Ibottson T., Newgreen D.T., Weston A.H. & Wyllie M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992
Moriyama I.S.
Iioka H., Moriyama I.S. & Ichijo M. Platelet-aggregation inhibiting activity of human placental syncytiotrophoblast brush-border membrane vesicles. **452**, 350*P*, 1992

MORLEY J.

MORLEY J., HOSHIKO K., CHAPMAN I.D. & MAZZONI L. The selective nature of airway hyperreactivity. **446**, 117*P*, 1992

MORRAY J.

MORRAY J., BENNET L., NOBLE R. & HANSON M.A. Effect of halothane on the carotid chemoreceptor response to hypoxia in anaesthetized kittens. **446**, 425*P*, 1992

MORRIS R.

MORRIS R., BLEAZARD L. & HILL R.G. The responses of neurones, in the deep dorsal horn of rat spinal cord slices *in vitro*, to the application of neurokinin agonists are correlated with their responses to peripheral nerve stimulation. **452**, 252*P*, 1992

MORRISON J.

KHAN R.N., SMITH S.K., MORRISON J. & ASHFORD M.L.J. Single channel recording of a K^+-selective channel in pregnant human dispersed myometrial cells. **446**, 555*P*, 1992

MORRISON J.F.B.

NIMMO A.J., CARSTAIRS Jill R., WHITAKER Elaine M. & MORRISON J.F.B. A possible explanation for the difference between the apparent affinity of agonists for their receptors and the concentrations at which they activate those receptors; studied in tissue sections from the rat heart. **446**, 180*P*, 1992

MORRISON John F.B.

NIMMO Alan J., ANDERSSON Per O. & MORRISON John F.B. Reactive changes in neurokinin receptor density following selective denervations and outlet obstruction of rat bladder. **446**, 524*P*, 1992

MORTENSEN N.J.

O'KELLY T.J., BRADING A.F. & MORTENSEN N.J. Inhibitory transmission in isolated pig internal anal sphincter: the role of nitric oxide. **446**, 523*P*, 1992

MORTIMER P.S.

BATES D.O., LEVICK J.R. & MORTIMER P.S. Human interstitial fluid pressure and arm volume following breast cancer treatment. **452**, 14*P*, 1992

MORTON A.J.

HAMMOND C., HENDERSON G., MASON W.T. & MORTON A.J. Characterization of L- and N-type calcium channels in cultured SH-SY5Y human neuroblastoma cells *in vitro*: calcium imaging and single channel recording. **446**, 40*P*, 1992

MORTON A.J., EMSON P.C. & HARDING M. Expression of calbindin D_{28K} after retrovirally-mediated gene transfer to non-expressing Swiss-3T3 cells. **446**, 306*P*, 1992

MORTON A.J., MASON W.T. & DAVENPORT A.P. Endothelin induces changes in intracellular free calcium in both neuronal and non-neuronal cells of primary dissociated rat cerebellum cultures. **446**, 313*P*, 1992

LLEDO P.M., SOMASUNDARAM B., MORTON A.J., EMSON P.C. & MASON W.T. Transfection of calbindin D28K alters calcium entry and intracellular calcium dynamics in the GH_3 cell line. **452**, 218*P*, 1992

MORTON J.J.

SINGER D.R.J., MARKANDU N.D., MORTON J.J. & MACGREGOR G.A. Suppression of angiotensin II is important in the early increase in natriuresis after saline infusion in man. **452**, 86*P*, 1992

Moss Jill

SOORANNA S.R., CONTRACTOR S.F., SHORE I. & MOSS Jill Apparent differences in the intracellular pathways of low density lipoprotein and immunoglobulin G in cultured human trophoblast cells. **446**, 533*P*, 1992

MOSS V.A.

WATSON M.J., MOSS V.A. & HOLMES O. Three-dimensional reconstruction of lesions in the rat brain. **452**, 2*P*, 1992

CLINCH N.F., DALY C.J., GORDON J.F., MOSS V.A. & SPURWAY N.C. Wide-field volume visualization of thick microscope sections by computed nearest neighbour deconvolutions. **452**, 3*P*, 1992

MOSS V.A. Real-time measurement of lumen sizes in a network of blood vessels using image analysis. **452**, 259*P*, 1992

MUDDLE J.R.

DAHM P., BODELSSON M., TORNEBRANDT K., MUDDLE J.R., SYKES R.M., YACOUB M. & DASHWOOD M.R. [^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992

MULDERRY P.K.

MULDERRY P.K., CHAPMAN K., LYONS V. & HARMAR A.J. A region of 5′-flanking DNA from the rat preprotachykinin-A gene which directs high-level expression in cultured rat dorsal root ganglion neurones transfected by microinjection of plasmid DNA. **452**, 199*P*, 1992

MÜLLER C.

KRAMER-JOHANSEN J., FLATEBØ T., MELSOM M.N., IVERSEN P.O., MÜLLER C. & NICOLAYSEN G. Regional distribution of ventilation–perfusion ratio ($\dot{V}/\dot{Q}$ ratio) in the goat. **452**, 28*P*, 1992

MULLER D.P.R.

LINDLEY K.J., MULLER D.P.R. & MILLA P.J. Vitamin E deficiency, lipid peroxidation and rat small intestinal function *in vitro*. **452**, 331*P*, 1992

MÜLLER-ESTERL Werner
HENDERSON Lydia, BHOOLA Kanti, FIGUEROA Carlos & MÜLLER-ESTERL Werner Confocal laser scanning images of neutrophils: the circulating transporter of kallikreins and kininogens. **452**, 175*P*, 1992

MUNEER Asif
CODY F.W.J., BANKHEAD Clare R., CAWLEY Linda M. & MUNEER Asif Visual and proprioceptive feedback in human visuo-motor tracking tasks. **446**, 231*P*, 1992

MUNRO A.M.
NEWTON J.P., STURROCK K.C., MUNRO A.M. & CADDEN S.W. A means of standardizing the application of electrical stimuli to intra-oral structures during studies of jaw reflexes in man. **446**, 5*P*, 1992

MURAKAMI M.
SEO Y. & MURAKAMI M. Monitoring of intracellular Na by double-quantum filter ^{23}Na NMR spectroscopy. **446**, 100*P*, 1992
MURAKAMI M. & SEO Y. Handling of NH_4^+, K^+ and Na^+ by the perfused mandibular salivary gland during perfusion with NH_4Cl **446**, 103*P*, 1992
SEO Y., WOOD B., MURAKAMI M. & STEWARD M.C. Double-quantum filter nuclear magnetic resonance imaging of sodium-23. **446**, 392*P*, 1992

MURANT S.J.
MURANT S.J. & KILSHAW P.J. A novel β_7 integrin present on the surface of mouse intraepithelial lymphocytes and its relationship to LPAM-1, the Peyer's patch homing receptor. **446**, 297*P*, 1992

MURPHY G.J.
BUSH B.M.H., SKORUPSKI P., MURPHY G.J., CAYZER S.A. & RAWAT B.M. An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992

MURPHY K.
HEYWOOD P., MURPHY K., STRONG B., BELYAVIN A., FARMER E. & GUZ A. Is human cortico-spinal control of ventilation as precise as control of hand movement? **452**, 30*P*, 1992

MURPHY P.R.
MURPHY P.R. & HAMMOND G.R. The discharge patterns of tibialis anterior γ motoneurones during locomotion in the decerebrate cat. **446**, 568*P*, 1992

MURRAY C.
GARRETT M., MURRAY C. & PAOR Ade The relationship between changes in the excitability of the Hoffman reflex and movement of the ankle joint during walking in freely moving man. **446**, 446*P*, 1992

MUSTAPHA Y.
BROWN K.A., VORA A., PERRY M.E., MUSTAPHA Y., HOBBS C., DAVIES D. & DUMONDE D.C. An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992

NADAL A.
NADAL A., CONTRERAS D., SORIA B. & VALDEOLMILLOS M. Simultaneous measurement of $[Ca^{2+}]_i$ and K(ATP) channel activity in single dissociated mouse pancreatic B-cells. **446**, 132*P*, 1992

NAFTALIN R.J.
MENDIZABAL M.V. & NAFTALIN R.J. In vivo exposure of rat colonic mucosa to human semen induces mucosal cytolysis, abolishes fluid absorption and raises paracellular permeability. **446**, 411*P*, 1992
NAFTALIN R.J. & PEDLEY K.C. Direct evidence of fluid uptake into rat descending colonic crypts. **452**, 351*P*, 1992

NAGANO Masahiro
MORISHITA Ryuichi, HIGAKI Jitsuo, KATAHIRA Katsutoshi, NAKAMURA Fumiaki, NAGANO Masahiro, MIKAMI Hiroshi, OKUNISHI Hideki, MIYAZAKI Mizuo & OGIHARA Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

NAGASE H.
INOUE I., NAGASE H., KISHI K. & HIGUTI T. An ATP-sensitive K^+ channel in the membrane of fused giant mitoplasts. **446**, 130*P*, 1992

NAGY I.
NAGY I., URBAN L. & WOOLF C.J. Membrane and morphological properties of C cells in rat dorsal root ganglia studied *in vitro*. **452**, 202*P*, 1992

NAKAHARI T.
NAKAHARI T. Fluid permeability of basolateral membranes in the rat mandibular acinar cell. **446**, 348*P*, 1992
STEWARD M.C., LARCOMBE-MCDOUALL J.B. & NAKAHARI T. Osmotic water permeability of acinar cell membranes in the isolated perfused rat mandibular salivary gland. **452**, 97*P*, 1992

NAKAHARI Takashi
IMAI Yusuke, MIYAMOTO Manabu, NAKAHARI Takashi, YOSHIDA Hideyo & SOHMA Yoshiro Network simulation of epithelial transport. **446**, 99*P*, 1992

NAKAMURA Fumiaki
MORISHITA Ryuichi, HIGAKI Jitsuo, KATAHIRA Katsutoshi, NAKAMURA Fumiaki, NAGANO Masahiro, MIKAMI Hiroshi, OKUNISHI Hideki, MIYAZAKI Mizuo & OGIHARA Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

NAKAMURA M.
NAKAMURA M., HANASHIRO K., KINJOH K. & KOSUGI T. The properties of monoclonal antibody to Habutobin, a thrombin-like enzyme (TLE) derived from the venom of *Trimeresurus flavoviridis* (*Habu*). **446**, 362*P*, 1992

NAKAYAMA K.
HIRAOKA M., FAN Z., NAKAYAMA K. & SAWANOBORI T. Reactivation of ATP-sensitive K^+ channel current by pinacidil in guinea-pig ventricular myocytes. **446**, 155*P*, 1992

NAKAYAMA S.
NAKAYAMA S., NOMURA H. & TOMITA T. Direct and indirect inhibition of Na^+–Mg^{2+} exchange in isolated taenia of guinea-pig caecum. **446**, 525*P*, 1992

NALIVAIKO E.
NALIVAIKO E., PRONCHUK N. & SAGACH V. Changes in T-type and L-type calcium current densities in newborn rat cardiomyocytes in culture. **446**, 145*P*, 1992

NARUSE S.
NARUSE S., TAKAGI T., SUZUKI T. & OZAKI T. Cholinergic control of interdigestive gastric blood flow in conscious dogs. **446**, 193*P*, 1992

NAYLOR P.
STRONG A.J., KIRKPATRICK P.J., BUCKNALL R.M., NAYLOR P. & RUDMAN S. Measurement of superficial cerebral cortical blood flow by imaging umbelliferone clearance in anaesthetized cats and rabbits. **446**, 569*P*, 1992

NEAL C.R.
NEAL C.R. & CLOUGH Geraldine The changes in hydraulic permeability and porous area of walls of mesenteric microvessels of pithed frogs during acute inflammation. **452**, 7*P*, 1992
NEAL C.R., CLOUGH Geraldine & MICHEL C.C. The spatial relationship between intercellular clefts and gaps in the endothelium of inflamed mesenteric microvessels of pithed frogs. **452**, 63*P*, 1992

NEGRETTI N.
O'NEILL S.C., LAMONT C., NEGRETTI N. & EISNER D.A. The effect of thapsigargin on the calcium transient and twitch of single myocytes isolated from rat heart. **446**, 148*P*, 1992
NEGRETTI N., DONOSO P., O'NEILL S.C. & EISNER D.A. The effect of stimulation on the refilling of the sarcoplasmic reticulum of single isolated rat ventricular myocytes. **446**, 438*P*, 1992

NEHLSEN-CANNARELLA S.L.
BURTON P.B.J., HAUCK A., NEHLSEN-CANNARELLA S.L., SORENSEN C., MONIZ C. & BAILEY L.L. Hypoplastic left heart syndrome: some clues to its aetiology. **446**, 574*P*, 1992

NEVILL M.E.
GREENHAFF P.L., NEVILL M.E., SODERLUND K., BOOBIS L., WILLIAMS C. & HULTMAN E. Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992

NEVILLE Edward M.
NEVILLE Edward M. & BATEMAN Nigel T. Increased resistance of isolated cardiac muscle to an acute hypercapnia following chronic hypoxia in the rat. **446**, 540*P*, 1992

NEWBOLD Chris I.
KIRK Kiaran, ELFORD Barry C., ELLORY J. Clive & NEWBOLD Chris I. A transport pathway responsible for the increased permeability of malaria-infected erythrocytes shows characteristics of a Cl^- channel. **452**, 342*P*, 1992

NEWBOLD J.A.
HARD D.L., ADRIAENS F., PROSSER C.G., NEWBOLD J.A., HEAP R.B., PHIPPS R.H. & HANNAH M.J. Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992

NEWGREEN D.T.
MORITA T., EDWARDS G., ANDERSSON P., GREENGRASS P., IBOTTSON T., NEWGREEN D.T., WESTON A.H. & WYLLIE M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992

NEWHAM D.J.
TURNER D.L., MCINTYRE D.B., JONES D.A. & NEWHAM D.J. Phosphorus metabolite concentration profiles of three human hand muscles. **452**, 112*P*, 1992

NEWSOM-DAVIS J.
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Inhibition of ACh-currents by human plasma in a whole-cell voltage-clamped human muscle cell line. **446**, 267*P*, 1992
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Caffeine inhibition of ACh nicotinic currents in the human skeletal muscle (TE671) cell line not mediated by cyclic AMP/Ca_i^{2+}. **452**, 193*P*, 1992

NEWTON J.P.
NEWTON J.P., STURROCK K.C., MUNRO A.M. & CADDEN S.W. A means of standardizing the application of electrical stimuli to intra-oral structures during studies of jaw reflexes in man. **446**, 5*P*, 1992

NEWTON J.S.
NEWTON J.S. & KNIGHT D.E. Direct evidence of a role for Ca^{2+} and guanine nucleotide binding proteins in renin secretion from isolated, electropermeabilized, rat renal cortical cells. **446**, 585*P*, 1992

NEYLON Marie
NEYLON Marie, JOHNS E.J. & MARSHALL Janice M. The renal response to systemic hypoxia in the anaesthetized rat. **452**, 88*P*, 1992

NICHOLLS J.A.
THORNTON S., OTUN H.A., NICHOLLS J.A., GILLESPIE J.I., GREENWELL J.R. & DUNLOP W. Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992

NICHOLLS J.G.
NICHOLLS J.G., RITCHIE J.M., TREHERNE J.M., VARGA Z.M. & WOODWARD S.K.A. Recovery of transmission after injury to the spinal cord of neonatal opossum, *Monodelphis domestica*, in explant culture. **446**, 254*P*, 1992

COOPER R.L., FERNANDEZ DE MIGUEL F. & NICHOLLS J.G. Synapse formation induces changes in the distribution of calcium currents in leech neurons in culture. **446**, 255*P*, 1992

NICHOLLS Juliet
GREENWELL J.R., NICHOLLS Juliet, HARVEY I. & GILLESPIE J.I. The application of slow scan cooled integrating charge coupled devices (CCD) to the measurement of intracellular free calcium (Ca^{2+}) in single isolated mammalian cells. **452**, 265*P*, 1992

NICOLAIDES A.
HOLLOWAY M., KITNEY R., RENTON S. & NICOLAIDES A. An evaluation of the use of edge detection when measuring atherosclerotic plaque from ultrasound images in man. **452**, 20*P*, 1992

NICOLAYSEN G.
IVERSEN P.O., FLATEBØ T. & NICOLAYSEN G. No correlation exists between regional blood flow and regional aerobic, metabolic capacity expressed as citrate synthase activity, within single cat skeletal muscle. **446**, 461*P*, 1992

KRAMER-JOHANSEN J., FLATEBØ T., MELSOM M.N., IVERSEN P.O., MÜLLER C. & NICOLAYSEN G. Regional distribution of ventilation–perfusion ratio ($\dot{V}/\dot{Q}$ ratio) in the goat. **452**, 28*P*, 1992

NIIJIMA A.
NIIJIMA A. The afferent discharges from sensors for interleukin-1-β in the hepato-portal system in the anaesthetized rat. **446**, 236*P*, 1992

NIINO M.
SAITO T., KANEKO Y., SAKAI H. & NIINO M. Development of excitability in cultured neurons dissociated from the regenerating newt retina. **446**, 377*P*, 1992

NIMMO A.J.
NIMMO A.J., CARSTAIRS Jill R., WHITAKER Elaine M. & MORRISON J.F.B. A possible explanation for the difference between the apparent affinity of agonists for their receptors and the concentrations at which they activate those receptors; studied in tissue sections from the rat heart. **446**, 180*P*, 1992

NIMMO Alan J.
NIMMO Alan J., ANDERSSON Per O. & MORRISON John F.B. Reactive changes in neurokinin receptor density following selective denervations and outlet obstruction of rat bladder. **446**, 524*P*, 1992

NISHIMURA T.
KINOSHITA Y., SATO I., MARUSHIMA T. & NISHIMURA T. Co-existence of final ventricular depolarization and initial ventricular repolarization potentials in normal subjects studied by computer graphic electrocardiography. **446**, 217*P*, 1992

NISHIYAMA A.
WAKUI M., SAWADA E., HAYASHI H. & NISHIYAMA A. Effects of Ni^{2+} on Ca^{2+}-activated K^+ and Cl^- currents in rat mandibular acinar cells **446**, 104*P*, 1992

NISTRI A.
NISTRI A. & CHERUBINI E. Properties of a sustained Ca^{2+} independent K^+ current of rat hippocampal neurones *in vitro*. **446**, 37*P*, 1992

NOBLE D.
WINSLOW R., VARGHESE A., NOBLE D., DENYER J.C. & KIMBALL A. Modelling large SA node–atrial cell networks on a massively parallel computer. **446**, 242*P*, 1992

HERVÉ J.C., NOBLE D., BASTIDE B., CRONIER L. & DÉLÈZE J. Nexus channel requirements for action potential entrainment in ventricular cardiac cells: simulation and experimental approaches. **446**, 343*P*, 1992

NOBLE M.I.M.
MCAULIFFE S.J.G., SNOW H.M., MOORS J., JESSUP R., WAYNE M. & NOBLE M.I.M. Inhibition of arachidonic acid metabolism by aspirin can promote thrombus formation in a stenosed coronary artery of the anaesthetized dog. **446**, 413*P*, 1992

NOBLE R.

MORRAY J., BENNET L., NOBLE R. & HANSON M.A. Effect of halothane on the carotid chemoreceptor response to hypoxia in anaesthetized kittens. **446**, 425*P*, 1992

NOGA B.R.

JANKOWSKA E., RIDDELL J.S., SKOOG B. & NOGA B.R. Effects of stimulation in the locus coeruleus and raphe nuclei on transmission in group II reflex pathways of the anaesthetized cat. **452**, 111*P*, 1992

NOLAN C.C.

ROMERO I.A., CAVANAGH J.B., NOLAN C.C., RAY D.E. & SEVILLE M.P. 1,3-Dinitrobenzene, a neurotoxin acting at the rat blood–brain barrier. **446**, 498*P*, 1992

NOLAN P.

MCKEOGH D., NOLAN P., O'REGAN R.G. & BRADFORD A. Artificial ventilation of the isolated larynx in the anaesthetized cat using a servo-controlled pump. **446**, 396*P*, 1992

NOMA A.

ONO K., TAREEN F.M., YOSHIDA A., NOMA A. & TRAUTWEIN W. Cyclic GMP potentiates β-adrenergic activation of Cl^- currents in guinea-pig ventricular cells. **446**, 151*P*, 1992

MITSUIYE T. & NOMA A. Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **446**, 188*P*, 1992

NOMURA H.

NAKAYAMA S., NOMURA H. & TOMITA T. Direct and indirect inhibition of Na^+–Mg^{2+} exchange in isolated taenia of guinea-pig caecum. **446**, 525*P*, 1992

NOORMOHAMED F.H.

NOORMOHAMED F.H. & LANT A.F. Sodium retaining action of arginine-vasopressin (AVP) in hydrated man. **452**, 87*P*, 1992

NOORMOHAMED F.H. & LANT A.F. Use of lithium in renal investigations: minimizing the impact on renal function. **452**, 136*P*, 1992

NORGAN N.G.

STENSEL D.J., HARDMAN A.E., BROOKE-WAVELL K., JONES P.R.M. & NORGAN N.G. The influence of brisk walking on endurance fitness in previously sedentary, middle-aged men. **446**, 123*P*, 1992

NORRIS M.L.

KANE M.T., NORRIS M.L. & HARRISON R.A.P. Uptake of *myo*-inositol by pre-implantation mouse embryos. **446**, 44*P*, 1992

NORTH R.A.

KAVANAUGH M.P., BUSCH A.E., HURST R.S., ADELMAN J.P. & NORTH R.A. Identification of a histidine residue in the rat lymphocyte channel (RGK5) that is involved in current inactivation. **446**, 125*P*, 1992

BUSCH A.E., KAVANAUGH M.P., ADELMAN J.P. & NORTH R.A. Second messenger regulation of the slowly activating, voltage-dependent potassium current (I_{sK}) in *Xenopus* oocytes. **446**, 133*P*, 1992

NOSE H.

HIROSE M., MORIMOTO T., NOSE H., ITOH T. & TANAKA Y. Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992

NOWICKY A.V.

CHRISTOFI G., NOWICKY A.V., RAY J., KHAN H. & BINDMAN L.J. Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992

NUKI G.

WALSH E.G., DALVI U., LAMBERT C.M. & NUKI G. Resonance at the wrist in patients with rheumatoid arthritis. **452**, 106*P*, 1992

NUNEZ D.J.

NUNEZ D.J., VASSILIKIOTI S. & BROWN M.J. The human atrial natriuretic factor (ANF) 'C' receptor is encoded by two messenger RNAs. **446**, 307*P*, 1992

NYE P.C.G.

ALBARWANI Sulayma, HASSAN A. & NYE P.C.G. Spontaneous oscillations of tension in isolated aortic rings from the rat. **446**, 492*P*, 1992

ROBERTSON B.E., CORRY P.R., NYE P.C.G. & KOZLOWSKI R.Z. Mg-ATP activates calcium-activated potassium channels in rat pulmonary arterial cells. **446**, 556*P*, 1992

NZEGWU Helen

NZEGWU Helen & LEVIN R.J. Fluid secretory responses to *Escherichia coli* Sta enterotoxin *in vivo* by ilea and jejuna from starved and chronically undernourished rats. **446**, 106*P*, 1992

NZEGWU Helen & LEVIN R.J. The enteric nervous system is involved in the maintained hypersecretory response of the small intestine to *E. coli* STa in chronic undernourished rats *in vitro*. **452**, 102*P*, 1992

NZEGWU Helen & LEVIN R.J. Investigations of the enteric neural involvement in the maintained electrogenic hypersecretion induced by *E. coli* STa in chronic undernourished rat small intestine *in vitro*.

452, 361*P*, 1992

OAKES L.M.

BIRDSEY T.J., OAKES L.M. & GARLAND H.O. Effects of gentamycin and tobramycin on renal calcium and magnesium handling in anaesthetized Fischer 344 rats. **452**, 133*P*, 1992

OBAID A.L.

PATON J.F.R., ROGERS W.T., SCHWABER J.S., OBAID A.L., ROHR S. & SALZBERG B.M. Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992

O'BOYLE D.J.

ROBERTSON F., HUME K.I. & O'BOYLE D.J. The effect of alcohol, at two times of day, on the distribution of relative power within the frequency-spectrum of the human EEG. **452**, 119*P*, 1992

O'BRIEN E.

ATKINS N., O'BRIEN E. & O'MALLEY K. Rhythm pattern analysis of blood pressure – a simplified approach. **446**, 464*P*, 1992

O'BRIEN Eoin

STANTON Alice, TAN Soon, CROWLEY James, AKINS Neil, O'MALLEY Kevin & O'BRIEN Eoin The interrelations of blood pressure levels, circadian pressure alterations and left ventricular mass in mild to moderate hypertension in human subjects. **446**, 419*P*, 1992

O'CONNOR J.J.

AITON J.F., INGRAM C.G. & O'CONNOR J.J. Digital colour image display and capture for computer-assisted learning programmes on the Apple Macintosh computer. **446**, 3*P*, 1992

MILLAR J., O'CONNOR J.J., TROUT S.J. & KRUK Z.L. 100 Hz sampling of the kinetics of dopamine release and re-uptake in isolated rat nucleus accumbens using continuous scan cyclic voltammetry (CSCV). **452**, 38*P*, 1992

O'DONNELL Mary D.

O'DONNELL Mary D. & MCGEENEY K.F. The 3D network of connective tissue fibres of isolated rat lung: demonstrated by SEM stereo-pair micrographs. **446**, 394*P*, 1992

O'DONOVAN F.

KIRBY F., MCCAUL C., O'DONOVAN F., MCGRATH K., MCDONALD N.J. & MCSHANE A.J. Tracheal acid aspiration in patients in the Intensive Care Unit. **446**, 424*P*, 1992

OGDEN D.

KHODAKHAH K., CARTER T.D., TÖRÖK K., OGDEN D. & SMITH S. Patch permeabilization with staphylococcal α-toxin in wholecell recording. **452**, 160*P*, 1992

OGDEN D.C.

CARTER T.D. & OGDEN D.C. Calcium release evoked by intracellular inositol 1,4,5-trisphosphate in porcine aortic endothelial cells in tissue culture. **446**, 558*P*, 1992

OGIHARA Toshio

MORISHITA Ryuichi, HIGAKI Jitsuo, KATAHIRA Katsutoshi, NAKAMURA Fumiaki, NAGANO Masahiro, MIKAMI Hiroshi, OKUNISHI Hideki, MIYAZAKI Mizuo & OGIHARA Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

O'HANLON G.M.

O'HANLON G.M. & LOWRIE M.B. Localized morphological changes in sciatic pool motoneurons following neonatal nerve injury at 5 days in the rat. **452**, 236*P*, 1992

O'HARE D.

LEVINKIND M., VANDERNOOT T.J. & O'HARE D. Study comparing the impedance characteristics of isolated normal and proteoglycan-depleted bovine articular cartilage. **452**, 60*P*, 1992

MCAINSH A.M., O'HARE D., SHERIDAN D.J. & WINLOVE C.P. Continuous measurement of oxygen tension in the isolated guinea-pig heart using a purpose designed oxygen electrode. **452**, 126*P*, 1992

O'HIGGINS N.J.

GERAGHTY J.G., COVENEY E.C., KIERNAN M. & O'HIGGINS N.J. A comparison of plain radiology and flow volume loop curves in patients with goitres. **446**, 432*P*, 1992

OIWA Kazuhiro

TREGEAR Richard, OIWA Kazuhiro, CHAEN Shigeru & SUGI Haruo The effect of magnetic force on the movement of myosin-coated beads along actin cables in an algal cell. **452**, 325*P*, 1992

OKADA Y.

SAKURAI T. & OKADA Y. Excitatory effect of adenosine on neurotransmission and the release of glutamate from hippocampal slices of guinea-pig. **446**, 380*P*, 1992

MIYAMOTO T. & OKADA Y. Involvement of the NMDA receptor, calmodulin and protein kinase C (PKC) system in long-term potentiation (LTP) in guinea-pig superior colliculus (SC) slice. **446**, 381*P*, 1992

OKADA Y., MIYAMOTO T. & SATO T. Transduction of acid stimuli into the receptor potential in frog taste cells. **446**, 387*P*, 1992

OKADA Yasunobu

KUBO Machiko & OKADA Yasunobu Arachidonic acid inhibits volume-sensitive Cl currents in a human intestinal epithelial cell line. **446**, 105*P*, 1992

O'KELLY T.J.
O'KELLY T.J., BRADING A.F. & MORTENSEN N.J. Inhibitory transmission in isolated pig internal anal sphincter: the role of nitric oxide. **446**, 523*P*, 1992

OKUNISHI Hideki
MORISHITA Ryuichi, HIGAKI Jitsuo, KATAHIRA Katsutoshi, NAKAMURA Fumiaki, NAGANO Masahiro, MIKAMI Hiroshi, OKUNISHI Hideki, MIYAZAKI Mizuo & OGIHARA Toshio Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992

OLDFIELD B.J.
BICKNELL R.J., OLDFIELD B.J., MCALLEN R.M., WEISINGER R.S. & MCKINLEY M.J. Fos immunoreactivity is induced in cells throughout the lamina terminalis following intravenous hypertonic saline infusions in rats. **446**, 80*P*, 1992

OLVER R.E.
ACEVEDO M., OLVER R.E. & WARD M.R. Characteristics of tracheal epithelium isolated from fetal and adult sheep: apical and basolateral membrane conductances. **446**, 15*P*, 1992
BUTCHER P.A., SHAW A.M., STEELE L.W., WARD M.R. & OLVER R.E. Cyclic AMP-regulated Na^+ conductance in the apical membrane of fetal sheep alveolar type II cells. **446**, 16*P*, 1992

OLVER Richard E.
RIDGE F.P. Gillian, ACEVEDO Mercedes, OLVER Richard E. & WARD Martyn R. Transport of sodium into apical membrane vesicles prepared from sheep tracheal epithelium. **452**, 358*P*, 1992

O'MALLEY K.
ATKINS N., O'BRIEN E. & O'MALLEY K. Rhythm pattern analysis of blood pressure – a simplified approach. **446**, 464*P*, 1992

O'MALLEY Kevin
STANTON Alice, TAN Soon, CROWLEY James, AKINS Neil, O'MALLEY Kevin & O'BRIEN Eoin The interrelations of blood pressure levels, circadian pressure alterations and left ventricular mass in mild to moderate hypertension in human subjects. **446**, 419*P*, 1992

O'NEILL S.C.
O'NEILL S.C., LAMONT C., NEGRETTI N. & EISNER D.A. The effect of thapsigargin on the calcium transient and twitch of single myocytes isolated from rat heart. **446**, 148*P*, 1992
TOESCU E.C., O'NEILL S.C., PETERSEN O.H. & EISNER D.A. Inhibition by caffeine of ACh-evoked cytoplasmic Ca^{2+} signals studied by simultaneous measurements of $[Ca^{2+}]_i$ and $[caffeine]_i$ in single mouse pancreatic acinar cells. **446**, 201*P*, 1992
NEGRETTI N., DONOSO P., O'NEILL S.C. & EISNER D.A. The effect of stimulation on the refilling of the sarcoplasmic reticulum of single isolated rat ventricular myocytes. **446**, 438*P*, 1992

ONO K.
ONO K., TAREEN F.M., YOSHIDA A., NOMA A. & TRAUTWEIN W. Cyclic GMP potentiates β-adrenergic activation of Cl^- currents in guinea-pig ventricular cells. **446**, 151*P*, 1992

ORCHARD C.H.
FRAMPTON J.E. & ORCHARD C.H. The effect of the calmodulin inhibitor W7 upon intracellular $[Ca^{2+}]$ (Ca_i) and contraction in ventricular myocytes isolated from rat hearts. **446**, 335*P*, 1992
ORCHARD C.H. The effect of varying pH on intracellular Ca^{2+} and force in papillary muscles isolated from ferret hearts. **446**, 336*P*, 1992

O'REGAN R.G.
MCKEOGH D., NOLAN P., O'REGAN R.G. & BRADFORD A. Artificial ventilation of the isolated larynx in the anaesthetized cat using a servo-controlled pump. **446**, 396*P*, 1992
KENNEDY M., FEELY S., GILES S. & O'REGAN R.G. The effects of physiological saline solutions, perfused at constant inflow pressure or volume, on the ultrastructure of the cat carotid body. **446**, 467*P*, 1992

OTUN H.
OTUN H., GILLESPIE J.I., GREENWELL J.R. & DUNLOP W. Modulation of oscillations in intracellular calcium induced by the removal of extracellular sodium in single isolated human vascular smooth muscle cells. **446**, 593*P*, 1992
OTUN H., HARVEY I., GREENWELL J.R. & GILLESPIE J.I. An objective and light guide system to convert any simple microscope into a microspectrofluorimeter. **452**, 263*P*, 1992

OTUN H.A.
THORNTON S., OTUN H.A., NICHOLLS J.A., GILLESPIE J.I., GREENWELL J.R. & DUNLOP W. Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992

OUHSINE A.
ACHAABAN M.R., FORSLING Mary L., BALMENT R.J., OUHSINE A. & SCHROTER R.C. Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992

OWEN David G.
OWEN David G. & ROBERTSON Brian A new micromanipulator and tissue support apparatus for electrophysiological recording. **446**, 74*P*, 1992

OZAKI T.
NARUSE S., TAKAGI T., SUZUKI T. & OZAKI T. Cholinergic control of interdigestive gastric blood flow in conscious dogs. **446**, 193*P*, 1992

PACKARD A.
PACKARD A. A note on dark waves ('wandering clouds') in the skin of *Octopus vulgaris*. **446**, 164*P*, 1992
PACKARD A. Nerve-induced and myogenically propagated relaxation of skin muscle (*Octopus vulgaris*). **452**, 130*P*, 1992

PADDON A.J.
WOLFF C.B. & PADDON A.J. Improved assessment of CO_2 analyser transport delays. **446**, 122*P*, 1992

PAGLIARO P.
GATTULLO Donatella, LINDEN R.J., LOSANO G., PAGLIARO P., VONO P. & WESTERHOF N. The effects of left ventricular diastolic pressure and volume on diastolic coronary flow in the isovolumically beating heart in the anaesthetized dog. **452**, 222*P*, 1992

PALMER Sue
PALMER Sue & KENTISH Jon C. Influence of pH, inorganic phosphate (P_i) and caffeine on the Ca^{2+} activation of skinned cardiac muscle: comparison between muscle from neonatal and adult rat hearts. **446**, 537*P*, 1992

PAMPLIN Philip James
PAMPLIN Philip James, HORIE Hajime, KOYAMA Natsu & YOKOTA Toshikatsu Inhibition of nociceptive neurons in the nucleus ventralis posterolateralis following conditioning stimulation of either the nucleus raphe magnus or the periaqueductal grey of the anaesthetized cat. Evidence for an ascending inhibitory pathway. **446**, 237*P*, 1992

PAOR Ade
GARRETT M., MURRAY C. & PAOR Ade The relationship between changes in the excitability of the Hoffman reflex and movement of the ankle joint during walking in freely moving man. **446**, 446*P*, 1992

PARIENTE J.A.
WISDOM D., SINGH J., SALIDO G.M., PARIENTE J.A., LENNARD R. & CAMELLO P.J. Effects of nerve stimulation and secretin on exocrine pancreatic secretion in the rat *in vivo* and *in vitro* **452**, 100*P*, 1992

PARK C.O.
PARK C.O., HO W.K. & EARM Y.E. Cl^--sensitive component of Ca^{2+}-activated tail current in rabbit atrial myocytes. **446**, 150*P*, 1992

PARK H.J.
PARK H.J., LEE Y.L. & KWON H.Y. Pancreatic polypeptide inhibits insulin action on exocrine secretion of isolated rat pancreas. **446**, 199*P*, 1992

PARK J.H.
PARK J.H. & WINLOW W. A method for monitoring movements without mechanical contact. **446**, 77*P*, 1992

PARK J.S.
LEE W.J., YANG E.K., PARK J.S., PARK Y.Y. & AHN D.K. Acute and chronic effects of potassium on aldosterone release in rats fed with different amounts of sodium. **446**, 88*P*, 1992

PARK Y.Y.
LEE W.J., YANG E.K., PARK J.S., PARK Y.Y. & AHN D.K. Acute and chronic effects of potassium on aldosterone release in rats fed with different amounts of sodium. **446**, 88*P*, 1992

PARKAR A.
TIVEY D.R., PARKAR A., BURTON K.A. & DAUNCEY M.J. Nutritional influences on circulating and hepatic concentrations of insulin-like growth factor-I in the neonatal pig. **446**, 298*P*, 1992

PARKER T.L.
MEAL A.G., LEFLEY P.W. & PARKER T.L. Electronic monitoring of drinking behaviour in rats. **446**, 395*P*, 1992

PARKES M.J.
PARKES M.J., LARA MUNOZ J.P., IZZO P.N. & SPYER K.M. Projections of neurones with respiratory-related discharge in the medulla of the anaesthetized rat. **446**, 428*P*, 1992
LARA J.P., PARKES M.J., IZZO P.N. & SPYER K.M. Respiratory and circulatory responses to electrical and chemical stimulation in the parabrachial complex (PB) of the anaesthetized rat. **452**, 321*P*, 1992

PARRATT J.R.
VEGH A., SZEKERES L., SZILVASSY Z. & PARRATT J.R. Myocardial preconditioning in anaesthetized dogs can be induced by rapid cardiac pacing. **446**, 218*P*, 1992
VEGH A., SZEKERES L. & PARRATT J.R. Nitric oxide involvement in preconditioning of the ischaemic myocardium in anaesthetized dogs. **446**, 541*P*, 1992
VEGH A., SZEKERES L. & PARRATT J.R. Inhibition of nitric oxide production in anaesthetized dogs fails to modify work-induced increases in coronary blood flow. **452**, 16*P*, 1992

PARRI H.R.

PARRI H.R., DJAMGOZ M.B.A., HOLDEN-DYE L. & WALKER R.J. The effect of ivermectin on intracellular chloride activity of somatic muscle cells of the parasitic nematode *Ascaris suum in vitro*. **446**, 321*P*, 1992

PART N.J.

CHAUHAN S. & PART N.J. The effect of work load on the modulation of the soleus H reflex during cycling in man. **446**, 18*P*, 1992

PASCALL J.C.

CORPS A.N., PASCALL J.C. & BROWN K.D. Constitutive secretion of an insulin-like growth factor-binding protein by a rat intestinal epithelial (RIE-1) cell-line. **446**, 296*P*, 1992

PATEL B.C.K.

HALL A.J.H., GREENWOOD J., PATEL B.C.K., BRADA M. & LIGHTMAN S. The effect of histamine and interleukin-2 on the blood–brain and blood–retinal barriers of the anaesthetized rat. **446**, 497*P*, 1992

PATERSON David J.

BLAKE Gavin J. & PATERSON David J. Effect of noradrenaline on systolic blood pressure and mean aortic flow in the anaesthetized rabbit during hyperkalaemia. **446**, 216*P*, 1992

PATON J.F.R.

PATON J.F.R., ROGERS W.T., SCHWABER J.S., OBAID A.L., ROHR S. & SALZBERG B.M. Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992

PATON Julian F.R.

PATON Julian F.R., FOSTER William R., GRAVES Eliza B. & SCHWABER James S. Characteristic cell types and network modelling in the cardiorespiratory region of the nucleus of the solitary tract (NTS) of the rat. **452**, 357*P*, 1992

PAUL D.H.

BOSCH T.J. & PAUL D.H. Is there a tecto-reticular 'map' in the trout? **446**, 314*P*, 1992

PAUL Leendert C.

BANIJAMALI Hamid S., TER KEURS Mark H.C., PAUL Leendert C. & TER KEURS Henk The effect of cyclosporine-A on excitation–contraction coupling in isolated rat cardiac trabeculae. **452**, 23*P*, 1992

PEARCE Rosalyn J.

PEARCE Rosalyn J. & DUCHEN Michael R. Actions of the convulsant barbiturate 5-(2-cyclohexylidine-ethyl)-5-ethyl barbituric acid (CHEB) on dissociated mouse sensory neurons. **446**, 136*P*, 1992

PEARSON H.A.

PEARSON H.A., KOBRINSKY E.M. & DOLPHIN A.C. Ca^{2+} channel currents in the dorsal root ganglion cell × neuroblastoma hybrid cell line, ND7-23. **446**, 181*P*, 1992

PEARSON J.D.

BOGLE R.G., MORGAN D.M.L., PEARSON J.D. & MANN G.E. Polyamine transporters in cultured porcine aortic endothelial cells. **446**, 95*P*, 1992

TOOTHILL V.J., EATON B.M., PEARSON J.D. & MANN G.E. Human neutrophil elastase and polylysine increase junctional solute permeability in umbilical vein endothelial cell monolayers perfused in microcarrier culture. **452**, 4*P*, 1992

BAYDOUN A.R., BOGLE R.G., PEARSON J.D. & MANN G.E. Induction of nitric oxide synthase in cultured murine macrophages modulates intracellular levels of L-arginine and L-citrulline. **452**, 302*P*, 1992

MADGE L.A., BAYDOUN A.R., PEARSON J.D. & MANN G.E. Amino acid deprivation stimulates L-glutamine transport in cultured human venous endothelial cells. **452**, 306*P*, 1992

PEART W.

SUTTERS M., HATFIELD E., BRACE C., WHITEHURST A., LIGHTMAN S. & PEART W. Water and sodium homeostasis during dietary sodium restriction in patients with cranial diabetes insipidus. **446**, 452*P*, 1992

PEART W.S.

SUTTERS M. & PEART W.S. The effect of water restriction during adaptation to a low sodium diet in man. **452**, 85*P*, 1992

PEDIANI J.D.

WILSON S.M., PEDIANI J.D., ELDER H.Y. & MCEWAN JENKINSON D. Voltage-evoked currents in cultured equine sweat gland cells. **446**, 433*P*, 1992

WILSON S.M., LEE C.M., SMITH G.L., PEDIANI J.D., BROWN U.M.O. & ELDER H.Y. Second messenger signals in cultured, human sweat gland epithelia. **452**, 230*P*, 1992

PEDLEY K.C.

NAFTALIN R.J. & PEDLEY K.C. Direct evidence of fluid uptake into rat descending colonic crypts. **452**, 351*P*, 1992

PEERS C.

WYATT C.N. & PEERS C. Inhibition of Ca^{2+}-activated K^+ currents in isolated type I cells of the neonatal rat carotid body by *p*-chloromercuribenzenesulfonic acid. **452**, 313*P*, 1992

PEERS Chris
REEVE Helen L. & PEERS Chris Actions of clofilium on the delayed rectifier K^+ current recorded in undifferentiated neuroblastoma × glioma hybrid (NG 108-15) cells. **446**, 309*P*, 1992

PEINEAU N.
PEINEAU N. & ARGIBAY J.A. Transient changes in action potential duration and calcium current after an increase in stimulation frequency in isolated guinea-pig ventricular cardiocytes. **446**, 338*P*, 1992

PELL J.M.
PELL J.M., SAUNDERS J.C., STEWART C.E.H. & GILMOUR R.S. Growth hormone (GH) and nutritional control of hepatic insulin-like growth factor-1 (IGF-1) production in the lamb. **446**, 300*P*, 1992

PERES A.
HONG S.G., HAN J.H., KWUN J.K. & PERES A. Inactivation property of the Ca^{2+} channel in the mouse egg. **446**, 304*P*, 1992

PERRINS Ray
PERRINS Ray & ROBERTS Alan The effects of acetylcholine on rhythmically active spinal neurones in *Xenopus* embryos. **452**, 234*P*, 1992

PERROTT M.N.
SAINSBURY R.J., PERROTT M.N. & BALMENT R.J. In vitro atrial natriuretic peptide- (ANP) stimulated cGMP production in nephrons from seawater- (SW) and freshwater- (FW) adapted euryhaline fish. **452**, 91*P*, 1992

PERRY M.E.
BROWN K.A., VORA A., PERRY M.E., MUSTAPHA Y., HOBBS C., DAVIES D. & DUMONDE D.C. An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992

PETERSEN O.H.
TOESCU E.C., O'NEILL S.C., PETERSEN O.H. & EISNER D.A. Inhibition by caffeine of ACh-evoked cytoplasmic Ca^{2+} signals studied by simultaneous measurements of $[Ca^{2+}]_i$ and $[caffeine]_i$ in single mouse pancreatic acinar cells. **446**, 201*P*, 1992

PHELAN D.
HURLEY J., MCDONAGH P., PHELAN D., LUKE D. & MCGOVERN E. The occurrence of a tissue oxygen debt in anaesthetized man and its attenuation with positive inotropic support. **446**, 463*P*, 1992

PHILLIPS S.K.
BRUCE S.A., PHILLIPS S.K. & WOLEDGE R.C. Strength and cross-sectional area of adductor pollicis muscle in men and women. **446**, 266*P*, 1992
PHILLIPS S.K., BRUCE S.A., WOLEDGE R.C. & SIDDLE N. Force and cross-sectional area of adductor pollicis muscle in post-menopausal women, with and without hormone replacement therapy. **446**, 364*P*, 1992
ROOK K.M., PHILLIPS S.K., BRUCE S.A. & WOLEDGE R.C. The effects of ageing on muscle strength in men and women. **452**, 25*P*, 1992

PHIPPS R.H.
HARD D.L., ADRIAENS F., PROSSER C.G., NEWBOLD J.A., HEAP R.B., PHIPPS R.H. & HANNAH M.J. Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992

PHOENIX Joanne
PHOENIX Joanne & WRAY Susan An investigation of factors affecting force production in isolated human uterine strips. **446**, 485*P*, 1992

PICHON Y.
AMAR M. & PICHON Y. Calcium currents in cultured cockroach (*Periplaneta americana*) neurones. **446**, 171*P*, 1992

PICKARD R.S.
PICKARD R.S., POWELL P.H. & ZAR M.A. Inhibition of nerve-evoked relaxation in human cavernosal smooth muscle by Methylene Blue: additional evidence for mediation by nitric oxide. **446**, 250*P*, 1992
PICKARD R.S., POWELL P.H. & ZAR M.A. Evidence against vasoactive intestinal polypeptide as the inhibitory neuro-transmitter in human cavernosal tissue. **446**, 495*P*, 1992
PICKARD R.S., POWELL P.H., ZAR M.A., BREDT D.S. & SNYDER S.H. Lack of brain nitric oxide synthase in human cavernosal tissue. **452**, 303*P*, 1992

PICKERING A.E.
PICKERING A.E., SPANSWICK D. & LOGAN S.D. 5-HT depolarizes and induces oscillations in rat sympathetic preganglionic neurones *in vitro*. **452**, 37*P*, 1992
SPANSWICK D., PICKERING A.E., GIBSON I.C. & LOGAN S.D. Induction of rhythmic oscillations in rat sympathetic preganglionic neurones (SPN) *in vitro* by a metabotropic-like excitatory amino acid receptor **452**, 179*P*, 1992
PICKERING A.E., SPANSWICK D., GIBSON I.C. & LOGAN S.D. Inhibition of membrane potential oscillations in rat sympathetic preganglionic neurones *in vitro* by noradrenaline. **452**, 226*P*, 1992

PIERAU Fr.-K.
TAYLOR D.C.M., FAULSTROH K. & PIERAU Fr.-K. Opioid inhibition of electrogenic flare in anaesthetized pigs is blocked by μ receptor antagonists. **452**, 121*P*, 1992

PILE Alison J.
PILE Alison J. & SMAJE Laurence H. The H_3 antagonist thoperamide inhibits the permeability effects of histamine in rat microvessels via an H_1-receptor effect. **452**, 68*P*, 1992
PILOT Marie-Anne
SCOTT Mark, PILOT Marie-Anne & WILLIAMS Norman Gut giant contractions and associated defaecation in ambulant dogs. **452**, 340*P*, 1992
PINCHES Stuart A.
PINCHES Stuart A., GOULD Gwyn W., GARNER Andrew & SHIRAZI-BEECHEY Soraya P. Characteristics of glucose transport by human and pig colonocyte basolateral membrane. **452**, 326*P*, 1992
PIRIE S.
SPEAKE P.F., PIRIE S. & GREEN R. Atrial natriuretic factor (ANF) secretion from isolated guinea-pig atrial strips. **452**, 90*P*, 1992
PITMAN R.M.
HANCOX J.C. & PITMAN R.M. Two distinct calcium-mediated events in the soma of an identified cockroach (*Periplaneta americana*) motoneurone *in vitro*. **446**, 324*P*, 1992
DAVID J.A. & PITMAN R.M. The pharmacology of muscarinic receptors on the soma membrane of an identified cockroach (*Periplaneta americana*) motoneurone *in vitro*. **446**, 326*P*, 1992
PIZZORUSSO T.
BERARDI N., CATTANEO A., CELLERINO A., DOMENICI L., FAGIOLINI M., MAFFEI L. & PIZZORUSSO T. Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992
PLANGE-RHULE J.
PLANGE-RHULE J. & ATHERTON J.C. Natriuretic effect of arginine vasopressin (AVP) in chronically instrumented, conscious rats: fact or artefact? **452**, 82*P*, 1992
PLANT S.
GRAY M.A. & PLANT S. Acute regulation of the macroscopic chloride conductance of isolated rat pancreatic duct cells. **452**, 345*P*, 1992
PLANT Susan
PLANT Susan, GRAY M.A. & ARGENT B.E. K^+ channels on rat pancreatic duct cells *in vitro*. **452**, 360*P*, 1992
POCOCK G.
CHARLESWORTH P., POCOCK G. & RICHARDS C.D. Methoxyflurane and methohexitone modulate the decay of voltage-activated calcium currents in cultured bovine adrenal chromaffin cells. **452**, 191*P*, 1992
POLI DE FIGUEIREDO C.E.
POLI DE FIGUEIREDO C.E., ELLORY J.C. & HENDRY B.M. A longitudinal study of human erythrocyte choline transport after renal transplantation. **446**, 403*P*, 1992
POMFRETT C.J.D.
SNEYD J.R., POMFRETT C.J.D. & HEALY T.E.J. Continuous acquisition and real-time analysis of EEG, ECG and respiratory data in the anaesthetized human. **446**, 76*P*, 1992
POOK P.C.-K.
BIRSE E.F., MEWETT K.N., POOK P.C.-K., TYRELL K., UDVARHELYI P.M., WHARTON B. & WATKINS J.C. Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and poly-synaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992
PORCIATTI V.
LEE J.-Y., DJAMGOZ M.B.A., HODOS W., HOLDEN A.L. & PORCIATTI V. Life span changes in the visual acuity of the Japanese quail. **452**, 42*P*, 1992
POSANGI J.
POSANGI J., HARRIS J.B., ZAR M.A. & MEAD S.H. Depletion of neurotransmitters in the autonomic nervous system by Palytoxin. **452**, 301*P*, 1992
POSTON L.
POSTON L., AARONSON P. & SMIRNOV S. Simultaneous measurement of intracellular calcium and tension in human resistance arteries: evidence for Na–Ca exchange. **446**, 244*P*, 1992
POSTON L. & AARONSON P. Simultaneous measurement of tension and $[Ca]_i$ in isolated human resistance arteries. **446**, 472*P*, 1992
CARR P. & POSTON L. Effect of endothelin-1 on intracellular pH in isolated human resistance arteries in the presence of a physiological buffer. **446**, 489*P*, 1992
GRAVES J., WOOLFSON R.G. & POSTON L. Effects of the toad bufodienolide, bufalin (BU), on contraction and relaxation of isolated human resistance arteries. **446**, 494*P*, 1992
POTT L.
CALLEWAERT G., LIPP P., SIPIDO K.R., POTT L. & CARMELIET E. Regenerative Ca^{2+} release in guinea-pig atrial myocytes. **446**, 146*P*, 1992
POULAIN D.A.
VOISIN D., HERBISON A.E. & POULAIN D.A. Intracerebroventricular injection of muscimol or bicuculline inhibits the milk ejection reflex in the anaesthetized rat. **452**, 211*P*, 1992

POWELL P.H.
PICKARD R.S., POWELL P.H. & ZAR M.A. Inhibition of nerve-evoked relaxation in human cavernosal smooth muscle by Methylene Blue: additional evidence for mediation by nitric oxide. **446**, 250*P*, 1992
PICKARD R.S., POWELL P.H. & ZAR M.A. Evidence against vasoactive intestinal polypeptide as the inhibitory neuro-transmitter in human cavernosal tissue. **446**, 495*P*, 1992
PICKARD R.S., POWELL P.H., ZAR M.A., BREDT D.S. & SNYDER S.H. Lack of brain nitric oxide synthase in human cavernosal tissue. **452**, 303*P*, 1992
POWELL T.
KOZLOWSKI R.Z., GOODSTADT L.J., TWIST V.W. & POWELL T. Rapid effects of photo-released guanosine nucleotides on L-type Ca^{2+} and Ba^{2+} currents in guinea-pig cardiac ventricular myocytes. **446**, 144*P*, 1992
CHEN Shuhau, FRY C.H., ILLNER Hana, KICKENWEIZ Elisabeth, MCGUIGAN J.A.S., POWELL T. & TWIST V.W. Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992
KOZLOWSKI R.Z., GOODSTADT L.J., TWIST V.W. & POWELL T. Intracellular GTPγS inhibits L-type Ca^{2+} channel activation by isoprenaline or photoreleased GTPγS in guinea-pig ventricular myocytes. **452**, 197*P*, 1992
POZO Miguel A.
POZO Miguel A. & CERVERO Fernando Corneal inputs to neurones in the spinal trigeminal nucleus of anaesthetized rats. **452**, 239*P*, 1992
CERVERO Fernando, LAIRD Jennifer M.A. & POZO Miguel A. Plastic changes of spinal nociceptive neurones induced by noxious visceral stimulation in the anaesthetized cat. **452**, 240*P*, 1992
POZO M.J.
JENNINGS L., MALEK N., GIMENO A., POZO M.J., SINGH J., SALIDO G.M. & DAVISON J.S. Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992
PRABHAKAR E.
PRABHAKAR E. & LAWSON S.N. The electrophysiological properties of rat primary afferent neurones with carbonic anhydrase activity or peripherin-like immunoreactivity. **452**, 242*P*, 1992
PRASHAD D.N.
MAKAREM F., PRASHAD D.N. & DEANE R. Sex-related differences in urinary catecholamine excretion in humans. **446**, 582*P*, 1992
PREECE J.
MIYAN J.A. & PREECE J. Neuromuscular gap junctions in the fly eclosion muscle system? **446**, 163*P*, 1992
PRESTON J.E.
PRESTON J.E. & SEGAL M.B. Thyroid hormone uptake at the blood face of the isolated perfused sheep choroid plexus. **446**, 87*P*, 1992
PRICE D.J.
SHELTON C.J., DOYLE M.G., GIBSON E.C.D., INMAN N., PRICE D.J., WOOLTORTON J.R.A., ZHAO D.M., DANIELS S. & SMITH E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992
PRIDE N.B.
BIRCHALL M.A., PRIDE N.B. & SCHROTER R.C. The effect of saline and histamine on blood flux in the human nasal septal mucosa as measured by a laser Doppler flowmeter. **446**, 114*P*, 1992
PRIEST R.
ATHERTON J.C., HARGREAVES P., HARTSHORN J., PRIEST R. & WOO L. Renal handling of magnesium in man: effects of acid/base balance, bumetanide and acetazolamide. **452**, 132*P*, 1992
PRIESTLEY John
BARANOWSKI Andrew, PRIESTLEY John & MCMAHON Stephen The consequences of delayed *versus* immediate nerve repair on the properties of regenerating sensory nerve fibres in the adult rat. **446**, 561*P*, 1992
PRIESTLEY J.V.
AVERILL S., CURTIS R., WILKIN G.P. & PRIESTLEY J.V. Ultrastructural localization of GAP-43 immunoreactive terminals in the adult rat spinal cord. **446**, 600*P*, 1992
PRIMROSE C.S.
LEIPER J.B., PRIMROSE C.S. & MAUGHAN R.J. Absorption of water and solute from glucose-electrolyte solutions in the intact human jejunum. **446**, 53*P*, 1992
PROCTOR G.B.
PROCTOR G.B., CHAN K.M., SHORI D.K. & GARRETT J.R. Different proportions of secretory proteinases occur in submandibular salivas elicited from anaesthetized rats by different nerve stimulations. **446**, 200*P*, 1992
PRONCHUK N.
NALIVAIKO E., PRONCHUK N. & SAGACH V. Changes in T-type and L-type calcium current densities in newborn rat cardiomyocytes in culture. **446**, 145*P*, 1992

PROSKE U.

GREGORY J.E., MORGAN D.L., PROSKE U. & SCOTT J.J.A. Small signal sensitivity of muscle-spindle primary endings in the anaesthetized cat. **452**, 290*P*, 1992

PROSSER C.G.

HARD D.L., ADRIAENS F., PROSSER C.G., NEWBOLD J.A., HEAP R.B., PHIPPS R.H. & HANNAH M.J. Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992

PRZYBORSKI S.A.

PRZYBORSKI S.A., LEVIN R.J. & YOUNG A. McN-A-343 has an antagonistic action at cholinergic receptors on rat jejunal and ileal enterocytes. **452**, 53*P*, 1992

PRZYBORSKI S.A., LEVIN R.J. & YOUNG A. Acetylcholine activates electrogenic secretion in rat jejunum and ileum *in vitro* by M3 muscarinic receptors. **452**, 363*P*, 1992

PULLEN R.G.L.

FRANKLIN P.A. & PULLEN R.G.L. ^{65}Zn efflux from brain in the anaesthetized rat. **446**, 29*P*, 1992

PULLEN R.G.L. & FRANKLIN P.A. Brain uptake of ^{54}Mn in the anaesthetized rat. **446**, 507*P*, 1992

PUMFORD K.M.

PUMFORD K.M., LENG G. & RUSSELL J.A. Inhibition of spontaneous and synaptically evoked activity of supraoptic neurones in the anaesthetized rat by μ- and κ-selective opioids in anaesthetized rats. **452**, 214*P*, 1992

RACKÉ K.

BRUNN G., LANGER C., BÄHRING J., WESSLER I. & RACKÉ K. Epithelium-derived prostanoids inhibit the release of endogenous noradrenaline from rat isolated trachea. **446**, 115*P*, 1992

SCHWÖRER H., REIMANN A. & RACKÉ K. Effects of different calcium channel blockers on 5-hydroxytryptamine (5-HT) release from the enterochromaffin cells of the isolated porcine small intestine. **446**, 303*P*, 1992

RADKE H. Karl

HARRISON Neil L., BROOKS Penelope A., HORNBERGER Liesa A., RADKE H. Karl & JONES Mathew V. The effects of some volatile anaesthetics on responses to exogenous GABA and inhibitory postsynaptic currents in cultured rat hippocampal neurons. **446**, 258*P*, 1992

RAHAMIMOFF Rami

MELAMED Naomi, HELM Paul Johannes & RAHAMIMOFF Rami Confocal microscopy of the isolated lizard neuromuscular junction: calcium oscillations in resting synaptic boutons. **452**, 47*P*, 1992

RAJNICEK A.M.

RAJNICEK A.M., GOW N.A.R. & MCCAIG C.D. Directional growth of cultured rat hippocampal neurones in electric fields. **446**, 41*P*, 1992

RAMESH V.

WATTS C., EYRE J.A., KELLY S. & RAMESH V. Development of the pincer grasp and its relationship to the development of adult corticospinal delays in man. **452**, 273*P*, 1992

RAMLAL T.

HUNDAL H.S., MITSUMOTO Y., MARETTE A., RAMLAL T. & KLIP A. Expression and localization of Na^+ pump isoforms in rat skeletal muscle and L6 muscle cells: effect of insulin. **452**, 101*P*, 1992

RAMPLING M.W.

ERTAN N.Z., RAMPLING M.W., WINLOVE P., GRIBBON P., DENISON D. & BOXALL C. The effect of trypsin treatment on dextran-induced erythrocyte aggregation. **452**, 314*P*, 1992

RAMSEY R.L.

MACDONALD A.G., DREWRY J., RAMSEY R.L. & USHERWOOD P.N.R. The effect of high pressure on the ketamine blockade of the cation-selective channel of locust (*Schistocerca gregaria*) muscle. **446**, 557*P*, 1992

MACDONALD A.G., DREWRY J., RAMSEY R.L., SHELTON C. & USHERWOOD P.N.R. The effect of high pressure on the quisqualate-sensitive glutamate receptor channel of locust (*Schistocerca gregaria*) muscle. **452**, 186*P*, 1992

RANATUNGA K.W.

RANATUNGA K.W. Temperature dependence of tension in relaxed (glycerinated rabbit psoas) muscle fibres. **452**, 154*P*, 1992

GEEVES M.A., RANATUNGA K.W. & KNIGHT P.J. Effect of hydrostatic pressure on low angle X-ray scattering by isolated frog muscle during contraction. **452**, 155*P*, 1992

RANKIN J.C.

DUNNE J.B. & RANKIN J.C. Effects of atrial natriuretic peptide and angiotensin II on salt and water excretion by the perfused rainbow trout kidney. **446**, 92*P*, 1992

RANSON R.N.

RANSON R.N., BUTLER P.J. & TAYLOR E.W. The localization of vagal preganglionic neurones in the ferret, *Mustela putorius furo* and the mink, *Mustela vison*. **452**, 246*P*, 1992

RATCLIFF W.
BURTON P.B.J., KAMALATI T., RATCLIFF W. & KNIGHT D.E. Evidence implicating parathyroid hormone-related peptide as an autocrine growth factor for human lung cancer cells. **446**, 534*P*, 1992

RAVEN Poppy E.
LISNEY S.J.W., MASSEY Emma J. & RAVEN Poppy E. Specificity of transneuronal signals after peripheral nerve injury investigated in anaesthetized rats. **452**, 168*P*, 1992

RAVEY J.
BAXTER G.D., ALLEN J.M., WALSH D.M., BELL A.J. & RAVEY J. Localization of the effect of low energy laser irradiation upon conduction latencies in the human median nerve *in vivo*. **446**, 445*P*, 1992

RAWAS O.
RAWAS O., DONNE B., KELLY M. & ANDREWS J.F. The effect of competitive submaximal endurance exercise (The Marathon) on plasma β-endorphin concentration in recreational runners. **446**, 450*P*, 1992

RAWAT Bilal M.
RAWAT Bilal M., SKORUPSKI Peter & BUSH Brian M.H. Central synaptic coupling of non-spiking afferent neurones from adjacent joints of the crayfish leg. **446**, 316*P*, 1992

RAWAT B.M.
BUSH B.M.H., SKORUPSKI P., MURPHY G.J., CAYZER S.A. & RAWAT B.M. An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992

RAY D.E.
ROMERO I.A., CAVANAGH J.B., NOLAN C.C., RAY D.E. & SEVILLE M.P. 1,3-Dinitrobenzene, a neurotoxin acting at the rat blood–brain barrier. **446**, 498*P*, 1992

RAY J.
CHRISTOFI G., NOWICKY A.V., RAY J., KHAN H. & BINDMAN L.J. Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992

RAYSON B.M.
RAYSON B.M. & GILBERT M.T. [Ca^{2+}] regulates transcription rate of the Na^+–K^+-ATPase α_1 subunit in rat kidney tubular segments, *in vitro*. **446**, 405*P*, 1992

READ N.W.
SQUIRES P.E., RUMSEY R.D.E. & READ N.W. Sennoside and loperamide: opposing motor effects in vascularly perfused rat large bowel *in vitro*. **452**, 366*P*, 1992

READER M.R.
READER M.R., MATTHEWS N. & DZIEGIELEWSKA K.M. Synthesis of the plasma protein fetuin in the fetal sheep brain, as demonstrated by *in situ* hybridization. **446**, 605*P*, 1992

REALE Vincenzina
REALE Vincenzina, HALES C.N. & ASHFORD M.L.J. Cyclic AMP regulates a calcium-activated non-selective cation channel in a rat insulinoma cell line. **446**, 312*P*, 1992

RECUPERO E.
LAMB G.D., RECUPERO E. & STEPHENSON D.G. Effect of pH on excitation–contraction coupling in isolated skeletal muscle of toad. **446**, 263*P*, 1992

REDFERN Christopher P.F.
MATTHEWS C. Jane, REDFERN Christopher P.F., THOMAS Eric J. & HIRST Barry H. Electrolyte transport by primary monolayer cultures of human endometrial glandular epithelial cells. **452**, 95*P*, 1992

REDFERN C.P.F.
MATTHEWS C. Jane, McEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Electrical properties of primary monolayer cultures of human endometrial glandular epithelial cells. **446**, 97*P*, 1992
MATTHEWS C.J., McEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Isolation, culture and functional analysis of glands from human endometrium. **452**, 260*P*, 1992

REES H.
REES H. & ROBERTS M.H.T. Excitation of superficial dorsal horn neurones by electrical stimulation of the anterior pretectal nucleus in the anaesthetized rat. **446**, 563*P*, 1992

REEVE Helen
REEVE Helen & WHITE Stanley Aldosterone inhibits expression of peanut agglutinin (PNA) binding sites in rabbit renal cortical collecting duct primary cultures. **446**, 369*P*, 1992

REEVE Helen L.
REEVE Helen L. & PEERS Chris Actions of clofilium on the delayed rectifier K^+ current recorded in undifferentiated neuroblastoma × glioma hybrid (NG 108-15) cells. **446**, 309*P*, 1992

REGAN M.F.
CAMPBELL E.R., REGAN M.F., McCULLAGH P.J., McCLELLAND R.J. & WALLACE W.F.M. Evidence from slow wave potentials of functional asymmetry in the human brain during an analytical task. **446**, 448*P*, 1992

REIMANN A.
SCHWÖRER H., REIMANN A. & RACKÉ K. Effects of different calcium channel blockers on 5-hydroxytryptamine (5-HT) release from the enterochromaffin cells of the isolated porcine small intestine. **446**, 303*P*, 1992

RELF G.
ZOREC R., HOYLAND J., RELF G., BUNTING R. & MASON W.T. Dynamic four-wavelength video imaging of intracellular pH and calcium homeostasis in cultured bovine lactotrophs. **446**, 64*P*, 1992

RELTON Jane K.
RELTON Jane K. & ROTHWELL Nancy J. Interleukin-1 receptor antagonist inhibits ischaemic and excitotoxic brain damage in the rat. **452**, 122*P*, 1992

RENNIE M.J.
WILLHOFT N.M. & RENNIE M.J. Characteristics of L-glutamine efflux from incubated rat soleus muscle. **446**, 10*P*, 1992
TADROS L. & RENNIE M.J. Characteristics of glutamine transport in primary tissue culture of rat skeletal muscle cells. **446**, 11*P*, 1992
KHOGALI S.E.O., HARPER A.A. & RENNIE M.J. Effect of hypoxia on tracer glutamine uptake in the isolated working rat heart. **446**, 539*P*, 1992
THOMPSON G.W.A. & RENNIE M.J. System A plays only a minor role in alanine transport of isolated rat muscle. **446**, 570*P*, 1992

RENTON S.
HOLLOWAY M., KITNEY R., RENTON S. & NICOLAIDES A. An evaluation of the use of edge detection when measuring atherosclerotic plaque from ultrasound images in man. **452**, 20*P*, 1992

REVEST P.A.
REVEST P.A., JONES H.C. & ABBOTT N.J. Transendothelial electrical potential of blood–brain barrier vessels *in situ* in anaesthetized rats. **446**, 608*P*, 1992

REVEST Patricia A.
REVEST Patricia A., JONES Hazel C. & ABBOTT N. Joan Contribution of active and passive ion transport to the potential difference (PD) across *in situ* pial microvessels in anaesthetized rats. **452**, 6*P*, 1992

RHEE Poong Lyul
RHEE Poong Lyul, SUH Suk Hyo, KIM Sung Joon & KIM Ki Whan Effect of dopamine on the Ca^{2+}-dependent K^+currents of isolated single gastric myocytes of the guinea-pig. **446**, 249*P*, 1992

RHIE D.J.
JO Y.H., RHIE D.J., HAHN S.J., CHANG Y.S., KIM C.C. & KIM M.S. The effect of body position on pancreatic exocrine secretion in anaesthetized and conscious rats. **446**, 198*P*, 1992

RHODES C.G.
DE SILVA R., YAMAMOTO Y., RHODES C.G., IIDA H., MASERI A. & JONES T. Non-invasive quantification of regional myocardial oxygen consumption in anaesthetized greyhounds. **446**, 219*P*, 1992

RIBCHESTER R.R.
RIBCHESTER R.R. & MIJNSTER M.J. A test of neurotrophic theory in reinnervated adult rat fourth deep lumbrical muscle. **446**, 520*P*, 1992

RICE Andrew
RICE Andrew, MCMAHON Stephen & WALL Patrick Impairment of nerve conduction by microneurography electrodes in the anaesthetized rat. **452**, 44*P*, 1992

RICHARDS C.D.
CHARLESWORTH P., POCOCK G. & RICHARDS C.D. Methoxyflurane and methohexitone modulate the decay of voltage-activated calcium currents in cultured bovine adrenal chromaffin cells. **452**, 191*P*, 1992
WANN K.T. & RICHARDS C.D. Properties of a large conductance potassium channel in rat hippocampal neurones maintained in culture. **452**, 192*P*, 1992
DOYLE A.J., RICHARDS C.D. & WANN K.T. Potassium channels active at resting membrane potential in cultured rat striatal neurones. **452**, 299*P*, 1992

RICHARDSON G.P.
KROS C.J., RÜSCH A., RICHARDSON G.P. & RUSSELL I.J. Transducer currents in outer hair cells in cochlear cultures of neonatal mice. **446**, 112*P*, 1992

RICHARDSON Helen C.
BANKS J.R., GARDNER Ed, LOVGREEN Brenda & RICHARDSON Helen C. Use of FM radio telemetry to record human electromyograms during 'dry' slope skiing. **452**, 72*P*, 1992

RICHARDSON M.
FLEET I.R., DAVIS A., RICHARDSON M. & HEAP R.B. The effects of recombinantly-derived insulin-like growth factor-I and insulin-like growth factor-II on mammary vasodilatation in the goat. **446**, 69*P*, 1992

RICHARDSON P.S.
ALLENBY M.I., FUNG D.C.K. & RICHARDSON P.S. Non-adrenergic, non-cholinergic (NANC) vagal pathways mediating mucus glycoconjugate release in the trachea of the anaesthetized cat. **446**, 527*P*, 1992

Hamilton M.A., Fung D.C.K. & Richardson P.S. Mechanism of mucus glycoconjugate release into feline trachea *in vitro* by monorhamnolipid. **446**, 535*P*, 1992

Richmond P.

Lagadic-Gossmann Dominique, Richmond P. & Vaughan-Jones R.D. α-Adrenergic receptors mediate inhibition of Na^+–HCO_3^- symport in the guinea-pig and rabbit ventricular myocyte. **446**, 142*P*, 1992

Riddell J.S.

Jankowska E., Riddell J.S., Skoog B. & Noga B.R. Effects of stimulation in the locus coeruleus and raphe nuclei on transmission in group II reflex pathways of the anaesthetized cat. **452**, 111*P*, 1992

Riddell J.S., Jankowska E. & Huber J. Primary afferent depolarization of group II muscle afferent terminals evoked by stimulation in the locus coeruleus and raphe nuclei of the anaesthetized cat. **452**, 143*P*, 1992

Ridding M.C.

Rushton D.N. & Ridding M.C. Lower limb responses to magnetic stimulation over the cervical cord. **446**, 227*P*, 1992

Ridge F.P. Gillian

Ridge F.P. Gillian, Acevedo Mercedes, Olver Richard E. & Ward Martyn R. Transport of sodium into apical membrane vesicles prepared from sheep tracheal epithelium. **452**, 358*P*, 1992

Riley J.

Somasundaram B., Hoyland J., Dempster J., Riley J. & Mason W.T. Simultaneous patch-clamp and photometric fluorescence ratio measurements of optical probes for ions using a computer-based data acquisition system, PhoCal. **446**, 63*P*, 1992

Ripley J.K.

Ripley J.K. & Case R.M. Stimulation *in vitro* of rat pancreatic enzyme synthesis by pancreatic polypeptide and peptide YY. **452**, 98*P*, 1992

Ritchie J.M.

Nicholls J.G., Ritchie J.M., Treherne J.M., Varga Z.M. & Woodward S.K.A. Recovery of transmission after injury to the spinal cord of neonatal opossum, *Monodelphis domestica*, in explant culture. **446**, 254*P*, 1992

Robbins J.

Caulfield M.P., Robbins J. & Brown D.A. Pharmacological definition of the calcium current (I_{Ca}) component inhibited by neurotransmitters in rodent neuroblastoma × glioma hybrid (*NG* 108-15) cells. **452**, 48*P*, 1992

Roberts Alan

Perrins Ray & Roberts Alan The effects of acetylcholine on rhythmically active spinal neurones in *Xenopus* embryos. **452**, 234*P*, 1992

Roberts M.H.T.

Rees H. & Roberts M.H.T. Excitation of superficial dorsal horn neurones by electrical stimulation of the anterior pretectal nucleus in the anaesthetized rat. **446**, 563*P*, 1992

Roberts R.C.

Arblaster L.A., Lakie M. & Roberts R.C. Localized cooling can reduce essential tremor in man. **452**, 26*P*, 1992

Robertson B.E.

Robertson B.E., Corry P.R., Nye P.C.G. & Kozlowski R.Z. Mg-ATP activates calcium-activated potassium channels in rat pulmonary arterial cells. **446**, 556*P*, 1992

Robertson Brian

Robertson Brian Properties of the transient outward K^+ current in cultured GH_3 rat pituitary cells. **446**, 38*P*, 1992

Owen David G. & Robertson Brian A new micromanipulator and tissue support apparatus for electrophysiological recording. **446**, 74*P*, 1992

Robertson F.

Robertson F., Hume K.I. & O'Boyle D.J. The effect of alcohol, at two times of day, on the distribution of relative power within the frequency-spectrum of the human EEG. **452**, 119*P*, 1992

Robertson James

McMahon Sarah E., McWilliam Peter N., Robertson James & Kaye Jean C. Inhibition of carotid sinus baroreceptor neurones in the nucleus tractus solitarius of the anaesthetized cat by electrical stimulation of hindlimb afferent fibres. **452**, 224*P*, 1992

Robinson I.C.A.F.

Dickson S.L., Leng G. & Robinson I.C.A.F. Stimulus patterning and growth hormone (GH) secretion in male rats. **452**, 215*P*, 1992

Carlsson L.M.S., Carmignac D.F., Clark R.G., Robinson I.C.A.F. & Wells T. Growth hormone (GH) binding protein in the normal and GH-deficient dwarf rat. **452**, 216*P*, 1992

Robinson J.E.

Robinson J.E. & Kendrick K.M. Opioids mediate the inhibitory actions of progesterone on luteinizing hormone (LH) secretion in the ewe by augmenting the release of GABA in the preoptic area. **446**, 79*P*, 1992

ROBSON L.

ROBSON L. & HUNTER M. What is the cause of the repolarization observed after addition of alanine to the bathing solution of cells isolated from frog proximal tubule? **446**, 252*P*, 1992

ROBSON L. & HUNTER M. Depolarization-activated whole-cell conductance in single proximal cells isolated from frog kidney is blocked by gadolinium. **452**, 78*P*, 1992

ROCHESTER L.

ROCHESTER L., BARRON M.J., CHANDLER C.S., JOHNSON M.A., MILLER S. & SUTTON R.A. Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992

RODGERS J.

FOWLE A.J., TAYLOR A., RODGERS J. & DURBABA R. Mesencephalic and diencephalic areas for fusimotor control in the anaesthetized cat. **446**, 230*P*, 1992

RODGERS J.F.

TAYLOR A., RODGERS J.F., FOWLE A.J. & DURBABA R. Conduction velocity and bag_1 influence on gastrocnemius muscle spindle afferents in the anaesthetized cat. **446**, 21*P*, 1992

RODGERS J.F., TAYLOR A., DURBABA R. & FOWLE A.J. The value of dynamic index in assessing muscle spindle afferent properties in the anaesthetized cat. **446**, 22*P*, 1992

FOWLE A.J., TAYLOR A., RODGERS J.F. & DURBABA R. Recording and analysis of multiple single spike trains in the anaesthetized cat. **446**, 471*P*, 1992

RODGERS J.F., TAYLOR A., FOWLE A.J. & DURBABA R. Differences in the time course of effects of succinylcholine on different muscle spindle afferent types in the anaesthetized cat. **446**, 565*P*, 1992

RODRIGO Glenn C.

RODRIGO Glenn C. Cell-attached patch recording of single Na-activated K channels ($I_{K(Na)}$) from intact guinea-pig ventricular myocytes, perfused with Ca- and Mg-free Tyrode solution. **452**, 269*P*, 1992

ROGERS W.T.

PATON J.F.R., ROGERS W.T., SCHWABER J.S., OBAID A.L., ROHR S. & SALZBERG B.M. Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992

ROHR S.

PATON J.F.R., ROGERS W.T., SCHWABER J.S., OBAID A.L., ROHR S. & SALZBERG B.M. Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992

ROJAS E.

KEYNES R.D., ROJAS E. & CEÑA V. Blocking of the sodium channel by external Tris in the squid *Doryteuthis bleekeri* giant axon. **446**, 169*P*, 1992

ROLFE Vivien

ROLFE Vivien, LEVIN R.J. & YOUNG A. Electrogenic secretion in rat intestine *in vitro* activated by *E. coli* Sta is not mediated by local release of 5-hydroxytryptamine. **446**, 107*P*, 1992

ROMAIGUERE P.

DAVEY N.J., ROMAIGUERE P., MASKILL D.W. & ELLAWAY P.H. Inhibition of voluntary contraction by transcranial magnetic stimulation of the brain subthreshold for excitation in man. **446**, 447*P*, 1992

ROMERO I.A.

ROMERO I.A., CAVANAGH J.B., NOLAN C.C., RAY D.E. & SEVILLE M.P. 1,3-Dinitrobenzene, a neurotoxin acting at the rat blood–brain barrier. **446**, 498*P*, 1992

ROOK K.M.

ROOK K.M., PHILLIPS S.K., BRUCE S.A. & WOLEDGE R.C. The effects of ageing on muscle strength in men and women. **452**, 25*P*, 1992

ROOYACKERS O.E.

ROOYACKERS O.E. & SMITH K. Increased protein synthetic rates in muscle of *mdx* mouse. **446**, 48*P*, 1992

ROSSI A.

MAZZOCCHIO R. & ROSSI A. Are Renshaw cells tonically active in humans? **452**, 110*P*, 1992

ROTHWELL J.C.

KUJIRAI T., SATO M., ROTHWELL J.C. & COHEN L.G. The effect of transcranial magnetic stimulation on median nerve somatosensory evoked potentials in man. **446**, 374*P*, 1992

ROTHWELL J.C., DAY B.L. & AMASSIAN V.E. Near threshold electrical and magnetic transcranial stimuli activate overlapping sets of cortical neurones in humans. **452**, 109*P*, 1992

SATO M., ROTHWELL J.C. & MARSDEN C.D. Cutaneous conditioning of the stretch reflex in muscles of the human forearm. **452**, 272*P*, 1992

ATCHISON P., CAVINESS J., WERHAHN K., ROTHWELL J.C., DAY B.L. & THOMPSON P.D. Magnetic stimulation over the motor cortex in man delays the onset of EMG activity more when a muscle acts as a prime mover than when used as a postural fixator. **452**, 275*P*, 1992

ROTHWELL Nancy J.

RELTON Jane K. & ROTHWELL Nancy J. Interleukin-1 receptor antagonist inhibits ischaemic and excitotoxic brain damage in the rat. **452**, 122*P*, 1992

Rothwell Nancy J. & Hardwick Anthea J. Effect of interleukin-1 receptor antagonist on fever and thermogenesis induced by interleukin-1 in the rat. **452**, 125*P*, 1992

Rothwell P.J.N.

Rothwell P.J.N. & Buck A.C. Do prostaglandins affect renal calcium handling? – a study in conscious rats. **452**, 83*P*, 1992

Rouse M.E.

Rouse M.E. & Baxendale R.H. Acoustic myogram recorded during isometric contractions of rectus femoris in man. **446**, 462*P*, 1992

Rowan M.J.

McGuinness N., Anwyl R. & Rowan M.J. Enhancement of long-term potentiation by an agonist of the metabotropic glutamate receptor in the rat hippocampal slice. **446**, 442*P*, 1992

Rowe I.C.M.

Rowe I.C.M. & Ashford M.L.J. The effects of Mg^{2+} ions on the inhibition of the ATP-sensitive K^+ channel by adenosine nucleotides in rat isolated hypothalamic neurones. **446**, 274*P*, 1992

Rowlerson Anthea

Bosley M., Rowlerson Anthea & Sciote J.J. Spindles in jaw-closer muscles of the cat. **446**, 604*P*, 1992

Royle C.

Royle C., Garnsworthy P.C., McArthur A.J. & Mepham T.B. Heart rate changes in dairy cows associated with milking. **446**, 575*P*, 1992

Rozycka Monika

Gonzalez-Serratos Hugo & Rozycka Monika Non-homogeneous Ca release revealed by Ca imaging in isolated frog skeletal muscle fibres. **446**, 262*P*, 1992

Ruddock K.H.

Bronstein A., Ruddock K.H. & Wooding D.S. Spatial vision during motion in the absence of vestibular functions in man. **452**, 40*P*, 1992

Rudell A.P.

Amassian V.E., Maccabee P.J., Cracco R.Q., Cracco J.B., Rudell A.P. & Eberle L. Identifying hemispheric asymmetry in humans by magnetic coil stimulation. **446**, 222*P*, 1992

Maccabee P.J., Amassian V.E., Eberle L.P., Cracco R.Q. & Rudell A.P. The magnetic coil activates amphibian and primate nerve *in vitro* at two sites and selectively at a bend. **446**, 228*P*, 1992

Amassian V.E., Maccabee P.J., Cracco R.Q., Cracco J.B., Rudell A.P. & Eberle L. The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992

Rudman S.

Strong A.J., Kirkpatrick P.J., Bucknall R.M., Naylor P. & Rudman S. Measurement of superficial cerebral cortical blood flow by imaging umbelliferone clearance in anaesthetized cats and rabbits. **446**, 569*P*, 1992

Ruiz M.C.

Ruiz M.C., Abad M.J., Acosta A. & Michelangeli F. HCl and pepsinogen secretion by the isolated gastric oxynto-peptic cell of the amphibian. **452**, 365*P*, 1992

Rumsey R.D.E.

Squires P.E., Rumsey R.D.E. & Read N.W. Sennoside and loperamide: opposing motor effects in vascularly perfused rat large bowel *in vitro*. **452**, 366*P*, 1992

Rüsch A.

Kros C.J., Rüsch A., Richardson G.P. & Russell I.J. Transducer currents in outer hair cells in cochlear cultures of neonatal mice. **446**, 112*P*, 1992

Rushton D.N.

Rushton D.N. & Ridding M.C. Lower limb responses to magnetic stimulation over the cervical cord. **446**, 227*P*, 1992

Rüsing M.

Hinckel P., Rüsing M. & Schröder-Rosenstock K. Changes in EEG pattern and responsiveness of raphe neurones during thermal skin stimulation in anaesthetized guinea-pigs. **446**, 512*P*, 1992

Russell I.J.

Kros C.J., Rüsch A., Richardson G.P. & Russell I.J. Transducer currents in outer hair cells in cochlear cultures of neonatal mice. **446**, 112*P*, 1992

Russell J.A.

Douglas A.J., Russell J.A. & Bull P.M. Oxytocin (OXT) secretion evoked by stimulation of the AV3V region and its modulation by opioids in urethane-anaesthetized pregnant rats. **446**, 81*P*, 1992

Bull P.M. & Russell J.A. Oxytocin secretory responses to hypernatraemia and inhibition by morphine in pregnant urethane-anaesthetized rats. **452**, 210*P*, 1992

Pumford K.M., Leng G. & Russell J.A. Inhibition of spontaneous and synaptically evoked activity of supraoptic neurones in the anaesthetized rat by μ- and κ-selective opioids in anaesthetized rats. **452**, 214*P*, 1992

SACCO P.

SACCO P. The length dependency of fatigue in the human tibialis anterior muscle. **452**, 113*P*, 1992

JAMES C. & SACCO P. Does central inhibition contribute to fatigue resulting from maximal dynamic contractions in man? **452**, 117*P*, 1992

SAGACH V.

NALIVAIKO E., PRONCHUK N. & SAGACH V. Changes in T-type and L-type calcium current densities in newborn rat cardiomyocytes in culture. **446**, 145*P*, 1992

SAGE S.O.

HEEMSKERK J.W.M., HOYLAND J., MASON W.T. & SAGE S.O. Digital imaging of ADP-evoked spikes in cytosolic calcium in fibrinogen-attached Fura-2-loaded human platelets. **446**, 204*P*, 1992

SAGE S.O. & HEEMSKERK J.W.M. Stopped-flow kinetic analysis of exocytosis and rise in cytosolic calcium concentration in human platelets. **446**, 344*P*, 1992

SARGEANT P., CLARKSON W.D., SAGE S.O. & HEEMSKERK J.W.M. Calcium influx evoked by 2,5-di-(t-butyl)-1,4-benzohydroquinone in Fura-2-loaded human platelets is reduced by inhibitors of cytochrome P-450. **452**, 57*P*, 1992

SAHA S.

BATTEN T.F.C., MAQBOOL A., SAHA S., BERRY P.A. & MCWILLIAM P.N. Glutamate- and GABA-immunoreactive nerve terminals in the nucleus tractus solitarius of the cat revealed by ultrastructural immunogold staining. **452**, 247*P*, 1992

SAHA Sikha

SAHA Sikha, APPENTENG Kwabena & BATTEN Trevor F.C. Serial EM reconstructions of individual boutons forming synaptic contacts within the rat V motor nucleus. **446**, 26*P*, 1992

SAHA Sikha, APPENTENG Kwabena & BATTEN Trevor F.C. The frequency and postsynaptic targets of glutamate-immunoreactive boutons within the V motor nucleus of rats. **446**, 378*P*, 1992

SAINSBURY R.J.

SAINSBURY R.J., PERROTT M.N. & BALMENT R.J. In vitro atrial natriuretic peptide- (ANP) stimulated cGMP production in nephrons from seawater- (SW) and freshwater- (FW) adapted euryhaline fish. **452**, 91*P*, 1992

SAITO T.

YASUI S., FURUKAWA T., YAMADA M. & SAITO T. S/N-dependent modulation of centre–surround opponent receptive fields: similarities in real and artificial neural networks. **446**, 376*P*, 1992

SAITO T., KANEKO Y., SAKAI H. & NIINO M. Development of excitability in cultured neurons dissociated from the regenerating newt retina. **446**, 377*P*, 1992

SAITO T. & KANNO T. Effects of vasoactive intestinal polypeptide (VIP) on redox state of cytochromes, oxygen consumption, and evoked potentials in the rat olfactory cortex slice. **446**, 391*P*, 1992

DJAMGOZ M.B.A., LOW J.C., SAITO T. & YAMADA M. Voltage- and current-clamp recordings of light-evoked transient amacrine cell responses in isolated retinae of carp. **452**, 52*P*, 1992

SAITO Y.

SAITO Y. Na^+–H^+ and HCO_3^-–Cl^- antiport mechanisms in the isolated ciliary body epithelium and their role in aqueous humour secretion in the rat eye. **446**, 253*P*, 1992

SAKAI H.

SAITO T., KANEKO Y., SAKAI H. & NIINO M. Development of excitability in cultured neurons dissociated from the regenerating newt retina. **446**, 377*P*, 1992

SAKAI H. & TAKEGUCHI N. Positive and negative regulation of small-conductance chloride channels in the basolateral membrane of rabbit parietal cells. **452**, 355*P*, 1992

SAKMANN B.

COLQUHOUN D., JONAS P. & SAKMANN B. Glutamate receptor channel activation following fast agonist application to patches from rat hippocampus CA1 and CA3 pyramidal cells. **446**, 183*P*, 1992

JONAS P. & SAKMANN B. Unitary stimulus-evoked excitatory postsynaptic currents in CA3 pyramidal cells of rat hippocampal slices as resolved by patch clamp techniques. **446**, 515*P*, 1992

COLQUHOUN D., JONAS P. & SAKMANN B. Differences in desensitization of glutamate receptor channels in three areas of rat hippocampus. **446**, 547*P*, 1992

SAKUMA Yasuo

SAKUMA Yasuo Suppression of lordosis reflex in the female rat by electrical stimulation of the forebrain and ventral mid-brain. **446**, 84*P*, 1992

SAKURAI T.

SAKURAI T. & OKADA Y. Excitatory effect of adenosine on neurotransmission and the release of glutamate from hippocampal slices of guinea-pig. **446**, 380*P*, 1992

SALIDO G.M.

JENNINGS L., MALEK N., GIMENO A., POZO M.J., SINGH J., SALIDO G.M. & DAVISON J.S. Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992

WISDOM D., SINGH J., SALIDO G.M., PARIENTE J.A., LENNARD R. & CAMELLO P.J. Effects of nerve stimulation and secretin on exocrine pancreatic secretion in the rat *in vivo* and *in vitro* **452**, 100*P*, 1992

Wisdom D., Francis L.P., Singh J., Salido G.M. & Camello P.J. Effects of phorbol ester on vagal stimulation and secretagogue-evoked secretory responses in the rat pancreas. **452**, 334*P*, 1992

Salter D.N.

Taylor J.A., Salter D.N., Close W.H. & Laswai G.H. Effects of feeding level and sex on lymphocyte β-adrenoceptor numbers in growing pigs. **446**, 293*P*, 1992

Salzberg B.M.

Paton J.F.R., Rogers W.T., Schwaber J.S., Obaid A.L., Rohr S. & Salzberg B.M. Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992

Sampson B.

Shirley D.G., Walter S.J. & Sampson B. A micropuncture study of the effect of amiloride on segmental lithium reabsorption in anaesthetized rats. **452**, 79*P*, 1992

Sandeman D.D.

Shore A.C., Sandeman D.D. & Tooke J.E. The response of human nailfold capillary pressure to an increase in brachial artery blood pressure. **452**, 13*P*, 1992

Sanders D.J.

Green G.G.R. & Sanders D.J. Computer-assisted learning in a physiology teaching laboratory. **452**, 261*P*, 1992

Green G.G.R., Melrose R., Wray J. & Sanders D.J. Computer based data collection system for practical class teaching. **452**, 262*P*, 1992

Agar E., Green G.G.R. & Sanders D.J. Intracellular recordings from neurones of the whole cochlear nucleus of the mouse *in vitro*. **452**, 267*P*, 1992

Agar E., Green G.G.R. & Sanders D.J. Electrophysiology of dorsal cochlear nucleus neurones in the mouse *in vitro*. **452**, 292*P*, 1992

Sandle G.I.

Lomax R. & Sandle G.I. Aldosterone induces apical Na^+ channels in surface but not crypt cells of rat distal colon. **452**, 139, 1992

Sandvik A.K.

Dimaline R., Sandvik A.K. & Evans D. Time course of changes in gastric histidine decarboxylase mRNA and plasma gastrin, with fasting and feeding in the rat. **452**, 103*P*, 1992

Dimaline R., Sandvik A.K., Watkinson A. & Dockray G.J. Control of chromogranin A biosynthesis in rat gastric corpus. **452**, 332*P*, 1992

Sanghera M.K.

Sanghera M.K. Efferent projections of incertohypothalamic A13 dopamine neurones: combined Phaseolus vulgaris-Leucoagglutinin (PHA-L) anterograde tracing and tyrosine hydroxylase (TH) immunoreactivity in the rat. **446**, 277*P*, 1992

Sangild P.

Sangild P., Fowden A.L. & Silver M. Effect of glucocorticoids on gastric prochymosin in the fetal pig. **446**, 86*P*, 1992

Sarantis Monique

Miller Barbara A., Sarantis Monique & Attwell David Effects of arachidonic acid on glutamate-gated channels in granule cells cultured from rat cerebellum. **446**, 184*P*, 1992

Sarantis Monique & Mobbs Peter The spatial relationship between Müller cell processes and the photoreceptor output synapse in salamander retina. **446**, 601*P*, 1992

Sargeant P.

Sargeant P., Clarkson W.D., Sage S.O. & Heemskerk J.W.M. Calcium influx evoked by 2,5-di-(t-butyl)-1,4-benzohydroquinone in Fura-2-loaded human platelets is reduced by inhibitors of cytochrome P-450. **452**, 57*P*, 1992

Sarna G.S.

Cunningham V.J., Sarna G.S., Kennedy A.M., Cremer J.E. & Jones T. Spectral analysis of cerebral 2-[^{18}F]fluoro-2-deoxy-D-glucose uptake and phosphorylation in man: application to a study of fed and fasted states. **446**, 607*P*, 1992

Sasaki T.

Tepikin A. & Sasaki T. Intracellular pH clamp experiments on single mouse lacrimal acinar cells. **446**, 101*P*, 1992

Sato I.

Kinoshita Y., Sato I., Marushima T. & Nishimura T. Co-existence of final ventricular depolarization and initial ventricular repolarization potentials in normal subjects studied by computer graphic electrocardiography. **446**, 217*P*, 1992

Sato M.

Kujirai T., Sato M., Rothwell J.C. & Cohen L.G. The effect of transcranial magnetic stimulation on median nerve somatosensory evoked potentials in man. **446**, 374*P*, 1992

Sato M., Rothwell J.C. & Marsden C.D. Cutaneous conditioning of the stretch reflex in muscles of the human forearm. **452**, 272*P*, 1992

SATO T.

OKADA Y., MIYAMOTO T. & SATO T. Transduction of acid stimuli into the receptor potential in frog taste cells. **446**, 387*P*, 1992

SAUNDERS H.

LOTE C.J., SAUNDERS H., WOOD J.A. & SPENCER A.J. Relationship between urinary aluminium and calcium excretion in the rat. **452**, 84*P*, 1992

SAUNDERS J.C.

PELL J.M., SAUNDERS J.C., STEWART C.E.H. & GILMOUR R.S. Growth hormone (GH) and nutritional control of hepatic insulin-like growth factor-1 (IGF-1) production in the lamb. **446**, 300*P*, 1992

SAUNDERS N.R.

HABGOOD M.D., KNOTT G.W. & SAUNDERS N.R. The nature of the barrier permeability decrease during postnatal brain development in the rat. **446**, 502*P*, 1992

DZIEGIELEWSKA K.M., MATTHEWS N., MØLLGÅRD K. & SAUNDERS N.R. Zinc-binding globulin, a passive marker for blood–brain barrier permeability in the human fetal brain. **446**, 606*P*, 1992

BALKWILL P., HABGOOD M.D., KNOTT G., MØLLGÅRD K., SAUNDERS N.R. & TREHERNE J.M. Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992

SAVIDGE T.C.

JAMES P.S., SAVIDGE T.C. & SMITH M.W. A new method to identify and study surface interactions taking place on mouse Peyer's patch M cells. **446**, 60*P*, 1992

SAVIDGE T.C., SMITH M.W. & JAMES P.S. Evidence that membraneous (M) cells do not originate as a separate cell lineage from mouse intestinal stem cells. **446**, 294*P*, 1992

SAVIDGE Tor C.

JEPSON Mark A., SIMMONS Nicholas L., SAVIDGE Tor C., JAMES Peter S. & HIRST Barry H. Transcytosis of particulates by rabbit M cells studied by confocal microscopy. **452**, 258*P*, 1992

SAW N.

KITNEY R.I., BIGNALL S. & SAW N. Analysis of unstable cardiorespiratory waveforms by the frequency tracking locus in human preterm infants. **452**, 27*P*, 1992

SAWADA E.

WAKUI M., SAWADA E., HAYASHI H. & NISHIYAMA A. Effects of Ni^{2+} on Ca^{2+}-activated K^+ and Cl^- currents in rat mandibular acinar cells **446**, 104*P*, 1992

SAWANOBORI T.

HIRAOKA M., FAN Z., NAKAYAMA K. & SAWANOBORI T. Reactivation of ATP-sensitive K^+ channel current by pinacidil in guinea-pig ventricular myocytes. **446**, 155*P*, 1992

SCHADY W.

CODY F.W.J., LOVGREEN Brenda & SCHADY W. Human visuo-motor tracking in cerebellar dysfunction. **446**, 449*P*, 1992

CODY F.W.J., LOVGREEN Brenda & SCHADY W. Computer-based visuo-motor tracking system. **452**, 70*P*, 1992

SCHADY W. Patterns of fascicular projections after loss of somatosensory input in humans. **452**, 108*P*, 1992

SCHENA F.

FERRETTI G., KAYSER B., SCHENA F., TURNER D.L. & HOPPELER H. Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **446**, 427*P*, 1992

SCHMALBRUCH H.

LEWIS D.M. & SCHMALBRUCH H. Physiology and morphology of regenerated rat skeletal muscle. **452**, 175*P*, 1992

SCHOFIELD J.G.

STAFFORD S.J.V., SHORTE S.L. & SCHOFIELD J.G. Use of digital fluorescence imaging to monitor the behaviour of the lipophilic membrane probe TMA (trimethylammoniodiphenylhexatriene) in isolated bovine anterior pituitary cells. **452**, 175*P*, 1992

SHORTE S.L., BAMFORD M., STAFFORD S.J.V., COLLETT V.J. & SCHOFIELD J.G. Use of TMA-DPH (trimethylammonio-diphenylhexatriene) to monitor secretory responses of isolated bovine anterior pituitary cells. **452**, 208*P*, 1992

SCHOLFIELD C.N.

DONAGHY K.M. & SCHOLFIELD C.N. Protective effect of adenosine in slices of rat olfactory cortex during anoxia. **452**, 64*P*, 1992

SCHOLFIELD D.P.

SCHOLFIELD D.P. & WARD Jane Cardiovascular responses to normal micturition in man. **446**, 576*P*, 1992

SCHRÖDER-ROSENSTOCK K.

HINCKEL P., RÜSING M. & SCHRÖDER-ROSENSTOCK K. Changes in EEG pattern and responsiveness of raphe neurones during thermal skin stimulation in anaesthetized guinea-pigs. **446**, 512*P*, 1992

SCHROTER R.C.
BIRCHALL M.A., PRIDE N.B. & SCHROTER R.C. The effect of saline and histamine on blood flux in the human nasal septal mucosa as measured by a laser Doppler flowmeter. **446**, 114*P*, 1992
ACHAABAN M.R., FORSLING Mary L., BALMENT R.J., OUHSINE A. & SCHROTER R.C. Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992
SCHULZE C.
SCHULZE C., LEACH L., FIRTH J.A. & HALDENBY K. Endothelial cell–cell contacts in mammalian continuous capillaries: evidence for the existence of regularly spaced, cleft-spanning structures. **452**, 65*P*, 1992
LEACH L., WARD B.J., SCHULZE C. & FIRTH J.A. Endothelial cell–cell contacts in continuous mammalian capillaries: the tight junction. **452**, 66*P*, 1992
SCHUTTE I.W.M.
SCHUTTE I.W.M., KROESE A.B.A. & AKKERMANS L.M.A. Soma size and location within the ganglion of electrophysiologically identified myenteric plexus neurons in the guinea-pig ileum. **452**, 335*P*, 1992
SCHWABER James S.
PATON Julian F.R., FOSTER William R., GRAVES Eliza B. & SCHWABER James S. Characteristic cell types and network modelling in the cardiorespiratory region of the nucleus of the solitary tract (NTS) of the rat. **452**, 357*P*, 1992
SCHWABER J.S.
PATON J.F.R., ROGERS W.T., SCHWABER J.S., OBAID A.L., ROHR S. & SALZBERG B.M. Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992
SCHWIENING Christof J.
THOMAS Roger C. & SCHWIENING Christof J. Optical fibre fluorescence system for intracellular Ca^{2+} measurement: one lamp and filter wheel supplies two set-ups. **452**, 153*P*, 1992
SCHWIENING Christof J. & BORON Walter F. Fractional rate of dye signal decrease as an aid in assessing membrane permeability. **452**, 187*P*, 1992
SCHWÖRER H.
SCHWÖRER H., REIMANN A. & RACKÉ K. Effects of different calcium channel blockers on 5-hydroxytryptamine (5-HT) release from the enterochromaffin cells of the isolated porcine small intestine. **446**, 303*P*, 1992
SCIOTE J.J.
BOSLEY M., ROWLERSON Anthea & SCIOTE J.J. Spindles in jaw-closer muscles of the cat. **446**, 604*P*, 1992
SCOTT D.
SHIRAZI-BEECHEY S.P., LESCALE-MATYS L., DYER J., FREEMAN T.C., SCOTT D. & WRIGHT E.M. Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992
SCOTT G.
SCOTT G. & MASON R. Improved recording characteristics using silicone-coated multi-barrel micropipettes. **446**, 73*P*, 1992
SCOTT G. & MASON R. Pharmacological segregation of visual responses in the dorsolateral geniculate nucleus (dLGN) of the anaesthetized rat **452**, 181*P*, 1992
SCOTT J.J.A.
GREGORY J.E., MORGAN D.L., PROSKE U. & SCOTT J.J.A. Small signal sensitivity of muscle-spindle primary endings in the anaesthetized cat. **452**, 290*P*, 1992
SCOTT Mark
SCOTT Mark, PILOT Marie-Anne & WILLIAMS Norman Gut giant contractions and associated defaecation in ambulant dogs. **452**, 340*P*, 1992
SCOTT R.H.
CURRIE K.P.M., SCOTT R.H. & SWANN K. A cytosolic sperm factor causes Ca^{2+}-dependent inward current oscillations in cultured rat DRG neurones. **446**, 550*P*, 1992
SCRATCHERD T.
SCRATCHERD T. The centenary of hormone replacement therapy in thyroid disease in man by Dr G.R. Murray of Newcastle upon Tyne. **452**, 268*P*, 1992
SCRATCHERD T. The influence of distension on the activity of the pyloric antrum in the conscious dog. **452**, 339*P*, 1992
SCRATCHERD T., HUTSON D. & GREENWELL J.R. Oscillatory phenomena in the pancreatic circulation of cat and ferret in response to adrenergic stimulation. **452**, 341*P*, 1992
SEABROOK G.R.
SEABROOK G.R. & KEMP J.A. Anomalous decrease in rate of transient outward current inactivation with membrane depolarization in neurones cultured from rat cortex. **452**, 190*P*, 1992
SECKL J.R.
YAU J.L.W., DOW R.C., FINK G. & SECKL J.R. Medial septal lesions increase glucocorticoid receptor messenger RNA expression in the rat hippocampus *in vivo*. **446**, 280*P*, 1992

Donaldson L.F., McQueen D.S. & Seckl J.R. Expression of neuropeptide messenger RNAs in rat dorsal root ganglia during development of adjuvant monoarthritis *in vivo*. **452**, 209*P*, 1992

Low S.C., Assad S.N., Edwards C.R.W. & Seckl J.R. Effect of sex steroids on 11β-hydroxysteroid dehydrogenase in rat liver, kidney and hippocampus *in vivo*. **452**, 213*P*, 1992

Segal M.B.

Preston J.E. & Segal M.B. Thyroid hormone uptake at the blood face of the isolated perfused sheep choroid plexus. **446**, 87*P*, 1992

Deane R. & Segal M.B. The effect of glucose concentration in plasma and cerebrospinal fluid (CSF) on the secretion of CSF by the *in vitro* sheep choroid plexus. **446**, 609*P*, 1992

Semenenko F.M.

Lumb B.M. & Semenenko F.M. Anatomical analysis of projections from the hypothalamus to different subdivisions of the periaqueductal grey in the rat. **452**, 255*P*, 1992

Semple E.S.G.

Semple E.S.G. & McConnell A.K. Plasticity of human ventilatory sensitivity to CO_2: the influence of athletic training. **446**, 358*P*, 1992

Seo Y.

Seo Y. & Murakami M. Monitoring of intracellular Na by double-quantum filter ^{23}Na NMR spectroscopy. **446**, 100*P*, 1992

Murakami M. & Seo Y. Handling of NH_4^+, K^+ and Na^+ by the perfused mandibular salivary gland during perfusion with NH_4Cl **446**, 103*P*, 1992

Seo Y., Wood B., Murakami M. & Steward M.C. Double-quantum filter nuclear magnetic resonance imaging of sodium-23. **446**, 392*P*, 1992

Sepúlveda F.V.

Valverde M.A. & Sepúlveda F.V. Differential effects of Cl^- channel blockers on Cl^- currents of unstimulated T84 intestinal epithelial cells. **446**, 301*P*, 1992

Monaghan A.S., Mintenig G.M. & Sepúlveda F.V. Hypotonicity activates a K^+ channel in enterocytes isolated from guinea-pig small intestinal villi. **446**, 302*P*, 1992

Sermasi E.

Lewis D.I., Sermasi E. & Coote J.H. The adult rat spinal cord *in vitro*: a novel preparation for recording from lateral horn cells. **452**, 322*P*, 1992

Serrano M.A.

Bravo P., El-Mir M.Y., Serrano M.A. & Marin J.J.G. Cross-inhibition between bile acids for their transport across basal plasma membrane of human term trophoblast. **446**, 34*P*, 1992

Seville M.P.

Romero I.A., Cavanagh J.B., Nolan C.C., Ray D.E. & Seville M.P. 1,3-Dinitrobenzene, a neurotoxin acting at the rat blood–brain barrier. **446**, 498*P*, 1992

Seyama I.

Yamaoka K. & Seyama I. Ca-dependent potentiation of Ca current studied with Indo-1 in frog ventricular cells. **446**, 331*P*, 1992

Shalmi M.

Shalmi M., Burgess W.J., Abu Amarah I., Evans M., Christensen S., Balment R.J. & Atherton J.C. A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

Shanik G.

Smith K., Moore D., Shanik G. & Docherty J.R. Investigations of subtypes of functional pre- and post-junctional α_2 adrenoceptors. **446**, 435*P*, 1992

Shankar V.S.

Gill J.S., Shankar V.S., Bax C.M.R., Lu F., Moonga B.S., Zaidi M. & Camm A.J. The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992

Sharp P.A.

Debnam E.S. & Sharp P.A. Bradykinin and glucose transport across the brush-border and basolateral membranes of isolated rat jejunal enterocytes. **452**, 362*P*, 1992

Shaw A.M.

Butcher P.A., Shaw A.M., Steele L.W., Ward M.R. & Olver R.E. Cyclic AMP-regulated Na^+ conductance in the apical membrane of fetal sheep alveolar type II cells. **446**, 16*P*, 1992

Shelley A.M.

Tolhurst D.J., Lewis P.R., Shelley A.M. & Hockaday A.R. The morphology of the optic nerve of the common shrew, *Sorex araneus*. **446**, 234*P*, 1992

Shelton C.

Macdonald A.G., Drewry J., Ramsey R.L., Shelton C. & Usherwood P.N.R. The effect of high pressure on the quisqualate-sensitive glutamate receptor channel of locust (*Schistocerca gregaria*) muscle. **452**, 186*P*, 1992

SHELTON C.J.
SHELTON C.J., DOYLE M.G., GIBSON E.C.D., INMAN N., PRICE D.J., WOOLTORTON J.R.A., ZHAO D.M., DANIELS S. & SMITH E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992
SHELTON C.J., DOYLE M., DANIELS S. & SMITH E.B. The effect of hydrostatic pressure on glycine receptors expressed in *Xenopus oocytes*. **446**, 179*P*, 1992
SHERIDAN D.J.
MCAINSH A.M., O'HARE D., SHERIDAN D.J. & WINLOVE C.P. Continuous measurement of oxygen tension in the isolated guinea-pig heart using a purpose designed oxygen electrode. **452**, 126*P*, 1992
SHERING A.F.
LOWENSTEIN P.R., SHERING A.F., JAMES J.L., LOWRY P.J., LINTON E.A. & CASTRO M.G. Corticotrophin-releasing hormone-like immunoreactive neurones in the rat cerebral cortex. **446**, 24*P*, 1992
SHEWAN D.A.
AHMED T., ERSKINE L., SHEWAN D.A., STEWART R. & MCCAIG C.D. Neurotransmitters, second messengers and protein kinase C may underlie orientation of cultured frog nerves in an applied electric field. **446**, 42*P*, 1992
SHIBUYA I.
SHIBUYA I., KONGSAMUT S. & DOUGLAS W.W. Cytosolic Ca in isolated melanotrophs of an amphibian, *Xenopus laevis*: spontaneous Ca oscillations and their modulation by dopamine, GABA, and neuropeptide Y, the transmitters of the secreto-inhibitory nerves. **446**, 203*P*, 1992
SHIBUYA I., KONGSAMUT S. & DOUGLAS W.W. Importance of voltage-dependent Ca channels of low threshold in maintenance of basal cytosolic free Ca and its reduction by dopamine and baclofen: evidence from Mn quenching of Fura-2 signals in isolated melanotrophs of rats. **446**, 310*P*, 1992
SHIM D.W.
YANG H.M., LOHMEIER T.E., KIVLIGHN S.D., MIN Y.K. & SHIM D.W. The role of angiotensin II in mediating the renal actions of noradrenaline. **446**, 89*P*, 1992
SHIMAHARA T.
INOUE I., BOURNAUD R. & SHIMAHARA T. Effects of lipophilic cations on intramembrane charge movement and L-type calcium current in isolated mouse skeletal muscle cells. **446**, 363*P*, 1992
SHIMIZU T.
KANNO T. & SHIMIZU T. Effects of bradycardia on blood distribution in the low pressure area of the cardiovascular system during brain ischaemia in anaesthetized rabbits. **446**, 371*P*, 1992
SHIN H.K.
SHIN H.K., KIM J.H., KANG S.H. & KIM K.S. Effects of 4-aminopyridine on the transmission of sensory signals in the spinal cord of the anaesthetized cat. **446**, 384*P*, 1992
SHIPSTON M.J.
SHIPSTON M.J. & ANTONI F.A. Corticotrophin-releasing factor inactivates early glucocorticoid feedback in rat adenohypophysis *in vitro*. **446**, 82*P*, 1992
SHIRAZI-BEECHEY Soraya P.
PINCHES Stuart A., GOULD Gwyn W., GARNER Andrew & SHIRAZI-BEECHEY Soraya P. Characteristics of glucose transport by human and pig colonocyte basolateral membrane. **452**, 326*P*, 1992
SHIRAZI-BEECHEY S.P.
SHIRAZI-BEECHEY S.P., LESCALE-MATYS L., DYER J., FREEMAN T.C., SCOTT D. & WRIGHT E.M. Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992
SHIRLEY D.G.
HAIDER Z.J., BRANAGAN G.W., WALTER S.J. & SHIRLEY D.G. Effect of 1′ desamino-8-D-arginine vasopressin (dDAVP) on renal lithium reabsorption in anaesthetized Brattleboro rats. **446**, 368*P*, 1992
SHIRLEY D.G., WALTER S.J. & SAMPSON B. A micropuncture study of the effect of amiloride on segmental lithium reabsorption in anaesthetized rats. **452**, 79*P*, 1992
WALTER S.J., JANSSEN J.-C., STURMER H.L., SKINNER J. & SHIRLEY D.G. Renal tubular lithium reabsorption in anaesthetized, potassium-depleted rats. **452**, 135*P*, 1992
SHODA M.
SHODA M., HAGIWARA N. & IRISAWA H. ATP-activated cationic current in rabbit single cardiac myocytes. **446**, 329*P*, 1992
HAGIWARA N., MASUDA H., SHODA M., TAMURA K. & IRISAWA H. Chloride conductance activated by membrane stretch in rabbit single cardiac myocytes. **446**, 330*P*, 1992
SHORE A.C.
SHORE A.C., SANDEMAN D.D. & TOOKE J.E. The response of human nailfold capillary pressure to an increase in brachial artery blood pressure. **452**, 13*P*, 1992
SHORE I.
SOORANNA S.R., CONTRACTOR S.F., SHORE I. & MOSS Jill Apparent differences in the intracellular pathways of low density lipoprotein and immunoglobulin G in cultured human trophoblast cells. **446**, 533*P*, 1992

SHORI D.K.

PROCTOR G.B., CHAN K.M., SHORI D.K. & GARRETT J.R. Different proportions of secretory proteinases occur in submandibular salivas elicited from anaesthetized rats by different nerve stimulations. **446**, 200*P*, 1992

SHORTE S.L.

STAFFORD S.J.V., SHORTE S.L. & SCHOFIELD J.G. Use of digital fluorescence imaging to monitor the behaviour of the lipophilic membrane probe TMA (trimethylammoniodiphenylhexatriene) in isolated bovine anterior pituitary cells. **452**, 175*P*, 1992

SHORTE S.L., BAMFORD M., STAFFORD S.J.V., COLLETT V.J. & SCHOFIELD J.G. Use of TMA-DPH (trimethylammonio-diphenylhexatriene) to monitor secretory responses of isolated bovine anterior pituitary cells. **452**, 208*P*, 1992

SHUKER M.A.

SHUKER M.A., BOWSER-RILEY F. & DAVIES S.N. NMDA antagonist properties of drugs that affect high pressure neurological syndrome investigated in the rat hippocampal slice. **446**, 46*P*, 1992

SIAREY R.J.

SIAREY R.J., LONG S.K. & EVANS R.H. A comparison of the effect of diazepam and tizanidine on synaptically evoked primary afferent depolarization in the rat spinal cord *in vitro*. **452**, 200*P*, 1992

SIAUME-PEREZ S.

BRICK-GHANNAM C., CHABARDES D., GRIFFITHS N.M. & SIAUME-PEREZ S. The effect of prostaglandin E_2 on agonist-sensitive cAMP accumulation in the distal convoluted tubule isolated from rabbit kidney. **452**, 354*P*, 1992

SIBLEY C.P.

STULC J., HUSAIN S.M., BOYD R.D.H. & SIBLEY C.P. Mechanisms of chloride transport across the *in situ* perfused placenta of the anaesthetized rat. **452**, 94*P*, 1992

BYRNE S., GLAZIER J.D., MAHENDRAN D., EDWARDS D. & SIBLEY C.P. Effects of diisothiocyano-2-2-disulfonic stilbene (DIDS), dephenylamine-2-carboxylate (DPC) and furosemide on chloride transport across human placental microvillus membrane vesicles (MVV). **452**, 145*P*, 1992

SIDDLE N.

PHILLIPS S.K., BRUCE S.A., WOLEDGE R.C. & SIDDLE N. Force and cross-sectional area of adductor pollicis muscle in post-menopausal women, with and without hormone replacement therapy. **446**, 364*P*, 1992

SIERADZAN Katarzyna

SIERADZAN Katarzyna & VRBOVA Gerta Neonatal rat spinal cord does not provide a favourable environment for grafted embryonic motoneurones. **446**, 256*P*, 1992

SILLAR K.T.

SILLAR K.T., WOOLSTON A.-M. & WEDDERBURN J.F.S. Development and role of serotonergic innervation to the spinal cord in hatchling *Rana temporaria* and *Xenopus laevis* tadpoles. **446**, 323*P*, 1992

SILLITO A.M.

GRIEVE K.L. & SILLITO A.M. Spatial frequency selectivity of cells in layer VI of the visual cortex of the anaesthetized cat. **446**, 233*P*, 1992

SILVER M.

SANGILD P., FOWDEN A.L. & SILVER M. Effect of glucocorticoids on gastric prochymosin in the fetal pig. **446**, 86*P*, 1992

SILVER Marian

FOWDEN Abigail L. & SILVER Marian The effects of hypophysectomy on glucose metabolism in the sheep fetus. **446**, 85*P*, 1992

SILVER R. Angus

SILVER R. Angus, TRAYNELIS Stephen F. & CULL-CANDY Stuart G. Excitatory currents at the rat mossy fibre–granule cell synapse in thin cerebellar slices. **446**, 177*P*, 1992

TRAYNELIS Stephen F., SILVER R. Angus & CULL-CANDY Stuart G. Estimated conductance of synaptic glutamate channels activated during EPSCs in rat cerebellar granule cells in thin slices. **452**, 183*P*, 1992

SIMMONS Nicholas L.

COLLINGTON Georgina K., SIMMONS Nicholas L. & HIRST Barry H. Polarized efflux of bis-carboxyethyl-carboxyfluorescein (BCECF) from cultured renal (MDCK) and colonic (Caco-2) epithelial cell monolayers. **446**, 96*P*, 1992

THWAITES David T., SIMMONS Nicholas L. & HIRST Barry H. Intestinal absorption of thyrotrophin-releasing hormone is not mediated by a Na^+- or H^+-dependent carrier: *in vitro* studies with rat and rabbit brush-border membrane vesicles. **446**, 410*P*, 1992

JEPSON Mark A., SIMMONS Nicholas L., SAVIDGE Tor C., JAMES Peter S. & HIRST Barry H. Transcytosis of particulates by rabbit M cells studied by confocal microscopy. **452**, 258*P*, 1992

JEPSON Mark A., SIMMONS Nicholas L. & HIRST Barry H. Heterogeneity of epithelia in rabbit gut-associated lymphoid tissues. **452**, 359*P*, 1992

SIMMONS N.L.
McEWAN G.T.A., HIRST B.H. & SIMMONS N.L. Poly-L-lysine induced apical membrane permeability associated with increased transepithelial conductance in cultured epithelial cell (MDCK) monolayers. **446**, 31*P*, 1992
HUNTER Janice, HIRST B.H. & SIMMONS N.L. Transepithelial transport of vinblastine by cultured canine renal epithelia (MDCK). **446**, 32*P*, 1992
CHARLTON J.A. & SIMMONS N.L. Expression of nephron-segment-specific phenotypes in cultured human renal cell lines. **452**, 138*P*, 1992
BROWN C.D.A. & SIMMONS N.L. Measurement of pH_i in intact epithelial monolayers of MDCK cells. **452**, 266*P*, 1992
McEWAN G.T.A., HIRST B.H. & SIMMONS N.L. Inhibition by 4,4′-diisothiocyanostilbene-2,2′-disulphonic acid (DIDS) separates volume and cAMP-activated Cl^- conductances in intact T_{84} epithelial monolayers. **452**, 346*P*, 1992
SIMONS T.J.B.
SIMONS T.J.B. Lead transport and binding by human red blood cells at 'physiological' lead levels. **446**, 175*P*, 1992
SIMPSON A.H.R.W.
WILLIAMS P.E., SIMPSON A.H.R.W., KYBERD P., KENWRIGHT J. & GOLDSPINK G. Physiological and structural changes in the rabbit anterior tibialis muscle following surgical limb-lengthening. **446**, 571*P*, 1992
SIMPSON M.G.
SMITH M.E., HUGHES S. & SIMPSON M.G. Effect of IDPN on POMC peptide expression in rat motoneurones *in vitro*. **446**, 285*P*, 1992
SINGER D.R.J.
SINGER D.R.J., MARKANDU N.D., MORTON J.J. & MacGREGOR G.A. Suppression of angiotensin II is important in the early increase in natriuresis after saline infusion in man. **452**, 86*P*, 1992
SINGH J.
JENNINGS L., MALEK N., GIMENO A., POZO M.J., SINGH J., SALIDO G.M. & DAVISON J.S. Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992
WISDOM D., SINGH J., SALIDO G.M., PARIENTE J.A., LENNARD R. & CAMELLO P.J. Effects of nerve stimulation and secretin on exocrine pancreatic secretion in the rat *in vivo* and *in vitro* **452**, 100*P*, 1992
WISDOM D., FRANCIS L.P., SINGH J., SALIDO G.M. & CAMELLO P.J. Effects of phorbol ester on vagal stimulation and secretagogue-evoked secretory responses in the rat pancreas. **452**, 334*P*, 1992
SINNATHAMBY Wendy
SINNATHAMBY Wendy, WINDLE R.J., ZHOU Yan & FORSLING Mary L. The renal responsiveness to exogenous vasopressin on different days of the oestrous cycle in the conscious rat. **446**, 587*P*, 1992
SIPIDO Karin R.
SIPIDO Karin R., CALLEWAERT Geert, VEREECKE Johan & CARMELIET Edward $[Ca^{2+}]_i$ transients in isolated Purkinje cells from rabbit heart. **446**, 332*P*, 1992
SIPIDO K.R.
CALLEWAERT G., LIPP P., SIPIDO K.R., POTT L. & CARMELIET E. Regenerative Ca^{2+} release in guinea-pig atrial myocytes. **446**, 146*P*, 1992
SIRINATHSINGHJI D.J.S.
BROAD K.D., KENDRICK K.M., KEVERNE E.B. & SIRINATHSINGHJI D.J.S. Changes in oxytocin, corticotrophin-releasing factor and opioid mRNA in the sheep brain during pregnancy, parturition and lactation, and in response to sex steroids. **446**, 281*P*, 1992
FREEMAN T.C. & SIRINATHSINGHJI D.J.S. Expression of the Na^+–glucose co-transporter (SGLT1) gene in rabbit small intestine. **452**, 327*P*, 1992
SIROTA M.G.
BELOOZEROVA I.N. & SIROTA M.G. Activity of neurones in area 5 of the cerebral cortex during locomotion in awake cats. **452**, 291*P*, 1992
SITSAPESAN R.
SITSAPESAN R. & WILLIAMS A.J. Gating of the Ca^{2+}-release channel of isolated sheep cardiac sarcoplasmic reticulum in symmetrical caesium: effects of changes in cytosolic and luminal $[Ca^{2+}]$. **446**, 552*P*, 1992
SKINNER J.
WALTER S.J., JANSSEN J.-C., STURMER H.L., SKINNER J. & SHIRLEY D.G. Renal tubular lithium reabsorption in anaesthetized, potassium-depleted rats. **452**, 135*P*, 1992
SKINNER D.C.
TREGEAR R.T., MILLER N.G.A., SKINNER D.C. & COADWELL W.J. Analysis of cytosolic free calcium records from lectin-activated rat T-lymphocytes and human lymphoma cells in the fluorescence-activated cell sorter. **446**, 62*P*, 1992
SKOOG B.
JANKOWSKA E., RIDDELL J.S., SKOOG B. & NOGA B.R. Effects of stimulation in the locus coeruleus and raphe nuclei on transmission in group II reflex pathways of the anaesthetized cat. **452**, 111*P*, 1992

SKORUPSKI P.

BUSH B.M.H., SKORUPSKI P., MURPHY G.J., CAYZER S.A. & RAWAT B.M. An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992

SKORUPSKI Peter

SKORUPSKI Peter & BUSH Brian M.H. Reflex and central control of a motoneurone to a crayfish muscle receptor studied *in vitro*. **446**, 315*P*, 1992

RAWAT Bilal M., SKORUPSKI Peter & BUSH Brian M.H. Central synaptic coupling of non-spiking afferent neurones from adjacent joints of the crayfish leg. **446**, 316*P*, 1992

SKORUPSKI Peter & BUSH Brian M.H. Selective effects of octopamine within a crayfish motor pool. **452**, 167*P*, 1992

SKOYLES J.

SKOYLES J. & BEE D. Attenuation of hypoxic pressor responses by WIN47203 (milrinone) in isolated chronically hypoxic rat lungs. **446**, 357*P*, 1992

SMAJE Laurence H.

PILE Alison J. & SMAJE Laurence H. The H_3 antagonist thoperamide inhibits the permeability effects of histamine in rat microvessels via an H_1-receptor effect. **452**, 68*P*, 1992

SMIRNOV S.

POSTON L., AARONSON P. & SMIRNOV S. Simultaneous measurement of intracellular calcium and tension in human resistance arteries: evidence for Na–Ca exchange. **446**, 244*P*, 1992

SMIRNOV S.V.

SMIRNOV S.V. & AARONSON P.I. Calcium currents in smooth muscle cells isolated from human mesenteric arteries measured in solutions containing normal and elevated calcium concentrations. **446**, 483*P*, 1992

AARONSON P.I. & SMIRNOV S.V. Separation of potassium currents in single smooth muscle cells isolated from human mesenteric arteries. **446**, 484*P*, 1992

SMITH E.B.

SHELTON C.J., DOYLE M.G., GIBSON E.C.D., INMAN N., PRICE D.J., WOOLTORTON J.R.A., ZHAO D.M., DANIELS S. & SMITH E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992

SHELTON C.J., DOYLE M., DANIELS S. & SMITH E.B. The effect of hydrostatic pressure on glycine receptors expressed in *Xenopus oocytes*. **446**, 179*P*, 1992

SMITH G.A.

GRACE A.A., KIRSCHENLOHR H.L., SMITH G.A., METCALFE J.C., WEISSBERG P.L. & VANDENBERG J.I. HCO_3^--dependence of recovery from intracellular acidosis in the perfused ferret heart during $Na^+ - H^+$ antiport inhibition. **446**, 141*P*, 1992

SMITH G.L.

SMITH G.L., STEELE D.S. & CRICHTON C.A. The effect of inorganic phosphate on the SR of isolated saponin-treated rat heart. **446**, 147*P*, 1992

SMITH G.L., CRICHTON C.A. & STEELE D.S. The effect of EGTA on Ca^{2+}-activated force in α-toxin permeabilized rat anococcygeus muscle. **446**, 243*P*, 1992

CRICHTON C.A., TEMPLETON A.G.B., MCGRATH J.C. & SMITH G.L. The effect of a stable thromboxane analogue, U46619, on calcium-activated force in α-toxin -permeabilized human umbilical artery. **446**, 491*P*, 1992

WILSON S.M., LEE C.M., SMITH G.L., PEDIANI J.D., BROWN U.M.O. & ELDER H.Y. Second messenger signals in cultured, human sweat gland epithelia. **452**, 230*P*, 1992

SMITH J.J.

SMITH J.J. & BREATHNACH C.S. Irish Founder Members: 1. Jeremiah McCarthy (1837–1924). **446**, 398*P*, 1992

SMITH K.

ROOYACKERS O.E. & SMITH K. Increased protein synthetic rates in muscle of *mdx* mouse. **446**, 48*P*, 1992

SMITH K., MOORE D., SHANIK G. & DOCHERTY J.R. Investigations of subtypes of functional pre- and post-junctional α_2 adrenoceptors. **446**, 435*P*, 1992

SMITH M.E.

SMITH M.E., HUGHES S. & SIMPSON M.G. Effect of IDPN on POMC peptide expression in rat motoneurones *in vitro*. **446**, 285*P*, 1992

HUGHES S., SMITH M.E. & BAILEY C.J. POMC-derived peptides in the neuromuscular system of mice with streptozotocin-induced diabetes mellitus studied *in vitro*. **446**, 286*P*, 1992

SMITH M.W.

JAMES P.S., SAVIDGE T.C. & SMITH M.W. A new method to identify and study surface interactions taking place on mouse Peyer's patch M cells. **446**, 60*P*, 1992

WU J.C.Y., SMITH M.W. & WOODING F.B.P. Quantitative immunogold cytochemical determination of chick enterocyte calbindin concentrations. **446**, 61*P*, 1992

Savidge T.C., Smith M.W. & James P.S. Evidence that membraneous (M) cells do not originate as a separate cell lineage from mouse intestinal stem cells. **446**, 294*P*, 1992

Smith Peter M.

Smith Peter M. Patch-clamp whole-cell pulse protocol measurements using a microcomputer. **446**, 72*P*, 1992

Smith P.M.

Smith P.M. & Gallacher D.V. Acetylcholine and caffeine evoke repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **446**, 128*P*, 1992

Smith R.D.

Smith R.D., Corps A.N. & Brown K.D. Angiotensin II stimulates phosphoinositide hydrolysis and proliferation in a rat intestinal epithelial (RIE-1) cell line. **446**, 295*P*, 1992

Smith S.

Khodakhah K., Carter T.D., Török K., Ogden D. & Smith S. Patch permeabilization with staphylococcal α-toxin in wholecell recording. **452**, 160*P*, 1992

Smith S.K.

Khan R.N., Smith S.K., Morrison J. & Ashford M.L.J. Single channel recording of a K^+-selective channel in pregnant human dispersed myometrial cells. **446**, 555*P*, 1992

Sneddon P.

Sneddon P. Inhibition of excitatory junction potentials in isolated guinea-pig vas deferens by suramin. **452**, 54*P*, 1992

Sneyd J.R.

Sneyd J.R., Pomfrett C.J.D. & Healy T.E.J. Continuous acquisition and real-time analysis of EEG, ECG and respiratory data in the anaesthetized human. **446**, 76*P*, 1992

Sneyd J.R., Linton R.A.F. & Band D.M. Intravenous infusion of adrenaline during exercise in man. **446**, 210*P*, 1992

Snow H.M.

McAuliffe S.J.G., Snow H.M., Moors J., Jessup R., Wayne M. & Noble M.I.M. Inhibition of arachidonic acid metabolism by aspirin can promote thrombus formation in a stenosed coronary artery of the anaesthetized dog. **446**, 413*P*, 1992

Snyder S.H.

Pickard R.S., Powell P.H., Zar M.A., Bredt D.S. & Snyder S.H. Lack of brain nitric oxide synthase in human cavernosal tissue. **452**, 303*P*, 1992

So I.S.

Leem C.H., So I.S., Ho W.K. & Earm Y.E. Taurine modulates the inward background current induced by isoprenaline in isolated ventricular cells of the rabbit. **446**, 149*P*, 1992

Socolovsky Merav

Socolovsky Merav, Hockaday A.R. & Allen Janet Phagocytic properties can be endowed on a non-phagocytic cell line by expression of a single receptor for immunoglobulin G (IgG). **446**, 408*P*, 1992

Soderlund K.

Greenhaff P.L., Nevill M.E., Soderlund K., Boobis L., Williams C. & Hultman E. Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992

Soffe S.R.

Soffe S.R. Activity of spinal cord sensory interneurones during two motor patterns in *Xenopus* embryos. **446**, 162*P*, 1992

Sohma A.

Sohma A., Young J.D. & Sykes M.K. Respiratory transfer impedance in anaesthetized rabbits. **446**, 359*P*, 1992

Sohma Y.

Mathews C.J., Sohma Y., Harris Ann, Chambers Julie A. & Argent B.E. Maxi-K^+ channels on epithelial cells cultured from human fetal vas deferens. **452**, 344*P*, 1992

Sohma Y., Yoshida H. & Imai Y. Linear impedance of isolated frog skin measured over a wide frequency range. **452**, 353*P*, 1992

Sohma Yoshiro

Imai Yusuke, Miyamoto Manabu, Nakahari Takashi, Yoshida Hideyo & Sohma Yoshiro Network simulation of epithelial transport. **446**, 99*P*, 1992

Sohma Yoshiro, Yoshida Hideyo & Imai Yusuke Effect of ionic fluxes on the non-linear impedance of isolated frog skin. **446**, 346*P*, 1992

Somasundaram B.

Somasundaram B., Hoyland J., Dempster J., Riley J. & Mason W.T. Simultaneous patch-clamp and photometric fluorescence ratio measurements of optical probes for ions using a computer-based data acquisition system, PhoCal. **446**, 63*P*, 1992

Lledo P.M., Somasundaram B., Morton A.J., Emson P.C. & Mason W.T. Transfection of calbindin D28K alters calcium entry and intracellular calcium dynamics in the GH_3 cell line. **452**, 218*P*, 1992

SOORANNA S.R.

SOORANNA S.R., CONTRACTOR S.F., SHORE I. & MOSS JILL Apparent differences in the intracellular pathways of low density lipoprotein and immunoglobulin G in cultured human trophoblast cells. **446**, 533*P*, 1992

SORENSEN C.

BURTON P.B.J., HAUCK A., NEHLSEN-CANNARELLA S.L., SORENSEN C., MONIZ C. & BAILEY L.L. Hypoplastic left heart syndrome: some clues to its aetiology. **446**, 574*P*, 1992

SORIA B.

NADAL A., CONTRERAS D., SORIA B. & VALDEOLMILLOS M. Simultaneous measurement of $[Ca^{2+}]_i$ and K(ATP) channel activity in single dissociated mouse pancreatic B-cells. **446**, 132*P*, 1992

SPANSWICK D.

PICKERING A.E., SPANSWICK D. & LOGAN S.D. 5-HT depolarizes and induces oscillations in rat sympathetic preganglionic neurones *in vitro*. **452**, 37*P*, 1992

SPANSWICK D., PICKERING A.E., GIBSON I.C. & LOGAN S.D. Induction of rhythmic oscillations in rat sympathetic preganglionic neurones (SPN) *in vitro* by a metabotropic-like excitatory amino acid receptor **452**, 179*P*, 1992

PICKERING A.E., SPANSWICK D., GIBSON I.C. & LOGAN S.D. Inhibition of membrane potential oscillations in rat sympathetic preganglionic neurones *in vitro* by noradrenaline. **452**, 226*P*, 1992

SPARBER S.

BLUTHÉ R.M., SPARBER S., KENT S. & DANTZER R. Inhibition of nitric oxide synthase potentiates the behavioural effects of interleukin-1 in the mouse. **452**, 123*P*, 1992

SPEAKE P.F.

SPEAKE P.F., PIRIE S. & GREEN R. Atrial natriuretic factor (ANF) secretion from isolated guinea-pig atrial strips. **452**, 90*P*, 1992

SPENCER A.J.

LOTE C.J., SAUNDERS H., WOOD J.A. & SPENCER A.J. Relationship between urinary aluminium and calcium excretion in the rat. **452**, 84*P*, 1992

SPENCER J.A.D.

GIUSSANI D.A., MOORE P.J., BENNET L., SPENCER J.A.D. & HANSON M.A. Phentolamine increases the incidence of fetal breathing movements both in normoxia and in hypoxia in term fetal sheep. **452**, 320*P*, 1992

SPURWAY N.C.

SPURWAY N.C., GODFREY R.J. & CHAM C.-K. Relaxation of isolated, perfused rat and rabbit blood vessels by organic bases applied at neutral pH. **446**, 488*P*, 1992

CLINCH N.F., DALY C.J., GORDON J.F., MOSS V.A. & SPURWAY N.C. Wide-field volume visualization of thick microscope sections by computed nearest neighbour deconvolutions. **452**, 3*P*, 1992

SPYER K.M.

PARKES M.J., LARA MUNOZ J.P., IZZO P.N. & SPYER K.M. Projections of neurones with respiratory-related discharge in the medulla of the anaesthetized rat. **446**, 428*P*, 1992

DALY M. de Burgh, JORDAN D. & SPYER K.M. Modification of respiratory activities during stimulation of carotid chemoreceptors, arterial baroreceptors and pulmonary C fibre afferents in the anaesthetized cat. **446**, 466*P*, 1992

DEUCHARS J., SPYER K.M. & IZZO P.N. Demonstration of substance P-containing axons in synaptic contact with vagal preganglionic neurones in the nucleus ambiguus of the anaesthetized rat. **452**, 223*P*, 1992

BRADLEY D.J., GORING M.A. & SPYER K.M. The effects of posterior cerebellar vermal lesions on the hypothalamic defence response in the urethane-anaesthetized rabbit. **452**, 243*P*, 1992

LARA J.P., PARKES M.J., IZZO P.N. & SPYER K.M. Respiratory and circulatory responses to electrical and chemical stimulation in the parabrachial complex (PB) of the anaesthetized rat. **452**, 321*P*, 1992

SQUIRES P.E.

SQUIRES P.E., RUMSEY R.D.E. & READ N.W. Sennoside and loperamide: opposing motor effects in vascularly perfused rat large bowel *in vitro*. **452**, 366*P*, 1992

STACEY P.M.

HERBERT J., HOWES S.R. & STACEY P.M. Regional expression of *c-fos* in AV3V, hypothalamus and amygdala of the male rat following intraventricular angiotensin II and its modulation by drinking. **446**, 288*P*, 1992

STAFFORD S.J.V.

STAFFORD S.J.V., SHORTE S.L. & SCHOFIELD J.G. Use of digital fluorescence imaging to monitor the behaviour of the lipophilic membrane probe TMA (trimethylammoniodiphenylhexatriene) in isolated bovine anterior pituitary cells. **452**, 175*P*, 1992

SHORTE S.L., BAMFORD M., STAFFORD S.J.V., COLLETT V.J. & SCHOFIELD J.G. Use of TMA-DPH (trimethylammonio-diphenylhexatriene) to monitor secretory responses of isolated bovine anterior pituitary cells. **452**, 208*P*, 1992

STANFA L.C.
STANFA L.C. & DICKENSON A.H. Increased potency of spinal opiates after peripheral inflammation in the halothane anaesthetized rat. **446**, 564*P*, 1992

STANTON Alice
STANTON Alice, TAN Soon, CROWLEY James, AKINS Neil, O'MALLEY Kevin & O'BRIEN Eoin The interrelations of blood pressure levels, circadian pressure alterations and left ventricular mass in mild to moderate hypertension in human subjects. **446**, 419*P*, 1992

STEELE D.S.
SMITH G.L., STEELE D.S. & CRICHTON C.A. The effect of inorganic phosphate on the SR of isolated saponin-treated rat heart. **446**, 147*P*, 1992
SMITH G.L., CRICHTON C.A. & STEELE D.S. The effect of EGTA on Ca^{2+}-activated force in α-toxin permeabilized rat anococcygeus muscle. **446**, 243*P*, 1992

STEELE L.W.
BUTCHER P.A., SHAW A.M., STEELE L.W., WARD M.R. & OLVER R.E. Cyclic AMP-regulated Na^+ conductance in the apical membrane of fetal sheep alveolar type II cells. **446**, 16*P*, 1992
ACEVEDO M. & STEELE L.W. Na–H exchange in isolated epithelial cells from sheep trachea. **446**, 412*P*, 1992

STEIMER Th.
STEIMER Th. & HUTCHISON J.B. In vivo study of brain steroid metabolism using intracerebral microdialysis: evidence for 5β-reduction of testosterone in the dove. **446**, 279*P*, 1992

STEMPNIAK Bozena
FORSLING Mary L., STEMPNIAK Bozena & GUZEK J.W. The effect of intracerebroventricular administration of insulin on the neurohypophysial response to haemorrhage in the anaesthetized rat. **446**, 272*P*, 1992

STENSEL D.J.
STENSEL D.J., HARDMAN A.E., BROOKE-WAVELL K., JONES P.R.M. & NORGAN N.G. The influence of brisk walking on endurance fitness in previously sedentary, middle-aged men. **446**, 123*P*, 1992

STEPHENS J.A.
CARR L.J., HARRISON L.M., STEPHENS J.A., LOTAY I., FARMER S., IRONTON R. & JONES T. Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992
CARR L.J., HARRISON L.M., EVANS A.L. & STEPHENS J.A. Patterns of central motor reorganization in children with hemiplegic cerebral palsy. **452**, 107*P*, 1992

STEPHENSON D.G.
LAMB G.D., RECUPERO E. & STEPHENSON D.G. Effect of pH on excitation–contraction coupling in isolated skeletal muscle of toad. **446**, 263*P*, 1992

STEWARD M.C.
STEWARD M.C. & LARCOMBE-MCDOUALL J.B. Absence of volume regulation in acinar cells of the isolated, perfused rat mandibular gland. **446**, 102*P*, 1992
SEO Y., WOOD B., MURAKAMI M. & STEWARD M.C. Double-quantum filter nuclear magnetic resonance imaging of sodium-23. **446**, 392*P*, 1992
LARCOMBE-MCDOUALL J.B., BROWNBILL P. & STEWARD M.C. Continuous measurement of intracellular water content in the isolated, perfused rat mandibular salivary gland by proton NMR spectroscopy. **452**, 74*P*, 1992
STEWARD M.C., LARCOMBE-MCDOUALL J.B. & NAKAHARI T. Osmotic water permeability of acinar cell membranes in the isolated perfused rat mandibular salivary gland. **452**, 97*P*, 1992

STEWART C.E.H.
PELL J.M., SAUNDERS J.C., STEWART C.E.H. & GILMOUR R.S. Growth hormone (GH) and nutritional control of hepatic insulin-like growth factor-1 (IGF-1) production in the lamb. **446**, 300*P*, 1992

STEWART Francesca
STEWART Francesca, GOODE Jane A. & ALLEN W.R. Growth hormone secretion in the horse: dynamic changes at birth and pulsatile secretion through to maturity. **446**, 299*P*, 1992

STEWART R.
AHMED T., ERSKINE L., SHEWAN D.A., STEWART R. & MCCAIG C.D. Neurotransmitters, second messengers and protein kinase C may underlie orientation of cultured frog nerves in an applied electric field. **446**, 42*P*, 1992

STIENEN Ger J.M.
STIENEN Ger J.M. & KENTISH Jon C. Length-dependence of maximum force production and ATPase activity in rat skinned cardiac trabeculae. **446**, 239*P*, 1992

STOKES M.J.
COOPER R.G. & STOKES M.J. Load-induced inflexion in surface electromyographic (EMG) activity during fatiguing contractions of normal human paraspinal muscle. **452**, 276*P*, 1992
STOKES M.J., HIDES J.A., JULL G.A. & COOPER D.H. Mechanism of human paraspinal muscle wasting with acute low back pain. **452**, 280*P*, 1992

STONE V.
COOPER G., STONE V. & HUNTER M. Furosemide induces cytoplasmic alkalinization in frog early distal tubules. **446**, 404*P*, 1992

STRAUGHAN K.
FREE S.L., STRAUGHAN K. & GOODE A.W. Digital image processing of human x-ray and MR breast images. **452**, 24*P*, 1992
STRONG A.J.
STRONG A.J., KIRKPATRICK P.J., BUCKNALL R.M., NAYLOR P. & RUDMAN S. Measurement of superficial cerebral cortical blood flow by imaging umbelliferone clearance in anaesthetized cats and rabbits. **446**, 569*P*, 1992
STRONG B.
HEYWOOD P., MURPHY K., STRONG B., BELYAVIN A., FARMER E. & GUZ A. Is human cortico-spinal control of ventilation as precise as control of hand movement? **452**, 30*P*, 1992
STULC J.
STULC J., HUSAIN S.M., BOYD R.D.H. & SIBLEY C.P. Mechanisms of chloride transport across the *in situ* perfused placenta of the anaesthetized rat. **452**, 94*P*, 1992
STURGISS S.N.
STURGISS S.N., WILKINSON R. & DAVISON J.M. Renal Haemodynamic Reserve (RHR) during normal human pregnancy. **452**, 317*P*, 1992
STURMAN G.
FREEMAN P., STURMAN G. & JAKOBSON M.E. Analgesia and hypothermia induced by cold water swims in mice. **446**, 599*P*, 1992
STURMER H.L.
WALTER S.J., JANSSEN J.-C., STURMER H.L., SKINNER J. & SHIRLEY D.G. Renal tubular lithium reabsorption in anaesthetized, potassium-depleted rats. **452**, 135*P*, 1992
STURROCK K.C.
NEWTON J.P., STURROCK K.C., MUNRO A.M. & CADDEN S.W. A means of standardizing the application of electrical stimuli to intra-oral structures during studies of jaw reflexes in man. **446**, 5*P*, 1992
SU Hong
GULATI J., BABU A., SU Hong & GULATI Martha The genetic deletion of the ^{88}KGKSEEE^{94} residues from the troponin-C central helix enhances the Ca^{2+}-affinity in rabbit psoas skinned fast-twitch muscle fibres. **446**, 458*P*, 1992
SUGDEN D.
YASIN Sharifah, FORSLING Mary L., COSTA A., SUGDEN D. & GROSSMAN A. Modulation by melatonin analogues of neurohypophysial hormone release from the rat hypothalamus *in vitro*. **452**, 296*P*, 1992
SUGI Haruo
TREGEAR Richard, OIWA Kazuhiro, CHAEN Shigeru & SUGI Haruo The effect of magnetic force on the movement of myosin-coated beads along actin cables in an algal cell. **452**, 325*P*, 1992
SUGIYA H.
SUGIYA H., HARA-YOKOYAMA M. & FURUYAMA S. Isoprenaline stimulates ADP-ribosylation in rat parotid acinar cells *in vitro*. **446**, 308*P*, 1992
SUH Suk Hyo
RHEE Poong Lyul, SUH Suk Hyo, KIM Sung Joon & KIM Ki Whan Effect of dopamine on the Ca^{2+}-dependent K^+currents of isolated single gastric myocytes of the guinea-pig. **446**, 249*P*, 1992
SULEIMAN M.S.
SULEIMAN M.S. & CHAPMAN R.A. Na-dependent taurine uptake in isolated bovine cardiac sarcolemmal vesicles. **446**, 57*P*, 1992
SULEIMAN M.S., MINEZAKI K.K. & CHAPMAN R.A. A phospholipase A_2 inhibitor (Ro 31-4493) prevents the protein loss associated with the Ca-paradox in isolated guinea-pig hearts and is without effect on the currents through L-type Ca channels of isolated myocytes. **446**, 439*P*, 1992
SULEIMAN M.S., FERNANDO K., DIHMIS W., HUTTER J. & CHAPMAN R.A. Determination of free intracellular amino acids in ventricular biopsies taken from patients undergoing heart surgery. **452**, 162*P*, 1992
CHATAMRA K.R., SULEIMAN M.S. & CHAPMAN R.A. Measurement of the recovery from an acid load in the isolated guinea-pig papillary muscle in media free of divalent cations. **452**, 163*P*, 1992
MINEZAKI K.K., SULEIMAN M.S. & CHAPMAN R.A. Metabolic changes in isolated guinea-pig ventricular myocytes during calcium depletion and repletion as detected with a fluorescent technique. **452**, 164*P*, 1992
SULEIMAN M.S. Taurine in isolated newborn guinea-pig hearts during the calcium paradox. **452**, 195*P*, 1992
SURPRENANT A.
EVANS R.J. & SURPRENANT A. Contraction of guinea-pig isolated submucosal arterioles following sympathetic nerve stimulation is mediated by the activation of P_{2x}-purinoceptors. **446**, 493*P*, 1992
SUTTERS M.
SUTTERS M., HATFIELD E., BRACE C., WHITEHURST A., LIGHTMAN S. & PEART W. Water and sodium homeostasis during dietary sodium restriction in patients with cranial diabetes insipidus. **446**, 452*P*, 1992

Sutters M. & Peart W.S. The effect of water restriction during adaptation to a low sodium diet in man. **452**, 85*P*, 1992

Sutton R.A.

Rochester L., Barron M.J., Chandler C.S., Johnson M.A., Miller S. & Sutton R.A. Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992

Suzuki T.

Naruse S., Takagi T., Suzuki T. & Ozaki T. Cholinergic control of interdigestive gastric blood flow in conscious dogs. **446**, 193*P*, 1992

Swann K.

Currie K.P.M., Scott R.H. & Swann K. A cytosolic sperm factor causes Ca^{2+}-dependent inward current oscillations in cultured rat DRG neurones. **446**, 550*P*, 1992

Carroll J. & Swann K. Cytosolic Ca^{2+} oscillations driven by inositol trisphosphate occur during spontaneous maturation of mouse oocytes. **446**, 560*P*, 1992

Sweeney M.T.

Sweeney M.T., Calleja M.A., Keegan M., Campbell I.T. & Davies M.K. Maximal oxygen uptake (V_{O_2}.max) measured with powered treadmill, cycle ergometry and self powered treadmill in man. **452**, 116*P*, 1992

Sykes A.H.

Sykes A.H. 'Myographic London': C.F. Palmer (London) Ltd, established 1891. **446**, 536*P*, 1992

Sykes M.K.

Sohma A., Young J.D. & Sykes M.K. Respiratory transfer impedance in anaesthetized rabbits. **446**, 359*P*, 1992

Sykes R.M.

Dahm P., Bodelsson M., Tornebrandt K., Muddle J.R., Sykes R.M., Yacoub M. & Dashwood M.R. [^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992

Szatkowski Marek

Bouvier Muriel, Szatkowski Marek, Amato Alessandra, Brew Helen, Barbour Boris & Attwell David Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992

Bouvier Muriel, Amato Alessandra, Szatkowski Marek & Attwell David Anion efflux associated with electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **452**, 182*P*, 1992

Szekeres L.

Vegh A., Szekeres L., Szilvassy Z. & Parratt J.R. Myocardial preconditioning in anaesthetized dogs can be induced by rapid cardiac pacing. **446**, 218*P*, 1992

Vegh A., Szekeres L. & Parratt J.R. Nitric oxide involvement in preconditioning of the ischaemic myocardium in anaesthetized dogs. **446**, 541*P*, 1992

Vegh A., Szekeres L. & Parratt J.R. Inhibition of nitric oxide production in anaesthetized dogs fails to modify work-induced increases in coronary blood flow. **452**, 16*P*, 1992

Szilvassy Z.

Vegh A., Szekeres L., Szilvassy Z. & Parratt J.R. Myocardial preconditioning in anaesthetized dogs can be induced by rapid cardiac pacing. **446**, 218*P*, 1992

Taberner P.V.

Al-Qatari M. & Taberner P.V. Effect of ICI D7114, a selective β_3-adrenoceptor agonist, on brown adipose tissue lipogenesis in CBA/Ca obese mice. **452**, 176*P*, 1992

Tadesse K.

Imms F.J. & Tadesse K. Body core cooling by gastric lavage in man. **446**, 124*P*, 1992

Tadros L.

Tadros L. & Rennie M.J. Characteristics of glutamine transport in primary tissue culture of rat skeletal muscle cells. **446**, 11*P*, 1992

Taggart Michael

Taggart Michael & Wray Susan The relation between intracellular pH (pH_i) and force in isolated rat uterus: simultaneous measurements of pH_i and force. **452**, 232*P*, 1992

Takagi T.

Naruse S., Takagi T., Suzuki T. & Ozaki T. Cholinergic control of interdigestive gastric blood flow in conscious dogs. **446**, 193*P*, 1992

Takahashi Tomoyuki

Takahashi Tomoyuki, Momiyama Akiko & Cull-Candy Stuart G. Presynaptic receptors for the glutamate analogue APB reduce transmitter release from neonatal rat spinal neurones in thin slices. **446**, 549*P*, 1992

TAKEGUCHI N.
SAKAI H. & TAKEGUCHI N. Positive and negative regulation of small-conductance chloride channels in the basolateral membrane of rabbit parietal cells. **452**, 355*P*, 1992
TALBOT N.J.
TALBOT N.J., HARVEY C.M. & HENDRY B.M. Characterization of human erythrocyte choline transport in chronic renal failure. **446**, 355*P*, 1992
TALHI F.
TALHI F., THEXTON A. & MCGARRICK J. Transmucous electrical stimulation of lingual nerve fibres in the anaesthetized rat. **446**, 475*P*, 1992
TALHI F. & THEXTON A. Increased jaw opening reflex after lingual nerve injury. **446**, 610*P*, 1992
TAMURA K.
HAGIWARA N., MASUDA H., SHODA M., TAMURA K. & IRISAWA H. Chloride conductance activated by membrane stretch in rabbit single cardiac myocytes. **446**, 330*P*, 1992
TAN Soon
STANTON Alice, TAN Soon, CROWLEY James, AKINS Neil, O'MALLEY Kevin & O'BRIEN Eoin The interrelations of blood pressure levels, circadian pressure alterations and left ventricular mass in mild to moderate hypertension in human subjects. **446**, 419*P*, 1992
TANAKA M.
HONDA Y., TANAKA M. & KIMURA H. Ventilatory response to sustained hypoxia in carotid body-resected humans. **446**, 119*P*, 1992
TANAKA Y.
HIROSE M., MORIMOTO T., NOSE H., ITOH T. & TANAKA Y. Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992
TANNER W.A.
FLYNN R., GERAGHTY J.G., ANGERSON W.J., TANNER W.A., KEANE F.B.V. & CARTER D.C. The relationship between portal pressure and portasystemic shunting in portal hypertension in the anaesthetized rat. **446**, 414*P*, 1992
TAREEN F.M.
ONO K., TAREEN F.M., YOSHIDA A., NOMA A. & TRAUTWEIN W. Cyclic GMP potentiates β-adrenergic activation of Cl^- currents in guinea-pig ventricular cells. **446**, 151*P*, 1992
TAWADA K.
YAMADA K., EMOTO Y., HORIUTI K. & TAWADA K. Tension transient upon flash photolysis of caged ATP in covalently cross-linked muscle fibres isolated from rabbit psoas. **446**, 264*P*, 1992
TAYLOR A.
TAYLOR A., RODGERS J.F., FOWLE A.J. & DURBABA R. Conduction velocity and bag_1 influence on gastrocnemius muscle spindle afferents in the anaesthetized cat. **446**, 21*P*, 1992
RODGERS J.F., TAYLOR A., DURBABA R. & FOWLE A.J. The value of dynamic index in assessing muscle spindle afferent properties in the anaesthetized cat. **446**, 22*P*, 1992
FOWLE A.J., TAYLOR A., RODGERS J. & DURBABA R. Mesencephalic and diencephalic areas for fusimotor control in the anaesthetized cat. **446**, 230*P*, 1992
TAYLOR A., FRANCIS W. & GOMEZ K. Methods of investigating the effects of changing force and loading on human elbow tremor. **446**, 470*P*, 1992
FOWLE A.J., TAYLOR A., RODGERS J.F. & DURBABA R. Recording and analysis of multiple single spike trains in the anaesthetized cat. **446**, 471*P*, 1992
RODGERS J.F., TAYLOR A., FOWLE A.J. & DURBABA R. Differences in the time course of effects of succinylcholine on different muscle spindle afferent types in the anaesthetized cat. **446**, 565*P*, 1992
MARPLES D., BARBER B. & TAYLOR A. Evidence for involvement of a dynein-like motor in vasopressin action in the isolated toad urinary bladder. **452**, 81*P*, 1992
TAYLOR C.W.
BOOTMAN M.D., BERRIDGE M.J. & TAYLOR C.W. Quantal mobilization of Ca^{2+} from intracellular stores of single HeLa cells. **446**, 207*P*, 1992
TAYLOR D.C.M.
TAYLOR D.C.M., FAULSTROH K. & PIERAU Fr.-K. Opioid inhibition of electrogenic flare in anaesthetized pigs is blocked by μ receptor antagonists. **452**, 121*P*, 1992
TAYLOR E.W.
IHMIED Y.M. & TAYLOR E.W. Relocation of preganglionic vagal motoneurones in the brainstem of the axolotl at metamorphosis. **446**, 165*P*, 1992
IHMIED Y.M. & TAYLOR E.W. The topography of the vagal motor column in anaesthetized *Xenopus laevis*. **452**, 235*P*, 1992
RANSON R.N., BUTLER P.J. & TAYLOR E.W. The localization of vagal preganglionic neurones in the ferret, *Mustela putorius furo* and the mink, *Mustela vison*. **452**, 246*P*, 1992
TAYLOR H.P.
TAYLOR H.P., EVANS S.K., DICK D., HARRISON F.G. & LAB M.J. Rate dependency of stretch-induced ectopic beats in isolated perfused rabbit ventricle. **446**, 337*P*, 1992

TAYLOR J.A.
TAYLOR J.A., SALTER D.N., CLOSE W.H. & LASWAI G.H. Effects of feeding level and sex on lymphocyte β-adrenoceptor numbers in growing pigs. **446**, 293*P*, 1992
TAYLOR Nicola
LINGARD Jennifer M., AL-NAKKASH Layla, TAYLOR Nicola & ARGENT B.E. ^{125}I efflux from a human pancreatic adenocarcinoma cell line (B × PC-3). **446**, 354*P*, 1992
TAYLOR Peter M.
KAUR Surinder, MACKENZIE Bryan & TAYLOR Peter M. Modulation of amino acid uptake in *Xenopus* oocytes in relation to environmental amino acid availability. **446**, 13*P*, 1992
MACKENZIE Bryan & TAYLOR Peter M. Expression of rat liver glutamine transporters in *Xenopus* oocytes. **446**, 14*P*, 1992
TEMPLE A.J.
HOLDER D.S. & TEMPLE A.J. Electrical impedance tomography during pulmonary ventilation and perfusion in man. **446**, 479*P*, 1992
TEMPLETON A.G.B.
CRICHTON C.A., TEMPLETON A.G.B., MCGRATH J.C. & SMITH G.L. The effect of a stable thromboxane analogue, U46619, on calcium-activated force in α-toxin -permeabilized human umbilical artery. **446**, 491*P*, 1992
TEOH T.
BRESLIN E., TEOH T., DARLING M. & DOCHERTY J.R. Investigations of responses to 5-hydroxytryptamine in isolated human arteries and veins. **446**, 415*P*, 1992
TEPIKIN A.
TEPIKIN A. & SASAKI T. Intracellular pH clamp experiments on single mouse lacrimal acinar cells. **446**, 101*P*, 1992
TERAKAWA S.
TERAKAWA S., MANIVANNAN S. & KUMAKURA K. Exocytosis in nerve terminals of the cultured bovine chromaffin cell studied at a single granule level. **446**, 205*P*, 1992
TERASHIMA S.
TERASHIMA S. & LIANG Y.-F. Central projections of Aδ nociceptive neurons in the trigeminal ganglion of the crotaline snake, *Trimeresurus flavoviridis*. **446**, 158*P*, 1992
TER KEURS Henk
BANIJAMALI Hamid S., TER KEURS Mark H.C., PAUL Leendert C. & TER KEURS Henk The effect of cyclosporine-A on excitation–contraction coupling in isolated rat cardiac trabeculae. **452**, 23*P*, 1992
TER KEURS Mark H.C.
BANIJAMALI Hamid S., TER KEURS Mark H.C., PAUL Leendert C. & TER KEURS Henk The effect of cyclosporine-A on excitation–contraction coupling in isolated rat cardiac trabeculae. **452**, 23*P*, 1992
TERRAR D.A.
CUI Y. & TERRAR D.A. Possible effects of caffeine on potassium current in ventricular cells isolated from guinea-pig heart. **446**, 328*P*, 1992
THEODOSIS Dionysia T.
HERBISON Allan E. & THEODOSIS Dionysia T. Sexually dimorphic localization of oestrogen receptors within neurotensin-immunoreactive neurones in sections of the rat preoptic area. **452**, 212*P*, 1992
THEXTON A.
TALHI F., THEXTON A. & MCGARRICK J. Transmucous electrical stimulation of lingual nerve fibres in the anaesthetized rat. **446**, 475*P*, 1992
THEXTON A. Analysis of jaw movement profile in the awake macaque. **446**, 476*P*, 1992
TALHI F. & THEXTON A. Increased jaw opening reflex after lingual nerve injury. **446**, 610*P*, 1992
THOMAS E.J.
MATTHEWS C. Jane, MCEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Electrical properties of primary monolayer cultures of human endometrial glandular epithelial cells. **446**, 97*P*, 1992
MATTHEWS C.J., MCEWAN G.T.A., REDFERN C.P.F., THOMAS E.J. & HIRST B.H. Isolation, culture and functional analysis of glands from human endometrium. **452**, 260*P*, 1992
THOMAS Eric J.
MATTHEWS C. Jane, REDFERN Christopher P.F., THOMAS Eric J. & HIRST Barry H. Electrolyte transport by primary monolayer cultures of human endometrial glandular epithelial cells. **452**, 95*P*, 1992
THOMAS P.J.
THOMAS P.J. & FRY C.H. Effects of hypoxia and metabolic inhibition on isolated human detrusor smooth muscle. **452**, 55*P*, 1992
THOMAS Roger C.
THOMAS Roger C. & KENNEDY Helen J. Simultaneous Fura-2 and ion-sensitive microelectrode measurement of free calcium ion changes in voltage-clamped *Helix aspersa* neurones. **446**, 134*P*, 1992
THOMAS Roger C. & SCHWIENING Christof J. Optical fibre fluorescence system for intracellular Ca^{2+} measurement: one lamp and filter wheel supplies two set-ups. **452**, 153*P*, 1992

THOMAS T.

THOMAS T. & KUMAR P. Peripheral chemoreceptor modulation of respiration during alternating hypoxia in conscious, newborn rats. **446**, 121*P*, 1992

THOME G.

LEVER M.J., JAY M.T., DEBAER F. & THOME G. Effect of vasomotor tone on the hydraulic conductivity and reflection coefficient of the medial layers of isolated rabbit aorta and carotid artery. **452**, 18*P*, 1992

THOMPSON D.G.

HIGHAM A.D., THOMPSON D.G. & GRIFFITHS E.C. Assessment of rat jejunal circular muscle activity in response to intraluminal balloon inflation. **452**, 75*P*, 1992

THOMPSON F.D.

KONG C.H., THOMPSON F.D. & IMMS F.J. Oxygen transport following renal transplantation in man. **446**, 573*P*, 1992

THOMPSON G.A.

JEFFERSON J.M., THOMPSON G.A. & KILPATRICK I.C. Improved separation of sulphinic and sulphonic amino acids from rat brain. **452**, 156*P*, 1992

THOMPSON G.W.A.

THOMPSON G.W.A. & RENNIE M.J. System A plays only a minor role in alanine transport of isolated rat muscle. **446**, 570*P*, 1992

THOMPSON K.S.J.

THOMPSON K.S.J., BACON J.P. & TYRER N.M. Segmental homology of peptidergic neurones in grasshoppers. **452**, 148*P*, 1992

THOMPSON P.D.

DAY B.L., THOMPSON P.D., HARDING A.E. & MARSDEN C.D. The influence of vision on the accuracy of reaching movements in patients with cerebellar disease. **452**, 271*P*, 1992

ATCHISON P., CAVINESS J., WERHAHN K., ROTHWELL J.C., DAY B.L. & THOMPSON P.D. Magnetic stimulation over the motor cortex in man delays the onset of EMG activity more when a muscle acts as a prime mover than when used as a postural fixator. **452**, 275*P*, 1992

THOMSON Alex M.

THOMSON Alex M., WEST David C. & DEUCHARS Jim Excitatory connections from pyramids to interneurones studied using double intracellular recordings in slices of rat neocortex. **452**, 198*P*, 1992

THOMSON F.J.

MACEWAN D.J., JOHNSON M.S., THOMSON F.J. & MITCHELL R. Protein kinase C may be required to maintain activity of nimodipine-sensitive Ca^{2+} channels in rat anterior pituitary cells *in vitro*. **446**, 282*P*, 1992

JOHNSON M.S., THOMSON F.J., AVERY J.L., MACEWAN D.J. & MITCHELL P.R. Differential actions of protein kinase C modulators on the release of hormones from rat anterior pituitary tissue *in vitro*. **446**, 283*P*, 1992

THORN P.

THORN P. Activation of non-selective cation channels by physiological cholecystokinin concentrations in mouse pancreatic acinar cells. **446**, 129*P*, 1992

THORN P. & BRADY P. The action of thimerosal on calcium-dependent currents in mouse isolated pancreatic acinar cells. **452**, 312*P*, 1992

THORNBURY K.D.

HOLLYWOOD M.A., THORNBURY K.D. & MCHALE N.G. Augmentation of sheep lymphatic contractility by L-N^G-nitro arginine methyl ester. **446**, 420*P*, 1992

THORNBURY K.D., HOLLYWOOD M.A. & MCHALE N.G. Role of nitric oxide in neurogenic relaxation of the outlet sphincter of the urinary bladder in the sheep. **446**, 422*P*, 1992

THORNTON S.

THORNTON S., OTUN H.A., NICHOLLS J.A., GILLESPIE J.I., GREENWELL J.R. & DUNLOP W. Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992

THORNTON S., ANSON L.C., GILLESPIE J.I. & DUNLOP W. The modulation of intracellular calcium transients in single cultured human myometrial cells by the oxytocin antagonist F327. **452**, 309*P*, 1992

THORNTON S.N.

FITZSIMONS J.T. & THORNTON S.N. Failure of intracerebroventricular porcine relaxin to augment NaCl intake when given with systemic deoxycorticosterone to conscious male rats. **446**, 457*P*, 1992

THRASIVOULOU C.

BARROS L.F., BALDWIN S.A., JARVIS S.M., COWEN T., THRASIVOULOU C., BEAUMONT N. & YUDILEVICH D.L. In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992

Barros L.F., Beaumont N., Jarvis S.M., Young J.D., Henderson P.J.F., Yudilevich D.L., Thrasivoulou C. & Baldwin S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992

Thwaites David T.

Thwaites David T., Simmons Nicholas L. & Hirst Barry H. Intestinal absorption of thyrotrophin-releasing hormone is not mediated by a Na^+- or H^+-dependent carrier: *in vitro* studies with rat and rabbit brush-border membrane vesicles. **446**, 410*P*, 1992

Tinker A.

Tinker A., Lindsay A.R.G. & Williams A.J. A model for ionic conduction in the sheep cardiac ryanodine receptor-channel. **446**, 333*P*, 1992

Tivey D.R.

Tivey D.R., Parkar A., Burton K.A. & Dauncey M.J. Nutritional influences on circulating and hepatic concentrations of insulin-like growth factor-I in the neonatal pig. **446**, 298*P*, 1992

Todd Barbara A.

Todd Barbara A., Inman C. & Abbott N. Joan K^+ and La^{3+} permeability of the perineurium of the isolated frog nerve. **446**, 319*P*, 1992

Toescu E.C.

Toescu E.C., O'Neill S.C., Petersen O.H. & Eisner D.A. Inhibition by caffeine of ACh-evoked cytoplasmic Ca^{2+} signals studied by simultaneous measurements of $[Ca^{2+}]_i$ and $[caffeine]_i$ in single mouse pancreatic acinar cells. **446**, 201*P*, 1992

Toescu E.C. & Campbell N.J. Effect of La^{3+} on acetylcholine-induced increase of Ca^{2+}-dependent Cl^--channel activity in single mouse pancreatic acinar cells. **446**, 202*P*, 1992

Tolhurst D.J.

Matthews H.R. & Tolhurst D.J. An ion-selective membrane to teach the resting properties of excitable cells. **446**, 71*P*, 1992

Tolhurst D.J., Lewis P.R., Shelley A.M. & Hockaday A.R. The morphology of the optic nerve of the common shrew, *Sorex araneus*. **446**, 234*P*, 1992

Tomita T.

Nakayama S., Nomura H. & Tomita T. Direct and indirect inhibition of Na^+–Mg^{2+} exchange in isolated taenia of guinea-pig caecum. **446**, 525*P*, 1992

Tonge A.

Barbezat G.O., Higgs N.B., Tonge A., Turnberg L.A. & Warhurst G. Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992

Tooke J.E.

Shore A.C., Sandeman D.D. & Tooke J.E. The response of human nailfold capillary pressure to an increase in brachial artery blood pressure. **452**, 13*P*, 1992

Toothill V.J.

Toothill V.J., Eaton B.M., Pearson J.D. & Mann G.E. Human neutrophil elastase and polylysine increase junctional solute permeability in umbilical vein endothelial cell monolayers perfused in microcarrier culture. **452**, 4*P*, 1992

Tornebrandt K.

Dahm P., Bodelsson M., Tornebrandt K., Muddle J.R., Sykes R.M., Yacoub M. & Dashwood M.R. [^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992

Török K.

Khodakhah K., Carter T.D., Török K., Ogden D. & Smith S. Patch permeabilization with staphylococcal α-toxin in wholecell recording. **452**, 160*P*, 1992

Toska K.

Toska K., Eriksen M. & Walløe L. Short-time cardiovascular responses to a sudden increase in peripheral vascular resistance in humans, with and without parasympathetic blockade. **452**, 19*P*, 1992

Towell A.D.

Towell A.D. & Boyd S.G. The CO_2-laser-evoked cerebral potential in humans is not a P300 oddball potential. **452**, 281*P*, 1992

Toyosawa K.

Chida Y. & Toyosawa K. Rhythmic slow activity (RSA) recorded from the bilateral hippocampus in the freely moving rat. **446**, 382*P*, 1992

Traub R.D.

Jefferys J.G.R. & Traub R.D. Synchronization of CA3 pyramidal neurons by NMDA-mediated excitatory synaptic potentials in hippocampal slices incubated in low Mg^{2+} solutions. **452**, 32*P*, 1992

Trautwein W.

Ono K., Tareen F.M., Yoshida A., Noma A. & Trautwein W. Cyclic GMP potentiates β-adrenergic activation of Cl^- currents in guinea-pig ventricular cells. **446**, 151*P*, 1992

TRAYNELIS Stephen F.
SILVER R. Angus, TRAYNELIS Stephen F. & CULL-CANDY Stuart G. Excitatory currents at the rat mossy fibre–granule cell synapse in thin cerebellar slices. **446**, 177*P*, 1992
WYLLIE David J.A., TRAYNELIS Stephen F. & CULL-CANDY Stuart G. Multiple non-NMDA glutamate receptors in rat cerebellar granule neurones in explant culture. **446**, 178*P*, 1992
TRAYNELIS Stephen F., SILVER R. Angus & CULL-CANDY Stuart G. Estimated conductance of synaptic glutamate channels activated during EPSCs in rat cerebellar granule cells in thin slices. **452**, 183*P*, 1992
TREBILCOCK R.
BEST L., TREBILCOCK R. & ELLIOTT A.C. Activation of cultured HIT-T15 insulinoma cells by glyceraldehyde. **452**, 300*P*, 1992
TREGEAR Richard
TREGEAR Richard, OIWA Kazuhiro, CHAEN Shigeru & SUGI Haruo The effect of magnetic force on the movement of myosin-coated beads along actin cables in an algal cell. **452**, 325*P*, 1992
TREGEAR R.T.
TREGEAR R.T., MILLER N.G.A., SKINNER D.C. & COADWELL W.J. Analysis of cytosolic free calcium records from lectin-activated rat T-lymphocytes and human lymphoma cells in the fluorescence-activated cell sorter. **446**, 62*P*, 1992
TREHERNE J.M.
NICHOLLS J.G., RITCHIE J.M., TREHERNE J.M., VARGA Z.M. & WOODWARD S.K.A. Recovery of transmission after injury to the spinal cord of neonatal opossum, *Monodelphis domestica*, in explant culture. **446**, 254*P*, 1992
BALKWILL P., HABGOOD M.D., KNOTT G., MØLLGÅRD K., SAUNDERS N.R. & TREHERNE J.M. Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992
TRIPPEL M.
DIETZ V., DISCHER M. & TRIPPEL M. Neuronal regulation of enhanced body sway in man. **452**, 104*P*, 1992
TROTT Judy R.
TROTT Judy R. & APPS Richard The use of a customized image analysis software package in investigations of branching patterns in cat cerebellar afferent pathways. **452**, 151*P*, 1992
TROUSLARD J.
TROUSLARD J., MARSH S.J. & BROWN D.A. Calcium entry through nicotinic channels in dissociated rat superior cervical ganglion (SCG) cells. **452**, 49*P*, 1992
TROUT S.J.
MILLAR J., O'CONNOR J.J., TROUT S.J. & KRUK Z.L. 100 Hz sampling of the kinetics of dopamine release and re-uptake in isolated rat nucleus accumbens using continuous scan cyclic voltammetry (CSCV). **452**, 38*P*, 1992
TSANG R.
CHEESEMAN C.I., TSANG R. & AO Z. The influence of vascular and lumenal hexoses on rat isolated intestinal basolateral membrane glucose transport. **452**, 333*P*, 1992
TSU Stephen Y.H.
TSU Stephen Y.H. & BAUMANN Klaus I. Differential changes in discharge pattern of slowly adapting type I and type II receptors in a rat skin–nerve *in vitro* preparation exposed to neomycin or Mg^{2+}. **446**, 388*P*, 1992
TSUBOI M.
KOMABAYASHI T., IZAWA T., MOCHIZUKI T. & TSUBOI M. Substance P-induced diacylglycerol formation in rat parotid acinar cells *in vitro*. **446**, 392*P*, 1992
TURNBERG L.A.
MCNICHOLAS C.M., BROWN C.D.A. & TURNBERG L.A. (Na–K–Cl) co-transport in intact villus tips and crypt units from rat duodenum. **446**, 6*P*, 1992
BARBEZAT G.O., HIGGS N.B., TONGE A., TURNBERG L.A. & WARHURST G. Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992
TURNER D.L.
FERRETTI G., KAYSER B., SCHENA F., TURNER D.L. & HOPPELER H. Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **446**, 427*P*, 1992
TURNER D.L., MCINTYRE D.B., JONES D.A. & NEWHAM D.J. Phosphorus metabolite concentration profiles of three human hand muscles. **452**, 112*P*, 1992
TWIST V.W.
KOZLOWSKI R.Z., GOODSTADT L.J., TWIST V.W. & POWELL T. Rapid effects of photo-released guanosine nucleotides on L-type Ca^{2+} and Ba^{2+} currents in guinea-pig cardiac ventricular myocytes. **446**, 144*P*, 1992
CHEN Shuhau, FRY C.H., ILLNER Hana, KICKENWEIZ Elisabeth, MCGUIGAN J.A.S., POWELL T. & TWIST V.W. Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992

Kozlowski R.Z., Goodstadt L.J., Twist V.W. & Powell T. Intracellular GTPγS inhibits L-type Ca^{2+} channel activation by isoprenaline or photoreleased GTPγS in guinea-pig ventricular myocytes. **452**, 197*P*, 1992

Twort Charles H.C.

Hirst Stuart J., Twort Charles H.C. & Barnes Peter J. Quantifying the proliferative response in cultured human and rabbit airway smooth muscle. **446**, 591*P*, 1992

Collier Mei Lin, Twort Charles H.C. & Ward Jeremy P.T. Direct G protein activation of the Ca^{2+}-activated K^+ channel in isolated bovine airway smooth muscle. **446**, 596*P*, 1992

Tyrell K.

Birse E.F., Mewett K.N., Pook P.C.-K., Tyrell K., Udvarhelyi P.M., Wharton B. & Watkins J.C. Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and poly-synaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992

Tyrer N.M.

Thompson K.S.J., Bacon J.P. & Tyrer N.M. Segmental homology of peptidergic neurones in grasshoppers. **452**, 148*P*, 1992

Udvarhelyi P.M.

Birse E.F., Mewett K.N., Pook P.C.-K., Tyrell K., Udvarhelyi P.M., Wharton B. & Watkins J.C. Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and poly-synaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992

Ueda F.

Ueda F. & Bradbury M.W.B. Rate and mechanism of ^{59}Fe transport into brain and other tissues of the anaesthetized rat and mouse. **446**, 98*P*, 1992

Urban J.P.G.

Wilkins R.J., Hall A.C. & Urban J.P.G. Some factors involved in the control of intracellular pH in chondrocytes isolated from bovine articular cartilage. **446**, 361*P*, 1992

Urban L.

Nagy I., Urban L. & Woolf C.J. Membrane and morphological properties of C cells in rat dorsal root ganglia studied *in vitro*. **452**, 202*P*, 1992

Fox A.J., Barnes P.J., Urban L. & Dray A. Selective activation of single vagal C fibres by capsaicin and bradykinin in the guinea-pig trachea *in vitro*. **452**, 203*P*, 1992

Usherwood P.N.R.

Macdonald A.G., Drewry J., Ramsey R.L. & Usherwood P.N.R. The effect of high pressure on the ketamine blockade of the cation-selective channel of locust (*Schistocerca gregaria*) muscle. **446**, 557*P*, 1992

Macdonald A.G., Drewry J., Ramsey R.L., Shelton C. & Usherwood P.N.R. The effect of high pressure on the quisqualate-sensitive glutamate receptor channel of locust (*Schistocerca gregaria*) muscle. **452**, 186*P*, 1992

Valdeolmillos M.

Nadal A., Contreras D., Soria B. & Valdeolmillos M. Simultaneous measurement of $[Ca^{2+}]_i$ and K(ATP) channel activity in single dissociated mouse pancreatic B-cells. **446**, 132*P*, 1992

Vallet A.M.

Vallet A.M., Coles J.A. & Eilbeck J.C. Effects of 4-aminopyridine on the responses to small decreases in light intensity in photoreceptors in the isolated retina of the drone honeybee. **446**, 110*P*, 1992

Valverde M.A.

Valverde M.A. & Sepúlveda F.V. Differential effects of Cl^- channel blockers on Cl^- currents of unstimulated T84 intestinal epithelial cells. **446**, 301*P*, 1992

van Bogaert Pierre-Paul

van Bogaert Pierre-Paul Kinetics of the blocking and unblocking processes of the i_f pacemaker current by bradycardic agents injected into isolated sheep cardiac Purkinje fibres. **446**, 342*P*, 1992

van Bruggen N.

van Bruggen N., Cullen B.M., King M.D., Gadian D.G., Williams S.R. & Cremer J.E. The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992

Vandenberg J.I.

Grace A.A., Kirschenlohr H.L., Smith G.A., Metcalfe J.C., Weissberg P.L. & Vandenberg J.I. HCO_3^--dependence of recovery from intracellular acidosis in the perfused ferret heart during $Na^+ - H^+$ antiport inhibition. **446**, 141*P*, 1992

Van der Kloot William

Van der Kloot William & Branisteanu Dimitrie D. Evidence that hypertonic solutions increase quantal size at isolated frog neuromuscular junctions by activating protein kinase A. **446**, 47*P*, 1992

VanderNoot T.J.

Levinkind M., VanderNoot T.J. & O'Hare D. Study comparing the impedance characteristics of isolated normal and proteoglycan-depleted bovine articular cartilage. **452**, 60*P*, 1992

VARGA Z.M.
NICHOLLS J.G., RITCHIE J.M., TREHERNE J.M., VARGA Z.M. & WOODWARD S.K.A. Recovery of transmission after injury to the spinal cord of neonatal opossum, *Monodelphis domestica*, in explant culture. **446**, 254*P*, 1992

VARGHESE A.
WINSLOW R., VARGHESE A., NOBLE D., DENYER J.C. & KIMBALL A. Modelling large SA node–atrial cell networks on a massively parallel computer. **446**, 242*P*, 1992

VARRO A.
VARRO A., HESTER S.B. & EISNER D.A. An estimate of the relative contributions of the sarcoplasmic reticulum and calcium current to contraction of isolated rat ventricular myocytes. **452**, 127*P*, 1992

VASSILIKIOTI S.
NUNEZ D.J., VASSILIKIOTI S. & BROWN M.J. The human atrial natriuretic factor (ANF) 'C' receptor is encoded by two messenger RNAs. **446**, 307*P*, 1992

VATISH M.
VATISH M. & BOYD C.A.R. Inhibition of human placental chloride permeability by Cd^{2+} in brush-border membrane vesicles. **446**, 588*P*, 1992
VATISH M. & BOYD C.A.R. Regulation of potassium permeability of *in vitro* human placental brush-border membrane vesicles by arachidonic acid. **452**, 233*P*, 1992

VAUGHAN-JONES R.D.
LAGADIC-GOSSMANN Dominique, RICHMOND P. & VAUGHAN-JONES R.D. α-Adrenergic receptors mediate inhibition of Na^+–HCO_3^- symport in the guinea-pig and rabbit ventricular myocyte. **446**, 142*P*, 1992
BUCKLER K.J. & VAUGHAN-JONES R.D. Raising P_{CO_2} elevates $[Ca^{2+}]_i$ in isolated carotid body glomus cells of the neonatal rat. **452**, 228*P*, 1992

VEGH A.
VEGH A., SZEKERES L., SZILVASSY Z. & PARRATT J.R. Myocardial preconditioning in anaesthetized dogs can be induced by rapid cardiac pacing. **446**, 218*P*, 1992
VEGH A., SZEKERES L. & PARRATT J.R. Nitric oxide involvement in preconditioning of the ischaemic myocardium in anaesthetized dogs. **446**, 541*P*, 1992
VEGH A., SZEKERES L. & PARRATT J.R. Inhibition of nitric oxide production in anaesthetized dogs fails to modify work-induced increases in coronary blood flow. **452**, 16*P*, 1992

VERDONCK F.
BIELEN Frieda V., GLITSCH H.G. & VERDONCK F. Voltage dependence of the sodium pump current of isolated rabbit cardiac Purkinje cells in sodium-free, thallium-containing solution. **446**, 186*P*, 1992

VEREECKE Johan
SIPIDO Karin R., CALLEWAERT Geert, VEREECKE Johan & CARMELIET Edward $[Ca^{2+}]_i$ transients in isolated Purkinje cells from rabbit heart. **446**, 332*P*, 1992

VERNIER P.
LLEDO P.-M., ZOREC R., VERNIER P. & MASON W.T. Anti-sense oligonucleotides injected with patch clamp techniques reveal involvement of a small GTP-binding protein in the control of exocytosis in rat anterior pituitary cells. **452**, 298*P*, 1992

VESTERGAARD Lars O.
WILLUMSEN Niels J., VESTERGAARD Lars O. & LARSEN E. Hviid Evidence of β-agonist and cAMP-stimulated chloride conductance in toad skin epithelium being localized to the mitochondria-rich cells. **446**, 108*P*, 1992

VIGLIONE M.P.
KIM J., VIGLIONE M.P., BRADLEY W.A. & KIM Y.I. Action of Lambert–Eaton syndrome antibodies on voltage-dependent calcium currents and exocytosis in human small-cell lung cancer cells and bovine adrenal chromaffin cells. **446**, 245*P*, 1992

VILLA P.
VILLA P. & KANEKO A. Calcium current of isolated bipolar cells of the cat retina. **446**, 111*P*, 1992

VINCENT A.
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Inhibition of ACh-currents by human plasma in a whole cell voltage-clamped human muscle cell line. **446**, 267*P*, 1992
BARRETT-JOLLEY R., BYRNE N.G., NEWSOM-DAVIS J. & VINCENT A. Caffeine inhibition of ACh nicotinic currents in the human skeletal muscle (TE671) cell line not mediated by cyclic AMP/Ca_i^{2+}. **452**, 193*P*, 1992

VINCENT J.D.
AMÉDÉE T., DUPOUY B., ELLIE E. & VINCENT J.D. Voltage-dependent calcium and potassium channels in mouse Schwann cells. **446**, 170*P*, 1992

VIST G.E.
VIST G.E., LEIPER J.B. & MAUGHAN R.J. Gastric emptying of glucose, glucose polymer and rice starch solutions in man. **446**, 52*P*, 1992
VIST G.E. & MAUGHAN R.J. Gastric emptying after repeated drinking in man. **452**, 338*P*, 1992

VOISIN D.
VOISIN D., HERBISON A.E. & POULAIN D.A. Intracerebroventricular injection of muscimol or bicuculline inhibits the milk ejection reflex in the anaesthetized rat. **452**, 211*P*, 1992
VONGSAVAN N.
VONGSAVAN N. & MATTHEWS B. Changes in the rate of fluid flow through exposed dentine produced by sympathetic and inferior alveolar nerve stimulation in anaesthetized cats. **446**, 209*P*, 1992
VONGSAVAN N. & MATTHEWS B. Effects of electrical stimulation of teeth on blood flow in dental pulp in man. **452**, 171*P*, 1992
VONGSAVAN N. & MATTHEWS B. A method for obtaining a continuous record of very small volume flow rates of fluids. **452**, 172*P*, 1992
VONO P.
GATTULLO Donatella, LINDEN R.J., LOSANO G., PAGLIARO P., VONO P. & WESTERHOF N. The effects of left ventricular diastolic pressure and volume on diastolic coronary flow in the isovolumically beating heart in the anaesthetized dog. **452**, 222*P*, 1992
VORA A.
BROWN K.A., VORA A., PERRY M.E., MUSTAPHA Y., HOBBS C., DAVIES D. & DUMONDE D.C. An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992
VRBOVA Gerta
SIERADZAN Katarzyna & VRBOVA Gerta Neonatal rat spinal cord does not provide a favourable environment for grafted embryonic motoneurones. **446**, 256*P*, 1992
WADMAN Wytse J.
KARST Henk, WADMAN Wytse J. & JOËLS Marian Effect of corticosteroid hormones on potassium currents of rat CA1 hippocampal neurons *in vitro*. **452**, 217*P*, 1992
WAKUI M.
WAKUI M., SAWADA E., HAYASHI H. & NISHIYAMA A. Effects of Ni^{2+} on Ca^{2+}-activated K^+ and Cl^- currents in rat mandibular acinar cells **446**, 104*P*, 1992
WALKER R.J.
PARRI H.R., DJAMGOZ M.B.A., HOLDEN-DYE L. & WALKER R.J. The effect of ivermectin on intracellular chloride activity of somatic muscle cells of the parasitic nematode *Ascaris suum in vitro*. **446**, 321*P*, 1992
COLQUHOUN L.M., HOLDEN-DYE L. & WALKER R.J. The effects of two nicotinomimetics, suberyldicholine and cytisine, on the cholinoceptor of the somatic muscle cell of the parasitic nematode *Ascaris suum in vitro*. **446**, 322*P*, 1992
WALL Patrick
RICE Andrew, MCMAHON Stephen & WALL Patrick Impairment of nerve conduction by microneurography electrodes in the anaesthetized rat. **452**, 44*P*, 1992
WALLACE M.N.
WALLACE M.N. & BAJWA S. Intrinsic organisation of the ferret primary auditory cortex. **446**, 27*P*, 1992
WALLACE W.F.M.
CAMPBELL E.R., REGAN M.F., MCCULLAGH P.J., MCCLELLAND R.J. & WALLACE W.F.M. Evidence from slow wave potentials of functional asymmetry in the human brain during an analytical task. **446**, 448*P*, 1992
WALLACE William F.M.
KENNY Rose Anne, ALLEN Judith A. & WALLACE William F.M. Autonomic reflexes in patients with carotid sinus syncope: a pilot study. **446**, 434*P*, 1992
WALLØE L.
TOSKA K., ERIKSEN M. & WALLØE L. Short-time cardiovascular responses to a sudden increase in peripheral vascular resistance in humans, with and without parasympathetic blockade. **452**, 19*P*, 1992
WALSH D.M.
BAXTER G.D., ALLEN J.M., WALSH D.M., BELL A.J. & RAVEY J. Localization of the effect of low energy laser irradiation upon conduction latencies in the human median nerve *in vivo*. **446**, 445*P*, 1992
WALSH E.G.
WALSH E.G. & WRIGHT G.W. Use of a biasing torque, high inertia mechanical filter, and automatic readout system for human ankle jerk measurements. **446**, 2*P*, 1992
WALSH E.G., DALVI U., LAMBERT C.M. & NUKI G. Resonance at the wrist in patients with rheumatoid arthritis. **452**, 106*P*, 1992
WALTER S.J.
HAIDER Z.J., BRANAGAN G.W., WALTER S.J. & SHIRLEY D.G. Effect of 1′ desamino-8-D-arginine vasopressin (dDAVP) on renal lithium reabsorption in anaesthetized Brattleboro rats. **446**, 368*P*, 1992
SHIRLEY D.G., WALTER S.J. & SAMPSON B. A micropuncture study of the effect of amiloride on segmental lithium reabsorption in anaesthetized rats. **452**, 79*P*, 1992

Walter S.J., Janssen J.-C., Sturmer H.L., Skinner J. & Shirley D.G. Renal tubular lithium reabsorption in anaesthetized, potassium-depleted rats. **452**, 135*P*, 1992

Wang M.W.

Whyte A., Cheng J.T., King I.S. & Wang M.W. Anti-progesterone antibodies specifically target the uterus in mice before implantation and up-regulate uterine progesterone receptors. **446**, 289*P*, 1992

Wang W.H.

Wang W.H. & Lovick T.A. Inhibitory actions of 5-hydroxytryptamine on rostral ventrolateral medullary neurones in anaesthetized rats. **446**, 259*P*, 1992

Wang W.H. & Lovick T.A. Role of medullary raphe nuclei in the inhibition of rostral ventrolateral medullary neurones evoked from the ventrolateral periaqueductal grey matter in anaesthetized rats. **446**, 521*P*, 1992

Wang Xuemin

Levi Allan J., Lee Chin O., Hancox Jules, Issberner Jon & Wang Xuemin A method for obtaining a high yield of healthy myocytes from the ventricle and atrioventricular node of isolated rabbit hearts. **452**, 157*P*, 1992

Wann K.T.

Wann K.T. & Richards C.D. Properties of a large conductance potassium channel in rat hippocampal neurones maintained in culture. **452**, 192*P*, 1992

Doyle A.J., Richards C.D. & Wann K.T. Potassium channels active at resting membrane potential in cultured rat striatal neurones. **452**, 299*P*, 1992

Ward B.J.

Leach L., Ward B.J., Schulze C. & Firth J.A. Endothelial cell–cell contacts in continuous mammalian capillaries: the tight junction. **452**, 66*P*, 1992

Ward D.G.

Ward D.G. & Cavieres J.D. High- and low-affinity ATP effects on solubilized $\alpha\beta$-protomers of pig kidney Na–K-ATPase. **446**, 586*P*, 1992

Ward Jane

Scholfield D.P. & Ward Jane Cardiovascular responses to normal micturition in man. **446**, 576*P*, 1992

Bickerstaff Maria & Ward Jane Comparison of skin blood flow in man measured by near infra-red laser Doppler flowmeter and by plethysmography. **446**, 579*P*, 1992

Ward Jeremy P.T.

Agrawal Bella, Leach Richard M., Cameron Ian R. & Ward Jeremy P.T. Acute hypoxic vasoconstriction in isolated pulmonary arteries of the rat is dependent on the endothelium. **446**, 490*P*, 1992

Collier Mei Lin, Twort Charles H.C. & Ward Jeremy P.T. Direct G protein activation of the Ca^{2+}-activated K^+ channel in isolated bovine airway smooth muscle. **446**, 596*P*, 1992

Ward J.P.T.

Warley A., Ward J.P.T. & Chopra L.C. Element concentrations in rabbit bronchial smooth muscle cells in culture measured using X-ray microanalysis. **446**, 251*P*, 1992

Warley A., Ward J.P.T. & Chopra L.C. Measurement of element concentrations in cultured rabbit bronchial smooth muscle cells of the rabbit using X-ray microanalysis. **446**, 473*P*, 1992

McGarrick J. & Ward J.P.T. Computer-aided learning resources at UMDS. **446**, 481*P*, 1992

Ward Martyn R.

Inglis Sarah K., Ward Martyn R. & Acevedo Mercedes Changes in the isolated basolateral potassium conductance induced by Acetylcholine (ACh) in isolated sheep tracheal epithelium. **452**, 144*P*, 1992

Ridge F.P. Gillian, Acevedo Mercedes, Olver Richard E. & Ward Martyn R. Transport of sodium into apical membrane vesicles prepared from sheep tracheal epithelium. **452**, 358*P*, 1992

Ward M.R.

Acevedo M., Olver R.E. & Ward M.R. Characteristics of tracheal epithelium isolated from fetal and adult sheep: apical and basolateral membrane conductances. **446**, 15*P*, 1992

Butcher P.A., Shaw A.M., Steele L.W., Ward M.R. & Olver R.E. Cyclic AMP-regulated Na^+ conductance in the apical membrane of fetal sheep alveolar type II cells. **446**, 16*P*, 1992

Ward S.A.

Whipp B.J., Ward S.A. & Wasserman K. The effect of work intensity on the proportional contribution of the peripheral chemoreceptors to the exercise hyperpnoea in humans. **446**, 577*P*, 1992

Wareham A.C.

Banks J. & Wareham A.C. Neuroscience practical instruction utilizing workstations. **452**, 76*P*, 1992

Agbenyega E.T. & Wareham A.C. Direct effects of the β_2-agonist clenbuterol on contractions of isolated mouse skeletal muscle. **452**, 141*P*, 1992

Agbenyega E.T. & Wareham A.C. Effect of clenbuterol on skeletal muscle atrophy in rats and mice induced by immobilization and by glucocorticoid treatment. **452**, 142*P*, 1992

Wareing M.

Wareing M. & Green R. Effect of changes in oxalate concentration on fluid reabsorption in the proximal convoluted tubule of the anaesthetized rat. **452**, 80*P*, 1992

WARHURST G.
BARBEZAT G.O., HIGGS N.B., TONGE A., TURNBERG L.A. & WARHURST G. Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992
FOGG K.E., HIGGS N.B., GRUNDY J. & WARHURST G. Involvement of calmodulin and PKC in regulation of Ca^{2+}-activated K^+ (Rb^+) efflux in human colonic cell line, HT29-19A. **452**, 343*P*, 1992
WARLEY A.
WARLEY A., WARD J.P.T. & CHOPRA L.C. Element concentrations in rabbit bronchial smooth muscle cells in culture measured using X-ray microanalysis. **446**, 251*P*, 1992
WARLEY A., WARD J.P.T. & CHOPRA L.C. Measurement of element concentrations in cultured rabbit bronchial smooth muscle cells of the rabbit using X-ray microanalysis. **446**, 473*P*, 1992
WASSERMAN K.
WHIPP B.J., WARD S.A. & WASSERMAN K. The effect of work intensity on the proportional contribution of the peripheral chemoreceptors to the exercise hyperpnoea in humans. **446**, 577*P*, 1992
WATANABE A.
WATANABE A. Reversal of the optical activity signal of nerve isolated from a walking leg of a spiny lobster. **446**, 189*P*, 1992
WATERHOUSE J.M.
MINORS D.S. & WATERHOUSE J.M. Assessing the endogenous component of circadian rhythms in humans. **452**, 120*P*, 1992
WATERMAN A.E.
CHAMBERS J.P., LIVINGSTON A., WATERMAN A.E. & GOODSHIP A.E. Chronic tendon injury in horses reduces their noxious pressure thresholds and response to analgesics. **452**, 205*P*, 1992
WATKINS J.C.
BIRSE E.F., MEWETT K.N., POOK P.C.-K., TYRELL K., UDVARHELYI P.M., WHARTON B. & WATKINS J.C. Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and polysynaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992
WATKINSON A.
DIMALINE R., SANDVIK A.K., WATKINSON A. & DOCKRAY G.J. Control of chromogranin A biosynthesis in rat gastric corpus. **452**, 332*P*, 1992
WATSON M.J.
WATSON M.J., MOSS V.A. & HOLMES O. Three-dimensional reconstruction of lesions in the rat brain. **452**, 2*P*, 1992
WATT P.W.
HUNDAL H.S. & WATT P.W. Taurine uptake in perfused rat skeletal muscle is mediated by a low capacity, high affinity transport system *in vitro*. **446**, 12*P*, 1992
WATT P.W., BAIRD T., WOOD N.J. & HARPER A.A. The effect of temperature acclimation on cardiac pacemaker activity of the carp (*Cyprinus carpio*) heart measured *in vitro*. **446**, 49*P*, 1992
WATTS C.
WATTS C., EYRE J.A., KELLY S. & RAMESH V. Development of the pincer grasp and its relationship to the development of adult corticospinal delays in man. **452**, 273*P*, 1992
WAYNE M.
MCAULIFFE S.J.G., SNOW H.M., MOORS J., JESSUP R., WAYNE M. & NOBLE M.I.M. Inhibition of arachidonic acid metabolism by aspirin can promote thrombus formation in a stenosed coronary artery of the anaesthetized dog. **446**, 413*P*, 1992
WEBB A.C.
BRADLEY P.M., BURNS B. Delisle, KING T.M. & WEBB A.C. Intracellular recordings made *in vitro* from an area of the avian forebrain which is known to be essential for early learning. **452**, 294*P*, 1992
BRADLEY P.M., BURNS B. Delisle, KING T.M. & WEBB A.C. Age and NMDA receptor activity in the IMHV of the chick brain slice. **452**, 295*P*, 1992
WEBB D.J.
WEBB D.J. A pH-sensitive K^+ conductance in the egg membrane of the teleost fish *Oryzias latipes* disappears after fertilization. **446**, 126*P*, 1992
WEBBER S.
WELLS U.M., YURDAKOS E., KITANO S. & WEBBER S. Bradykinin-induced increases in albumin output and lysozyme secretion are reduced by indomethacin in the ferret trachea *in vivo*. **446**, 116*P*, 1992
WEDDERBURN J.F.S.
SILLAR K.T., WOOLSTON A.-M. & WEDDERBURN J.F.S. Development and role of serotonergic innervation to the spinal cord in hatchling *Rana temporaria* and *Xenopus laevis* tadpoles. **446**, 323*P*, 1992
WEISINGER R.S.
BICKNELL R.J., OLDFIELD B.J., MCALLEN R.M., WEISINGER R.S. & MCKINLEY M.J. Fos immunoreactivity is induced in cells throughout the lamina terminalis following intravenous hypertonic saline infusions in rats. **446**, 80*P*, 1992

WEISSBERG P.L.
GRACE A.A., KIRSCHENLOHR H.L., SMITH G.A., METCALFE J.C., WEISSBERG P.L. & VANDENBERG J.I. HCO_3^--dependence of recovery from intracellular acidosis in the perfused ferret heart during $Na^+ - H^+$ antiport inhibition. **446**, 141*P*, 1992
WELLER R.O.
WELLER R.O., ZHANG E.T. & KIDA S. Anatomical pathways for lymphatic drainage of interstitial and cerebrospinal fluid from the rat brain. **446**, 505*P*, 1992
WELLS T.
CARLSSON L.M.S., CARMIGNAC D.F., CLARK R.G., ROBINSON I.C.A.F. & WELLS T. Growth hormone (GH) binding protein in the normal and GH-deficient dwarf rat. **452**, 216*P*, 1992
WELLS U.M.
WELLS U.M., YURDAKOS E., KITANO S. & WEBBER S. Bradykinin-induced increases in albumin output and lysozyme secretion are reduced by indomethacin in the ferret trachea *in vivo*. **446**, 116*P*, 1992
WERHAHN K.
ATCHISON P., CAVINESS J., WERHAHN K., ROTHWELL J.C., DAY B.L. & THOMPSON P.D. Magnetic stimulation over the motor cortex in man delays the onset of EMG activity more when a muscle acts as a prime mover than when used as a postural fixator. **452**, 275*P*, 1992
WESSLER I.
BRUNN G., LANGER C., BÄHRING J., WESSLER I. & RACKÉ K. Epithelium-derived prostanoids inhibit the release of endogenous noradrenaline from rat isolated trachea. **446**, 115*P*, 1992
WEST David C.
THOMSON Alex M., WEST David C. & DEUCHARS Jim Excitatory connections from pyramids to interneurones studied using double intracellular recordings in slices of rat neocortex. **452**, 198*P*, 1992
WESTERHOF N.
GATTULLO Donatella, LINDEN R.J., LOSANO G., PAGLIARO P., VONO P. & WESTERHOF N. The effects of left ventricular diastolic pressure and volume on diastolic coronary flow in the isovolumically beating heart in the anaesthetized dog. **452**, 222*P*, 1992
WESTON A.H.
MORITA T., EDWARDS G., ANDERSSON P., GREENGRASS P., IBOTTSON T., NEWGREEN D.T., WESTON A.H. & WYLLIE M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992
CRIDDLE D.N., GREENWOOD I.A. & WESTON A.H. Comparison of the effects of BRL 38227 and nifedipine on intracellular calcium levels in isolated mesenteric resistance vessels of the rat. **452**, 129*P*, 1992
WHARTON B.
BIRSE E.F., MEWETT K.N., POOK P.C.-K., TYRELL K., UDVARHELYI P.M., WHARTON B. & WATKINS J.C. Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and polysynaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992
WHEATLEY A.M.
ZHAO D., ZIMMERMANN A. & WHEATLEY A.M. Morphometry of the liver after orthotopic liver transplantation in the rat: significance of an intact arterial supply. **452**, 364*P*, 1992
WHELAN H.A.
WHELAN H.A. & MCCROHAN C.R. Effect of sensory stimuli on synaptic input to an identified interneurone and on feeding behaviour in *Lymnaea stagnalis*. **446**, 159*P*, 1992
WHIPP B.J.
WHIPP B.J., WARD S.A. & WASSERMAN K. The effect of work intensity on the proportional contribution of the peripheral chemoreceptors to the exercise hyperpnoea in humans. **446**, 577*P*, 1992
WHITAKER Elaine M.
NIMMO A.J., CARSTAIRS Jill R., WHITAKER Elaine M. & MORRISON J.F.B. A possible explanation for the difference between the apparent affinity of agonists for their receptors and the concentrations at which they activate those receptors; studied in tissue sections from the rat heart. **446**, 180*P*, 1992
WHITE E.
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Simultaneous measurement of tension, intracellular calcium ($[Ca]_i$) and membrane potential in stretched, single guinea-pig ventricular myocytes. **446**, 75*P*, 1992
LE GUENNEC J.-Y., WHITE E., GANNIER F. & GARNIER D. Some effects of stretch in single guinea-pig ventricular myocytes. **446**, 238*P*, 1992
WHITE M.J.
CARRINGTON C.A. & WHITE M.J. The pressor response to isometric exercise of the elbow flexors in young and elderly men. **446**, 212*P*, 1992
WHITE M.J. & MCCONNELL A.K. Short term voluntary hyperventilation and ischaemic human muscle fatigue. **452**, 279*P*, 1992
WHITE Stanley
REEVE Helen & WHITE Stanley Aldosterone inhibits expression of peanut agglutinin (PNA) binding sites in rabbit renal cortical collecting duct primary cultures. **446**, 369*P*, 1992

White Stanley Growth conditions and electrical properties of primary cultures of rabbit renal cortical collecting duct (CCD). **446**, 406*P*, 1992

Whitehurst A.

Sutters M., Hatfield E., Brace C., Whitehurst A., Lightman S. & Peart W. Water and sodium homeostasis during dietary sodium restriction in patients with cranial diabetes insipidus. **446**, 452*P*, 1992

Whiteley N.M.

Whiteley N.M. Seasonal regulation of haemolymph acid–base balance in the freshwater crayfish, *Austropotamobius pallipes*. **446**, 191*P*, 1992

Whittington M.A.

Whittington M.A., Little H.J. & Lambert J.D.C. Withdrawal from *in vivo* chronic ethanol treatment increases APV-sensitive transmission in isolated mouse hippocampal slices. **452**, 201*P*, 1992

Whyte A.

Whyte A., Cheng J.T., King I.S. & Wang M.W. Anti-progesterone antibodies specifically target the uterus in mice before implantation and up-regulate uterine progesterone receptors. **446**, 289*P*, 1992

Widdas W.F.

Widdas W.F. & Baker G.F. The action of maltose on glucose exits in human erythrocytes in the presence of high concentrations of methanol. **446**, 174*P*, 1992

Baker G.F. & Widdas W.F. The effect of methanol on the cytochalasin B inhibition of glucose exits in human erythrocytes. **446**, 589*P*, 1992

Baker G.F. & Widdas W.F. The effect of quinidine on the inhibition of glucose exits in human erythrocytes and on the optical responses in the absence of glucose. **452**, 329*P*, 1992

Wiese U.H.

Wiese U.H. & Emson P.C. Expression of growth-associated protein (GAP-43) mRNA in adult normal and axotomized rat lumbar primary sensory neurons. **446**, 305*P*, 1992

Wilkin G.P.

Averill S., Curtis R., Wilkin G.P. & Priestley J.V. Ultrastructural localization of GAP-43 immunoreactive terminals in the adult rat spinal cord. **446**, 600*P*, 1992

Wilkins R.J.

Wilkins R.J., Hall A.C. & Urban J.P.G. Some factors involved in the control of intracellular pH in chondrocytes isolated from bovine articular cartilage. **446**, 361*P*, 1992

Wilkinson R.

Sturgiss S.N., Wilkinson R. & Davison J.M. Renal Haemodynamic Reserve (RHR) during normal human pregnancy. **452**, 317*P*, 1992

Willhoft N.M.

Willhoft N.M. & Rennie M.J. Characteristics of L-glutamine efflux from incubated rat soleus muscle. **446**, 10*P*, 1992

Williams A.J.

Tinker A., Lindsay A.R.G. & Williams A.J. A model for ionic conduction in the sheep cardiac ryanodine receptor-channel. **446**, 333*P*, 1992

Sitsapesan R. & Williams A.J. Gating of the Ca^{2+}-release channel of isolated sheep cardiac sarcoplasmic reticulum in symmetrical caesium: effects of changes in cytosolic and luminal [Ca^{2+}]. **446**, 552*P*, 1992

Williams Alan J.

McGarry Stephen J. & Williams Alan J. Adenosine activates the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel. **446**, 597*P*, 1992

Williams C.

Greenhaff P.L., Nevill M.E., Soderlund K., Boobis L., Williams C. & Hultman E. Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992

Williams J.H.

Brickley S.G., Grant S. & Williams J.H. The frog optic tectum *in vitro*: differential effects of the NMDA receptor antagonist DL-2-amino-5-phosphonovaleric acid (APV) on postsynaptic potentials. **452**, 36*P*, 1992

Williams Norman

Scott Mark, Pilot Marie-Anne & Williams Norman Gut giant contractions and associated defaecation in ambulant dogs. **452**, 340*P*, 1992

Williams P.E.

Williams P.E., Simpson A.H.R.W., Kyberd P., Kenwright J. & Goldspink G. Physiological and structural changes in the rabbit anterior tibialis muscle following surgical limb-lengthening. **446**, 571*P*, 1992

Williams S.R.

van Bruggen N., Cullen B.M., King M.D., Gadian D.G., Williams S.R. & Cremer J.E. The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992

WILLUMSEN Niels J.
WILLUMSEN Niels J., VESTERGAARD Lars O. & LARSEN E. Hviid Evidence of β-agonist and cAMP-stimulated chloride conductance in toad skin epithelium being localized to the mitochondria-rich cells. **446**, 108*P*, 1992

WILSON R.
WILSON R. & EGGINTON S. Cardiovascular responses in rainbow trout (*Oncorhynchus mykiss*) to aerobic exercise. **446**, 192*P*, 1992

WILSON S.M.
WILSON S.M., PEDIANI J.D., ELDER H.Y. & MCEWAN JENKINSON D. Voltage-evoked currents in cultured equine sweat gland cells. **446**, 433*P*, 1992
WILSON S.M., LEE C.M., SMITH G.L., PEDIANI J.D., BROWN U.M.O. & ELDER H.Y. Second messenger signals in cultured, human sweat gland epithelia. **452**, 230*P*, 1992

WILSON W.
WILSON W., MAUGHAN R.J. & DAVIDSON I. The effect of diet and exercise on plasma amino acid concentrations in man. **452**, 118*P*, 1992

WINDLE R.J.
SINNATHAMBY Wendy, WINDLE R.J., ZHOU Yan & FORSLING Mary L. The renal responsiveness to exogenous vasopressin on different days of the oestrous cycle in the conscious rat. **446**, 587*P*, 1992
WINDLE R.J., JUDAH Jeanette M. & FORSLING Mary L. The effect of altered sodium intake on neurohypophysial function in the rat. **452**, 35*P*, 1992
FORSLING Mary L., ZHOU Yan & WINDLE R.J. The effect of ovariectomy and oestrogen replacement on the renal actions of vasopressin in the rat. **452**, 318*P*, 1992

WINLOVE C.P.
MCAINSH A.M., O'HARE D., SHERIDAN D.J. & WINLOVE C.P. Continuous measurement of oxygen tension in the isolated guinea-pig heart using a purpose designed oxygen electrode. **452**, 126*P*, 1992

WINLOVE P.
ERTAN N.Z., RAMPLING M.W., WINLOVE P., GRIBBON P., DENISON D. & BOXALL C. The effect of trypsin treatment on dextran-induced erythrocyte aggregation. **452**, 314*P*, 1992

WINLOW W.
PARK J.H. & WINLOW W. A method for monitoring movements without mechanical contact. **446**, 77*P*, 1992
HETHERINGTON M.S., MCKENZIE J.D. & WINLOW W. Seasonal variability in brain dopamine and serotonin levels in *Lymnaea stagnalis*? **446**, 160*P*, 1992

WINPENNY J.P.
WINPENNY J.P., ELLIOTT J.R. & HARPER A.A. Effects of n-hexane on the transient potassium current (I_A) in isolated *Helix* neurones. **452**, 46*P*, 1992

WINSLOW R.
WINSLOW R., VARGHESE A., NOBLE D., DENYER J.C. & KIMBALL A. Modelling large SA node–atrial cell networks on a massively parallel computer. **446**, 242*P*, 1992

WISDOM D.
WISDOM D., SINGH J., SALIDO G.M., PARIENTE J.A., LENNARD R. & CAMELLO P.J. Effects of nerve stimulation and secretin on exocrine pancreatic secretion in the rat *in vivo* and *in vitro* **452**, 100*P*, 1992
WISDOM D., FRANCIS L.P., SINGH J., SALIDO G.M. & CAMELLO P.J. Effects of phorbol ester on vagal stimulation and secretagogue-evoked secretory responses in the rat pancreas. **452**, 334*P*, 1992

WOLEDGE R.C.
BRUCE S.A., PHILLIPS S.K. & WOLEDGE R.C. Strength and cross-sectional area of adductor pollicis muscle in men and women. **446**, 266*P*, 1992
PHILLIPS S.K., BRUCE S.A., WOLEDGE R.C. & SIDDLE N. Force and cross-sectional area of adductor pollicis muscle in post-menopausal women, with and without hormone replacement therapy. **446**, 364*P*, 1992
ROOK K.M., PHILLIPS S.K., BRUCE S.A. & WOLEDGE R.C. The effects of ageing on muscle strength in men and women. **452**, 25*P*, 1992

WOLFF C.B.
WOLFF C.B. & PADDON A.J. Improved assessment of CO_2 analyser transport delays. **446**, 122*P*, 1992

WOLOWYK Michael W.
LO Anthony W.-I., HARVEY Catherine M., WOLOWYK Michael W. & YOUNG James D. Characterization of L-proline transport in erythrocytes of a primitive vertebrate, the Pacific hagfish (*Eptatretus stouti*) **446**, 176*P*, 1992

WONG P.Y.D.
WONG P.Y.D., HUANG S.J., LEUNG A.Y.H., FU W.O., CHUNG Y.W. & CHAN P.S.F. Human epididymal cells respond to adrenaline by increase in short-circuit current and whole-cell chloride current. **446**, 93*P*, 1992
LEUNG A.Y.H. & WONG P.Y.D. A method for studying apical anion conductance in cultured rat epididymal cells using the short-circuit current technique. **446**, 94*P*, 1992

Woo L.
Atherton J.C., Hargreaves P., Hartshorn J., Priest R. & Woo L. Renal handling of magnesium in man: effects of acid/base balance, bumetanide and acetazolamide. **452**, 132*P*, 1992

Wood B.
Seo Y., Wood B., Murakami M. & Steward M.C. Double-quantum filter nuclear magnetic resonance imaging of sodium-23. **446**, 392*P*, 1992

Wood J.A.
Lote C.J., Saunders H., Wood J.A. & Spencer A.J. Relationship between urinary aluminium and calcium excretion in the rat. **452**, 84*P*, 1992

Wood N.J.
Watt P.W., Baird T., Wood N.J. & Harper A.A. The effect of temperature acclimation on cardiac pacemaker activity of the carp (*Cyprinus carpio*) heart measured *in vitro*. **446**, 49*P*, 1992

Wooding D.S.
Bronstein A., Ruddock K.H. & Wooding D.S. Spatial vision during motion in the absence of vestibular functions in man. **452**, 40*P*, 1992

Wooding F.B.P.
Wu J.C.Y., Smith M.W. & Wooding F.B.P. Quantitative immunogold cytochemical determination of chick enterocyte calbindin concentrations. **446**, 61*P*, 1992

Woodward S.K.A.
Nicholls J.G., Ritchie J.M., Treherne J.M., Varga Z.M. & Woodward S.K.A. Recovery of transmission after injury to the spinal cord of neonatal opossum, *Monodelphis domestica*, in explant culture. **446**, 254*P*, 1992

Woolf C.J.
Nagy I., Urban L. & Woolf C.J. Membrane and morphological properties of C cells in rat dorsal root ganglia studied *in vitro*. **452**, 202*P*, 1992

Woolfson R.G.
Graves J., Woolfson R.G. & Poston L. Effects of the toad bufodienolide, bufalin (BU), on contraction and relaxation of isolated human resistance arteries. **446**, 494*P*, 1992

Woolston A.-M.
Sillar K.T., Woolston A.-M. & Wedderburn J.F.S. Development and role of serotonergic innervation to the spinal cord in hatchling *Rana temporaria* and *Xenopus laevis* tadpoles. **446**, 323*P*, 1992

Wooltorton J.R.A.
Shelton C.J., Doyle M.G., Gibson E.C.D., Inman N., Price D.J., Wooltorton J.R.A., Zhao D.M., Daniels S. & Smith E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992

Wooton P.
Davison J.S. & Wooton P. Effect of intracerebroventricular injection of thyrotropin releasing hormone on gastric and duodenal motility in the urethane-anaesthetized rat. **446**, 194*P*, 1992

Worfolk R.
Worfolk R. & Barnes G.R. Ocular pursuit over a structured background in subjects with Parkinson's Disease and cerebellar lesions. **452**, 270*P*, 1992

Wray J.
Green G.G.R., Melrose R., Wray J. & Sanders D.J. Computer based data collection system for practical class teaching. **452**, 262*P*, 1992

Wray S.
Heaton R.C., Wray S. & Eisner D.A. Cyanide increases ^{86}Rb efflux from isolated non-pregnant rat uterus. **446**, 487*P*, 1992

Wray Susan
Heaton Richard C. & Wray Susan Intracellular alkalinization increases contraction in isolated rat uterus. **446**, 50*P*, 1992
Austin Clare & Wray Susan Simultaneous measurement of intracellular pH (pH_i) and contraction of isolated rat arteries. **446**, 418*P*, 1992
Phoenix Joanne & Wray Susan An investigation of factors affecting force production in isolated human uterine strips. **446**, 485*P*, 1992
Taggart Michael & Wray Susan The relation between intracellular pH (pH_i) and force in isolated rat uterus: simultaneous measurements of pH_i and force. **452**, 232*P*, 1992
Austin Clare & Wray Susan Fast changes in intracellular pH (pH_i) following alteration of external pH (pH_e) in isolated vascular smooth muscle cells from rat mesenteric arteries. **452**, 307*P*, 1992

Wright Ellen
Wright Ellen & McMahon Stephen The inhibition of itch by noxious, but not innocuous, sensory counterstimulation in man. **446**, 480*P*, 1992

Wright E.M.
Shirazi-Beechey S.P., Lescale-Matys L., Dyer J., Freeman T.C., Scott D. & Wright E.M. Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992

WRIGHT G.W.
WALSH E.G. & WRIGHT G.W. Use of a biasing torque, high inertia mechanical filter, and automatic readout system for human ankle jerk measurements. **446**, 2*P*, 1992
WRIGHT M.J.
GURNEY K.N. & WRIGHT M.J. Representing image velocity in a self-organized artificial neural network. **452**, 287*P*, 1992
WU J.C.Y.
WU J.C.Y., SMITH M.W. & WOODING F.B.P. Quantitative immunogold cytochemical determination of chick enterocyte calbindin concentrations. **446**, 61*P*, 1992
WYATT C.N.
WYATT C.N. & PEERS C. Inhibition of Ca^{2+}-activated K^+ currents in isolated type I cells of the neonatal rat carotid body by *p*-chloromercuribenzenesulfonic acid. **452**, 313*P*, 1992
WYLLIE David J.A.
WYLLIE David J.A., TRAYNELIS Stephen F. & CULL-CANDY Stuart G. Multiple non-NMDA glutamate receptors in rat cerebellar granule neurones in explant culture. **446**, 178*P*, 1992
WYLLIE David J.A. & CULL-CANDY Stuart G. Calcium permeability of glutamate receptor channels in rat cerebellar granule cells and type-2 astrocytes in explant culture. **446**, 598*P*, 1992
WYLLIE M.G.
MORITA T., EDWARDS G., ANDERSSON P., GREENGRASS P., IBOTTSON T., NEWGREEN D.T., WESTON A.H. & WYLLIE M.G. Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992
YACOUB M.
DAHM P., BODELSSON M., TORNEBRANDT K., MUDDLE J.R., SYKES R.M., YACOUB M. & DASHWOOD M.R. [^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992
YAMADA K.
YAMADA K., EMOTO Y., HORIUTI K. & TAWADA K. Tension transient upon flash photolysis of caged ATP in covalently cross-linked muscle fibres isolated from rabbit psoas. **446**, 264*P*, 1992
YAMADA M.
YAMADA M., DJAMGOZ M.B.A., LOW J.C., FURUKAWA T. & YASUI S. Dynamic characteristics of multiple cone synaptic input to H1 horizontal cells in carp retina *in vitro*. **446**, 375*P*, 1992
YASUI S., FURUKAWA T., YAMADA M. & SAITO T. S/N-dependent modulation of centre–surround opponent receptive fields: similarities in real and artificial neural networks. **446**, 376*P*, 1992
DJAMGOZ M.B.A., LOW J.C., SAITO T. & YAMADA M. Voltage- and current-clamp recordings of light-evoked transient amacrine cell responses in isolated retinae of carp. **452**, 52*P*, 1992
YAMAGISHI S.
YAMAGISHI S., KUKITA F. & FURUYA K. Regulatory effects of intracellularly applied calcium and magnesium ions on ion channel activities in the giant axon of the squid *Doryteuthis bleekeri* giant axon. **446**, 168*P*, 1992
YAMAMOTO S.
YAMASHITA H., YAMAMOTO S. & INENAGA K. Effects of endothelin (ET) on neurones in the anteroventral third ventricle region and supra-optic nucleus of rat hypothalamic slice preparations. **446**, 83*P*, 1992
YAMAMOTO Y.
DE SILVA R., YAMAMOTO Y., RHODES C.G., IIDA H., MASERI A. & JONES T. Non-invasive quantification of regional myocardial oxygen consumption in anaesthetized greyhounds. **446**, 219*P*, 1992
YAMAOKA K.
YAMAOKA K. & SEYAMA I. Ca-dependent potentiation of Ca current studied with Indo-1 in frog ventricular cells. **446**, 331*P*, 1992
YAMASHITA H.
YAMASHITA H., YAMAMOTO S. & INENAGA K. Effects of endothelin (ET) on neurones in the anteroventral third ventricle region and supra-optic nucleus of rat hypothalamic slice preparations. **446**, 83*P*, 1992
INENAGA K. & YAMASHITA H. Electrophysiological properties of neurones in the subfornical organ of rat slice preparation. **446**, 383*P*, 1992
YANG E.K.
LEE W.J., YANG E.K., PARK J.S., PARK Y.Y. & AHN D.K. Acute and chronic effects of potassium on aldosterone release in rats fed with different amounts of sodium. **446**, 88*P*, 1992
YANG H.M.
YANG H.M., LOHMEIER T.E., KIVLIGHN S.D., MIN Y.K. & SHIM D.W. The role of angiotensin II in mediating the renal actions of noradrenaline. **446**, 89*P*, 1992
YASIN Sharifah
YASIN Sharifah, COSTA A., HUCKS D., GROSSMAN A. & FORSLING Mary L. The effect of melatonin on vasopressin release from the rat hypothalamus *in vitro*. **446**, 513*P*, 1992
YASIN Sharifah, FORSLING Mary L., COSTA A., SUGDEN D. & GROSSMAN A. Modulation by melatonin analogues of neurohypophysial hormone release from the rat hypothalamus *in vitro*. **452**, 296*P*, 1992

YASUI S.
YAMADA M., DJAMGOZ M.B.A., LOW J.C., FURUKAWA T. & YASUI S. Dynamic characteristics of multiple cone synaptic input to H1 horizontal cells in carp retina *in vitro*. **446**, 375*P*, 1992
YASUI S., FURUKAWA T., YAMADA M. & SAITO T. S/N-dependent modulation of centre–surround opponent receptive fields: similarities in real and artificial neural networks. **446**, 376*P*, 1992
YAU J.L.W.
YAU J.L.W., DOW R.C., FINK G. & SECKL J.R. Medial septal lesions increase glucocorticoid receptor messenger RNA expression in the rat hippocampus *in vivo*. **446**, 280*P*, 1992
YEATS J.C.
YEATS J.C., DOCHERTY R.J. & BEVAN S. Calcium-dependent and independent desensitization of capsaicin-evoked responses in voltage-clamped adult rat dorsal root ganglion (DRG) neurones in culture. **446**, 390*P*, 1992
YEMM R.
MATTHEWS B., CADDEN S.W. & YEMM R. Model of an interference electromyogram containing an inhibitory reflex. **446**, 19*P*, 1992
YEOMAN M.
YEOMAN M. & BENJAMIN P.R. Acetylcholine is the putative transmitter of the slow oscillator modulatory interneurone in the snail feeding system. **446**, 161*P*, 1992
YEUM C.H.
LEE J., YEUM C.H. & KOH C.S. Both nifedipine and Bay K 8644 potentiate the atrial natriuretic peptide release in response to volume expansion in anaesthetized rats. **446**, 273*P*, 1992
YODOZAWA S.
YODOZAWA S. & ELLIOTT A.C. ACh-evoked $[Ca^{2+}]_i$ signals are augmented in isolated rat lacrimal acinar cells bathed in Na^+-free medium. **452**, 347*P*, 1992
YOKOTA Toshikatsu
PAMPLIN Philip James, HORIE Hajime, KOYAMA Natsu & YOKOTA Toshikatsu Inhibition of nociceptive neurons in the nucleus ventralis posterolateralis following conditioning stimulation of either the nucleus raphe magnus or the periaqueductal grey of the anaesthetized cat. Evidence for an ascending inhibitory pathway. **446**, 237*P*, 1992
YOSHIDA A.
ONO K., TAREEN F.M., YOSHIDA A., NOMA A. & TRAUTWEIN W. Cyclic GMP potentiates β-adrenergic activation of Cl^- currents in guinea-pig ventricular cells. **446**, 151*P*, 1992
YOSHIDA H.
SOHMA Y., YOSHIDA H. & IMAI Y. Linear impedance of isolated frog skin measured over a wide frequency range. **452**, 353*P*, 1992
YOSHIDA Hideyo
IMAI Yusuke, MIYAMOTO Manabu, NAKAHARI Takashi, YOSHIDA Hideyo & SOHMA Yoshiro Network simulation of epithelial transport. **446**, 99*P*, 1992
SOHMA Yoshiro, YOSHIDA Hideyo & IMAI Yusuke Effect of ionic fluxes on the non-linear impedance of isolated frog skin. **446**, 346*P*, 1992
YOUNG A.
ROLFE Vivien, LEVIN R.J. & YOUNG A. Electrogenic secretion in rat intestine *in vitro* activated by *E. coli* Sta is not mediated by local release of 5-hydroxytryptamine. **446**, 107*P*, 1992
PRZYBORSKI S.A., LEVIN R.J. & YOUNG A. McN-A-343 has an antagonistic action at cholinergic receptors on rat jejunal and ileal enterocytes. **452**, 53*P*, 1992
PRZYBORSKI S.A., LEVIN R.J. & YOUNG A. Acetylcholine activates electrogenic secretion in rat jejunum and ileum *in vitro* by M3 muscarinic receptors. **452**, 363*P*, 1992
YOUNG James D.
HARVEY Catherine M., FINCHAM Daron A. & YOUNG James D. Inhibition of the y^+ amino acid transporter in human red cells by Na^+ and harmaline. **446**, 8*P*, 1992
LO Anthony W.-I., HARVEY Catherine M., WOLOWYK Michael W. & YOUNG James D. Characterization of L-proline transport in erythrocytes of a primitive vertebrate, the Pacific hagfish (*Eptatretus stouti*) **446**, 176*P*, 1992
YOUNG J.D.
SOHMA A., YOUNG J.D. & SYKES M.K. Respiratory transfer impedance in anaesthetized rabbits. **446**, 359*P*, 1992
BARROS L.F., BEAUMONT N., JARVIS S.M., YOUNG J.D., HENDERSON P.J.F., YUDILEVICH D.L., THRASIVOULOU C. & BALDWIN S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992
YUDILEVICH D.L.
BARROS L.F., BALDWIN S.A., JARVIS S.M., COWEN T., THRASIVOULOU C., BEAUMONT N. & YUDILEVICH D.L. In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992

Barros L.F., Beaumont N., Jarvis S.M., Young J.D., Henderson P.J.F., Yudilevich D.L., Thrasivoulou C. & Baldwin S.A. Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992

Yurdakos E.

Wells U.M., Yurdakos E., Kitano S. & Webber S. Bradykinin-induced increases in albumin output and lysozyme secretion are reduced by indomethacin in the ferret trachea *in vivo*. **446**, 116*P*, 1992

Zaidi M.

Gill J.S., Shankar V.S., Bax C.M.R., Lu F., Moonga B.S., Zaidi M. & Camm A.J. The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992

Zar M.A.

Pickard R.S., Powell P.H. & Zar M.A. Inhibition of nerve-evoked relaxation in human cavernosal smooth muscle by Methylene Blue: additional evidence for mediation by nitric oxide. **446**, 250*P*, 1992

Pickard R.S., Powell P.H. & Zar M.A. Evidence against vasoactive intestinal polypeptide as the inhibitory neuro-transmitter in human cavernosal tissue. **446**, 495*P*, 1992

Posangi J., Harris J.B., Zar M.A. & Mead S.H. Depletion of neurotransmitters in the autonomic nervous system by Palytoxin. **452**, 301*P*, 1992

Pickard R.S., Powell P.H., Zar M.A., Bredt D.S. & Snyder S.H. Lack of brain nitric oxide synthase in human cavernosal tissue. **452**, 303*P*, 1992

Zhang E.T.

Weller R.O., Zhang E.T. & Kida S. Anatomical pathways for lymphatic drainage of interstitial and cerebrospinal fluid from the rat brain. **446**, 505*P*, 1992

Zhang Jin Jun

Zhang Jin Jun & Jacob T.J.C. Transepithelial potential and resistance of the isolated rabbit and bovine lens epithelia. **452**, 58*P*, 1992

Zhao D.

Zhao D., Zimmermann A. & Wheatley A.M. Morphometry of the liver after orthotopic liver transplantation in the rat: significance of an intact arterial supply. **452**, 364*P*, 1992

Zhao D.M.

Shelton C.J., Doyle M.G., Gibson E.C.D., Inman N., Price D.J., Wooltorton J.R.A., Zhao D.M., Daniels S. & Smith E.B. Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992

Zhou Yan

Sinnathamby Wendy, Windle R.J., Zhou Yan & Forsling Mary L. The renal responsiveness to exogenous vasopressin on different days of the oestrous cycle in the conscious rat. **446**, 587*P*, 1992

Forsling Mary L., Zhou Yan & Windle R.J. The effect of ovariectomy and oestrogen replacement on the renal actions of vasopressin in the rat. **452**, 318*P*, 1992

Zieglgänsberger W.

Deisz R.A., Billard J.M. & Zieglgänsberger W. Evidence for two types of $GABA_B$ receptors located pre- and postsynaptically in the rat neocortical slice *in vitro*. **446**, 514*P*, 1992

Zimmermann A.

Zhao D., Zimmermann A. & Wheatley A.M. Morphometry of the liver after orthotopic liver transplantation in the rat: significance of an intact arterial supply. **452**, 364*P*, 1992

Ziogas James

Evans Richard J., Ziogas James & Cunnane Thomas C. Modulation of nerve activity recorded extracellularly from the surface of rat mesenteric arteries *in vivo* by α-adrenoceptor agonists. **446**, 595*P*, 1992

Zorec R.

Zorec R., Hoyland J., Relf G., Bunting R. & Mason W.T. Dynamic four-wavelength video imaging of intracellular pH and calcium homeostasis in cultured bovine lactotrophs. **446**, 64*P*, 1992

Lledo P.-M., Zorec R., Vernier P. & Mason W.T. Anti-sense oligonucleotides injected with patch clamp techniques reveal involvement of a small GTP-binding protein in the control of exocytosis in rat anterior pituitary cells. **452**, 298*P*, 1992

Zuo Z.

Brown J. & Zuo Z. Rat kidney expresses GC-A, not GC-B receptors for natriuretic peptides. **446**, 90*P*, 1992

Brown J. & Zuo Z. In vitro receptor binding of C-type natriuretic peptide ($CNP_{(1-22)}$) in rat brain. **446**, 440*P*, 1992

Brown J. & Zuo Z. Natriuretic peptide receptors and the growth of fetal brain. **452**, 89*P*, 1992

Brown J. & Zuo Z. Cyclic guanosine monophosphate (cGMP) production stimulated in isolated rat glomeruli by natriuretic peptides. **452**, 92*P*, 1992

SUBJECT INDEX

A-current

Unitary A-currents of rat locus coeruleus neurones grown in cell culture: rectification caused by internal Mg^{2+} and Na^{+}. **451**, 553, 1992

Acetylcholine

The role of acetylcholinesterase in denervation supersensitivity in the frog cardiac ganglion. **445**, 249, 1992

Acetylcholine is the putative transmitter of the slow oscillator modulatory interneurone in the snail feeding system. **446**, 161*P*, 1992

Inhibition of ACh-currents by human plasma in a whole-cell voltage-clamped human muscle cell line. **446**, 267*P*, 1992

Acetylcholine and kinin augmentation of Cl^{-} secretion stimulated by prostaglandin in a canine renal epithelial cell line. **447**, 1, 1992

The inositol 1,4,5-trisphosphate pathway mediates cholinergic potentiation of rat hippocampal neuronal responses to NMDA. **447**, 513, 1992

Cholinergic activation of a non-selective cation current in canine gastric smooth muscle is associated with contraction. **449**, 377, 1992

Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992

Activation and desensitization of embryonic-like receptor channels in mouse muscle by acetylcholine concentration steps. **451**, 145, 1992

Caffeine inhibition of ACh nicotinic currents in the human skeletal muscle (TE671) cell line not mediated by cyclic AMP/Ca_i^{2+}. **452**, 193*P*, 1992

The effects of acetylcholine on rhythmically active spinal neurones in *Xenopus* embryos. **452**, 234*P*, 1992

The peptide CGRP increases a high-threshold Ca^{2+} current in rat nodose neurones via a pertussis toxin-sensitive pathway. **455**, 367, 1992

Effects of tetrodotoxin, Ca^{2+} absence, *d*-tubocurarine and vesamicol on spontaneous acetylcholine release from rat muscle. **458**, 1, 1992

Acetylcholine receptor

Neuronal nicotinic acetylcholine receptor currents in phaeochromocytoma (PC12) cells: dual mechanisms of rectification. **447**, 467, 1992

Neural regulation of acetylcholine receptors in rat neonatal muscle. **449**, 479, 1992

Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992

A study of the bovine adrenal chromaffin nicotinic receptor using patch clamp and concentration-jump techniques. **454**, 129, 1992

Inward rectification of acetylcholine-elicited currents in rat phaeochromocytoma cells. **457**, 143, 1992

Acid–base balance

Seasonal regulation of haemolymph acid–base balance in the freshwater crayfish, *Austropotamobius pallipes*. **446**, 191*P*, 1992

Action potential

Impulses and resting membrane properties of small cultured rat hippocampal neurons. **445**, 129, 1992

Computed potential responses of small cultured rat hippocampal neurons. **445**, 157, 1992

Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992

The effects of ventricular end-diastolic and systolic pressures on action potential and duration in anaesthetized dogs. **457**, 75, 1992

Different firing patterns generated in dendrites and somata of CA1 pyramidal neurones in guinea-pig hippocampus. **457**, 675, 1992

Activation kinetics

Exponential activation of the cardiac Na^{+} current in single guinea-pig ventricular cells. **453**, 261, 1992

Adenosine

Modulation by theophylline of the ventilatory response to moderate hypoxia in conscious, newborn rats. **446**, 120*P*, 1992

The relationship between adenosine, lactate and carbon dioxide release from contracting skeletal muscle in anaesthetized dogs. **446**, 211*P*, 1992

Adenosine promotes burst activity in guinea-pig geniculocortical neurones through two different ionic mechanisms. **447**, 729, 1992

Comparison of the actions of adenosine at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 347, 1992

Protective effect of adenosine in slices of rat olfactory cortex during anoxia. **452**, 64*P*, 1992

Calcium currents at motor nerve endings: absence of effects of adenosine receptor agonists in the frog. **457**, 315, 1992

Adenosine triphosphatase (ATPase)

High- and low-affinity ATP effects on solubilized $\alpha\beta$-protomers of pig kidney Na–K-ATPase. **446**, 586*P*, 1992

Ca^{2+} efflux mechanisms following depolarization evoked calcium transients in cultured rat sensory neurones. **455**, 567, 1992

Adenosine triphosphate (ATP)

The effect of intracellular pH on ATP-dependent potassium channels of frog skeletal muscle. **445**, 549, 1992

Tension transient upon flash photolysis of caged ATP in covalently cross-linked muscle fibres isolated from rabbit psoas. **446**, 264*P*, 1992

ATP-activated cationic current in rabbit single cardiac myocytes. **446**, 329*P*, 1992

Adenosine triphosphate (ATP) (*cont.*)
Contraction of guinea-pig isolated submucosal arterioles following sympathetic nerve stimulation is mediated by the activation of P_{2x}-purinoceptors. **446**, 493*P*, 1992
Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992
The ATP-induced inward current in mouse lacrimal acinar cells is potentiated by isoprenaline and GTP. **447**, 103, 1992
Direct modulation of $GABA_A$ receptor by intracellular ATP in dissociated nucleus tractus solitarii neurones of rat. **449**, 551, 1992
Neuronal selectivity of ATP-sensitive potassium channels in guinea-pig substantia nigra revealed by responses to anoxia. **453**, 167, 1992
Adrenaline and extracellular ATP switch between two modes of acid extrusion in the guinea-pig ventricular myocyte. **458**, 385, 1992

Adenylyl cyclase
Adenosine promotes burst activity in guinea-pig geniculocortical neurones through two different ionic mechanisms. **447**, 729, 1992

Adipose tissue
Effect of ICI D7114, a selective β_3-adrenoceptor agonist, on brown adipose tissue lipogenesis in CBA/Ca obese mice. **452**, 176*P*, 1992

Adrenal gland
The role of corticotrophin releasing factor in relation to the neural control of adrenal function in conscious calves. **447**, 489, 1992
Two components of calcium-activated potassium current in rat adrenal chromaffin cells. **453**, 97, 1992
Effects of muscarine on single rat adrenal chromaffin cells. **453**, 133, 1992

Adrenal medulla
The source of calcium for muscarinic-mediated catecholamine release from cat adrenals. **445**, 725, 1992
Membrane recapture and early triggered secretion from the newly formed endocytotic compartment in bovine chromaffin cells. **453**, 15, 1992

Adrenaline
Adrenaline and extracellular ATP switch between two modes of acid extrusion in the guinea-pig ventricular myocyte. **458**, 385, 1992

Adrenoceptor
Modulation of nerve activity recorded extracellularly from the surface of rat mesenteric arteries *in vivo* by α-adrenoceptor agonists. **446**, 595*P*, 1992
Effect of ICI D7114, a selective β_3-adrenoceptor agonist, on brown adipose tissue lipogenesis in CBA/Ca obese mice. **452**, 176*P*, 1992
Postjunctional α-adrenoceptor subtypes in the isolated equine saphenous vein and digital artery. **452**, 245*P*, 1992

α-Adrenoceptor
α-Adrenergic receptors mediate inhibition of Na^+–HCO_3^- symport in the guinea-pig and rabbit ventricular myocyte. **446**, 142*P*, 1992
Effect on cardiac sympathetic nerve activity of phenylephrine microinjected into the cat intermediolateral cell column. **453**, 185, 1992

α_2-Adrenoceptor
Potassium channels opened by noradrenaline and other transmitters in excised membrane patches of guinea-pig submucosal neurones. **445**, 581, 1992
Investigations of subtypes of functional pre- and post-junctional α_2 adrenoceptors. **446**, 435*P*, 1992

β-Adrenoceptor
A possible explanation for the difference between the apparent affinity of agonists for their receptors and the concentrations at which they activate those receptors; studied in tissue sections from the rat heart. **446**, 180*P*, 1992
Effects of feeding level and sex on lymphocyte β-adrenoceptor numbers in growing pigs. **446**, 293*P*, 1992
Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992
Modulation of β-adrenergic responses of chloride and calcium currents by external cations in guinea-pig ventricular cells. **457**, 211, 1992
Effect of catecholamines on intracellular pH in sheep cardiac Purkinje fibres. **458**, 289, 1992

Adrenocorticotrophin
Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992

Afferent nerve fibre
The electrophysiological properties of rat primary afferent neurones with carbonic anhydrase activity or peripherin-like immunoreactivity. **452**, 242*P*, 1992
The classification of afferents from muscle spindles of the jaw-closing muscles of the cat. **456**, 609, 1992
The effect of succinylcholine on cat gastrocnemius muscle spindle afferents of different types. **456**, 629, 1992
Comparison of skeleto-fusimotor innervation in cat peroneus brevis and peroneus tertius muscles. **458**, 519, 1992
A physiological study of vestibular and prepositus hypoglossi neurones projecting to the abducens nucleus in the alert cat. **458**, 539, 1992

After-hyperpolarization
An analysis of the long-lasting after-hyperpolarization of guinea-pig vagal motoneurones. **456**, 325, 1992

After-potential
Different firing patterns generated in dendrites and somata of CA1 pyramidal neurones in guinea-pig hippocampus. **457**, 675, 1992

Ageing
The effects of time after orchidectomy (OCX) on the thymus and accessory sex organs of 10-week- and 18-month-old rats. **446**, 453*P*, 1992
The effects of ageing on muscle strength in men and women. **452**, 25*P*, 1992

Airway
Epithelium-derived prostanoids inhibit the release of endogenous noradrenaline from rat isolated trachea. **446**, 115*P*, 1992
The selective nature of airway hyperreactivity. **446**, 117*P*, 1992
A comparison of plain radiology and flow volume loop curves in patients with goitres. **446**, 432*P*, 1992
Second-messenger regulation of sodium transport in mammalian airway epithelia. **453**, 475, 1992
Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992
Alteration of ventilatory activity by intralaryngeal CO_2 in the cat. **457**, 177, 1992
Responses of laryngeal receptors to intralaryngeal CO_2 in the cat. **457**, 187, 1992

Alcohol
The effect of alcohol, at two times of day, on the distribution of relative power within the frequency-spectrum of the human EEG. **452**, 119*P*, 1992

Aldosterone
Acute and chronic effects of potassium on aldosterone release in rats fed with different amounts of sodium. **446**, 88*P*, 1992
Aldosterone inhibits expression of peanut agglutinin (PNA) binding sites in rabbit renal cortical collecting duct primary cultures. **446**, 369*P*, 1992
Dietary restriction sensitizes the rat distal colon to aldosterone. **447**, 501, 1992

Aluminium
Relationship between urinary aluminium and calcium excretion in the rat. **452**, 84*P*, 1992

Alveolar epithelium
Alveolar epithelial permeability in baboons: histamine and capsaicin. **450**, 363, 1992

Amacrine cell
Two types of glutamate receptors differentially excite amacrine cells in the tiger salamander retina. **449**, 589, 1992
Voltage- and current-clamp recordings of light-evoked transient amacrine cell responses in isolated retinae of carp. **452**, 52*P*, 1992

Amiloride
Dietary restriction sensitizes the rat distal colon to aldosterone. **447**, 501, 1992

Amino acid
Effects of amino acids on zinc transport in rat erythrocytes. **445**, 69, 1992
Expression of rat liver glutamine transporters in *Xenopus* oocytes. **446**, 14*P*, 1992
Characterization of L-proline transport in erythrocytes of a primitive vertebrate, the Pacific hagfish (*Eptatretus stouti*) **446**, 176*P*, 1992
The effect of diet and exercise on plasma amino acid concentrations in man. **452**, 118*P*, 1992
Determination of free intracellular amino acids in ventricular biopsies taken from patients undergoing heart surgery. **452**, 162*P*, 1992
Renal Haemodynamic Reserve (RHR) during normal human pregnancy. **452**, 317*P*, 1992

Amino acid transport
Characteristics of glutamine transport in primary tissue culture of rat skeletal muscle cells. **446**, 11*P*, 1992
Modulation of amino acid uptake in *Xenopus* oocytes in relation to environmental amino acid availability. **446**, 13*P*, 1992
System A plays only a minor role in alanine transport of isolated rat muscle. **446**, 570*P*, 1992
Functional isolation of amino acid transport system y^+L in human erythrocytes using *N*-ethylmaleimide. **452**, 330*P*, 1992
Discrimination between two lysine transporters in human placental brush-border membrane vesicles by altering membrane potential. **452**, 349*P*, 1992

γ-Aminobutyric acid (GABA)
Kinetics of open channel block by penicillin of single $GABA_A$ receptor channels from mouse spinal cord neurones in culture. **445**, 97, 1992
Electrophysiological properties of neurones in the subfornical organ of rat slice preparation. **446**, 383*P*, 1992
On the mechanism of action of picrotoxin on GABA receptor channels in dissociated sympathetic neurones of the rat. **447**, 191, 1992
A novel modulatory binding site for zinc on the $GABA_A$ receptor complex in cultured rat neurones. **447**, 587, 1992
The role of $GABA_A$ and $GABA_B$ receptors in presynaptic inhibition of Ia EPSPs in cat spinal motoneurones. **447**, 675, 1992
Cholinergic excitation of GABAergic interneurons in the rat hippocampal slice. **450**, 127, 1992
On the inhibitory actions of baclofen and γ-aminobutyric acid in rat ventral midbrain culture. **451**, 419, 1992
Inhibition of $GABA_B$ modulation of calcium channel currents in cultured rat dorsal root ganglion neurones by loading replated cells with anti-G protein antibodies. **452**, 177*P*, 1992
Intracerebroventricular injection of muscimol or bicuculline inhibits the milk ejection reflex in the anaesthetized rat. **452**, 211*P*, 1992
Inward current caused by sodium-dependent uptake of GABA in the crayfish stretch receptor neurone. **453**, 627, 1992
Neurosteroid regulation of $GABA_A$ receptor single-channel kinetic properties of mouse spinal cord neurons in culture. **456**, 215, 1992
Inhibitory synaptic currents in rat cerebellar Purkinje cells: modulation by postsynaptic depolarization. **456**, 453, 1992

α-Aminobutyric acid receptor
Evidence for two types of $GABA_B$ receptors located pre- and postsynaptically in the rat neocortical slice *in vitro*. **446**, 514*P*, 1992

γ-Aminobutyric acid receptor
Direct modulation of $GABA_A$ receptor by intracellular ATP in dissociated nucleus tractus solitarii neurones of rat. **449**, 551, 1992

2-Amino-4-phosphonobutyric acid
Effects of 2-amino-4-phosphonobutyric acid on cells in the distal layers of the tiger salamander's retina. **445**, 741, 1992

Aminopyridine
Induction of haemodynamic oscillations in the perfused rat liver by K^+ channel blockers. **453**, 33, 1992
A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. **454**, 573, 1992

Amygdala
Muscarinic responses of rat basolateral amygdaloid neurons recorded *in vitro*. **449**, 121, 1992
Muscarinic inhibition of M-current and a potassium leak conductance in neurones of the rat basolateral amygdala. **457**, 93, 1992

Anaesthesia
The influence of n-alkanols and various intravenous general anaesthetics on a whole body withdrawal response of *Physa*. **446**, 45*P*, 1992
Effect of anaesthetics on central postsynaptic receptor channels expressed in *Xenopus* oocytes. **446**, 57*P*, 1992
Continuous acquisition and real-time analysis of EEG, ECG and respiratory data in the anaesthetized human. **446**, 76*P*, 1992
Enhancement of γ-aminobutyric acid-activated Cl^- currents in cultured rat hippocampal neurones by three volatile anaesthetics. **449**, 279, 1992
Methoxyflurane and methohexitone modulate the decay of voltage-activated calcium currents in cultured bovine adrenal chromaffin cells. **452**, 191*P*, 1992
Effects of *n*-alkanols and a methyl ester on a transient potassium (I_A) current in identified neurones from *Helix aspersa*. **456**, 1, 1992
Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992

Anaesthetic
The effects of some volatile anaesthetics on responses to exogenous GABA and inhibitory postsynaptic currents in cultured rat hippocampal neurons. **446**, 258*P*, 1992
Differential effects of tetracaine on two kinetic components of calcium release in frog skeletal muscle fibres. **457**, 525, 1992

Anal sphincter
Inhibitory transmission in isolated pig internal anal sphincter: the role of nitric oxide. **446**, 523*P*, 1992

Analgesia
Analgesia and hypothermia induced by cold water swims in mice. **446**, 599*P*, 1992
Chronic tendon injury in horses reduces their noxious pressure thresholds and response to analgesics. **452**, 205*P*, 1992

Angiotensin
The role of angiotensin II in mediating the renal actions of noradrenaline. **446**, 89*P*, 1992
Regional expression of *c-fos* in AV3V, hypothalamus and amygdala of the male rat following intraventricular angiotensin II and its modulation by drinking. **446**, 288*P*, 1992
Suppression of angiotensin II is important in the early increase in natriuresis after saline infusion in man. **452**, 86*P*, 1992
The role of endogenous angiotensin II in the regulation of renal haemodynamics and proximal fluid reabsorption in the rat. **453**, 1, 1992
Discharge characteristics and rapid resetting of autoactive aortic baroreceptors in rats. **458**, 501, 1992

Anococcygeus muscle
Depletion of neurotransmitters in the autonomic nervous system by Palytoxin. **452**, 301*P*, 1992

Anoxia
Protective effect of adenosine in slices of rat olfactory cortex during anoxia. **452**, 64*P*, 1992
Neuronal selectivity of ATP-sensitive potassium channels in guinea-pig substantia nigra revealed by responses to anoxia. **453**, 167, 1992
Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. **454**, 339, 1992
Ionic basis of membrane potential changes induced by anoxia in rat dorsal vagal motoneurones. **455**, 89, 1992

Antibody
A simple method for producing monoclonal antibodies to small quantities of tissue. **452**, 161*P*, 1992

Aortic pressure
Effects of aortic pressure and vasoactive agents on the vascular resistance of the vasa vasorum in canine isolated thoracic aorta. **453**, 233, 1992

Apparatus
A new micromanipulator and tissue support apparatus for electrophysiological recording. **446**, 74*P*, 1992
'Myographic London': C.F. Palmer (London) Ltd, established 1891. **446**, 536*P*, 1992

Arachidonic acid
Effects of arachidonic acid on rubidium uptake in human erythrocytes. **446**, 173*P*, 1992
Arachidonic acid and prostaglandin E_2 activate small-conductance Cl^- channels in the basolateral membrane of rabbit parietal cells. **448**, 293, 1992
Volume-regulatory Cl^- channel currents in cultured human epithelial cells. **456**, 351, 1992

Arginine vasopressin
Natriuretic effect of arginine vasopressin (AVP) in chronically instrumented, conscious rats: fact or artefact? **452**, 82*P*, 1992

Arrhythmia
Propranolol reduces stretch arrhythmia in isolated rabbit heart. **446**, 538*P*, 1992
The effects of ventricular end-diastolic and systolic pressures on action potential and duration in anaesthetized dogs. **457**, 75, 1992

Arterial smooth muscle, *see also* Smooth muscle
Spontaneous oscillations of tension in isolated aortic rings from the rat. **446**, 492*P*, 1992

Artery
Measurement of local arterial pulse wave velocity in a human subject by a comb-excitation magnetic resonance imaging (MRI) technique. **452**, 17*P*, 1992
Effect of vasomotor tone on the hydraulic conductivity and reflection coefficient of the medial layers of isolated rabbit aorta and carotid artery. **452**, 18*P*, 1992
Asthma
Effect of an inhaled thromboxane mimetic (U46619) on *in vivo* pulmonary resistance and airway hyperresponsiveness in dogs. **453**, 59, 1992
Asymmetry
Effects of diethystilboestrol and neonatal castration on lateralization of a brain function in gerbils. **446**, 278*P*, 1992
Atherosclerotic plaque
An evaluation of the use of edge detection when measuring atherosclerotic plaque from ultrasound images in man. **452**, 20*P*, 1992
ATP-dependent potassium channel
Reactivation of ATP-sensitive K^+ channel current by pinacidil in guinea-pig ventricular myocytes. **446**, 155*P*, 1992
The relationship between glucose-induced K^+_{ATP} channel closure and the rise in $[Ca^{2+}]_i$ in single mouse pancreatic β-cells. **455**, 173, 1992
Receptive field organization of retinal ganglion cells in the *spastic* mutant mouse. **456**, 125, 1992
ATP receptor
Cationic channels sensitive to extracellular ATP in rat lacrimal cells. **449**, 313, 1992
Atrial myocyte
Regenerative Ca^{2+} release in guinea-pig atrial myocytes. **446**, 146*P*, 1992
Postnatal changes in T-type calcium current density in rat atrial myocytes. **454**, 657, 1992
Stretch-activated anion currents of rabbit cardiac myocytes. **456**, 285, 1992
Atrial natriuretic factor
The human atrial natriuretic factor (ANF) 'C' receptor is encoded by two messenger RNAs. **446**, 307*P*, 1992
Atrial natriuretic factor (ANF) secretion from isolated guinea-pig atrial strips. **452**, 90*P*, 1992
Atrial natriuretic peptide
Dietary modulation of atrial natriuretic peptide receptors in liver plasma membranes isolated from Dahl salt-sensitive rats. **446**, 56*P*, 1992
Both nifedipine and Bay K 8644 potentiate the atrial natriuretic peptide release in response to volume expansion in anaesthetized rats. **446**, 273*P*, 1992
In vitro receptor binding of C-type natriuretic peptide ($CNP_{(1-22)}$) in rat brain. **446**, 440*P*, 1992
Atrial natriuretic peptide (ANP) is a physiological inhibitor of adrenocorticotrophin (ACTH) secretion in the rat. **446**, 441*P*, 1992
Volume status influences atrial peptide-induced water conductivity changes in leopard frog mesenteric capillaries. **447**, 33, 1992
In vitro atrial natriuretic peptide- (ANP) stimulated cGMP production in nephrons from seawater- (SW) and freshwater- (FW) adapted euryhaline fish. **452**, 91*P*, 1992
Renal and endocrine effects of atrial natriuretic peptide (ANP) in conscious Brattleboro (DI) and Long Evans (LE) rats. **452**, 93*P*, 1992
Atrial receptor
Effects of left atrial receptor stimulation on carotid chemoreceptor-induced renal responses in dogs. **456**, 529, 1992
Atrium
Hyperthyroidism selectively modified a transient potassium current in rabbit ventricular and atrial myocytes. **457**, 369, 1992
Auditory cortex
Intrinsic organisation of the ferret primary auditory cortex. **446**, 27*P*, 1992
Autonomic nervous system
On the cause of the intermittent arrival of the action potential in sympathetic nerve terminals in the guinea-pig vas deferens *in vitro*. **446**, 268*P*, 1992
Cardiovascular responses to normal micturition in man. **446**, 576*P*, 1992
Somatosensory stimulation causes autonomic vasodilatation in cat lip. **450**, 191, 1992
Depletion of neurotransmitters in the autonomic nervous system by Palytoxin. **452**, 301*P*, 1992
Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. **454**, 359, 1992
Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. **454**, 373, 1992
Autoregulation
Autoregulation of perfusion through the renal cortex and papilla of Wistar and stroke-prone spontaneously hypertensive rats. **452**, 134*P*, 1992
Axon
Ectopic activity in demyelinated spinal root axons of the rat. **451**, 539, 1992
Physiological evidence for a slow K^+ conductance in human cutaneous afferents. **453**, 575, 1992
Axon reflex
The stability of cutaneous vasodilatation responses elicited by stimulation of saphenous nerve Aδ fibres in the anaesthetized rat. **452**, 248*P*, 1992
Axonal transport
Evidence for long-lived amino acid and monosaccharide pools in the mouse eye: a cautionary note for radiolabelling studies of axonal transport in the optic nerve. **446**, 519*P*, 1992
Background current
Taurine modulates the inward background current induced by isoprenaline in isolated ventricular cells of the rabbit. **446**, 149*P*, 1992
Baclofen
Kinetic analysis of the $GABA_B$-mediated inhibition of the high-threshold Ca^{2+} current in cultured rat sensory neurones. **447**, 391, 1992

Baclofen (*cont.*)
Comparison of the actions of baclofen at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 329, 1992
On the inhibitory actions of baclofen and γ-aminobutyric acid in rat ventral midbrain culture. **451**, 419, 1992
The actions of baclofen on neurones and synaptic transmission in the nucleus tractus solitarii of the rat *in vitro*. **457**, 115, 1992

Barbiturate
Actions of the convulsant barbiturate 5-(2-cyclohexylidine-ethyl)-5-ethyl barbituric acid (CHEB) on dissociated mouse sensory neurons. **446**, 136*P*, 1992

Barium
Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992

Baroreceptor
Renal functional responses to somatic afferent nerve stimulation in hypertensive rats following carotid sinus denervation. **446**, 372*P*, 1992
Discharge characteristics and rapid resetting of autoactive aortic baroreceptors in rats. **458**, 501, 1992

Baroreceptor reflex
The influence of breath-hold tachycardia on human baroreflex heart rate responses to changes in carotid transmural pressure at 37 ATA. **446**, 215*P*, 1992
Changes in R–R interval at the start of muscle contraction in the decerebrate cat. **447**, 549, 1992
Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992
Intracoronary veratrine attenuates carotid baroreceptor reflex regulation of blood pressure in conscious dogs. **451**, 91, 1992
Prostaglandin E_2 produces presynaptic inhibition of carotid-baroreflex-induced vasoconstriction in skeletal muscle of anaesthetized dogs. **452**, 12*P*, 1992
Inhibition of carotid sinus baroreceptor neurones in the nucleus tractus solitarius of the anaesthetized cat by electrical stimulation of hindlimb afferent fibres. **452**, 224*P*, 1992

Basilar membrane
A computer-controlled Michelson interferometer for the analysis of basilar membrane mechanics. **452**, 169*P*, 1992

Bicarbonate
Role of bicarbonate in pH recovery from intracellular acidosis in the guinea-pig ventricular myocyte. **458**, 361, 1992

Binocular vision
Unexpected role of the oblique muscles in the human vertical fusional reflex. **451**, 279, 1992

Bladder
Mediation by nitric oxide of neurogenic relaxation of the urinary bladder neck muscle in sheep. **451**, 133, 1992

Blood
The properties of monoclonal antibody to Habutobin, a thrombin-like enzyme (TLE) derived from the venom of *Trimeresurus flavoviridis* (*Habu*). **446**, 362*P*, 1992
Acid–base status of Antarctic teleosts in response to exercise-induced stress. **446**, 460*P*, 1992

Blood–brain barrier
The effect of histamine and interleukin-2 on the blood–brain and blood–retinal barriers of the anaesthetized rat. **446**, 497*P*, 1992
1,3-Dinitrobenzene, a neurotoxin acting at the rat blood–brain barrier. **446**, 498*P*, 1992
Vincristine in therapeutic dosage appears to increase blood–brain barrier permeability to colchicine in the anaesthetized guinea-pig. **446**, 499*P*, 1992
[^{14}C]Theophylline permeability in the developing rat brain. **446**, 501*P*, 1992
The nature of the barrier permeability decrease during postnatal brain development in the rat. **446**, 502*P*, 1992
Effect of inflammatory mediators on blood–brain barrier (BBB) permeability in brain-surface microvessels of anaesthetized rats. **446**, 504*P*, 1992
An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992
Brain uptake of ^{54}Mn in the anaesthetized rat. **446**, 507*P*, 1992
A quantitative comparison of blood–retinal and blood–brain barrier capillary distribution and density in the rat using image analysis. **446**, 508*P*, 1992
The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992
Zinc-binding globulin, a passive marker for blood–brain barrier permeability in the human fetal brain. **446**, 606*P*, 1992
Transendothelial electrical potential of blood–brain barrier vessels *in situ* in anaesthetized rats. **446**, 608*P*, 1992
Contribution of active and passive ion transport to the potential difference (PD) across *in situ* pial microvessels in anaesthetized rats. **452**, 6*P*, 1992
Contribution of ion permeability and transport at the brain endothelium to the DC potential between blood and CSF. **452**, 61*P*, 1992
A developmentally regulated blood–cerebrospinal fluid transfer mechanism for albumin in immature rats. **456**, 181, 1992

Blood flow
The effect of saline and histamine on blood flux in the human nasal septal mucosa as measured by a laser Doppler flowmeter. **446**, 114*P*, 1992
No correlation exists between regional blood flow and regional aerobic, metabolic capacity expressed as citrate synthase activity, within single cat skeletal muscle. **446**, 461*P*, 1992

Blood flow (*cont.*)
Comparison of skin blood flow in man measured by near infra-red laser Doppler flowmeter and by plethysmography. **446**, 579*P*, 1992
Marked splenic hyperaemia during post-haemorrhagic hypotension in the rat, rabbit and cat. **448**, 437, 1992
Changes in synovial P_{O_2} and blood flow in the rabbit knee joint due to stimulation of the posterior articular nerve. **449**, 607, 1992
Primary effects of carotid chemoreceptor stimulation on gracilis muscle and renal blood flow and renal function in dogs. **455**, 73, 1992
Abnormality of superior mesenteric artery blood flow responses in human sympathetic failure. **457**, 477, 1992

Blood pressure
The pressor response to isometric exercise of the elbow flexors in young and elderly men. **446**, 212*P*, 1992
Rhythm pattern analysis of blood pressure – a simplified approach. **446**, 464*P*, 1992
Factors affecting movement of excitatory substances from pulmonary capillaries to type J receptors of anaesthetized cats. **449**, 155, 1992
Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. **454**, 359, 1992

Blood–retina barrier
A quantitative comparison of blood–retinal and blood–brain barrier capillary distribution and density in the rat using image analysis. **446**, 508*P*, 1992

Blood vessel
Relaxation of isolated, perfused rat and rabbit blood vessels by organic bases applied at neutral pH. **446**, 488*P*, 1992
Contraction of guinea-pig isolated submucosal arterioles following sympathetic nerve stimulation is mediated by the activation of P_{2x}-purinoceptors. **446**, 493*P*, 1992
An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992
[^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992

Bombesin
Role of cholecystokinin in the inhibition of gastric acid secretion in dogs. **451**, 477, 1992

Bone
Substrate influences rat osteoclast morphology and expression of potassium conductances. **458**, 633, 1992

Bradykinin
Effect of inflammatory mediators on blood–brain barrier (BBB) permeability in brain-surface microvessels of anaesthetized rats. **446**, 504*P*, 1992
Acetylcholine and kinin augmentation of Cl^- secretion stimulated by prostaglandin in a canine renal epithelial cell line. **447**, 1, 1992

Brain
Serial EM reconstructions of individual boutons forming synaptic contacts within the rat V motor nucleus. **446**, 26*P*, 1992
Evidence from slow wave potentials of functional asymmetry in the human brain during an analytical task. **446**, 448*P*, 1992
The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992
A magnetic resonance imaging study of cerebral ischaemia in the anaesthetized gerbil. **446**, 510*P*, 1992
Is vitamin C an oxygen carrier in the brain? **446**, 522*P*, 1992
Spectral analysis of cerebral 2-[^{18}F]fluoro-2-deoxy-D-glucose uptake and phosphorylation in man: application to a study of fed and fasted states. **446**, 607*P*, 1992
Improved separation of sulphinic and sulphonic amino acids from rat brain. **452**, 156*P*, 1992
Age and NMDA receptor activity in the IMHV of the chick brain slice. **452**, 295*P*, 1992
Cerebrovascular perfusion of the rabbit brain: a method that permits evaluation of compounds in effluent samples. **452**, 323*P*, 1992

Brain slice
Cl^- and Na^+ homeostasis during anoxia in rat hypoglossal neurons: intracellular and extracellular *in vitro* studies. **448**, 697, 1992
Effects of vasopressin and angiotensin II on neurones in the rat dorsal motor nucleus of the vagus, *in vitro*. **458**, 561, 1992

Brain stem
Synaptic interaction between medullary respiratory neurones during apneusis induced by NMDA-receptor blockade in cat. **450**, 303, 1992
A technique for chronic recording from subnucleus caudalis in cats using microwires. **452**, 174*P*, 1992
Peripheral administration of cholecystokinin (CCK) results in the expression of *fos*-like immunoreactivity in the brainstem of the rat. **452**, 249*P*, 1992

Branchiostoma
Ca^{2+} current in myotome cells of the lancelet (*Branchiostoma lanceolatum*). **450**, 437, 1992

Breathing, *see also* Respiration, Ventilation
The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the cranial rib-cage. **451**, 445, 1992
The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the caudal rib-cage. **451**, 463, 1992
Phentolamine increases the incidence of fetal breathing movements both in normoxia and in hypoxia in term fetal sheep. **452**, 320*P*, 1992
The effect of inspiratory muscle fatigue on breathing pattern and ventilatory response to CO_2. **455**, 17, 1992

Brown adipose tissue
Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992

Buffering
Estimation of the carnosine content of different fibre types in the middle gluteal muscle of the thoroughbred horse. **455**, 447, 1992
Intracellular calcium dynamics in response to action potentials in bullfrog sympathetic ganglion cells. **458**, 171, 1992

C fibre
Comparison of quinoxalinedione antagonist potency at non-NMDA receptors of rat primary afferent C fibres *in vitro*. **452**, 184*P*, 1992

Cadmium
Inhibition of human placental chloride permeability by Cd^{2+} in brush-border membrane vesicles. **446**, 588*P*, 1992

Caesium
Properties of the pacemaker current (I_f) in latent pacemaker cells isolated from cat right atrium. **453**, 503, 1992

Caffeine
Release of intracellular calcium and modulation of membrane currents by caffeine in bull-frog sympathetic neurones. **445**, 515, 1992
Inhibition by caffeine of ACh-evoked cytoplasmic Ca^{2+} signals studied by simultaneous measurements of $[Ca^{2+}]_i$ and $[caffeine]_i$ in single mouse pancreatic acinar cells. **446**, 201*P*, 1992
Possible effects of caffeine on potassium current in ventricular cells isolated from guinea-pig heart. **446**, 328*P*, 1992
Acetylcholine- and caffeine-evoked repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **449**, 109, 1992
Basal Ca^{2+} and the oscillation of Ca^{2+} in caffeine-treated bullfrog sympathetic neurones. **450**, 513, 1992
Caffeine inhibition of ACh nicotinic currents in the human skeletal muscle (TE671) cell line not mediated by cyclic AMP/Ca_i^{2+}. **452**, 193*P*, 1992
Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992
Interactions between Ca^{2+} mobilizing mechanisms in cultured rat cerebellar granule cells. **456**, 667, 1992
Caffeine-induced release and reuptake of Ca^{2+} by Ca^{2+} stores in myocytes from guinea-pig urinary bladder. **458**, 99, 1992

Caged calcium
The effect of caged calcium release on the adaptation of the transduction current in chick hair cells. **458**, 27, 1992

Calcium, *see also* Cystolic calcium, Intracellular calcium
Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992
Release of intracellular calcium and modulation of membrane currents by caffeine in bull-frog sympathetic neurones. **445**, 515, 1992
Involvement of sarcoplasmic reticulum 'Ca^{2+} release channels' in excitation–contraction coupling in vertebrate skeletal muscle. **445**, 759, 1992
Analysis of cytosolic free calcium records from lectin-activated rat T-lymphocytes and human lymphoma cells in the fluorescence-activated cell sorter. **446**, 62*P*, 1992
Simultaneous patch-clamp and photometric fluorescence ratio measurements of optical probes for ions using a computer-based data acquisition system, PhoCal. **446**, 63*P*, 1992
Dynamic four-wavelength video imaging of intracellular pH and calcium homeostasis in cultured bovine lactotrophs. **446**, 64*P*, 1992
Unimpaired Ca^{2+} homeostasis is found in dystrophin-lacking smooth muscle from *mdx* mice. **446**, 137*P*, 1992
Cl^--sensitive component of Ca^{2+}-activated tail current in rabbit atrial myocytes. **446**, 150*P*, 1992
Effect of La^{3+} on acetylcholine-induced increase of Ca^{2+}-dependent Cl^--channel activity in single mouse pancreatic acinar cells. **446**, 202*P*, 1992
Spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with carbachol at different concentrations in adrenal chromaffin cells isolated from guinea-pig. **446**, 206*P*, 1992
Expression of calbindin D_{28K} after retrovirally-mediated gene transfer to non-expressing Swiss-3T3 cells. **446**, 306*P*, 1992
Influence of pH_O on spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with CCK-8 in rat pancreatic acinar cells *in vitro*. **446**, 311*P*, 1992
The effects of hypoxia on cytoplasmic Ca^{2+} during low Na^+ exposure in isolated cardiac myocytes from guinea-pig. **446**, 334*P*, 1992
Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992
Modulation of L-type calcium current in guinea-pig isolated ventricular myocytes by photolysis of caged calcium. **446**, 553*P*, 1992
Inability of light to accelerate the dim flash response without lowered calcium concentration in rod photoreceptors isolated from the tiger salamander. **446**, 559*P*, 1992
Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992
Imaging of intracellular calcium in rat anterior pituitary cells in response to growth hormone releasing factor. **447**, 171, 1992
Novel suppression of an L-type calcium channel in neurones of murine dorsal root ganglia by 2,3-butanedione monoxime. **447**, 257, 1992
Stimulus–secretion coupling: cytoplasmic calcium signals and the control of ion channels in exocrine acinar cells. **448**, 1, 1992
Role of cyclic nucleotides and calcium in the nutrient-induced release of cholecystokinin-like immunoreactivity in rats. **449**, 37, 1992

Calcium (*cont.*)
Cholinergic activation of a non-selective cation current in canine gastric smooth muscle is associated with contraction. **449**, 377, 1992
Developmental changes in troponin T isoform expression and tension production in chicken single skeletal muscle fibres. **449**, 573, 1992
A caffeine- and ryanodine-sensitive Ca^{2+} store in bullfrog sympathetic neurones modulates effects of Ca^{2+} entry on $[Ca^{2+}]_i$. **450**, 217, 1992
Calcium requirements for secretion in bovine chromaffin cells. **450**, 247, 1992
Calcium gradients and buffers in bovine chromaffin cells. **450**, 273, 1992
Basal Ca^{2+} and the oscillation of Ca^{2+} in caffeine-treated bullfrog sympathetic neurones. **450**, 513, 1992
Effect of perfusion pressure on force of contraction in thin papillary muscles and trabeculae from rat heart. **451**, 585, 1992
Strain gauge plethysmographic (MSG) assessment of the effect of large pressure steps on the time course of the vascular compliance response of human limbs. **452**, 29*P*, 1992
Do prostaglandins affect renal calcium handling? – a study in conscious rats. **452**, 83*P*, 1992
Relationship between urinary aluminium and calcium excretion in the rat. **452**, 84*P*, 1992
Optical fibre fluorescence system for intracellular Ca^{2+} measurement: one lamp and filter wheel supplies two set-ups. **452**, 153*P*, 1992
Using transputers to measure calcium changes in isolated cochlear cells. **452**, 170*P*, 1992
Ca^{2+} release from intracellular stores magnifies the Ca^{2+} signal which permeates dendritic NMDA channels following synaptic activation of CA1 hippocampal neurones *in vitro* **452**, 178*P*, 1992
Fluctuations in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells in response to adenosine triphosphate. **452**, 264*P*, 1992
The application of slow scan cooled integrating charge coupled devices (CCD) to the measurement of intracellular free calcium (Ca^{2+}) in single isolated mammalian cells. **452**, 265*P*, 1992
Anti-sense oligonucleotides injected with patch clamp techniques reveal involvement of a small GTP-binding protein in the control of exocytosis in rat anterior pituitary cells. **452**, 298*P*, 1992
Changes in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells as a result of bathing in solutions with nominally free calcium. **452**, 304*P*, 1992
The action of thimerosal on calcium-dependent currents in mouse isolated pancreatic acinar cells. **452**, 312*P*, 1992
Membrane recapture and early triggered secretion from the newly formed endocytotic compartment in bovine chromaffin cells. **453**, 15, 1992
The effect of a calmodulin inhibitor on intracellular $[Ca^{2+}]$ and contraction in isolated rat ventricular myocytes. **453**, 385, 1992
Calcium homeostasis in the outer segments of retinal rods from the tiger salamander. **455**, 111, 1992
Interactions between Ca^{2+} mobilizing mechanisms in cultured rat cerebellar granule cells. **456**, 667, 1992

Calcium-activated current
Effects of Ni^{2+} on Ca^{2+}-activated K^+ and Cl^- currents in rat mandibular acinar cells **446**, 104*P*, 1992

Calcium-activated potassium channel
Spontaneous sarcoplasmic reticulum calcium release and extrusion from bovine, not porcine, coronary artery smooth muscle. **451**, 49, 1992
Involvement of calmodulin and PKC in regulation of Ca^{2+}-activated K^+ (Rb^+) efflux in human colonic cell line, HT29-19A. **452**, 343*P*, 1992
Ca^{2+}-activated and voltage-gated K^+ currents in smooth muscle cells isolated from human mesenteric arteries. **457**, 431, 1992

Calcium antagonist
Two types of high-threshold calcium currents inhibited by ω-conotoxin in nerve terminals of rat neurohypophysis. **445**, 181, 1992
The effect of the benzothiazepine diltiazem on force and Ca^{2+} current in isolated frog skeletal muscle fibres. **445**, 303, 1992
Blockade by calcium antagonists of chemical excitation and sensitization of polymodal nociceptors in the cat's cornea. **450**, 179, 1992

Calcium channel
Characterization of L- and N-type calcium channels in cultured SH-SY5Y human neuroblastoma cells *in vitro*: calcium imaging and single channel recording. **446**, 40*P*, 1992
Calcium currents in cultured cockroach (*Periplaneta americana*) neurones. **446**, 171*P*, 1992
Multiple inactivation components of calcium currents in acutely isolated adult rat dorsal raphe cells are revealed by increases in temperature. **446**, 182*P*, 1992
Action of Lambert–Eaton syndrome antibodies on voltage-dependent calcium currents and exocytosis in human small-cell lung cancer cells and bovine adrenal chromaffin cells. **446**, 245*P*, 1992
Inactivation property of the Ca^{2+} channel in the mouse egg. **446**, 304*P*, 1992
Two distinct calcium-mediated events in the soma of an identified cockroach (*Periplaneta americana*) motoneurone *in vitro*. **446**, 324*P*, 1992
Ca-dependent potentiation of Ca current studied with Indo-1 in frog ventricular cells. **446**, 331*P*, 1992
Effects of lipophilic cations on intramembrane charge movement and L-type calcium current in isolated mouse skeletal muscle cells. **446**, 363*P*, 1992
The effect of 2,3-butanedione 2-monoxime (BDM) on the dihydropyridine-sensitive Ca-current in isolated guinea-pig ventricular myocytes. **446**, 437*P*, 1992

Calcium channel (*cont.*)
Calcium influx and calcium current in single synaptic terminals of goldfish retinal bipolar neurons. **447**, 235, 1992
Novel suppression of an L-type calcium channel in neurones of murine dorsal root ganglia by 2,3-butanedione monoxime. **447**, 257, 1992
Kinetic analysis of the $GABA_B$-mediated inhibition of the high-threshold Ca^{2+} current in cultured rat sensory neurones. **447**, 391, 1992
Dihydropyridine-sensitive and ω-conotoxin-sensitive calcium channels in a mammalian neuroblastoma–glioma cell line. **448**, 161, 1992
Voltage- and time-dependent inhibition of neuronal calcium channels by a GTP-binding protein in a mammalian cell line. **448**, 189, 1992
Dopamine D_2 receptor stimulation differentially affects voltage-activated calcium channels in rat pituitary melanotropic cells. **450**, 409, 1992
Calcium channel currents in *Xenopus* oocytes injected with rat skeletal muscle RNA. **450**, 469, 1992
Time-resolved changes in intracellular calcium following depolarization of rat brain synaptosomes. **450**, 613, 1992
Sarcoplasmic reticulum buffering of myoplasmic calcium in bovine coronary artery smooth muscle. **451**, 25, 1992
Calcium current activation and charge movement in denervated mammalian skeletal muscle fibres. **451**, 187, 1992
Novel isoform of Ca^{2+} channel in rat fetal cardiomyocytes. **451**, 295, 1992
Inhibition of $GABA_B$ modulation of calcium channel currents in cultured rat dorsal root ganglion neurones by loading replated cells with anti-G protein antibodies. **452**, 177*P*, 1992
The action of 2,3-butanedione monoxime (BDM), pyridine-2-aldoxime (norPAM) and pyridine-2-aldoxime methochloride (PAM) on the inactivation of the L-type calcium current in isolated guinea-pig ventricular myocytes. **452**, 196*P*, 1992
Transfection of calbindin D28K alters calcium entry and intracellular calcium dynamics in the GH_3 cell line. **452**, 218*P*, 1992
Effects of temperature on unitary L-type calcium channel currents carried by barium in isolated guinea-pig ventricular myocytes. **452**, 311*P*, 1992
Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. **454**, 183, 1992
Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. **454**, 549, 1992
Phosphorylation restores activity of L-type calcium channels after rundown in inside-out patches from rabbit cardiac cells. **454**, 673, 1992
Dependence of electrical slow waves of canine colonic smooth muscle on calcium gradient. **455**, 307, 1992
Upstroke component of electrical slow waves in canine colonic smooth muscle due to nifedipine-resistant calcium current. **455**, 321, 1992
The peptide CGRP increases a high-threshold Ca^{2+} current in rat nodose neurones via a pertussis toxin-sensitive pathway. **455**, 367, 1992
Phencyclidine block of calcium current in isolated guinea-pig hippocampal neurones. **456**, 85, 1992
Macroscopic and unitary properties of physiological ion flux through T-type Ca^{2+} channels in guinea-pig heart cells. **456**, 247, 1992
Macroscopic and unitary properties of physiological ion flux through L-type Ca^{2+} channels in guinea-pig heart cells. **456**, 267, 1992
Effects of perchlorate on excitation–contraction coupling in frog and crayfish skeletal muscle. **456**, 443, 1992
Calcium currents at motor nerve endings: absence of effects of adenosine receptor agonists in the frog. **457**, 315, 1992
Ca^{2+} currents in single myocytes from human mesenteric arteries: evidence for a physiological role of L-type channels. **457**, 455, 1992

Calcium current
Two types of high-threshold calcium currents inhibited by ω-conotoxin in nerve terminals of rat neurohypophysis. **445**, 181, 1992
Calcium current variation between acutely isolated adult rat dorsal root ganglion neurons of different size. **445**, 639, 1992
The effect of phosphatase inhibitors on calcium channel currents in cultured rat dorsal root ganglion neurones. **446**, 39*P*, 1992
Changes in T-type and L-type calcium current densities in newborn rat cardiomyocytes in culture. **446**, 145*P*, 1992
A phorbol ester modulates calcium currents in neurones of *Helix aspersa*. **446**, 172*P*, 1992
Ca^{2+} channel currents in the dorsal root ganglion cell × neuroblastoma hybrid cell line, ND7-23. **446**, 181*P*, 1992
Synapse formation induces changes in the distribution of calcium currents in leech neurons in culture. **446**, 255*P*, 1992
Actions of extracellular H^+ on the inward Ca^{2+} current measured in isolated human detrusor smooth muscle cells. **446**, 482*P*, 1992
Temperature dependence of L-type calcium currents in single isolated guinea-pig ventricular myocytes. **446**, 554*P*, 1992
Calcium influx and calcium current in single synaptic terminals of goldfish retinal bipolar neurons. **447**, 235, 1992
Inactivation of the slow calcium current in twitch skeletal muscle fibres of the frog. **448**, 633, 1992
Endothelin activates voltage-dependent Ca^{2+} current by a G protein-dependent mechanism in rabbit cardiac myocytes. **448**, 729, 1992
Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992
Ca^{2+} current in myotome cells of the lancelet (*Branchiostoma lanceolatum*). **450**, 437, 1992
Calcium current modulation in frog sympathetic neurones: multiple neurotransmitters and G proteins. **451**, 229, 1992

Calcium current (*cont.*)
Characterization of membrane currents in single smooth muscle cells from the guinea-pig gastric antrum. **451**, 387, 1992
Methoxyflurane and methohexitone modulate the decay of voltage-activated calcium currents in cultured bovine adrenal chromaffin cells. **452**, 191*P*, 1992
Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. **454**, 321, 1992
Postnatal changes in T-type calcium current density in rat atrial myocytes. **454**, 657, 1992
Calcium current modulation in frog sympathetic neurones: L-current is relatively insensitive to neurotransmitters. **456**, 107, 1992
Guanosine 3′,5′-cyclic monophosphate regulates calcium channels in neurones of rabbit vesical pelvic ganglia. **457**, 559, 1992
Modulation of calcium current gating in frog skeletal muscle by conditioning depolarization. **457**, 639, 1992
Prostaglandin modulation of Ca^{2+} channels in rat sympathetic neurones is mediated by guanine nucleotide binding proteins. **458**, 339, 1992

Calcium dependence
Ca^{2+}-activated inward current in isolated rabbit pulmonary arterial cells. **446**, 246*P*, 1992

Calcium-dependent chloride current
ATP activates a Ca^{2+}-dependent Cl^- current via a novel type of P_2-receptor in the FRTL-5 rat thyroid cell line. **446**, 127*P*, 1992

Calcium-dependent potassium channel
Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992

Calcium-dependent potassium current
Substance P inhibits activation of calcium-dependent potassium conductances in guinea-pig myenteric neurones. **447**, 293, 1992
Two components of calcium-activated potassium current in rat adrenal chromaffin cells. **453**, 97, 1992
The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992
A novel large-conductance Ca^{2+}-activated potassium channel and current in nerve terminals of the rat neurohypophysis. **457**, 47, 1992

Calcium imaging
Confocal microscopic imaging of $[Ca^{2+}]_i$ in cultured rat hippocampal neurons following exposure to *N*-methyl-D-aspartate. **448**, 655, 1992

Calcium indicator
Effects of procaine and caffeine on calcium release from the sarcoplasmic reticulum in frog skeletal muscle. **453**, 341, 1992

Calcium influx
The ATP-induced inward current in mouse lacrimal acinar cells is potentiated by isoprenaline and GTP. **447**, 103, 1992

Calcium ionophore
Mechanism of release of Ca^{2+} from intracellular stores in response to ionomycin in oocytes of the frog *Xenopus laevis*. **458**, 307, 1992

Calcium oscillation
Cytosolic Ca in isolated melanotrophs of an amphibian, *Xenopus laevis*: spontaneous Ca oscillations and their modulation by dopamine, GABA, and neuropeptide Y, the transmitters of the secreto-inhibitory nerves. **446**, 203*P*, 1992
Modulation of oscillations in intracellular calcium induced by the removal of extracellular sodium in single isolated human vascular smooth muscle cells. **446**, 593*P*, 1992
Confocal microscopy of the isolated lizard neuromuscular junction: calcium oscillations in resting synaptic boutons. **452**, 47*P*, 1992
Luminal Ca^{2+} promoting spontaneous Ca^{2+} release from inositol trisphosphate-sensitive stores in rat hepatocytes. **455**, 623, 1992

Calcium paradox
A phospholipase A_2 inhibitor (Ro 31-4493) prevents the protein loss associated with the Ca-paradox in isolated guinea-pig hearts and is without effect on the currents through L-type Ca channels of isolated myocytes. **446**, 439*P*, 1992

Calcium regulation
Ca^{2+} efflux mechanisms following depolarization evoked calcium transients in cultured rat sensory neurones. **455**, 567, 1992

Calcium release
Quantal mobilization of Ca^{2+} from intracellular stores of single HeLa cells. **446**, 207*P*, 1992
Spontaneous sarcoplasmic reticulum calcium release and extrusion from bovine, not porcine, coronary artery smooth muscle. **451**, 49, 1992
Effects of procaine and caffeine on calcium release from the sarcoplasmic reticulum in frog skeletal muscle. **453**, 341, 1992
Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. **454**, 389, 1992
Luminal Ca^{2+} promoting spontaneous Ca^{2+} release from inositol trisphosphate-sensitive stores in rat hepatocytes. **455**, 623, 1992
Some properties of Ca^{2+}-induced Ca^{2+} release mechanism in single visceral smooth muscle cell of the guinea-pig. **457**, 1, 1992
Calcium-induced calcium release in crayfish skeletal muscle. **457**, 195, 1992
Characteristic features of noradrenaline-induced Ca^{2+} mobilization and tension in arterial smooth muscle of the rabbit. **457**, 297, 1992
Contribution of Ca^{2+}-induced Ca^{2+} release to the $[Ca^{2+}]_i$ transients in myocytes from guinea-pig urinary bladder. **458**, 119, 1992
Mechanism of release of Ca^{2+} from intracellular stores in response to ionomycin in oocytes of the frog *Xenopus laevis*. **458**, 307, 1992
Potentiation of inositol trisphosphate-induced Ca^{2+} mobilization in *Xenopus* oocytes by cytosolic Ca^{2+}. **458**, 319, 1992

Calcium sensitivity
Calcium sensitizing action of carnosine and other endogenous imidazoles in chemically skinned striated muscle. **454**, 421, 1992

Calcium sequestration
Effect of temperature on relaxation rate and Ca^{2+}, Mg^{2+} dissociation rates from parvalbumin of frog muscle fibres. **449**, 399, 1992

Calcium store
Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992
Some properties of Ca^{2+}-induced Ca^{2+} release mechanism in single visceral smooth muscle cell of the guinea-pig. **457**, 1, 1992

Calcium transient
α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992
Acetylcholine- and caffeine-evoked repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **449**, 109, 1992
Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. **454**, 321, 1992
Shear stress-induced calcium transients in endothelial cells from human umbilical cord veins. **458**, 527, 1992

Calcium transport
Mitochondrial and sarcolemmal Ca^{2+} transport reduce $[Ca^{2+}]_i$ during caffeine contractures in rabbit cardiac myocytes. **453**, 591, 1992

Calmodulin
The effect of a calmodulin inhibitor on intracellular $[Ca^{2+}]$ and contraction in isolated rat ventricular myocytes. **453**, 385, 1992

Capillary
Effect of long-term muscle overload on capillary supply, blood flow and performance in rat fast muscle. **452**, 9*P*, 1992
The response of human nailfold capillary pressure to an increase in brachial artery blood pressure. **452**, 13*P*, 1992
Endothelial cell–cell contacts in mammalian continuous capillaries: evidence for the existence of regularly spaced, cleft-spanning structures. **452**, 65*P*, 1992
Endothelial cell–cell contacts in continuous mammalian capillaries: the tight junction. **452**, 66*P*, 1992
Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992
Histochemical arguments for muscular non-shivering thermogenesis in muscovy ducklings. **457**, 27, 1992

Capillary permeability
Plasma proteins modify the endothelial cell glycocalyx of frog mesenteric microvessels. **445**, 473, 1992
Two phases in blood–brain barrier disruption in single cerebral microvessels of the anaesthetized rat. **446**, 503*P*, 1992
Volume status influences atrial peptide-induced water conductivity changes in leopard frog mesenteric capillaries. **447**, 33, 1992

Capsaicin
Calcium-dependent and independent desensitization of capsaicin-evoked responses in voltage-clamped adult rat dorsal root ganglion (DRG) neurones in culture. **446**, 390*P*, 1992
Pain, hyperalgesia and activity in nociceptive C units in humans after intradermal injection of capsaicin. **448**, 749, 1992
Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in humans. **448**, 765, 1992
Selective activation of single vagal C fibres by capsaicin and bradykinin in the guinea-pig trachea *in vitro*. **452**, 203*P*, 1992

Carbachol
The role of acetylcholinesterase in denervation supersensitivity in the frog cardiac ganglion. **445**, 249, 1992
GTP-binding protein involvement in membrane currents evoked by carbachol and histamine in guinea-pig ileal muscle. **450**, 105, 1992
Computer simulation of carbachol-driven rhythmic population oscillations in the CA3 region of the *in vitro* rat hippocampus. **451**, 653, 1992
Muscarinic inhibition of M-current and a potassium leak conductance in neurones of the rat basolateral amygdala. **457**, 93, 1992

Carbon dioxide
Effects of carbon dioxide on tetanic contraction of frog skeletal muscles studied by phosphorus nuclear magnetic resonance. **453**, 247, 1992
The effects of hypoxia on the ventilatory response to sudden changes in CO_2 in newborn piglets. **456**, 39, 1992
Alteration of ventilatory activity by intralaryngeal CO_2 in the cat. **457**, 177, 1992
Responses of laryngeal receptors to intralaryngeal CO_2 in the cat. **457**, 187, 1992
Dynamics of the ventilatory response in man to step changes of end-tidal carbon dioxide and of hypoxia during exercise. **457**, 539, 1992

Cardiac-, *see also* Heart

Cardiac electrophysiology
Effect of propafenone on the calcium current in guinea-pig ventricular myocytes. **452**, 22*P*, 1992
The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. **454**, 27, 1992
Mechanism of cardiac Na^+–Ca^{2+} exchange current stimulation by MgATP: possible involvement of aminophospholipid translocase. **454**, 59, 1992

Cardiac ganglion
The role of acetylcholinesterase in denervation supersensitivity in the frog cardiac ganglion. **445**, 249, 1992
Resting membrane potential and potassium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 405, 1992

Cardiac ganglion (*cont.*)
Voltage-dependent sodium and calcium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 425, 1992
Cardiac hypoplasia
Hypoplastic left heart syndrome: some clues to its aetiology. **446**, 574*P*, 1992
Cardiac muscle
The effect of inorganic phosphate on the SR of isolated saponin-treated rat heart. **446**, 147*P*, 1992
Two ionic conductances activated by extracellularly applied ATP in guinea-pig atrial cell. **446**, 154*P*, 1992
Superoxide free-radicals reduce force, but not calcium sensitivity, in isolated, chemically 'skinned', cardiac trabeculae of rat. **446**, 240*P*, 1992
The control of cardiac contractility by Na–Ca exchange: a study using a computer model of excitation–contraction coupling in the heart. **446**, 241*P*, 1992
The effect of the calmodulin inhibitor W7 upon intracellular $[Ca^{2+}]$ (Ca_i) and contraction in ventricular myocytes isolated from rat hearts. **446**, 335*P*, 1992
The effect of varying pH on intracellular Ca^{2+} and force in papillary muscles isolated from ferret hearts. **446**, 336*P*, 1992
Early and late components of β-adrenergic chronotrophy in the cardiac pacemaker of the guinea-pig studied *in vitro*. **446**, 340*P*, 1992
Increased resistance of isolated cardiac muscle to an acute hypercapnia following chronic hypoxia in the rat. **446**, 540*P*, 1992
The relationship between contraction and intracellular sodium in rat and guinea-pig ventricular myocytes. **449**, 517, 1992
Rapid changes of extracellular solution combined with measurements of contraction in isolated ventricular myocytes from the rat heart. **452**, 158*P*, 1992
Calibration of the fluorescent indicator SBFI for intracellular sodium in ventricular myocytes isolated from rabbit and rat hearts. **452**, 159*P*, 1992
The effects of extracellular chloride removal on isolated guinea-pig cardiac muscle. **452**, 310*P*, 1992
A persistent sodium current in rat ventricular myocytes. **453**, 219, 1992
The effect of a calmodulin inhibitor on intracellular $[Ca^{2+}]$ and contraction in isolated rat ventricular myocytes. **453**, 385, 1992
Synergistic action of cyclic GMP on catecholamine-induced chloride current in guinea-pig ventricular cells. **453**, 647, 1992
Modulation of β-adrenergic responses of chloride and calcium currents by external cations in guinea-pig ventricular cells. **457**, 211, 1992
Inorganic phosphate decreases the Ca^{2+} content of the sarcoplasmic reticulum in saponin-treated rat cardiac trabeculae. **458**, 457, 1992
Cardiac myocyte
Mechanism of extracellular ATP-induced increase of cytosolic Ca^{2+} concentration in isolated rat ventricular myocytes. **445**, 369, 1992
Changes in T-type and L-type calcium current densities in newborn rat cardiomyocytes in culture. **446**, 145*P*, 1992
The effect of thapsigargin on the calcium transient and twitch of single myocytes isolated from rat heart. **446**, 148*P*, 1992
Intra-pipette GTP prevents the rapid rundown of β-adrenoceptor-mediated activation of Cl current in isolated guinea-pig ventricular myocytes. **446**, 153*P*, 1992
Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992
The stimulus interval–tension relation in enzymatically isolated single myocytes of the frog heart. **448**, 275, 1992
Fluorescence measurements of cytoplasmic and mitochondrial sodium concentration in rat ventricular myocytes. **448**, 493, 1992
A method for obtaining a high yield of healthy myocytes from the ventricle and atrioventricular node of isolated rabbit hearts. **452**, 157*P*, 1992
Intracellular GTPγS inhibits L-type Ca^{2+} channel activation by isoprenaline or photoreleased GTPγS in guinea-pig ventricular myocytes. **452**, 197*P*, 1992
Mitochondrial and sarcolemmal Ca^{2+} transport reduce $[Ca^{2+}]_i$ during caffeine contractures in rabbit cardiac myocytes. **453**, 591, 1992
Hyperthyroidism selectively modified a transient potassium current in rabbit ventricular and atrial myocytes. **457**, 369, 1992
Cardiac output
Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992
Cardiac pacing
Myocardial preconditioning in anaesthetized dogs can be induced by rapid cardiac pacing. **446**, 218*P*, 1992
Cardiac Purkinje fibre
Ionic mechanisms of transient inward current in the absence of Na^+–Ca^{2+} exchange in rabbit cardiac Purkinje fibres. **456**, 19, 1992
Cardiac receptor
Intracoronary veratrine attenuates carotid baroreceptor reflex regulation of blood pressure in conscious dogs. **451**, 91, 1992
Cardiac sarcolemma
Na-dependent taurine uptake in isolated bovine cardiac sarcolemmal vesicles. **446**, 57*P*, 1992
Cardiac ventricular muscle
Length-dependence of maximum force production and ATPase activity in rat skinned cardiac trabeculae. **446**, 239*P*, 1992
Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. **454**, 467, 1992
Macroscopic and unitary properties of physiological

Cardiac ventricular muscle (*cont.*)
ion flux through T-type Ca^{2+} channels in guinea-pig heart cells. **456**, 247, 1992
Macroscopic and unitary properties of physiological ion flux through L-type Ca^{2+} channels in guinea-pig heart cells. **456**, 267, 1992
Cardiorespiratory waveforms
Analysis of unstable cardiorespiratory waveforms by the frequency tracking locus in human preterm infants. **452**, 27*P*, 1992
Cardiovascular function
Renal functional responses to somatic afferent nerve stimulation in hypertensive rats following vagotomy. **446**, 55*P*, 1992
Characteristic cell types and network modelling in the cardiorespiratory region of the nucleus of the solitary tract (NTS) of the rat. **452**, 357*P*, 1992
Cardiovascular reflex
Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992
The effects of indirect warming on forearm vasculature in normal human subjects. **452**, 221*P*, 1992
Cardiovascular regulation
Effects of bradycardia on blood distribution in the low pressure area of the cardiovascular system during brain ischaemia in anaesthetized rabbits. **446**, 371*P*, 1992
Short-time cardiovascular responses to a sudden increase in peripheral vascular resistance in humans, with and without parasympathetic blockade. **452**, 19*P*, 1992
The effects of posterior cerebellar vermal lesions on the hypothalamic defence response in the urethane-anaesthetized rabbit. **452**, 243*P*, 1992
The adult rat spinal cord *in vitro*: a novel preparation for recording from lateral horn cells. **452**, 322*P*, 1992
Effect on cardiac sympathetic nerve activity of phenylephrine microinjected into the cat intermediolateral cell column. **453**, 185, 1992
Cardiovascular response
Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992
Carnosine
Calcium sensitizing action of carnosine and other endogenous imidazoles in chemically skinned striated muscle. **454**, 421, 1992
Carotid artery
Asymmetry of vascular responses of perfused rabbit carotid artery to intraluminal and abluminal vasoactive stimuli. **458**, 223, 1992
Carotid body
The effects of physiological saline solutions, perfused at constant inflow pressure or volume, on the ultrastructure of the cat carotid body. **446**, 467*P*, 1992
Respiratory muscle recruitment during selective central and peripheral chemoreceptor stimulation in awake dogs. **448**, 613, 1992
Mitochondrial function in type I cells isolated from rabbit arterial chemoreceptors. **450**, 13, 1992
Relative mitochondrial membrane potential and $[Ca^{2+}]_i$ in type I cells isolated from the rabbit carotid body. **450**, 33, 1992
Maturation of carotid chemoreceptor sensitivity to hypoxia: *in vitro* studies in the newborn rat. **453**, 461, 1992
Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992
Carotid body chemoreceptor
Afferent carotid chemoreceptor response to step increases in arterial P_{CO_2} in anaesthetized cats. **446**, 431*P*, 1992
Response of carotid chemoreceptors to elevated arterial potassium in anaesthetized cats ventilated with air or 100% oxygen. **446**, 580*P*, 1992
Carotid sinus
Autonomic reflexes in patients with carotid sinus syncope: a pilot study. **446**, 434*P*, 1992
Cartilage
Study comparing the impedance characteristics of isolated normal and proteoglycan-depleted bovine articular cartilage. **452**, 60*P*, 1992
Cat
Somatosensory stimulation causes autonomic vasodilatation in cat lip. **450**, 191, 1992
Catecholamine
Fetal breathing, sleep state, and cardiovascular adaptations to anaemia in sheep. **445**, 713, 1992
The source of calcium for muscarinic-mediated catecholamine release from cat adrenals. **445**, 725, 1992
Sex-related differences in urinary catecholamine excretion in humans. **446**, 582*P*, 1992
Effect of catecholamines on intracellular pH in sheep cardiac Purkinje fibres. **458**, 289, 1992
Cation
ATP-activated cationic current in rabbit single cardiac myocytes. **446**, 329*P*, 1992
Cation channel
Cyclic AMP regulates a calcium-activated non-selective cation channel in a rat insulinoma cell line. **446**, 312*P*, 1992
Cationic channels sensitive to extracellular ATP in rat lacrimal cells. **449**, 313, 1992
Cell coupling
Electrical coupling between cells of the insect *Aedes albopictus*. **448**, 321, 1992
Cell culture
Slow and fast transient potassium currents in cultured rat hippocampal cells. **445**, 431, 1992
Cell line
Transcytosis of particulates by rabbit M cells studied by confocal microscopy. **452**, 258*P*, 1992
Cell volume
Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992
Cell volume changes upon sodium pump inhibition in *Helix aspersa* neurones. **458**, 603, 1992
Central nervous system
Relocation of preganglionic vagal motoneurones in the brainstem of the axolotl at metamorphosis. **446**, 165*P*, 1992

Central nervous system (*cont.*)
Inhibition of feeding motor output by an identified interneurone in the isolated central nervous system of *Lymnaea stagnalis*. **446**, 317*P*, 1992
Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992
Anatomical analysis of projections from the hypothalamus to different subdivisions of the periaqueductal grey in the rat. **452**, 255*P*, 1992
Development of the pincer grasp and its relationship to the development of adult corticospinal delays in man. **452**, 273*P*, 1992
Is the corticospinal projection to the motoneurones of biceps brachii monosynaptic in the human neonate? **452**, 274*P*, 1992
Intracellular recordings made *in vitro* from an area of the avian forebrain which is known to be essential for early learning. **452**, 294*P*, 1992
Investigations of the enteric neural involvement in the maintained electrogenic hypersecretion induced by *E. coli* STa in chronic undernourished rat small intestine *in vitro*. **452**, 361*P*, 1992

Cerebellum
The activity of monkey thalamic and motor cortical neurones in a skilled, ballistic movement. **445**, 25, 1992
Interactions between postsynaptic membrane properties and IPSPs in turtle Purkinje cells *in vitro*. **446**, 157*P*, 1992
Reorganization of the synapses on the deep cerebellar nuclei neurons in the mutant mouse *Lurcher*. **446**, 373*P*, 1992
Ocular pursuit over a structured background in subjects with Parkinson's Disease and cerebellar lesions. **452**, 270*P*, 1992
The influence of vision on the accuracy of reaching movements in patients with cerebellar disease. **452**, 271*P*, 1992
Membrane properties and synaptic responses of Golgi cells and stellate cells in the turtle cerebellum *in vitro*. **457**, 329, 1992
Stellate cell inhibition of Purkinje cells in the turtle cerebellum *in vitro*. **457**, 355, 1992

Cerebral blood flow
Measurement of superficial cerebral cortical blood flow by imaging umbelliferone clearance in anaesthetized cats and rabbits. **446**, 569*P*, 1992
Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992

Cerebral circulation
Is vitamin C an oxygen carrier in the brain? **446**, 522*P*, 1992

Cerebral cortex
Corticotrophin-releasing hormone-like immunoreactive neurones in the rat cerebral cortex. **446**, 24*P*, 1992
The central projection of electrosensory information in the platypus. **447**, 449, 1992

Cerebral ischaemia
A magnetic resonance imaging study of cerebral ischaemia in the anaesthetized gerbil. **446**, 510*P*, 1992

Cerebral oedema
The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992

Cerebrospinal fluid
Thyroid hormone uptake at the blood face of the isolated perfused sheep choroid plexus. **446**, 87*P*, 1992
The apparent 'sink action' of the CSF – are the observations due to secretion and flow of interstitial fluid? **446**, 496*P*, 1992
The effect of glucose concentration in plasma and cerebrospinal fluid (CSF) on the secretion of CSF by the *in vitro* sheep choroid plexus. **446**, 609*P*, 1992
A developmentally regulated blood–cerebrospinal fluid transfer mechanism for albumin in immature rats. **456**, 181, 1992

Cetiedil
Properties of a cell volume-sensitive potassium conductance in isolated guinea-pig and rat hepatocytes. **447**, 133, 1992

Channel blockade
Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. **454**, 339, 1992
Phencyclidine block of calcium current in isolated guinea-pig hippocampal neurones. **456**, 85, 1992

Charge movement
Effects of lipophilic cations on intramembrane charge movement and L-type calcium current in isolated mouse skeletal muscle cells. **446**, 363*P*, 1992
Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. **454**, 183, 1992

Chemoreceptor
Peripheral chemoreceptor modulation of respiration during alternating hypoxia in conscious, newborn rats. **446**, 121*P*, 1992
Effect of halothane on the carotid chemoreceptor response to hypoxia in anaesthetized kittens. **446**, 425*P*, 1992
The effect of work intensity on the proportional contribution of the peripheral chemoreceptors to the exercise hyperpnoea in humans. **446**, 577*P*, 1992
Maturation of carotid chemoreceptor sensitivity to hypoxia: *in vitro* studies in the newborn rat. **453**, 461, 1992
Primary effects of carotid chemoreceptor stimulation on gracilis muscle and renal blood flow and renal function in dogs. **455**, 73, 1992
Effects of left atrial receptor stimulation on carotid chemoreceptor-induced renal responses in dogs. **456**, 529, 1992

Chick
Longitudinal chromatic aberration and emmetropization: results from the chicken eye. **449**, 363, 1992

Chloride, *see also* Intracellular chloride
Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992

Chloride (*cont.*)
Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992
Chloride channel
Arachidonic acid and prostaglandin E_2 activate small-conductance Cl^- channels in the basolateral membrane of rabbit parietal cells. **448**, 293, 1992
Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992
Voltage-dependent gating mechanism for single fast chloride channels from rat skeletal muscle. **453**, 279, 1992
Volume-regulatory Cl^- channel currents in cultured human epithelial cells. **456**, 351, 1992
Chloride conductance
Intra-pipette GTP prevents the rapid rundown of β-adrenoceptor-mediated activation of Cl current in isolated guinea-pig ventricular myocytes. **446**, 153*P*, 1992
Volume-sensitive chloride conductance in bovine chromaffin cell membrane. **449**, 197, 1992
Cyclic AMP- and β-agonist-activated chloride conductance of a toad skin epithelium. **449**, 641, 1992
Inhibition by 4,4′-diisothiocyanostilbene-2,2′-disulphonic acid (DIDS) separates volume and cAMP-activated Cl^- conductances in intact T_{84} epithelial monolayers. **452**, 346*P*, 1992
A Cl^- conductance sensitive to external pH in the apical membrane of rat duodenal enterocytes **456**, 519, 1992
Chloride current
Arachidonic acid inhibits volume-sensitive Cl currents in a human intestinal epithelial cell line. **446**, 105*P*, 1992
Cyclic GMP potentiates β-adrenergic activation of Cl^- currents in guinea-pig ventricular cells. **446**, 151*P*, 1992
Enhancement of γ-aminobutyric acid-activated Cl^- currents in cultured rat hippocampal neurones by three volatile anaesthetics. **449**, 279, 1992
Role of proton pump of mitochondria-rich cells for active transport of chloride ions in toad skin epithelium. **450**, 203, 1992
Acute regulation of the macroscopic chloride conductance of isolated rat pancreatic duct cells. **452**, 345*P*, 1992
Synergistic action of cyclic GMP on catecholamine-induced chloride current in guinea-pig ventricular cells. **453**, 647, 1992
Pipette GTP is essential for receptor-mediated regulation of Cl^- current in dialysed myocytes from guinea-pig ventricle. **455**, 235, 1992
Ionic mechanisms of transient inward current in the absence of Na^+–Ca^{2+} exchange in rabbit cardiac Purkinje fibres. **456**, 19, 1992
Modulation of β-adrenergic responses of chloride and calcium currents by external cations in guinea-pig ventricular cells. **457**, 211, 1992
Chloride ion
The minimal inhibitory synaptic currents evoked in neonatal rat motoneurones. **450**, 593, 1992
Chloride secretion
5-Hydroxytryptamine (5-HT)-induced anion secretion in isolated guinea-pig distal colon. **446**, 197*P*, 1992
Acetylcholine and kinin augmentation of Cl^- secretion stimulated by prostaglandin in a canine renal epithelial cell line. **447**, 1, 1992
Studies of transepithelial Cl^- transport in cultured cauda epididymal cells of rats by the short-circuit current method. **457**, 391, 1992
Chloride transport
Inhibition of human placental chloride permeability by Cd^{2+} in brush-border membrane vesicles. **446**, 588*P*, 1992
Stilbene disulphonates inhibit apparently separate chloride transporters in skeletal muscle of *Rana temporaria*. **448**, 383, 1992
The pH dependence of chloride net flux in skeletal muscle fibres of *Rana temporaria*. **449**, 237, 1992
Mechanisms of chloride transport across the *in situ* perfused placenta of the anaesthetized rat. **452**, 94*P*, 1992
Cholecystokinin
Activation of non-selective cation channels by physiological cholecystokinin concentrations in mouse pancreatic acinar cells. **446**, 129*P*, 1992
Effects on food intake in pigs of antagonists acting on cholecystokinin type A and B receptors. **446**, 291*P*, 1992
Role of cyclic nucleotides and calcium in the nutrient-induced release of cholecystokinin-like immunoreactivity in rats. **449**, 37, 1992
Role of cholecystokinin in the inhibition of gastric acid secretion in dogs. **451**, 477, 1992
Peripheral administration of cholecystokinin (CCK) results in the expression of *fos*-like immunoreactivity in the brainstem of the rat. **452**, 249*P*, 1992
Cholecystokinin binding sites on vagal afferent fibres in the rat. **452**, 336*P*, 1992
Depolarizing action of cholecystokinin on rat supraoptic neurones *in vitro*. **458**, 621, 1992
Cholinergic neurone
Cholinergic excitation of GABAergic interneurons in the rat hippocampal slice. **450**, 127, 1992
Choroid plexus
Ion channels in the choroid plexus isolated from the fourth ventricle of the fetal rat. **446**, 349*P*, 1992
The effect of CO_2/HCO_3^--buffered saline on Cl^- channel activity in isolated rat choroid plexus. **446**, 350*P*, 1992
The effect of glucose concentration in plasma and cerebrospinal fluid (CSF) on the secretion of CSF by the *in vitro* sheep choroid plexus. **446**, 609*P*, 1992
Whole-cell currents in epithelial cells from rat choroid plexus *in vitro*. **452**, 356*P*, 1992
Chromaffin cell
Spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with carbachol at different concen-

Chromaffin cell (*cont.*)
trations in adrenal chromaffin cells isolated from guinea-pig. **446**, 206*P*, 1992
Volume-sensitive chloride conductance in bovine chromaffin cell membrane. **449**, 197, 1992
Calcium requirements for secretion in bovine chromaffin cells. **450**, 247, 1992
Calcium gradients and buffers in bovine chromaffin cells. **450**, 273, 1992
Two components of calcium-activated potassium current in rat adrenal chromaffin cells. **453**, 97, 1992
Effects of muscarine on single rat adrenal chromaffin cells. **453**, 133, 1992
A study of the bovine adrenal chromaffin nicotinic receptor using patch clamp and concentration-jump techniques. **454**, 129, 1992
Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells **454**, 213, 1992
A patch clamp study of the nicotinic acetylcholine receptor of bovine adrenomedullary chromaffin cells in culture. **455**, 503, 1992

Ciliary epithelium
Of the two outward K^+-currents, $i_{K(Ca)}$ and $i_{K(V)}$, in isolated bovine ciliary epithelial cells, only $i_{K(Ca)}$ will contribute to ion transport. **446**, 36*P*, 1992

Circadian rhythm
Effects of 6-hydroxydopamine lesions of the ventral tegmental area on circadian rhythms in drinking and wheel activity in the rat. **446**, 275*P*, 1992
Electronic monitoring of drinking behaviour in rats. **446**, 395*P*, 1992
The effects of lithium on Syrian hamster supra-chiasmatic circadian clock neurones *in vitro*. **446**, 443*P*, 1992
Serotonin regulates the phase of the rat supra-chiasmatic circadian pacemaker *in vitro* only during the subjective day. **450**, 629, 1992
Assessing the endogenous component of circadian rhythms in humans. **452**, 120*P*, 1992

Circulation
The effects of recombinantly-derived insulin-like growth factor-I and insulin-like growth factor-II on mammary vasodilatation in the goat. **446**, 69*P*, 1992
Increased uptake of low-density lipoprotein after heparinase perfusion of carotid arteries in anaesthetized rabbits. **446**, 220*P*, 1992
Respiratory and circulatory responses to electrical and chemical stimulation in the parabrachial complex (PB) of the anaesthetized rat. **452**, 321*P*, 1992

Co-activation
Task-dependent changes in the response of human wrist joints to mechanical disturbance. **447**, 575, 1992

Cochlea
Binding of a polyclonal antibody raised against an amiloride-sensitive Na^+ channel to guinea-pig cochlear hair cells *in vitro* is reduced by drugs known to affect mechanoelectrical transduction. **446**, 113*P*, 1992
Action of ATP on isolated Hensen's cells of guinea-pig cochlea investigated by calcium imaging and whole-cell recording. **446**, 389*P*, 1992
Intracellular pH regulation in isolated cochlear outer hair cells of the guinea-pig. **447**, 627, 1992
Ionic currents of outer hair cells isolated from the guinea-pig cochlea. **448**, 73, 1992
Basilar membrane mechanics stimulated by extracellular currents in the isolated cochlea of the guinea-pig. **452**, 131*P*, 1992
A simple method for producing monoclonal antibodies to small quantities of tissue. **452**, 161*P*, 1992
Intracellular recordings from neurones of the whole cochlear nucleus of the mouse *in vitro*. **452**, 267*P*, 1992
Electrophysiology of dorsal cochlear nucleus neurones in the mouse *in vitro*. **452**, 292*P*, 1992

Cold
ATP dependence of Na^+–K^+ pump of cold-sensitive and cold-tolerant mammalian red blood cells. **456**, 575, 1992

Collecting tubule
Effect of colcemid on the water permeability response to vasopressin in isolated perfused rabbit collecting tubules. **456**, 591, 1992

Colon
Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992
Dietary restriction sensitizes the rat distal colon to aldosterone. **447**, 501, 1992
A capsaicin-sensitive inhibitory reflex from the colon to mesenteric arteries in the guinea-pig. **448**, 153, 1992
Aldosterone induces apical Na^+ channels in surface but not crypt cells of rat distal colon. **452**, 139, 1992
Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992
Characteristics of glucose transport by human and pig colonocyte basolateral membrane. **452**, 326*P*, 1992
Gut giant contractions and associated defaecation in ambulant dogs. **452**, 340*P*, 1992
Direct evidence of fluid uptake into rat descending colonic crypts. **452**, 351*P*, 1992
Electrogenic colonic ion transport in human Hirschsprung's disease. **452**, 352*P*, 1992
Sennoside and loperamide: opposing motor effects in vascularly perfused rat large bowel *in vitro*. **452**, 366*P*, 1992
Dependence of electrical slow waves of canine colonic smooth muscle on calcium gradient. **455**, 307, 1992
Upstroke component of electrical slow waves in canine colonic smooth muscle due to nifedipine-resistant calcium current. **455**, 321, 1992
Role of M_1 muscarinic receptors in the parasympathetic control of colonic motility in cats and rabbits. **458**, 655, 1992

Colonic mucosa
In vivo exposure of rat colonic mucosa to human semen induces mucosal cytolysis, abolishes fluid absorption and raises paracellular permeability. **446**, 411*P*, 1992

Colour vision
Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992
Responses of macaque ganglion cells to movement of chromatic borders. **458**, 579, 1992

Comparative physiology
Calcium regulation during aerial exposure in *Carcinus maenas*: a role for moulting hormones? **446**, 190*P*, 1992

Computer
Computed potential responses of small cultured rat hippocampal neurons. **445**, 157, 1992
Digital colour image display and capture for computer-assisted learning programmes on the Apple Macintosh computer. **446**, 3*P*, 1992
Recording and analysis of multiple single spike trains in the anaesthetized cat. **446**, 471*P*, 1992
Computer-aided learning resources at UMDS. **446**, 481*P*, 1992

Conduction block
Co-ordination of pumping in isolated bovine lymphatic vessels. **450**, 503, 1992

Contraction
The relationship between contraction and intracellular sodium in rat and guinea-pig ventricular myocytes. **449**, 517, 1992
Airway epithelial cells regulate membrane potential, neurotransmission and muscle tone of the dog airway smooth muscle. **449**, 619, 1992
Co-ordination of pumping in isolated bovine lymphatic vessels. **450**, 503, 1992
An estimate of the relative contributions of the sarcoplasmic reticulum and calcium current to contraction of isolated rat ventricular myocytes. **452**, 127*P*, 1992
Does Ca influx via Na–Ca exchange trigger intracellular Ca release and contraction in isolated rat ventricular myocytes? **452**, 227*P*, 1992
Phenylephrine-induced translocation of protein kinase C and shortening of two types of vascular cells of the ferret. **455**, 585, 1992
Tension responses of sheep aorta to simultaneous decreases in phosphocreatine, inorganic phosphate and ATP. **458**, 139, 1992
Intracellular pathways triggered by galanin to induce contraction of pig ileum smooth muscle cells. **458**, 475, 1992

Contrast sensitivity
Relative sensitivity to colour and luminance gratings in human observers and monkey parvocellular neurones. **452**, 286*P*, 1992

Cornea
Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992
Blockade by calcium antagonists of chemical excitation and sensitization of polymodal nociceptors in the cat's cornea. **450**, 179, 1992
Corneal inputs to neurones in the spinal trigeminal nucleus of anaesthetized rats. **452**, 239*P*, 1992

Coronary artery
Inhibition of arachidonic acid metabolism by aspirin can promote thrombus formation in a stenosed coronary artery of the anaesthetized dog. **446**, 413*P*, 1992
Inhibition of nitric oxide production in anaesthetized dogs fails to modify work-induced increases in coronary blood flow. **452**, 16*P*, 1992

Coronary blood flow
Inhibition of nitric oxide production in anaesthetized dogs fails to modify work-induced increases in coronary blood flow. **452**, 16*P*, 1992
Continuous measurement of oxygen tension in the isolated guinea-pig heart using a purpose designed oxygen electrode. **452**, 126*P*, 1992
The effects of left ventricular diastolic pressure and volume on diastolic coronary flow in the isovolumically beating heart in the anaesthetized dog. **452**, 222*P*, 1992

Coronary circulation
Effect of perfusion pressure on force of contraction in thin papillary muscles and trabeculae from rat heart. **451**, 585, 1992

Corpus callosum
Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992

Corpus cavernosum
Characterization of inhibitory neurotransmission in the isolated corpus cavernosum from rabbit and man. **449**, 295, 1992

Cortical stimulation
Corticospinal projections to upper limb motoneurones in humans. **448**, 397, 1992
Evidence that a long latency stretch reflex in humans is transcortical. **449**, 429, 1992

Corticospinal neurone
Corticospinal projections to upper limb motoneurones in humans. **448**, 397, 1992

Corticospinal tract
The development of cortico-motoneuronal projections investigated using magnetic brain stimulation in the infant macaque. **447**, 755, 1992

Corticosteroid
Effect of corticosteroid hormones on potassium currents of rat CA1 hippocampal neurons *in vitro*. **452**, 217*P*, 1992

Corticotrophin-releasing factor
The role of corticotrophin releasing factor in relation to the neural control of adrenal function in conscious calves. **447**, 489, 1992

Co-transmitter
Inhibition of excitatory junction potentials in isolated guinea-pig vas deferens by suramin. **452**, 54*P*, 1992

Co-transport
(Na–K–Cl) co-transport in intact villus tips and crypt units from rat duodenum. **446**, 6*P*, 1992
KCl co-transport in erythrocytes from the river lamprey (*Lampetra fluviatilis*). **446**, 7*P*, 1992

Co-transport (*cont.*)
Intracellular pH regulation in isolated cochlear outer hair cells of the guinea-pig. **447**, 627, 1992
(Na^+–K^+–Cl^-) co-transport and chloride accumulation in arterial smooth muscle from normotensive rats and rats with deoxycorticosterone acetate (DOCA)/salt hypertension, measured *in vitro*. **452**, 229*P*, 1992
Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992
Cough reflex
Activity of inspiratory neurones in the nucleus ambiguus (NA) during the cough reflex at different respiratory loading resistances in the decerebrate cat. **452**, 225*P*, 1992
Crayfish
Central synaptic coupling of non-spiking afferent neurones from adjacent joints of the crayfish leg. **446**, 316*P*, 1992
Selective effects of octopamine within a crayfish motor pool. **452**, 167*P*, 1992
Critical mass
Lateral isolation of neocortex and strychnine spikes in the anaesthetized rat. **446**, 511*P*, 1992
Cross-bridge
Tension transients during steady lengthening of tetanized muscle fibres of the frog. **445**, 659, 1992
Tension responses to joule temperature jump in skinned rabbit muscle fibres. **447**, 425, 1992
Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992
The effect of magnetic force on the movement of myosin-coated beads along actin cables in an algal cell. **452**, 325*P*, 1992
Cross-correlation
Estimating the strength of common input to human motoneurons from the cross-correlogram. **453**, 547, 1992
Cutaneous afferent nerve fibre
Physiological evidence for a slow K^+ conductance in human cutaneous afferents. **453**, 575, 1992
Vibrotactile sensitivity of slowly adapting type I sensory fibres associated with touch domes in cat hairy skin. **453**, 609, 1992
Responses of slowly adapting type II afferent fibres in cat hairy skin to vibrotactile stimuli. **458**, 151, 1992
Cutaneous mechanoreceptor
Independent control of human finger-tip forces at individual digits during precision lifting. **450**, 547, 1992
Cutaneous reflex
Force production in the human cutaneomuscular reflex. **446**, 603*P*, 1992
Correlation of the components of the reflex modulation of force with the underlying EMG in a human cutaneomuscular reflex. **452**, 207*P*, 1992
Cyclic adenosine monophosphate (cyclic AMP)
Evidence of β-agonist and cAMP-stimulated chloride conductance in toad skin epithelium being localized to the mitochondria-rich cells. **446**, 108*P*, 1992
The ATP-induced inward current in mouse lacrimal acinar cells is potentiated by isoprenaline and GTP. **447**, 103, 1992
Cyclic AMP- and β-agonist-activated chloride conductance of a toad skin epithelium. **449**, 641, 1992
Acute regulation of the macroscopic chloride conductance of isolated rat pancreatic duct cells. **452**, 345*P*, 1992
The effect of prostaglandin E_2 on agonist-sensitive cAMP accumulation in the distal convoluted tubule isolated from rabbit kidney. **452**, 354*P*, 1992
The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992
Cyclic guanosine monophosphate (cyclic GMP)
Cyclic GMP potentiates β-adrenergic activation of Cl^- currents in guinea-pig ventricular cells. **446**, 151*P*, 1992
Cyclic GMP-activated channels of salamander retinal rods: spatial distribution and variation of responsiveness. **448**, 257, 1992
Cation interactions within the cyclic GMP-activated channel of retinal rods from the tiger salamander. **449**, 759, 1992
Association of cyclic GMP-gated channels and Na^+–Ca^{2+}–K^+ exchangers in bovine retinal rod outer segment plasma membranes. **451**, 109, 1992
In vitro atrial natriuretic peptide- (ANP) stimulated cGMP production in nephrons from seawater- (SW) and freshwater- (FW) adapted euryhaline fish. **452**, 91*P*, 1992
Synergistic action of cyclic GMP on catecholamine-induced chloride current in guinea-pig ventricular cells. **453**, 647, 1992
Guanosine 3′,5′-cyclic monophosphate regulates calcium channels in neurones of rabbit vesical pelvic ganglia. **457**, 559, 1992
Cyclic nucleotide
Cyclic nucleotide-dependent regulation of agonist-induced calcium increases in mouse megakaryocytes. **447**, 711, 1992
Role of cyclic nucleotides and calcium in the nutrient-induced release of cholecystokinin-like immunoreactivity in rats. **449**, 37, 1992
Cyclosporine-A
The effect of cyclosporine-A on excitation–contraction coupling in isolated rat cardiac trabeculae. **452**, 23*P*, 1992
Cytokine
Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992
Cytosolic calcium
Importance of voltage-dependent Ca channels of low threshold in maintenance of basal cytosolic free Ca and its reduction by dopamine and baclofen: evidence from Mn quenching of Fura-2 signals in isolated melanotrophs of rats. **446**, 310*P*, 1992
Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992

Cytotoxicity
Neuromuscular gap junctions in the fly eclosion muscle system? **446**, 163*P*, 1992
Dehydration
Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992
Delayed rectifier
Actions of clofilium on the delayed rectifier K^+ current recorded in undifferentiated neuroblastoma × glioma hybrid (NG 108-15) cells. **446**, 309*P*, 1992
Delta wave
Electrophysiology of a slow (0·5–4 Hz) intrinsic oscillation of cat thalamocortical neurones *in vivo*. **447**, 215, 1992
Demyelination
Intracellular dye-injection study of oligodendrocyte morphology in the isolated intact mouse optic nerve: response to demyelination in a viral model of multiple sclerosis and to tumour necrosis factor. **446**, 474*P*, 1992
Relationship between CNS demyelination and vasculitis in autosensitized guinea-pigs following pre-treatment with non-encephalitogenic protein antigens. **446**, 500*P*, 1992
Ectopic activity in demyelinated spinal root axons of the rat. **451**, 539, 1992
Denervation
Activation and desensitization of embryonic-like receptor channels in mouse muscle by acetylcholine concentration steps. **451**, 145, 1992
Calcium current activation and charge movement in denervated mammalian skeletal muscle fibres. **451**, 187, 1992
Dentine
Changes in the rate of fluid flow through exposed dentine produced by sympathetic and inferior alveolar nerve stimulation in anaesthetized cats. **446**, 209*P*, 1992
Studies on the permeability of cat dentine *in vivo* and *in vitro*. **452**, 173*P*, 1992
Deoxyribonucleic acid
A region of 5′-flanking DNA from the rat preprotachykinin-A gene which directs high-level expression in cultured rat dorsal root ganglion neurones transfected by microinjection of plasmid DNA. **452**, 199*P*, 1992
Desensitization
Two types of steady-state desensitization of *N*-methyl-D-aspartate receptor in isolated hippocampal neurones of rat. **448**, 453, 1992
Activation and desensitization of *N*-methyl-D-aspartate receptors in nucleated outside-out patches from mouse neurones. **450**, 643, 1992
Markov modelling of ensemble current relaxations: bovine adrenal nicotinic receptor currents analysed. **454**, 155, 1992
Development, *see also* Muscle development
The development of cortico-motoneuronal projections investigated using magnetic brain stimulation in the infant macaque. **447**, 755, 1992
Cl^- and Na^+ homeostasis during anoxia in rat hypoglossal neurons: intracellular and extracellular *in vitro* studies. **448**, 697, 1992
Localized morphological changes in sciatic pool motoneurons following neonatal nerve injury at 5 days in the rat. **452**, 236*P*, 1992
Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. **454**, 503, 1992
Postnatal changes in T-type calcium current density in rat atrial myocytes. **454**, 657, 1992
Diabetes
Parotid gland response to parasympathetic nerve stimulation in anaesthetized streptozotocin-diabetic rats. **446**, 196*P*, 1992
Water and sodium homeostasis during dietary sodium restriction in patients with cranial diabetes insipidus. **446**, 452*P*, 1992
Sodium balance, blood volume and glomerular hyperfiltration in streptozotocin-treated diabetic rats. **452**, 137*P*, 1992
Diaphragm
Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. **454**, 643, 1992
Dynamic changes in human diaphragm length: maximal inspiratory and expulsive efforts studied with sequential radiography. **457**, 167, 1992
Diet
The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992
Dihydropyridine
Dihydropyridine-sensitive and ω-conotoxin-sensitive calcium channels in a mammalian neuroblastoma–glioma cell line. **448**, 161, 1992
Dihydropyridine receptor
Effects of perchlorate on excitation–contraction coupling in frog and crayfish skeletal muscle. **456**, 443, 1992
Distension activation
The influence of distension on the activity of the pyloric antrum in the conscious dog. **452**, 339*P*, 1992
Diuresis
A urinary excretory response to intragastric infusion of a bowel-lavage solution in the anaesthetized minipig. **446**, 455*P*, 1992
The location of the receptors involved in the human diuretic response to drinking an isotonic electrolyte solution. **450**, 1, 1992
Divalent cation
Effects of Ni^{2+} on Ca^{2+}-activated K^+ and Cl^- currents in rat mandibular acinar cells **446**, 104*P*, 1992
Extracellular divalent and trivalent cation effects on sodium current kinetics in single canine cardiac Purkinje cells. **454**, 267, 1992
Mechanisms of extracellular divalent and trivalent cation block of the sodium current in canine cardiac Purkinje cells. **454**, 299, 1992

Dopamine
Seasonal variability in brain dopamine and serotonin levels in *Lymnaea stagnalis*? **446**, 160*P*, 1992
Effect of dopamine on the Ca^{2+}-dependent K^+currents of isolated single gastric myocytes of the guinea-pig. **446**, 249*P*, 1992
Effects of 6-hydroxydopamine lesions of the ventral tegmental area on circadian rhythms in drinking and wheel activity in the rat. **446**, 275*P*, 1992
Dopamine D_2 receptor stimulation differentially affects voltage-activated calcium channels in rat pituitary melanotropic cells. **450**, 409, 1992
Two types of neurone in the rat ventral tegmental area and their synaptic inputs. **450**, 455, 1992
100 Hz sampling of the kinetics of dopamine release and re-uptake in isolated rat nucleus accumbens using continuous scan cyclic voltammetry (CSCV). **452**, 38*P*, 1992

Dorsal root ganglion
Calcium current variation between acutely isolated adult rat dorsal root ganglion neurons of different size. **445**, 639, 1992
Expression of growth-associated protein (GAP-43) mRNA in adult normal and axotomized rat lumbar primary sensory neurons. **446**, 305*P*, 1992
Kinetic analysis of the $GABA_B$-mediated inhibition of the high-threshold Ca^{2+} current in cultured rat sensory neurones. **447**, 391, 1992
Membrane and morphological properties of C cells in rat dorsal root ganglia studied *in vitro*. **452**, 202*P*, 1992

Dorsal vagal complex
Impact of antral mechanoreceptor activation on the vago-vagal reflex in the rat: functional zonation of responses. **453**, 401, 1992

Drinking
The location of the receptors involved in the human diuretic response to drinking an isotonic electrolyte solution. **450**, 1, 1992

Duodenum
(Na–K–Cl) co-transport in intact villus tips and crypt units from rat duodenum. **446**, 6*P*, 1992

Ectopic impulse
Ectopic activity in demyelinated spinal root axons of the rat. **451**, 539, 1992

Electrical activity
Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992

Electrical stimulation
Excitation of superficial dorsal horn neurones by electrical stimulation of the anterior pretectal nucleus in the anaesthetized rat. **446**, 563*P*, 1992
Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992
Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992

Electrocardiogram
Co-existence of final ventricular depolarization and initial ventricular repolarization potentials in normal subjects studied by computer graphic electrocardiography. **446**, 217*P*, 1992
Relationship between sleep stages and the beat variability measured from ECG R–R intervals in sleep-deprived human subjects. **452**, 206*P*, 1992

Electroencephalogram
Rhythmic slow activity (RSA) recorded from the bilateral hippocampus in the freely moving rat. **446**, 382*P*, 1992
The effect of alcohol, at two times of day, on the distribution of relative power within the frequency-spectrum of the human EEG. **452**, 119*P*, 1992

Electromyogram
Model of an interference electromyogram containing an inhibitory reflex. **446**, 19*P*, 1992
Use of FM radio telemetry to record human electromyograms during 'dry' slope skiing. **452**, 72*P*, 1992
A method for automatic identification of periods of muscular activity from EMG recordings in the mammal. **452**, 152*P*, 1992
Control of an external force in leg extensions in humans. **457**, 611, 1992

Electrophysiology
Both ATP and the peptide VIP are inhibitory neurotransmitters in guinea-pig ileum circular muscle. **447**, 119, 1992
Electrical coupling between cells of the insect *Aedes albopictus*. **448**, 321, 1992
The effect of calcitonin on intracellular free calcium levels in depolarized guinea-pig ventricular myocytes. **452**, 21*P*, 1992
A perfusion system for exchanging the intracellular solution of single guinea-pig ventricular myocytes. **452**, 165*P*, 1992
Properties of the pacemaker current (I_f) in latent pacemaker cells isolated from cat right atrium. **453**, 503, 1992
Effect of nitro-L-arginine on endothelium-dependent hyperpolarizations and relaxations of pig coronary arteries. **457**, 247, 1992

Electroreceptor
The central projection of electrosensory information in the platypus. **447**, 449, 1992

Embryo
Effects of lithium on accumulation of inositol phosphates by rabbit blastocysts. **446**, 407*P*, 1992

Embryonic heart
Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. **454**, 503, 1992

Encephalopathy
Prolongation of survival time of an isolated perfused rat brain by concomitant perfusion with an isolated perfused rat liver. **452**, 67*P*, 1992

Endocrinology
Localized transfer of prostaglandin $F_{2\alpha}$ from an ovarian lymphatic into adjacent blood vessels with release of ovarian oxytocin in anaesthetized sheep. **446**, 270*P*, 1992

Endocrinology (*cont.*)
Effects of recombinant bovine somatotrophin (bST) and nutrition on galactopoiesis, hepatic bST receptors and plasma hormone concentrations in the dairy cow. **446**, 271*P*, 1992
Peripheral antagonism of corticotrophin-releasing factor (CRF-41) modifies both the febrile response and the increase in blood prostaglandin E_2 induced by polyinosinic:polycytidylic acid in the conscious rabbit. **446**, 287*P*, 1992

Endometrium
Electrolyte transport by primary monolayer cultures of human endometrial glandular epithelial cells. **452**, 95*P*, 1992
Isolation, culture and functional analysis of glands from human endometrium. **452**, 260*P*, 1992

Endothelial cell
Plasma proteins modify the endothelial cell glycocalyx of frog mesenteric microvessels. **445**, 473, 1992
Permeability and Mg^{2+} blockade of histamine-operated cation channel in endothelial cells of rat intrapulmonary artery. **450**, 395, 1992
Fluctuations in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells in response to adenosine triphosphate. **452**, 264*P*, 1992
Changes in intracellular free calcium ($[Ca^{2+}]_i$) in single isolated bovine aortic endothelial cells as a result of bathing in solutions with nominally free calcium. **452**, 304*P*, 1992

Endothelin
Effects of endothelin (ET) on neurones in the anteroventral third ventricle region and supraoptic nucleus of rat hypothalamic slice preparations. **446**, 83*P*, 1992
Endothelin induces changes in intracellular free calcium in both neuronal and non-neuronal cells of primary dissociated rat cerebellum cultures. **446**, 313*P*, 1992
Endothelin activates voltage-dependent Ca^{2+} current by a G protein-dependent mechanism in rabbit car[illegible]s. **448**, 729, 1992

Endothelium
Acute hypoxic vasoconstriction in isolated pulmonary arteries of the rat is dependent on the endothelium. **446**, 490*P*, 1992
Flows of liquid and electrical current through monolayers of cultured bovine arterial endothelium. **449**, 1, 1992
Effects of proteins on the permeability of monolayers of cultured bovine arterial endothelium. **449**, 21, 1992
Human neutrophil elastase and polylysine increase junctional solute permeability in umbilical vein endothelial cell monolayers perfused in microcarrier culture. **452**, 4*P*, 1992
Spatial variations in the permeability of the luminal surfaces of large blood vessels of the rabbit. **452**, 5*P*, 1992
The changes in hydraulic permeability and porous area of walls of mesenteric microvessels of pithed frogs during acute inflammation. **452**, 7*P*, 1992
The spatial relationship between intercellular clefts and gaps in the endothelium of inflamed mesenteric microvessels of pithed frogs. **452**, 63*P*, 1992
Endothelial cell–cell contacts in mammalian continuous capillaries: evidence for the existence of regularly spaced, cleft-spanning structures. **452**, 65*P*, 1992
Endothelial cell–cell contacts in continuous mammalian capillaries: the tight junction. **452**, 66*P*, 1992
A large conductance anion channel in cultured bovine aortic endothelial cells. **452**, 305*P*, 1992
Amino acid deprivation stimulates L-glutamine transport in cultured human venous endothelial cells. **452**, 306*P*, 1992
Calcium-activated potassium channels in native endothelial cells from rabbit aorta: conductance, Ca^{2+} sensitivity and block. **455**, 601, 1992
Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992
Shear stress-induced calcium transients in endothelial cells from human umbilical cord veins. **458**, 527, 1992

Endothelium-derived relaxing factor (EDRF)
Effect of nitro-L-arginine on endothelium-dependent hyperpolarizations and relaxations of pig coronary arteries. **457**, 247, 1992
Hyperpolarization as a mechanism for endothelium-dependent relaxations in the porcine coronary artery. **445**, 355, 1992
Vascular submandibular responses to stimulation of the sympathetic innervation in the presence of an inhibitor of EDRF synthesis in anaesthetized cats. **452**, 15*P*, 1992
Acetylcholine released from guinea-pig submucosal neurones dilates arterioles by releasing nitric oxide from endothelium. **453**, 493, 1992
Endothelium-derived vasodilator responses to sympathetic stimulation of the submandibular gland in the cat **456**, 491, 1992

Endplate, *see also* Neuromuscular junction
Quantal transmitter release mediated by strontium at the mouse motor nerve terminal. **450**, 63, 1992
Multiplicative and additive Ca^{2+}-dependent components of facilitation at mouse endplates. **455**, 383, 1992

Energy
Rate-limiting energy-dependent steps controlling oxidative metabolism–contraction coupling in rabbit aorta. **448**, 473, 1992

Energy metabolism
Effects of vasoactive intestinal polypeptide (VIP) on redox state of cytochromes, oxygen consumption, and evoked potentials in the rat olfactory cortex slice. **446**, 391*P*, 1992

Enkephalin
Presynaptic inhibitory action of enkephalin on excitatory transmission in superficial dorsal horn of rat spinal cord. **450**, 673, 1992

Enteric nervous system
Synaptic behaviour in the myenteric plexus of the guinea-pig gastric antrum. **445**, 389, 1992
5-Hydroxytryptamine (5-HT)-induced anion secretion in isolated guinea-pig distal colon. **446**, 197*P*, 1992
Electrical behaviour of myenteric neurones in the gastric antrum of the guinea-pig. **447**, 49, 1992
Both ATP and the peptide VIP are inhibitory neurotransmitters in guinea-pig ileum circular muscle. **447**, 119, 1992
Presynaptic inhibitory effects of the peptides NPY, PYY and PP on nicotinic EPSPs in guinea-pig gastric myenteric neurones. **451**, 79, 1992
Acetylcholine released from guinea-pig submucosal neurones dilates arterioles by releasing nitric oxide from endothelium. **453**, 493, 1992
Role of M_1 muscarinic receptors in the parasympathetic control of colonic motility in cats and rabbits. **458**, 655, 1992

Enterocyte
McN-A-343 has an antagonistic action at cholinergic receptors on rat jejunal and ileal enterocytes. **452**, 53*P*, 1992

Epididymis
Human epididymal cells respond to adrenaline by increase in short-circuit current and whole-cell chloride current. **446**, 93*P*, 1992
A method for studying apical anion conductance in cultured rat epididymal cells using the short-circuit current technique. **446**, 94*P*, 1992
Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992
Studies of transepithelial Cl^- transport in cultured cauda epididymal cells of rats by the short-circuit current method. **457**, 391, 1992

Epilepsy
Lateral isolation of neocortex and strychnine spikes in the anaesthetized rat. **446**, 511*P*, 1992
Synchronization of CA3 pyramidal neurons by NMDA-mediated excitatory synaptic potentials in hippocampal slices incubated in low Mg^{2+} solutions. **452**, 32*P*, 1992

Epithelial cell
Airway epithelial cells regulate membrane potential, neurotransmission and muscle tone of the dog airway smooth muscle. **449**, 619, 1992
Cyclic AMP- and β-agonist-activated chloride conductance of a toad skin epithelium. **449**, 641, 1992

Epithelial transport
Poly-L-lysine induced apical membrane permeability associated with increased transepithelial conductance in cultured epithelial cell (MDCK) monolayers. **446**, 31*P*, 1992
Transepithelial transport of vinblastine by cultured canine renal epithelia (MDCK). **446**, 32*P*, 1992
Polarized efflux of bis-carboxyethyl-carboxyfluorescein (BCECF) from cultured renal (MDCK) and colonic (Caco-2) epithelial cell monolayers. **446**, 96*P*, 1992
Electrical properties of primary monolayer cultures of human endometrial glandular epithelial cells. **446**, 97*P*, 1992
Growth conditions and electrical properties of primary cultures of rabbit renal cortical collecting duct (CCD). **446**, 406*P*, 1992
Transepithelial potential and resistance of the isolated rabbit and bovine lens epithelia. **452**, 58*P*, 1992

Epithelium
Na^+–H^+ and HCO_3^-–Cl^- antiport mechanisms in the isolated ciliary body epithelium and their role in aqueous humour secretion in the rat eye. **446**, 253*P*, 1992
Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992
Transmucosal electrical resistance in rabbit isolated gastric mucosa during exposure to acid. **449**, 169, 1992
Acetylcholine and di(tert-butyl)-hydroquinone evoke spatially distinct patterns of intracellular Ca release in isolated rat lacrimal acinar cells. **452**, 96*P*, 1992
Changes in the isolated basolateral potassium conductance induced by Acetylcholine (ACh) in isolated sheep tracheal epithelium. **452**, 144*P*, 1992
Measurement of pH_i in intact epithelial monolayers of MDCK cells. **452**, 266*P*, 1992
ACh-evoked $[Ca^{2+}]_i$ signals are augmented in isolated rat lacrimal acinar cells bathed in Na^+-free medium. **452**, 347*P*, 1992
Positive and negative regulation of small-conductance chloride channels in the basolateral membrane of rabbit parietal cells. **452**, 355*P*, 1992
Transport of sodium into apical membrane vesicles prepared from sheep tracheal epithelium. **452**, 358*P*, 1992
Heterogeneity of epithelia in rabbit gut-associated lymphoid tissues. **452**, 359*P*, 1992
Intracellular pH and its relationship to regulation of ion transport in normal and cystic fibrosis human nasal epithelia. **455**, 247, 1992
The inward rectifier K^+ current underlies oscillatory membrane potential behaviour in bovine pigmented ciliary epithelial cells. **458**, 439, 1992

Erythrocyte
Effects of amino acids on zinc transport in rat erythrocytes. **445**, 69, 1992
Effects of arachidonic acid on rubidium uptake in human erythrocytes. **446**, 173*P*, 1992
Characterization of L-proline transport in erythrocytes of a primitive vertebrate, the Pacific hagfish (*Eptatretus stouti*) **446**, 176*P*, 1992
The effect of neutral amino acids on lysine transport in human erythrocytes discriminates between two high affinity transporters for cationic amino acids. **446**, 409*P*, 1992
The effect of trypsin treatment on dextran-induced erythrocyte aggregation. **452**, 314*P*, 1992
Functional isolation of amino acid transport system

Erythrocyte (*cont.*)
y^+L in human erythrocytes using *N*-ethylmaleimide. **452**, 330*P*, 1992
Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. **454**, 491, 1992
ATP dependence of Na^+–K^+ pump of cold-sensitive and cold-tolerant mammalian red blood cells. **456**, 575, 1992

Ethanol
Effects of alcohols on responses evoked by inositol trisphosphate in *Xenopus* oocytes. **448**, 339, 1992

Evoked potential
Effects of vasoactive intestinal polypeptide (VIP) on redox state of cytochromes, oxygen consumption, and evoked potentials in the rat olfactory cortex slice. **446**, 391*P*, 1992
Early cortical somatosensory-evoked potentials in schizophrenic patients. **446**, 602*P*, 1992
The CO_2-laser-evoked cerebral potential in humans is not a P300 oddball potential. **452**, 281*P*, 1992

Excitation–contraction coupling
The effect of the benzothiazepine diltiazem on force and Ca^{2+} current in isolated frog skeletal muscle fibres. **445**, 303, 1992
Involvement of sarcoplasmic reticulum 'Ca^{2+} release channels' in excitation–contraction coupling in vertebrate skeletal muscle. **445**, 759, 1992
Actions of perchlorate ions on rat soleus muscle fibres. **448**, 99, 1992
Effect of myoplasmic pH on excitation–contraction coupling in skeletal muscle fibres of the toad. **448**, 211, 1992
Calcium current activation and charge movement in denervated mammalian skeletal muscle fibres. **451**, 187, 1992
The effect of cyclosporine-A on excitation–contraction coupling in isolated rat cardiac trabeculae. **452**, 23*P*, 1992
Ca^{2+} current and charge movement in adult single human skeletal muscle fibres. **454**, 183, 1992
Effects of perchlorate on excitation–contraction coupling in frog and crayfish skeletal muscle. **456**, 443, 1992
Calcium-induced calcium release in crayfish skeletal muscle. **457**, 195, 1992

Excitatory amino acid
Horizontal cell depolarization as a consequence of hypoxia in the *in vitro* rat retina. **446**, 517*P*, 1992
Pharmacological segregation of visual responses in the dorsolateral geniculate nucleus (dLGN) of the anaesthetized rat **452**, 181*P*, 1992
Enantiomer-specific depressant actions of 4-carboxy-3-hydroxyphenylglycine on mono- and polysynaptic excitation in the isolated newborn rat spinal cord. **452**, 185*P*, 1992
Diazoxide blocks glutamate desensitization and prolongs excitatory postsynaptic currents in rat hippocampal neurons. **458**, 409, 1992

Excitatory amino acid receptor
Fast and slow components of unitary EPSCs on stellate cells elicited by focal stimulation in slices of rat visual cortex. **449**, 247, 1992

Excitatory junction potential
An electrophysiological study of responses evoked in isolated segments of rat tail artery during growth and maturation. **454**, 83, 1992

Excitatory postsynaptic current
Presynaptic inhibitory action of enkephalin on excitatory transmission in superficial dorsal horn of rat spinal cord. **450**, 673, 1992

Excitatory postsynaptic potential, *see also* Postsynaptic potential
In vitro studies of prolonged synaptic depression in the neonatal rat spinal cord. **447**, 149, 1992
Excitatory connections from pyramids to interneurones studied using double intracellular recordings in slices of rat neocortex. **452**, 198*P*, 1992
Monosynaptic EPSPs elicited by single interneurones and spindle afferents in trigeminal motoneurones of anaesthetized rats. **455**, 641, 1992
A role for low-frequency, rhythmic synaptic potentials in the synchronization of cat thalamocortical cells. **457**, 257, 1992

Excitatory postsynaptic response
Muscarinic responses of rat basolateral amygdaloid neurons recorded *in vitro*. **449**, 121, 1992

Exercise, *see also* Isometric exercise
The influence of brisk walking on endurance fitness in previously sedentary, middle-aged men. **446**, 123*P*, 1992
Cardiovascular responses in rainbow trout (*Oncorhynchus mykiss*) to aerobic exercise. **446**, 192*P*, 1992
Indices of the acute phase inflammatory response following eccentric exercise in man. **446**, 208*P*, 1992
Cardiac acceleration at the onset of muscle contraction in the decerebrate cat. **446**, 214*P*, 1992
Autonomic control of heart rate during exercise in young rowers. **446**, 269*P*, 1992
Plasticity of human ventilatory sensitivity to CO_2: the influence of athletic training. **446**, 358*P*, 1992
Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **446**, 427*P*, 1992
The effect of competitive submaximal endurance exercise (The Marathon) on plasma β-endorphin concentration in recreational runners. **446**, 450*P*, 1992
Acid–base status of Antarctic teleosts in response to exercise-induced stress. **446**, 460*P*, 1992
Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992
The biphasic leucocytosis of exercise in man: influence of static or dynamic activity. **446**, 581*P*, 1992

Exercise (*cont.*)
Changes in R–R interval at the start of muscle contraction in the decerebrate cat. **447**, 549, 1992
Central command influences cardiorespiratory response to dynamic exercise in humans with unilateral weakness. **448**, 551, 1992
Role of potassium in the reflex regulation of blood pressure during static exercise in man. **451**, 643, 1992
Changes in circulating white blood cells and platelets following eccentric exercise in man. **452**, 31*P*, 1992
Maximal oxygen uptake (V_{O_2}, max) measured with powered treadmill, cycle ergometry and self powered treadmill in man. **452**, 116*P*, 1992
The effect of diet and exercise on plasma amino acid concentrations in man. **452**, 118*P*, 1992
Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992
Dynamics of the ventilatory response in man to step changes of end-tidal carbon dioxide and of hypoxia during exercise. **457**, 539, 1992

Exocytosis
Anti-sense oligonucleotides injected with patch clamp techniques reveal involvement of a small GTP-binding protein in the control of exocytosis in rat anterior pituitary cells. **452**, 298*P*, 1992
Membrane recapture and early triggered secretion from the newly formed endocytotic compartment in bovine chromaffin cells. **453**, 15, 1992

Extraocular muscle
Unexpected role of the oblique muscles in the human vertical fusional reflex. **451**, 279, 1992

Eye movement
Pursuit of intermittently illuminated moving targets in the human. **445**, 617, 1992
Unexpected role of the oblique muscles in the human vertical fusional reflex. **451**, 279, 1992
Cerebro-cerebellar projections from the ventral bank of the anterior ectosylvian sulcus in the cat. **451**, 673, 1992
Ocular pursuit over a structured background in subjects with Parkinson's Disease and cerebellar lesions. **452**, 270*P*, 1992

F wave
The effect of antagonistic voluntary movement on F wave modulation in man. **452**, 45*P*, 1992

Facilitation
Ca^{2+}-dependent and -independent components of transmitter release at the frog neuromuscular junction. **455**, 271, 1992
Multiplicative and additive Ca^{2+}-dependent components of facilitation at mouse endplates. **455**, 383, 1992

Fatigue, *see also* Muscle fatigue
Energy metabolism in single muscle fibres during maximal sprint exercise in man. **446**, 528*P*, 1992
The effect of inspiratory muscle fatigue on breathing pattern and ventilatory response to CO_2. **455**, 17, 1992

Fetal lung
The relationship between expansion and DNA synthesis in the lungs of fetal sheep. **446**, 429*P*, 1992

Fetal rat
Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992

Fetuin
Synthesis of the plasma protein fetuin in the fetal sheep brain, as demonstrated by *in situ* hybridization. **446**, 605*P*, 1992

Fetus
The effects of hypophysectomy on glucose metabolism in the sheep fetus. **446**, 85*P*, 1992
Effect of glucocorticoids on gastric prochymosin in the fetal pig. **446**, 86*P*, 1992
Phentolamine increases the incidence of fetal breathing movements both in normoxia and in hypoxia in term fetal sheep. **452**, 320*P*, 1992

Fever
α-Melanocyte-stimulating hormone suppresses fever and increases in plasma levels of prostaglandin E_2 in the rabbit. **451**, 491, 1992
Effect of interleukin-1 receptor antagonist on fever and thermogenesis induced by interleukin-1 in the rat. **452**, 125*P*, 1992

Fibre volley
High frequency stimulation of the Schaffer collateral–commissural pathway is associated with a transient depression of the presynaptic fibre volley in rat hippocampal slices *in vitro* **452**, 180*P*, 1992

Fibroblast
Vasoactive effects of basic and acidic fibroblast growth factors on arteriolar vessels in the cheek pouch of the anaesthetized hamster. **452**, 11*P*, 1992

Finger
Changes in the stretch reflex of the human first dorsal interosseous muscle during different tasks. **447**, 563, 1992
Independent control of human finger-tip forces at individual digits during precision lifting. **450**, 547, 1992

Fish egg
A pH-sensitive K^+ conductance in the egg membrane of the teleost fish *Oryzias latipes* disappears after fertilization. **446**, 126*P*, 1992

Flare
Opioid inhibition of electrogenic flare in anaesthetized pigs is blocked by μ receptor antagonists. **452**, 121*P*, 1992

Flow
A method for obtaining a continuous record of very small volume flow rates of fluids. **452**, 172*P*, 1992

Fluid balance
A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992

Fluid reabsorption
Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992

Fluorescent dye
Fluorescence measurements of cytoplasmic and mitochondrial sodium concentration in rat ventricular myocytes. **448**, 493, 1992
The use of a customized image analysis software package in investigations of branching patterns in cat cerebellar afferent pathways. **452**, 151*P*, 1992

Fluorescent indicator
Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992

Fluorimetry
An objective and light guide system to convert any simple microscope into a microspectrofluorimeter. **452**, 263*P*, 1992

Force optimization
The effect of the stimulation pattern on the fatigue of single motor units in adult cats. **449**, 85, 1992

Fractals
Is there a relationship between fractal complexity and functional efficiency in the pulmonary arterial tree? **446**, 578*P*, 1992

Frog muscle
High extracellular magnesium increases relaxation rate and labile heat in isolated frog muscle. **446**, 260*P*, 1992
Non-homogeneous Ca release revealed by Ca imaging in isolated frog skeletal muscle fibres. **446**, 262*P*, 1992

Frog skin
Linear impedance of isolated frog skin measured over a wide frequency range. **452**, 353*P*, 1992

Fura-2
Optical fibre fluorescence system for intracellular Ca^{2+} measurement: one lamp and filter wheel supplies two set-ups. **452**, 153*P*, 1992
Intracellular calcium dynamics in response to action potentials in bullfrog sympathetic ganglion cells. **458**, 171, 1992

Fusimotor neurone
Muscle history dependence of responses to stretch of primary and secondary endings of cat soleus muscle spindles. **445**, 81, 1992
Changes in discharge rate of fusimotor neurones provoked by fatiguing contractions of cat triceps surae muscles. **445**, 499, 1992
Mesencephalic and diencephalic areas for fusimotor control in the anaesthetized cat. **446**, 230*P*, 1992
The discharge patterns of tibialis anterior γ motoneurones during locomotion in the decerebrate cat. **446**, 568*P*, 1992
Comparison of skeleto-fusimotor innervation in cat peroneus brevis and peroneus tertius muscles. **458**, 519, 1992

G protein
G protein regulation of prostaglandin production in cultured guinea-pig myometrium. **446**, 139*P*, 1992
Intra-pipette GTP prevents the rapid rundown of β-adrenoceptor-mediated activation of Cl current in isolated guinea-pig ventricular myocytes. **446**, 153*P*, 1992
Direct G protein activation of the Ca^{2+}-activated K^+ channel in isolated bovine airway smooth muscle. **446**, 596*P*, 1992
Voltage- and time-dependent inhibition of neuronal calcium channels by a GTP-binding protein in a mammalian cell line. **448**, 189, 1992
Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992
Endothelin activates voltage-dependent Ca^{2+} current by a G protein-dependent mechanism in rabbit cardiac myocytes. **448**, 729, 1992
Volume-sensitive chloride conductance in bovine chromaffin cell membrane. **449**, 197, 1992
GTP-binding protein involvement in membrane currents evoked by carbachol and histamine in guinea-pig ileal muscle. **450**, 105, 1992
Inhibition of $GABA_B$ modulation of calcium channel currents in cultured rat dorsal root ganglion neurones by loading replated cells with anti-G protein antibodies. **452**, 177*P*, 1992
Intracellular GTPγS inhibits L-type Ca^{2+} channel activation by isoprenaline or photoreleased GTPγS in guinea-pig ventricular myocytes. **452**, 197*P*, 1992
Pipette GTP is essential for receptor-mediated regulation of Cl^- current in dialysed myocytes from guinea-pig ventricle. **455**, 235, 1992
The peptide CGRP increases a high-threshold Ca^{2+} current in rat nodose neurones via a pertussis toxin-sensitive pathway. **455**, 367, 1992
Prostaglandin modulation of Ca^{2+} channels in rat sympathetic neurones is mediated by guanine nucleotide binding proteins. **458**, 339, 1992

GABA, *see* γ-Aminobutyric acid

Galanin
Intracellular pathways triggered by galanin to induce contraction of pig ileum smooth muscle cells. **458**, 475, 1992

Gall-bladder
Non-adrenergic, non-cholinergic (NANC) inhibitory innervation of the isolated human gallbladder. **446**, 526*P*, 1992

Galvanotropism
Directional growth of cultured rat hippocampal neurones in electric fields. **446**, 41*P*, 1992
Neurotransmitters, second messengers and protein kinase C may underlie orientation of cultured frog nerves in an applied electric field. **446**, 42*P*, 1992

Ganglion
Electrical behaviour of myenteric neurones in the gastric antrum of the guinea-pig. **447**, 49, 1992
A patch clamp study of the nicotinic acetylcholine receptor of bovine adrenomedullary chromaffin cells in culture. **455**, 503, 1992
Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992

Gap junction
Hemi-gap-junction channels in solitary horizontal cells of the catfish retina. **445**, 201, 1992
Neuromuscular gap junctions in the fly eclosion muscle system? **446**, 163*P*, 1992

Gap junction (*cont.*)
Electrical coupling between cells of the insect *Aedes albopictus*. **448**, 321, 1992
Gastric acid secretion
Role of cholecystokinin in the inhibition of gastric acid secretion in dogs. **451**, 477, 1992
Gastric emptying
Gastric emptying of glucose, glucose polymer and rice starch solutions in man. **446**, 52*P*, 1992
Gastric emptying after repeated drinking in man. **452**, 338*P*, 1992
Gastric mechanoreceptor
Impact of antral mechanoreceptor activation on the vago-vagal reflex in the rat: functional zonation of responses. **453**, 401, 1992
Gastric mucosa
Transmucosal electrical resistance in rabbit isolated gastric mucosa during exposure to acid. **449**, 169, 1992
Gastric secretion
HCl and pepsinogen secretion by the isolated gastric oxynto-peptic cell of the amphibian. **452**, 365*P*, 1992
Gastrin
Time course of changes in gastric histidine decarboxylase mRNA and plasma gastrin, with fasting and feeding in the rat. **452**, 103*P*, 1992
Control of chromogranin A biosynthesis in rat gastric corpus. **452**, 332*P*, 1992
Gastrocnemius
The effect of succinylcholine on cat gastrocnemius muscle spindle afferents of different types. **456**, 629, 1992
Gastrointestinal motility
Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992
Cyclic AMP-mediated regulation of excitation–contraction coupling in canine gastric smooth muscle. **447**, 351, 1992
Sennoside and loperamide: opposing motor effects in vascularly perfused rat large bowel *in vitro*. **452**, 366*P*, 1992
Dependence of electrical slow waves of canine colonic smooth muscle on calcium gradient. **455**, 307, 1992
Upstroke component of electrical slow waves in canine colonic smooth muscle due to nifedipine-resistant calcium current. **455**, 321, 1992
Gastrointestinal tract
A new method to identify and study surface interactions taking place on mouse Peyer's patch M cells. **446**, 60*P*, 1992
Quantitative immunogold cytochemical determination of chick enterocyte calbindin concentrations. **446**, 61*P*, 1992
Effect of intracerebroventricular injection of thyrotropin releasing hormone on gastric and duodenal motility in the urethane-anaesthetized rat. **446**, 194*P*, 1992
Evidence that membraneous (M) cells do not originate as a separate cell lineage from mouse intestinal stem cells. **446**, 294*P*, 1992
Angiotensin II stimulates phosphoinositide hydrolysis and proliferation in a rat intestinal epithelial (RIE-1) cell line. **446**, 295*P*, 1992
Constitutive secretion of an insulin-like growth factor-binding protein by a rat intestinal epithelial (RIE-1) cell-line. **446**, 296*P*, 1992
Gating current
The application of Eyring–Boltzmann transition rate theory to the study of fast displacement charge movements in the giant axon of *Loligo forbesi*. **446**, 166*P*, 1992
Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **446**, 188*P*, 1992
Gene expression
A region of 5′-flanking DNA from the rat preprotachykinin-A gene which directs high-level expression in cultured rat dorsal root ganglion neurones transfected by microinjection of plasmid DNA. **452**, 199*P*, 1992
Regulation of intestinal Na^+–glucose co-transporter expression in sheep. **452**, 328*P*, 1992
Gentamycin
Effects of gentamycin and tobramycin on renal calcium and magnesium handling in anaesthetized Fischer 344 rats. **452**, 133*P*, 1992
Giant axon, *see also* Squid axon
Blocking of the sodium channel by external Tris in the squid *Doryteuthis bleekeri* giant axon. **446**, 169*P*, 1992
Glial cell
Glutamate receptor channels with high Ca^{2+} permeability in fusiform glial cells in rat cerebellar cultures. **446**, 516*P*, 1992
Multiple kinetic components of sodium channel inactivation in rabbit Schwann cells. **455**, 529, 1992
Glomerular filtration rate
Sodium balance, blood volume and glomerular hyperfiltration in streptozotocin-treated diabetic rats. **452**, 137*P*, 1992
Glucagon
Glucagon selectively decreases splanchnic blood flow in man. **446**, 221*P*, 1992
Glucocorticoid
The role of corticotrophin releasing factor in relation to the neural control of adrenal function in conscious calves. **447**, 489, 1992
Glucose
The effect of glucose concentration in plasma and cerebrospinal fluid (CSF) on the secretion of CSF by the *in vitro* sheep choroid plexus. **446**, 609*P*, 1992
Glucose transport
The action of maltose on glucose exits in human erythrocytes in the presence of high concentrations of methanol. **446**, 174*P*, 1992
The effect of methanol on the cytochalasin B inhibition of glucose exits in human erythrocytes. **446**, 589*P*, 1992
Characteristics of glucose transport by human and pig colonocyte basolateral membrane. **452**, 326*P*, 1992

Glucose transport (*cont.*)
Expression of the Na^+–glucose co-transporter (SGLT1) gene in rabbit small intestine. **452**, 327*P*, 1992
The effect of quinidine on the inhibition of glucose exits in human erythrocytes and on the optical responses in the absence of glucose. **452**, 329*P*, 1992
The influence of vascular and lumenal hexoses on rat isolated intestinal basolateral membrane glucose transport. **452**, 333*P*, 1992

Glucose uptake
Spectral analysis of cerebral 2-[^{18}F]fluoro-2-deoxy-D-glucose uptake and phosphorylation in man: application to a study of fed and fasted states. **446**, 607*P*, 1992

Glutamate
Excitatory currents at the rat mossy fibre–granule cell synapse in thin cerebellar slices. **446**, 177*P*, 1992
Effects of arachidonic acid on glutamate-gated channels in granule cells cultured from rat cerebellum. **446**, 184*P*, 1992
The frequency and postsynaptic targets of glutamate-immunoreactive boutons within the V motor nucleus of rats. **446**, 378*P*, 1992
Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992
The spatial relationship between Müller cell processes and the photoreceptor output synapse in salamander retina. **446**, 601*P*, 1992
Anion efflux associated with electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **452**, 182*P*, 1992
NMDA receptor-mediated rhythmic bursting activity in rat supraoptic nucleus neurones *in vitro*. **458**, 667, 1992

Glutamate channel
Estimated conductance of synaptic glutamate channels activated during EPSCs in rat cerebellar granule cells in thin slices. **452**, 183*P*, 1992

Glutamate receptor
Multiple non-NMDA glutamate receptors in rat cerebellar granule neurones in explant culture. **446**, 178*P*, 1992
Glutamate receptor channel activation following fast agonist application to patches from rat hippocampus CA1 and CA3 pyramidal cells. **446**, 183*P*, 1992
Enhancement of long-term potentiation by an agonist of the metabotropic glutamate receptor in the rat hippocampal slice. **446**, 442*P*, 1992
Unitary stimulus-evoked excitatory postsynaptic currents in CA3 pyramidal cells of rat hippocampal slices as resolved by patch clamp techniques. **446**, 515*P*, 1992
Glutamate receptor channels with high Ca^{2+} permeability in fusiform glial cells in rat cerebellar cultures. **446**, 516*P*, 1992
Differences in desensitization of glutamate receptor channels in three areas of rat hippocampus. **446**, 547*P*, 1992
Calcium permeability of glutamate receptor channels in rat cerebellar granule cells and type-2 astrocytes in explant culture. **446**, 598*P*, 1992
Two types of steady-state desensitization of *N*-methyl-D-aspartate receptor in isolated hippocampal neurones of rat. **448**, 453, 1992
Valinomycin and excitation–contraction coupling in skeletal muscle fibres of the frog. **449**, 219, 1992
Two types of glutamate receptors differentially excite amacrine cells in the tiger salamander retina. **449**, 589, 1992
Protein kinase C-mediated enhancement of NMDA currents by metabotropic glutamate receptors in *Xenopus* oocytes. **449**, 705, 1992
Transduction mechanism for glutamate-induced potassium current in neurones of the mollusc *Planorbarius corneus*. **455**, 33, 1992
Glutamate receptor channels in isolated patches from CA1 and CA3 pyramidal cells of rat hippocampal slices. **455**, 143, 1992
Equilibrium and kinetic study of glycine action on the *N*-methyl-D-aspartate receptor in cultured mouse brain neurons. **455**, 339, 1992
Action of brief pulses of glutamate on AMPA/kainate receptors in patches from different neurones of rat hippocampal slices. **458**, 261, 1992

Glutamine
Effect of hypoxia on tracer glutamine uptake in the isolated working rat heart. **446**, 539*P*, 1992
Amino acid deprivation stimulates L-glutamine transport in cultured human venous endothelial cells. **452**, 306*P*, 1992

Glycine
Equilibrium and kinetic study of glycine action on the *N*-methyl-D-aspartate receptor in cultured mouse brain neurons. **455**, 339, 1992

Glycogenolysis
Elevated muscle glycogen and anaerobic energy production during exhaustive exercise in man. **451**, 205, 1992

Glycolysis
The nature of fuel provision for the Na^+, K^+-ATPase in porcine vascular smooth muscle. **447**, 67, 1992
Elevated muscle glycogen and anaerobic energy production during exhaustive exercise in man. **451**, 205, 1992

Golgi cell
Membrane properties and synaptic responses of Golgi cells and stellate cells in the turtle cerebellum *in vitro*. **457**, 329, 1992

Gregg's phenomenon
Effect of perfusion pressure on force of contraction in thin papillary muscles and trabeculae from rat heart. **451**, 585, 1992

Growth
Relation between plasma concentration of insulin-like growth factor-I and birth-weight in pigs. **446**, 276*P*, 1992
Angiotensin II stimulates phosphoinositide hydro-

Growth (*cont.*)
lysis and proliferation in a rat intestinal epithelial (RIE-1) cell line. **446**, 295*P*, 1992
Constitutive secretion of an insulin-like growth factor-binding protein by a rat intestinal epithelial (RIE-1) cell-line. **446**, 296*P*, 1992
Nutritional influences on circulating and hepatic concentrations of insulin-like growth factor-I in the neonatal pig. **446**, 298*P*, 1992

Growth cone
Depolarization-induced $[Ca^{2+}]_i$ changes in regenerating axons of rat cultured dorsal root ganglion cells. **452**, 188*P*, 1992
Mapping of $[Ca^{2+}]_i$ in regenerating axons of rat isolated dorsal root ganglion cells. **452**, 189*P*, 1992

Growth factor
Growth hormone (GH) and nutritional control of hepatic insulin-like growth factor-1 (IGF-1) production in the lamb. **446**, 300*P*, 1992
Vasoactive effects of basic and acidic fibroblast growth factors on arteriolar vessels in the cheek pouch of the anaesthetized hamster. **452**, 11*P*, 1992
Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. **454**, 451, 1992

Growth hormone
Growth hormone secretion in the horse: dynamic changes at birth and pulsatile secretion through to maturity. **446**, 299*P*, 1992
Stimulus patterning and growth hormone (GH) secretion in male rats. **452**, 215*P*, 1992
Growth hormone (GH) binding protein in the normal and GH-deficient dwarf rat. **452**, 216*P*, 1992

Guinea-pig
Rapid effects of photo-released guanosine nucleotides on L-type Ca^{2+} and Ba^{2+} currents in guinea-pig cardiac ventricular myocytes. **446**, 144*P*, 1992
Current–voltage relationship of the transient inward current (I_{ti}) in guinea-pig heart cells measured with pairs of short pulses. **446**, 341*P*, 1992
Relationship between CNS demyelination and vasculitis in autosensitized guinea-pigs following pre-treatment with non-encephalitogenic protein antigens. **446**, 500*P*, 1992
Soma size and location within the ganglion of electrophysiologically identified myenteric plexus neurons in the guinea-pig ileum. **452**, 335*P*, 1992

H reflex
The effect of work load on the modulation of the soleus H reflex during cycling in man. **446**, 18*P*, 1992
The relationship between changes in the excitability of the Hoffman reflex and movement of the ankle joint during walking in freely moving man. **446**, 446*P*, 1992

Haemodynamics
Central command influences cardiorespiratory response to dynamic exercise in humans with unilateral weakness. **448**, 551, 1992
Induction of haemodynamic oscillations in the perfused rat liver by K^+ channel blockers. **453**, 33, 1992

Haemorrhage
Marked splenic hyperaemia during post-haemorrhagic hypotension in the rat, rabbit and cat. **448**, 437, 1992

Hair cell
Transducer currents in outer hair cells in cochlear cultures of neonatal mice. **446**, 112*P*, 1992
Ionic currents of outer hair cells isolated from the guinea-pig cochlea. **448**, 73, 1992
Pressure-activated whole-cell currents in isolated outer hair cells from the guinea-pig. **452**, 51*P*, 1992
The effect of caged calcium release on the adaptation of the transduction current in chick hair cells. **458**, 27, 1992

Heart, *see also* Cardiac-
The positive inotropic effect of α_1-adrenoceptor activation is dependent upon action potential prolongation in rat cardiac myocytes. **446**, 143*P*, 1992
Persistent activation of a chloride current in rabbit cardiac myocytes. **446**, 152*P*, 1992
Possible effects of caffeine on potassium current in ventricular cells isolated from guinea-pig heart. **446**, 328*P*, 1992
Modulation of L-type calcium current in guinea-pig isolated ventricular myocytes by photolysis of caged calcium. **446**, 553*P*, 1992
α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992
Haemodynamic effects of distension of the descending colon in anaesthetized dogs. **447**, 409, 1992
Na^+–HCO_3^- symport in the sheep cardiac Purkinje fibre. **451**, 365, 1992
An estimate of the relative contributions of the sarcoplasmic reticulum and calcium current to contraction of isolated rat ventricular myocytes. **452**, 127*P*, 1992
Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992
Taurine in isolated newborn guinea-pig hearts during the calcium paradox. **452**, 195*P*, 1992
Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992
The effects of ventricular end-diastolic and systolic pressures on action potential and duration in anaesthetized dogs. **457**, 75, 1992

Heart cell
Simultaneous measurement of tension, intracellular calcium ($[Ca]_i$) and membrane potential in stretched, single guinea-pig ventricular myocytes. **446**, 75*P*, 1992
Current–voltage relationship of the transient in-

Heart cell (*cont.*)
ward current (I_{to}) in guinea-pig heart cells measured with pairs of short pulses. **446**, 341*P*, 1992

Heart rate
Fetal breathing, sleep state, and cardiovascular adaptations to anaemia in sheep. **445**, 713, 1992
Autonomic control of heart rate during exercise in young rowers. **446**, 269*P*, 1992
Heart rate changes in dairy cows associated with milking. **446**, 575*P*, 1992
Changes in R–R interval at the start of muscle contraction in the decerebrate cat. **447**, 549, 1992

HeLa cell
All-or-nothing Ca^{2+} mobilization from the intracellular stores of single histamine-stimulated HeLa cells. **450**, 163, 1992

Hexose
A submucosal mechanism of action for prostaglandin E_2 on hexose absorption and metabolism in mouse intestine. **453**, 449, 1992

Hibernation
The costs and savings of hibernation in the golden hamster. **446**, 451*P*, 1992

High-performance liquid chromatography
High performance liquid chromatography profiles for bradykinin, kallidin and a kinin antagonist (HOE 140). **452**, 175*P*, 1992

High-pressure neurological syndrome
NMDA antagonist properties of drugs that affect high pressure neurological syndrome investigated in the rat hippocampal slice. **446**, 46*P*, 1992

Hippocampal neurone
Impulses and resting membrane properties of small cultured rat hippocampal neurons. **445**, 129, 1992
Membrane currents in small cultured rat hippocampal neurons: a voltage-clamp study. **445**, 141, 1992
Computed potential responses of small cultured rat hippocampal neurons. **445**, 157, 1992

Hippocampus
Slow and fast transient potassium currents in cultured rat hippocampal cells. **445**, 431, 1992
Medial septal lesions increase glucocorticoid receptor messenger RNA expression in the rat hippocampus *in vivo*. **446**, 280*P*, 1992
Excitatory effect of adenosine on neurotransmission and the release of glutamate from hippocampal slices of guinea-pig. **446**, 380*P*, 1992
Rhythmic slow activity (RSA) recorded from the bilateral hippocampus in the freely moving rat. **446**, 382*P*, 1992
Confocal microscopic imaging of $[Ca^{2+}]_i$ in cultured rat hippocampal neurons following exposure to *N*-methyl-D-aspartate. **448**, 655, 1992
Cholinergic excitation of GABAergic interneurons in the rat hippocampal slice. **450**, 127, 1992
Tetrodotoxin-sensitive calcium-conducting channels in the rat hippocampal CA1 region. **450**, 529, 1992
Computer simulation of carbachol-driven rhythmic population oscillations in the CA3 region of the *in vitro* rat hippocampus. **451**, 653, 1992
Synchronization of CA3 pyramidal neurons by NMDA-mediated excitatory synaptic potentials in hippocampal slices incubated in low Mg^{2+} solutions. **452**, 32*P*, 1992
Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992
Withdrawal from *in vivo* chronic ethanol treatment increases APV-sensitive transmission in isolated mouse hippocampal slices. **452**, 201*P*, 1992
Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992
Glutamate receptor channels in isolated patches from CA1 and CA3 pyramidal cells of rat hippocampal slices. **455**, 143, 1992
Phencyclidine block of calcium current in isolated guinea-pig hippocampal neurones. **456**, 85, 1992
Activation of *N*-methyl-D-aspartate receptors by L-glutamate in cells dissociated from adult rat hippocampus. **456**, 143, 1992
Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992
Inactivation characteristics of a sustained, Ca^{2+}-independent K^+ current of rat hippocampal neurones *in vitro*. **457**, 575, 1992
Different firing patterns generated in dendrites and somata of CA1 pyramidal neurones in guinea-pig hippocampus. **457**, 675, 1992
Action of brief pulses of glutamate on AMPA/kainate receptors in patches from different neurones of rat hippocampal slices. **458**, 261, 1992

Histamine
Effect of inflammatory mediators on blood–brain barrier (BBB) permeability in brain-surface microvessels of anaesthetized rats. **446**, 504*P*, 1992
Histamine H_3-receptor activation augments voltage-dependent Ca^{2+} current via GTP hydrolysis in rabbit saphenous artery. **448**, 133, 1992
Alveolar epithelial permeability in baboons: histamine and capsaicin. **450**, 363, 1992
Permeability and Mg^{2+} blockade of histamine-operated cation channel in endothelial cells of rat intrapulmonary artery. **450**, 395, 1992
Presynaptic histamine H_1 and H_3 receptors modulate sympathetic ganglionic synaptic transmission in the guinea-pig. **457**, 407, 1992

Histamine receptor
All-or-nothing Ca^{2+} mobilization from the intracellular stores of single histamine-stimulated HeLa cells. **450**, 163, 1992

Histidine decarboxylase
Time course of changes in gastric histidine decarboxylase mRNA and plasma gastrin, with fasting and feeding in the rat. **452**, 103*P*, 1992

History
Irish Founder Members: 1. Jeremiah McCarthy (1837–1924). **446**, 398*P*, 1992
Irish Founder Members: 2. Robert McDonnell (1828–1889). **446**, 399*P*, 1992
Irish Founder Members: 3. Henry Newell Martin (1848–1893). **446**, 400*P*, 1992
Irish Founder Members: 4. Gerald Francis Yeo (1843–1909). **446**, 401*P*, 1992
'Myographic London': C.F. Palmer (London) Ltd, established 1891. **446**, 536*P*, 1992

Homeostasis
Unimpaired Ca^{2+} homeostasis is found in dystrophin-lacking smooth muscle from *mdx* mice. **446**, 137*P*, 1992

Hormone
Suppression of lordosis reflex in the female rat by electrical stimulation of the forebrain and ventral mid-brain. **446**, 84*P*, 1992

Human
Body core cooling by gastric lavage in man. **446**, 124*P*, 1992
The influence of breath-hold tachycardia on human baroreflex heart rate responses to changes in carotid transmural pressure at 37 ATA. **446**, 215*P*, 1992
Strength and cross-sectional area of adductor pollicis muscle in men and women. **446**, 266*P*, 1992
Force and cross-sectional area of adductor pollicis muscle in post-menopausal women, with and without hormone replacement therapy. **446**, 364*P*, 1992
Directional sensitivity of human periodontal mechanoreceptive afferents to forces applied to the teeth. **447**, 373, 1992
The response of human nailfold capillary pressure to an increase in brachial artery blood pressure. **452**, 13*P*, 1992
Digital image processing of human x-ray and MR breast images. **452**, 24*P*, 1992
Phosphorus metabolite concentration profiles of three human hand muscles. **452**, 112*P*, 1992
Relationship between sleep stages and the beat variability measured from ECG R–R intervals in sleep-deprived human subjects. **452**, 206*P*, 1992
Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992
Short term voluntary hyperventilation and ischaemic human muscle fatigue. **452**, 279*P*, 1992
Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992
Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. **454**, 533, 1992
The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992
Postural proprioceptive reflexes in standing human subjects: bandwidth of response and transmission characteristics. **458**, 69, 1992
Na^+ current densities and voltage dependence in human intercostal muscle fibres. **458**, 85, 1992

Human semen
In vivo exposure of rat colonic mucosa to human semen induces mucosal cytolysis, abolishes fluid absorption and raises paracellular permeability. **446**, 411*P*, 1992

Hydraulic conductance
Flows of liquid and electrical current through monolayers of cultured bovine arterial endothelium. **449**, 1, 1992
Effects of proteins on the permeability of monolayers of cultured bovine arterial endothelium. **449**, 21, 1992

Hydrogen ion, *see also* Intracellular pH, pH
Proton-induced sodium current in freshly dissociated hypothalamic neurones of the rat. **447**, 309, 1992
Mechanism of pH_i regulation by locust neurones in isolated ganglia: a microelectrode study. **447**, 693, 1992
Transmucosal electrical resistance in rabbit isolated gastric mucosa during exposure to acid. **449**, 169, 1992

5-Hydroxytryptamine
Investigations of responses to 5-hydroxytryptamine in isolated human arteries and veins. **446**, 415*P*, 1992
5-HT_3 receptor channels in dissociated rat superior cervical ganglion neurons. **448**, 237, 1992
Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992
Serotonin regulates the phase of the rat suprachiasmatic circadian pacemaker *in vitro* only during the subjective day. **450**, 629, 1992
5-HT depolarizes and induces oscillations in rat sympathetic preganglionic neurones *in vitro*. **452**, 37*P*, 1992
[^{3}H]5-HT binding to isolated segments of human coronary artery, internal mammary artery and saphenous vein: anatomical localization and binding characteristics. **452**, 244*P*, 1992
Activation of the central pattern generators for locomotion by serotonin and excitatory amino acids in neonatal rat. **455**, 187, 1992
Ionic mechanisms mediating 5-hydroxytryptamine- and noradrenaline-evoked depolarization of adult rat facial motoneurones. **456**, 473, 1992

Hyperalgesia
Pain, hyperalgesia and activity in nociceptive C units in humans after intradermal injection of capsaicin. **448**, 749, 1992
Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in humans. **448**, 765, 1992

Hypercapnia
The ventilatory response to CO_2 of the peripheral and central chemoreflex loop before and after sustained hypoxia in man. **456**, 71, 1992

Hyperkalaemia
Intravenous infusion of adrenaline during exercise in man. **446**, 210*P*, 1992
Effect of noradrenaline on systolic blood pressure and mean aortic flow in the anaesthetized rabbit during hyperkalaemia. **446**, 216*P*, 1992
Hyperosmolarity
Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992
Hyperpolarization
Hyperpolarization as a mechanism for endothelium-dependent relaxations in the porcine coronary artery. **445**, 355, 1992
A capsaicin-sensitive inhibitory reflex from the colon to mesenteric arteries in the guinea-pig. **448**, 153, 1992
Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992
Control of the hyperpolarization-activated cation current by external anions in rabbit sino-atrial node cells. **453**, 307, 1992
Hypertension
The relationship between portal pressure and portasystemic shunting in portal hypertension in the anaesthetized rat. **446**, 414*P*, 1992
The interrelations of blood pressure levels, circadian pressure alterations and left ventricular mass in mild to moderate hypertension in human subjects. **446**, 419*P*, 1992
Autoregulation of perfusion through the renal cortex and papilla of Wistar and stroke-prone spontaneously hypertensive rats. **452**, 134*P*, 1992
(Na^+–K^+–Cl^-) co-transport and chloride accumulation in arterial smooth muscle from normotensive rats and rats with deoxycorticosterone acetate (DOCA)/salt hypertension, measured *in vitro*. **452**, 229*P*, 1992
Hypophysis
Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992
Hypothalamic neurone
Proton-induced sodium current in freshly dissociated hypothalamic neurones of the rat. **447**, 309, 1992
Hypothalamus
Fos immunoreactivity is induced in cells throughout the lamina terminalis following intravenous hypertonic saline infusions in rats. **446**, 80*P*, 1992
The effects of Mg^{2+} ions on the inhibition of the ATP-sensitive K^+ channel by adenosine nucleotides in rat isolated hypothalamic neurones. **446**, 274*P*, 1992
Ionic currents in cultured rat hypothalamic neurones. **450**, 341, 1992
Hypothermia
Ionic mechanisms underlying APD prolongation during hypothermia in isolated guinea-pig ventricular myocytes. **446**, 339*P*, 1992
Local hypothermia protects the small bowel from ischaemia in the rat. **446**, 456*P*, 1992
Hypoxia
Fetal breathing, sleep state, and cardiovascular adaptations to anaemia in sheep. **445**, 713, 1992
Acute hypoxic vasoconstriction in isolated pulmonary arteries of the rat is dependent on the endothelium. **446**, 490*P*, 1992
Increased resistance of isolated cardiac muscle to an acute hypercapnia following chronic hypoxia in the rat. **446**, 540*P*, 1992
ATP-sensitive K^+ channels and cellular K^+ loss in hypoxic and ischaemic mammalian ventricle. **447**, 649, 1992
Mitochondrial function in type I cells isolated from rabbit arterial chemoreceptors. **450**, 13, 1992
Relative mitochondrial membrane potential and $[Ca^{2+}]_i$ in type I cells isolated from the rabbit carotid body. **450**, 33, 1992
The influence of vasopressin on the venous vessels of muscle during systemic hypoxia in the anaesthetized rat. **452**, 10*P*, 1992
The role of vasopressin (AVP) in the cardiovascular response evoked by hypocapnic- and normocapnic-hypoxia in the anaesthetized rat. **452**, 220*P*, 1992
The role of the renin-angiotensin system in the cardiovascular response to systemic hypoxia in the anaesthetized rat with $P_{a.CO_2}$ maintained. **452**, 319*P*, 1992
Maturation of carotid chemoreceptor sensitivity to hypoxia: *in vitro* studies in the newborn rat. **453**, 461, 1992
Estimation of the carnosine content of different fibre types in the middle gluteal muscle of the thoroughbred horse. **455**, 447, 1992
The effects of hypoxia on the ventilatory response to sudden changes in CO_2 in newborn piglets. **456**, 39, 1992
The ventilatory response to CO_2 of the peripheral and central chemoreflex loop before and after sustained hypoxia in man. **456**, 71, 1992
Tension responses of sheep aorta to simultaneous decreases in phosphocreatine, inorganic phosphate and ATP. **458**, 139, 1992
Image analysis
Spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with carbachol at different concentrations in adrenal chromaffin cells isolated from guinea-pig. **445**, 206*P*, 1992
Imaging of intracellular calcium in rat anterior pituitary cells in response to growth hormone releasing factor. **447**, 171, 1992
Three-dimensional reconstruction of lesions in the rat brain. **452**, 2*P*, 1992
Digital image processing of human x-ray and MR breast images. **452**, 24*P*, 1992
The use of a customized image analysis software package in investigations of branching patterns in cat cerebellar afferent pathways. **452**, 151*P*, 1992
Real-time measurement of lumen sizes in a network of blood vessels using image analysis. **452**, 259*P*, 1992

Image analysis (*cont.*)
The application of slow scan cooled integrating charge coupled devices (CCD) to the measurement of intracellular free calcium (Ca^{2+}) in single isolated mammalian cells. **452**, 265*P*, 1992
Immunoglobulin G
Apparent differences in the intracellular pathways of low density lipoprotein and immunoglobulin G in cultured human trophoblast cells. **446**, 533*P*, 1992
Impedance
Respiratory transfer impedance in anaesthetized rabbits. **446**, 359*P*, 1992
Study comparing the impedance characteristics of isolated normal and proteoglycan-depleted bovine articular cartilage. **452**, 60*P*, 1992
Linear impedance of isolated frog skin measured over a wide frequency range. **452**, 353*P*, 1992
Imprinting
Neurones in the intermediate and medial part of the hyperstriatum ventrale (IMHV) of freely moving chicks respond to visual and/or auditory stimuli. **452**, 237*P*, 1992
An association between imprinting and spontaneous neuronal activity in the hyperstriatum ventrale of the anaesthetized domestic chick. **452**, 238*P*, 1992
Inactivation
Inactivation of the slow calcium current in twitch skeletal muscle fibres of the frog. **448**, 633, 1992
Macroscopic and unitary properties of physiological ion flux through T-type Ca^{2+} channels in guinea-pig heart cells. **456**, 247, 1992
Macroscopic and unitary properties of physiological ion flux through L-type Ca^{2+} channels in guinea-pig heart cells. **456**, 267, 1992
Inactivation characteristics of a sustained, Ca^{2+}-independent K^+ current of rat hippocampal neurones *in vitro*. **457**, 575, 1992
Indicator dye
Fractional rate of dye signal decrease as an aid in assessing membrane permeability. **452**, 187*P*, 1992
Inferior olive
Cerebro-cerebellar projections from the ventral bank of the anterior ectosylvian sulcus in the cat. **451**, 673, 1992
Inflammation
Increased potency of spinal opiates after peripheral inflammation in the halothane anaesthetized rat. **446**, 564*P*, 1992
The spatial relationship between intercellular clefts and gaps in the endothelium of inflamed mesenteric microvessels of pithed frogs. **452**, 63*P*, 1992
Inflammatory response
Indices of the acute phase inflammatory response following eccentric exercise in man. **446**, 208*P*, 1992
Inhibition
Enhancement of γ-aminobutyric acid-activated Cl^- currents in cultured rat hippocampal neurones by three volatile anaesthetics. **449**, 279, 1992
Vestibular-evoked postural reactions in man and modulation of transmission in spinal reflex pathways. **455**, 407, 1992
Cortical modulation of transmission in spinal reflex pathways of man. **455**, 425, 1992
Activation of protein kinase C suppresses responses to NMDA in rat CA1 hippocampal neurones. **457**, 491, 1992
Inhibitory innervation
Mediation by nitric oxide of neurogenic relaxation of the urinary bladder neck muscle in sheep. **451**, 133, 1992
Inhibitory postsynaptic potential
Computer simulation of carbachol-driven rhythmic population oscillations in the CA3 region of the *in vitro* rat hippocampus. **451**, 653, 1992
Intracellular electrophysiological study of suprachiasmatic nucleus neurons in rodents: inhibitory synaptic mechanisms. **458**, 247, 1992
Injury
Maintenance of fetal rat CNS and recovery from injury *in vitro*. **452**, 34*P*, 1992
Innervation
The importance of competition between motoneurones in developing rat muscle; effects of partial denervation at birth. **445**, 457, 1992
Computer-based reconstruction of the innervation to the maxillary teeth and air sinus (lateral nasal recess) in the ferret. **446**, 5*P*, 1992
Inositol 1,4,5-trisphosphate
Calcium release evoked by intracellular inositol 1,4,5-trisphosphate in porcine aortic endothelial cells in tissue culture. **446**, 558*P*, 1992
Effects of alcohols on responses evoked by inositol trisphosphate in *Xenopus* oocytes. **448**, 339, 1992
All-or-nothing Ca^{2+} mobilization from the intracellular stores of single histamine-stimulated HeLa cells. **450**, 163, 1992
Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992
The inhibitory action of cyclic AMP on responses to carbachol dependent on calcium stores in rat gastric smooth muscle. **453**, 367, 1992
Luminal Ca^{2+} promoting spontaneous Ca^{2+} release from inositol trisphosphate-sensitive stores in rat hepatocytes. **455**, 623, 1992
Potentiation of inositol trisphosphate-induced Ca^{2+} mobilization in *Xenopus* oocytes by cytosolic Ca^{2+}. **458**, 319, 1992
Insect
Mechanism of pH_i regulation by locust neurones in isolated ganglia: a microelectrode study. **447**, 693, 1992
Pharmacological properties of eclosion muscles in *Sarcophaga bullata*. **452**, 146*P*, 1992
Instrumentation
A microprocessor-based digital timer for controlling physiological experiments. **446**, 70*P*, 1992
Improved assessment of CO_2 analyser transport delays. **446**, 122*P*, 1992

Insulin
Pancreatic polypeptide inhibits insulin action on exocrine secretion of isolated rat pancreas. **446**, 199*P*, 1992
Expression and localization of Na^+ pump isoforms in rat skeletal muscle and L6 muscle cells: effect of insulin. **452**, 101*P*, 1992
Activation of cultured HIT-T15 insulinoma cells by glyceraldehyde. **452**, 300*P*, 1992

Integrin
A novel β_7 integrin present on the surface of mouse intraepithelial lymphocytes and its relationship to LPAM-1, the Peyer's patch homing receptor. **446**, 297*P*, 1992

Intercostal muscle
Relationship between parasternal and external intercostal muscle length and load compensatory responses in dogs. **449**, 441, 1992
The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the cranial rib-cage. **451**, 445, 1992
The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the caudal rib-cage. **451**, 463, 1992

Interleukin-1
Cardiovascular responses induced in free-moving rats by immune cytokines. **448**, 307, 1992
Interleukin-1 receptor antagonist inhibits ischaemic and excitotoxic brain damage in the rat. **452**, 122*P*, 1992
Role of interleukin-1 in the behavioural effects of lipopolysaccharide in the rat. **452**, 124*P*, 1992
Effect of interleukin-1 receptor antagonist on fever and thermogenesis induced by interleukin-1 in the rat. **452**, 125*P*, 1992

Interneurone
Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
Monosynaptic EPSPs elicited by single interneurones and spindle afferents in trigeminal motoneurones of anaesthetized rats. **455**, 641, 1992

Interstitial fluid
Human interstitial fluid pressure and arm volume following breast cancer treatment. **452**, 14*P*, 1992

Intestinal secretion
Fluid secretory responses to *Escherichia coli* Sta enterotoxin *in vivo* by ilea and jejuna from starved and chronically undernourished rats. **446**, 106*P*, 1992
Electrogenic secretion in rat intestine *in vitro* activated by *E. coli* Sta is not mediated by local release of 5-hydroxytryptamine. **446**, 107*P*, 1992
McN-A-343 has an antagonistic action at cholinergic receptors on rat jejunal and ileal enterocytes. **452**, 53*P*, 1992
Acetylcholine activates electrogenic secretion in rat jejunum and ileum *in vitro* by M3 muscarinic receptors. **452**, 363*P*, 1992

Intestinal transport
Differential effects of Cl^- channel blockers on Cl^- currents of unstimulated T84 intestinal epithelial cells. **446**, 301*P*, 1992
Hypotonicity activates a K^+ channel in enterocytes isolated from guinea-pig small intestinal villi. **446**, 302*P*, 1992
Intestinal absorption of thyrotrophin-releasing hormone is not mediated by a Na^+- or H^+-dependent carrier: *in vitro* studies with rat and rabbit brush-border membrane vesicles. **446**, 410*P*, 1992
Bradykinin and glucose transport across the brush-border and basolateral membranes of isolated rat jejunal enterocytes. **452**, 362*P*, 1992
A Cl^- conductance sensitive to external pH in the apical membrane of rat duodenal enterocytes **456**, 519, 1992

Intestine
Effects of different calcium channel blockers on 5-hydroxytryptamine (5-HT) release from the enterochromaffin cells of the isolated porcine small intestine. **446**, 303*P*, 1992
Expression of the Na^+–glucose co-transporter (SGLT1) gene in rabbit small intestine. **452**, 327*P*, 1992
A submucosal mechanism of action for prostaglandin E_2 on hexose absorption and metabolism in mouse intestine. **453**, 449, 1992

Intracellular calcium
Actions of the convulsant barbiturate 5-(2-cyclohexylidine-ethyl)-5-ethyl barbituric acid (CHEB) on dissociated mouse sensory neurons. **446**, 136*P*, 1992
Inhibition by caffeine of ACh-evoked cytoplasmic Ca^{2+} signals studied by simultaneous measurements of $[Ca^{2+}]_i$ and $[caffeine]_i$ in single mouse pancreatic acinar cells. **446**, 201*P*, 1992
$[Ca^{2+}]_i$ transients in isolated Purkinje cells from rabbit heart. **446**, 332*P*, 1992
An investigation of factors affecting force production in isolated human uterine strips. **446**, 485*P*, 1992
Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992
A cytosolic sperm factor causes Ca^{2+}-dependent inward current oscillations in cultured rat DRG neurones. **446**, 550*P*, 1992
Cytosolic Ca^{2+} oscillations driven by inositol trisphosphate occur during spontaneous maturation of mouse oocytes. **446**, 560*P*, 1992
Cyclic nucleotide-dependent regulation of agonist-induced calcium increases in mouse megakaryocytes. **447**, 711, 1992
Cationic channels sensitive to extracellular ATP in rat lacrimal cells. **449**, 313, 1992
Relative mitochondrial membrane potential and $[Ca^{2+}]_i$ in type I cells isolated from the rabbit carotid body. **450**, 33, 1992
Time-resolved changes in intracellular calcium following depolarization of rat brain synaptosomes. **450**, 613, 1992

Intracellular calcium (*cont.*)
Acetylcholine and di(tert-butyl)-hydroquinone evoke spatially distinct patterns of intracellular Ca release in isolated rat lacrimal acinar cells. **452**, 96*P*, 1992
Comparison of the effects of BRL 38227 and nifedipine on intracellular calcium levels in isolated mesenteric resistance vessels of the rat. **452**, 129*P*, 1992
Raising P_{CO_2} elevates $[Ca^{2+}]_i$ in isolated carotid body glomus cells of the neonatal rat. **452**, 228*P*, 1992
The modulation of intracellular calcium transients in single cultured human myometrial cells by the oxytocin antagonist F327. **452**, 309*P*, 1992
ACh-evoked $[Ca^{2+}]_i$ signals are augmented in isolated rat lacrimal acinar cells bathed in Na^+-free medium. **452**, 347*P*, 1992
Acetylcholine activates non-selective cation and chloride conductances in canine and guinea-pig tracheal myocytes. **453**, 197, 1992
Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992
The relationship between glucose-induced K^+_{ATP} channel closure and the rise in $[Ca^{2+}]_i$ in single mouse pancreatic β-cells. **455**, 173, 1992
Calcium-activated potassium channels in native endothelial cells from rabbit aorta: conductance, Ca^{2+} sensitivity and block. **455**, 601, 1992
Ca^{2+}-dependent heat production under basal and near-basal conditions in the mouse soleus muscle. **455**, 663, 1992
Receptive field organization of retinal ganglion cells in the *spastic* mutant mouse. **456**, 125, 1992
Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992
Characteristic features of noradrenaline-induced Ca^{2+} mobilization and tension in arterial smooth muscle of the rabbit. **457**, 297, 1992
Caffeine-induced release and reuptake of Ca^{2+} by Ca^{2+} stores in myocytes from guinea-pig urinary bladder. **458**, 99, 1992
Contribution of Ca^{2+}-induced Ca^{2+} release to the $[Ca^{2+}]_i$ transients in myocytes from guinea-pig urinary bladder. **458**, 119, 1992

Intracellular chloride
The effect of ivermectin on intracellular chloride activity of somatic muscle cells of the parasitic nematode *Ascaris suum in vitro*. **446**, 321*P*, 1992
Inward current caused by sodium-dependent uptake of GABA in the crayfish stretch receptor neurone. **453**, 627, 1992

Intracellular magnesium
Neuronal nicotinic acetylcholine receptor currents in phaeochromocytoma (PC12) cells: dual mechanisms of rectification. **447**, 467, 1992
Myoplasmic free Mg^{2+} concentration during repetitive stimulation of single fibres from mouse skeletal muscle. **453**, 413, 1992

Intracellular pH
Handling of NH_4^+, K^+ and Na^+ by the perfused mandibular salivary gland during perfusion with NH_4Cl **446**, 103*P*, 1992
HCO_3^--dependence of recovery from intracellular acidosis in the perfused ferret heart during Na^+-H^+ antiport inhibition. **446**, 141*P*, 1992
Some factors involved in the control of intracellular pH in chondrocytes isolated from bovine articular cartilage. **446**, 361*P*, 1992
Mechanism of pH_i regulation by locust neurones in isolated ganglia: a microelectrode study. **447**, 693, 1992
Changes of intracellular pH due to repetitive stimulation of single fibres from mouse skeletal muscle. **449**, 49, 1992
Na^+–HCO_3^- symport in the sheep cardiac Purkinje fibre. **451**, 365, 1992
Fractional rate of dye signal decrease as an aid in assessing membrane permeability. **452**, 187*P*, 1992
The relation between intracellular pH (pH_i) and force in isolated rat uterus: simultaneous measurements of pH_i and force. **452**, 232*P*, 1992
Intracellular pH and its relationship to regulation of ion transport in normal and cystic fibrosis human nasal epithelia. **455**, 247, 1992
Hyperosmotic activation of the Na^+–H^+ exchanger in a rat bone cell line: temperature dependence and activation pathways **456**, 503, 1992
Effect of catecholamines on intracellular pH in sheep cardiac Purkinje fibres. **458**, 289, 1992
Role of bicarbonate in pH recovery from intracellular acidosis in the guinea-pig ventricular myocyte. **458**, 361, 1992
Adrenaline and extracellular ATP switch between two modes of acid extrusion in the guinea-pig ventricular myocyte. **458**, 385, 1992

Intracellular potassium
Role of ATP-sensitive K^+ channels during anoxia: major differences between rat (newborn and adult) and turtle neurons. **448**, 599, 1992

Intracellular recording
Properties of supraoptic magnocellular neurones isolated from the adult rat. **455**, 291, 1992

Intracellular sodium
The relationship between contraction and intracellular sodium in rat and guinea-pig ventricular myocytes. **449**, 517, 1992
Calibration of the fluorescent indicator SBFI for intracellular sodium in ventricular myocytes isolated from rabbit and rat hearts. **452**, 159*P*, 1992
Modulation of contraction by intracellular Na^+ via Na^+–Ca^{2+} exchange in single shark (*Squalus acanthias*) ventricular myocytes. **457**, 627, 1992

Intracellular staining
Simultaneous visualization of cortical barrels and horseradish peroxidase-injected layer 5b vibrissa neurones in the rat. **454**, 247, 1992

Intracellular transmitter
Three components in the light-induced current of the *Limulus* ventral photoreceptor. **453**, 69, 1992

Intrafusal fibre
Differences in the time course of effects of succinylcholine on different muscle spindle afferent types in the anaesthetized cat. **446**, 565*P*, 1992
Intrinsic current
Electrophysiology of a slow (0·5–4 Hz) intrinsic oscillation of cat thalamocortical neurones *in vivo*. **447**, 215, 1992
Invertebrate
Calcium currents in cultured cockroach (*Periplaneta americana*) neurones. **446**, 171*P*, 1992
Segmental homology of peptidergic neurones in grasshoppers. **452**, 148*P*, 1992
Inward rectification
Voltage-dependent block by internal sodium ions of the cardiac inwardly rectifying K^+ channel. **446**, 156*P*, 1992
Neuronal nicotinic acetylcholine receptor currents in phaeochromocytoma (PC12) cells: dual mechanisms of rectification. **447**, 467, 1992
Role of an inwardly rectifying potassium current in rabbit ventricular action potential. **448**, 709, 1992
Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992
The inward rectifier K^+ current underlies oscillatory membrane potential behaviour in bovine pigmented ciliary epithelial cells. **458**, 439, 1992
Ion channel
Dynamic four-wavelength video imaging of intracellular pH and calcium homeostasis in cultured bovine lactotrophs. **446**, 64*P*, 1992
Regulatory effects of intracellularly applied calcium and magnesium ions on ion channel activities in the giant axon of the squid *Doryteuthis bleekeri* giant axon. **446**, 168*P*, 1992
A model for ionic conduction in the sheep cardiac ryanodine receptor-channel. **446**, 333*P*, 1992
Channels, real and imaginary, recorded by patch clamp in rat skeletal muscle vesicles. **446**, 397*P*, 1992
Imaging of intracellular calcium in rat anterior pituitary cells in response to growth hormone releasing factor. **447**, 171, 1992
A novel modulatory binding site for zinc on the $GABA_A$ receptor complex in cultured rat neurones. **447**, 587, 1992
Stimulus–secretion coupling: cytoplasmic calcium signals and the control of ion channels in exocrine acinar cells. **448**, 1, 1992
Cyclic GMP-activated channels of salamander retinal rods: spatial distribution and variation of responsiveness. **448**, 257, 1992
Cation interactions within the cyclic GMP-activated channel of retinal rods from the tiger salamander. **449**, 759, 1992
Pharmacological definition of the calcium current (I_{Ca}) component inhibited by neurotransmitters in rodent neuroblastoma × glioma hybrid (NG 108-15) cells. **452**, 48*P*, 1992
The effect of high pressure on the quisqualate-sensitive glutamate receptor channel of locust (*Schistocerca gregaria*) muscle. **452**, 186*P*, 1992
Anomalous decrease in rate of transient outward current inactivation with membrane depolarization in neurones cultured from rat cortex. **452**, 190*P*, 1992
Voltage-dependent gating mechanism for single fast chloride channels from rat skeletal muscle. **453**, 279, 1992
Properties of the pacemaker current (I_f) in latent pacemaker cells isolated from cat right atrium. **453**, 503, 1992
Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992
Muscarine increases cation conductance and decreases potassium conductance in rat locus coeruleus neurones. **455**, 471, 1992
Substrate influences rat osteoclast morphology and expression of potassium conductances. **458**, 633, 1992
Ion current
Ionic currents in cultured rat hypothalamic neurones. **450**, 341, 1992
Properties of spontaneous inward currents recorded in smooth muscle cells isolated from the rabbit portal vein. **451**, 525, 1992
Ionic basis of membrane potential changes induced by anoxia in rat dorsal vagal motoneurones. **455**, 89, 1992
Resting membrane potential and potassium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 405, 1992
Voltage-dependent sodium and calcium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 425, 1992
Voltage-dependent ionic currents in dissociated paratracheal ganglion cells of the rat. **457**, 591, 1992
Ion flux
Effect of ionic fluxes on the non-linear impedance of isolated frog skin. **446**, 346*P*, 1992
Ion-selective electrode
Cl^- and Na^+ homeostasis during anoxia in rat hypoglossal neurons: intracellular and extracellular *in vitro* studies. **448**, 697, 1992
Ion transport
Na–H exchange in isolated epithelial cells from sheep trachea. **446**, 412*P*, 1992
Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992
Iron transport
Rate and mechanism of ^{59}Fe transport into brain and other tissues of the anaesthetized rat and mouse. **446**, 98*P*, 1992
Ischaemia
Local hypothermia protects the small bowel from ischaemia in the rat. **446**, 456*P*, 1992
ATP-sensitive K^+ channels and cellular K^+ loss in hypoxic and ischaemic mammalian ventricle. **447**, 649, 1992
Interleukin-1 receptor antagonist inhibits

Ischaemia (*cont.*)
ischaemic and excitotoxic brain damage in the rat. **452**, 122*P*, 1992
Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. **454**, 467, 1992

Isometric contraction
A contraction-related component of slow inward current in dog ventricular muscle and its relation to Na^+–Ca^{2+} exchange. **456**, 49, 1992

Isometric exercise
Posture and isometric exercise. **446**, 572*P*, 1992
Control of an external force in leg extensions in humans. **457**, 611, 1992

Isoprenaline
Isoprenaline, Ca^{2+} and the Na^+–K^+ pump in guinea-pig ventricular myocytes. **449**, 689, 1992

Jaw movement
Analysis of jaw movement profile in the awake macaque. **446**, 476*P*, 1992

Jaw muscle
The classification of afferents from muscle spindles of the jaw-closing muscles of the cat. **456**, 609, 1992

Jaw reflex
A means of standardizing the application of electrical stimuli to intra-oral structures during studies of jaw reflexes in man. **446**, 5*P*, 1992

Jejunum
Absorption of water and solute from glucose-electrolyte solutions in the intact human jejunum. **446**, 53*P*, 1992
Assessment of rat jejunal circular muscle activity in response to intraluminal balloon inflation. **452**, 75*P*, 1992
Vitamin E deficiency, lipid peroxidation and rat small intestinal function *in vitro*. **452**, 331*P*, 1992

Joint
Changes in synovial P_{O_2} and blood flow in the rabbit knee joint due to stimulation of the posterior articular nerve. **449**, 607, 1992
Resonance at the wrist in patients with rheumatoid arthritis. **452**, 106*P*, 1992

Kainic acid
Activation of the central pattern generators for locomotion by serotonin and excitatory amino acids in neonatal rat. **455**, 187, 1992

Kidney
Furosemide induces cytoplasmic alkalinization in frog early distal tubules. **446**, 404*P*, 1992
Microvascular closing pressures of the vasa recta in the renal medulla of the anaesthetized rat. **452**, 8*P*, 1992
Chronic K^+-loading of frogs raises the set point of the Na^+-H^+ exchanger in isolated early distal tubules. **452**, 77*P*, 1992
Effect of changes in oxalate concentration on fluid reabsorption in the proximal convoluted tubule of the anaesthetized rat. **452**, 80*P*, 1992
Relationship between urinary aluminium and calcium excretion in the rat. **452**, 84*P*, 1992
The effect of prostaglandin E_2 on agonist-sensitive cAMP accumulation in the distal convoluted tubule isolated from rabbit kidney. **452**, 354*P*, 1992
Effects of left atrial receptor stimulation on carotid chemoreceptor-induced renal responses in dogs. **456**, 529, 1992

Kinetics
Tetrodotoxin-sensitive calcium-conducting channels in the rat hippocampal CA1 region. **450**, 529, 1992
A study of the bovine adrenal chromaffin nicotinic receptor using patch clamp and concentration-jump techniques. **454**, 129, 1992
Markov modelling of ensemble current relaxations: bovine adrenal nicotinic receptor currents analysed. **454**, 155, 1992
Modulation of calcium current gating in frog skeletal muscle by conditioning depolarization. **457**, 639, 1992

Lactate
The occurrence of a tissue oxygen debt in anaesthetized man and its attenuation with positive inotropic support. **446**, 463*P*, 1992

Lactation
Heart rate changes in dairy cows associated with milking. **446**, 575*P*, 1992

Lanthanum
Effect of La^{3+} on acetylcholine-induced increase of Ca^{2+}-dependent Cl^--channel activity in single mouse pancreatic acinar cells. **446**, 202*P*, 1992

Large intestine
5-Hydroxytryptamine (5-HT)-induced anion secretion in isolated guinea-pig distal colon. **446**, 197*P*, 1992

Larynx
Artificial ventilation of the isolated larynx in the anaesthetized cat using a servo-controlled pump. **446**, 396*P*, 1992

Laser doppler
Further theoretical investigations into Doppler angle dependence. **452**, 219*P*, 1992

Lateral geniculate nucleus
Adenosine promotes burst activity in guinea-pig geniculocortical neurones through two different ionic mechanisms. **447**, 729, 1992
A role for low-frequency, rhythmic synaptic potentials in the synchronization of cat thalamocortical cells. **457**, 257, 1992

Lead
Lead transport and binding by human red blood cells at 'physiological' lead levels. **446**, 175*P*, 1992

Learning
An association between imprinting and spontaneous neuronal activity in the hyperstriatum ventrale of the anaesthetized domestic chick. **452**, 238*P*, 1992

Leucocyte
An *in vitro* approach to the study of leucocyte binding to vessel walls of the blood–brain barrier in man. **446**, 506*P*, 1992

Light adaptation
The field adaptation of the human rod visual system. **445**, 319, 1992
Light-sensitive current
Three components in the light-induced current of the *Limulus* ventral photoreceptor. **453**, 69, 1992
Lipoprotein
Apparent differences in the intracellular pathways of low density lipoprotein and immunoglobulin G in cultured human trophoblast cells. **446**, 533*P*, 1992
Lithium
Effect of 1′ desamino-8-D-arginine vasopressin (dDAVP) on renal lithium reabsorption in anaesthetized Brattleboro rats. **446**, 368*P*, 1992
A micropuncture study of the effect of amiloride on segmental lithium reabsorption in anaesthetized rats. **452**, 79*P*, 1992
Use of lithium in renal investigations: minimizing the impact on renal function. **452**, 136*P*, 1992
Liver
Hepatic reinnervation following orthotopic liver transplantation in man. **446**, 292*P*, 1992
Morphometry of the liver after orthotopic liver transplantation in the rat: significance of an intact arterial supply. **452**, 364*P*, 1992
Induction of haemodynamic oscillations in the perfused rat liver by K^+ channel blockers. **453**, 33, 1992
Liver cell
Properties of a cell volume-sensitive potassium conductance in isolated guinea-pig and rat hepatocytes. **447**, 133, 1992
Locomotion
Development and role of serotonergic innervation to the spinal cord in hatchling *Rana temporaria* and *Xenopus laevis* tadpoles. **446**, 323*P*, 1992
The discharge patterns of tibialis anterior γ motoneurones during locomotion in the decerebrate cat. **446**, 568*P*, 1992
A technique for spatio-temporal visualization of footfall patterns in the walking rat. **452**, 62*P*, 1992
A mechanism for provoking voluntary changes to ongoing locomotion in the cat. **452**, 150*P*, 1992
Differential effects of a TRH analogue on fore- and hindpaw footfall patterns in the rat. **452**, 250*P*, 1992
Activity of neurones in area 5 of the cerebral cortex during locomotion in awake cats. **452**, 291*P*, 1992
Locus coeruleus
Unitary A-currents of rat locus coeruleus neurones grown in cell culture: rectification caused by internal Mg^{2+} and Na^+. **451**, 553, 1992
Effects of stimulation in the locus coeruleus and raphe nuclei on transmission in group II reflex pathways of the anaesthetized cat. **452**, 111*P*, 1992
Primary afferent depolarization of group II muscle afferent terminals evoked by stimulation in the locus coeruleus and raphe nuclei of the anaesthetized cat. **452**, 143*P*, 1992
Muscarine increases cation conductance and decreases potassium conductance in rat locus coeruleus neurones. **455**, 471, 1992
Locust
The effect of high pressure on the ketamine blockade of the cation-selective channel of locust (*Schistocerca gregaria*) muscle. **446**, 557*P*, 1992
Long-term depression
Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992
Long-term enhancement
Long-term enhancement *in vitro* appears extracellularly as apparent long-term depression via depolarization masking in kitten area 17. **446**, 28*P*, 1992
Long-term potentiation
Involvement of the NMDA receptor, calmodulin and protein kinase C (PKC) system in long-term potentiation (LTP) in guinea-pig superior colliculus (SC) slice. **446**, 381*P*, 1992
Enhancement of long-term potentiation by an agonist of the metabotropic glutamate receptor in the rat hippocampal slice. **446**, 442*P*, 1992
Ca^{2+} release from intracellular stores magnifies the Ca^{2+} signal which permeates dendritic NMDA channels following synaptic activation of CA1 hippocampal neurones *in vitro* **452**, 178*P*, 1992
Lung
Attenuation of hypoxic pressor responses by WIN47203 (milrinone) in isolated chronically hypoxic rat lungs. **446**, 357*P*, 1992
Respiratory transfer impedance in anaesthetized rabbits. **446**, 359*P*, 1992
The 3D network of connective tissue fibres of isolated rat lung: demonstrated by SEM stereo-pair micrographs. **446**, 394*P*, 1992
Relationship between parasternal and external intercostal muscle length and load compensatory responses in dogs. **449**, 441, 1992
Regional distribution of ventilation–perfusion ratio ($\dot{V}/\dot{Q}$ ratio) in the goat. **452**, 28*P*, 1992
Lung fluid
Influence of hypertonic–hyperoncotic solution and furosemide on canine hydrostatic pulmonary oedema resorption. **458**, 425, 1992
Lung liquid
Liquid flow across the epithelium of the artificially perfused lung of fetal and postnatal sheep. **448**, 579, 1992
Luteinizing hormone
Sexually dimorphic localization of oestrogen receptors within neurotensin-immunoreactive neurones in sections of the rat preoptic area. **452**, 212*P*, 1992
Lymph
Heterogeneity of epithelia in rabbit gut-associated lymphoid tissues. **452**, 359*P*, 1992
Lymphatic
Augmentation of sheep lymphatic contractility by L-N^G-nitro arginine methyl ester. **446**, 420*P*, 1992

Lymphatic (*cont.*)
Anatomical pathways for lymphatic drainage of interstitial and cerebrospinal fluid from the rat brain. **446**, 505*P*, 1992
Co-ordination of pumping in isolated bovine lymphatic vessels. **450**, 503, 1992
Lymphocyte
Modulation of potassium channels in intact human T lymphocytes. **445**, 407, 1992
A novel β_7 integrin present on the surface of mouse intraepithelial lymphocytes and its relationship to LPAM-1, the Peyer's patch homing receptor. **446**, 297*P*, 1992
Lysine
Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. **454**, 491, 1992
M-current
Classification of muscarinic receptors inhibiting calcium current and M current in dissociated rat superior cervical ganglion (SCG) neurons. **446**, 548*P*, 1992
Arachidonic acid has a biphasic effect on the M current of NG108-15 neuroblastoma × glioma hybrid cells. **446**, 551*P*, 1992
Kinetic and pharmacological properties of the M-current in rodent neuroblastoma × glioma hybrid cells. **451**, 159, 1992
Muscarinic inhibition of M-current and a potassium leak conductance in neurones of the rat basolateral amygdala. **457**, 93, 1992
Macaque monkey, *see also* Monkey
Responses of macaque ganglion cells to the relative phase of heterochromatically modulated lights. **458**, 191, 1992
Responses of macaque ganglion cells to movement of chromatic borders. **458**, 579, 1992
Macrophage
Induction of nitric oxide synthase in cultured murine macrophages modulates intracellular levels of L-arginine and L-citrulline. **452**, 302*P*, 1992
Magnesium
Measurement of intracellular free magnesium in isolated guinea-pig papillary muscles and ventricular myocytes. **452**, 194*P*, 1992
Inward rectification of acetylcholine-elicited currents in rat phaeochromocytoma cells. **457**, 143, 1992
Magnetic coil
The magnetic coil activates amphibian and primate nerve *in vitro* at two sites and selectively at a bend. **446**, 228*P*, 1992
The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992
Magnetic resonance imaging
The development and progression of cerebral oedema as monitored by magnetic resonance imaging (MRI) of anaesthetized rats. **446**, 509*P*, 1992
A magnetic resonance imaging study of cerebral ischaemia in the anaesthetized gerbil. **446**, 510*P*, 1992
Measurement of local arterial pulse wave velocity in a human subject by a comb-excitation magnetic resonance imaging (MRI) technique. **452**, 17*P*, 1992
Magnetic stimulation
Factors influencing magnetic coil excitation of isolated amphibian, cat and primate nerves immersed in a human brain-shaped volume conductor. **446**, 23*P*, 1992
Identifying hemispheric asymmetry in humans by magnetic coil stimulation. **446**, 222*P*, 1992
Lower limb responses to magnetic stimulation over the cervical cord. **446**, 227*P*, 1992
The effect of transcranial magnetic stimulation on median nerve somatosensory evoked potentials in man. **446**, 374*P*, 1992
Inhibition of voluntary contraction by transcranial magnetic stimulation of the brain subthreshold for excitation in man. **446**, 447*P*, 1992
Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992
Corticospinal projections to upper limb motoneurones in humans. **448**, 397, 1992
Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992
Malaria
A transport pathway responsible for the increased permeability of malaria-infected erythrocytes shows characteristics of a Cl^- channel. **452**, 342*P*, 1992
Manganese
Brain uptake of ^{54}Mn in the anaesthetized rat. **446**, 507*P*, 1992
Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992
Mechanical restitution
The stimulus interval–tension relation in enzymatically isolated single myocytes of the frog heart. **448**, 275, 1992
Mechanoreceptor
Naloxone has no effect on responsiveness of slowly adapting type I cutaneous mechanoreceptors in a rat skin–nerve *in vitro* preparation. **446**, 235*P*, 1992
Differential changes in discharge pattern of slowly adapting type I and type II receptors in a rat skin–nerve *in vitro* preparation exposed to neomycin or Mg^{2+}. **446**, 388*P*, 1992
Directional sensitivity of human periodontal mechanoreceptive afferents to forces applied to the teeth. **447**, 373, 1992
Discharge characteristics and rapid resetting of autoactive aortic baroreceptors in rats. **458**, 501, 1992
Medulla oblongata
Inhibitory actions of 5-hydroxytryptamine on rostral ventrolateral medullary neurones in anaesthetized rats. **446**, 259*P*, 1992
Convergence of visceral and somatic inputs onto subnucleus reticularis dorsalis neurones in the rat medulla. **458**, 235, 1992

Megakaryocyte
Cyclic nucleotide-dependent regulation of agonist-induced calcium increases in mouse megakaryocytes. **447**, 711, 1992
α-Melanocyte-stimulating hormone
α-Melanocyte-stimulating hormone suppresses fever and increases in plasma levels of prostaglandin E_2 in the rabbit. **451**, 491, 1992
Melanoma cell
Potassium channels and regulation of proliferation of human melanoma cells. **445**, 537, 1992
Melatonin
The effect of melatonin on vasopressin release from the rat hypothalamus *in vitro*. **446**, 513*P*, 1992
Modulation by melatonin analogues of neurohypophysial hormone release from the rat hypothalamus *in vitro*. **452**, 296*P*, 1992
Membrane current
Membrane currents in small cultured rat hippocampal neurons: a voltage-clamp study. **445**, 141, 1992
Background current in sino-atrial node cells of the rabbit heart. **448**, 53, 1992
Membrane electrical property
Role of ATP-sensitive K^+ channels during anoxia: major differences between rat (newborn and adult) and turtle neurons. **448**, 599, 1992
A change from HCO_3^-–CO_2- to HEPES-buffered medium modifies membrane properties of rat CA1 pyramidal neurones *in vitro*. **455**, 51, 1992
Membrane potential
Calcium release from separate receptor-specific intracellular stores induced by histamine and ATP in a hamster cell line. **454**, 591, 1992
Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. **454**, 609, 1992
Membrane transport
Kinetics of glutamine transport in sarcolemmal vesicles isolated from human skeletal muscle. **446**, 9*P*, 1992
Characteristics of L-glutamine efflux from incubated rat soleus muscle. **446**, 10*P*, 1992
Expression of rat liver glutamine transporters in *Xenopus* oocytes. **446**, 14*P*, 1992
Network simulation of epithelial transport. **446**, 99*P*, 1992
Characterization of L-proline transport in erythrocytes of a primitive vertebrate, the Pacific hagfish (*Eptatretus stouti*) **446**, 176*P*, 1992
In human placenta the erythroid glucose transporter GLUT1 is abundant in the brush-border and basal membranes of the trophoblast but the insulin-dependent isoform GLUT4 is absent: neither transporter is detectable in endothelial cells. **446**, 345*P*, 1992
Characterization of human erythrocyte choline transport in chronic renal failure. **446**, 355*P*, 1992
A longitudinal study of human erythrocyte choline transport after renal transplantation. **446**, 403*P*, 1992
Sulphate–hydroxyl exchange in isolated bovine chondrocytes. **446**, 532*P*, 1992
Increased uptake of low density lipoprotein induced by adrenaline in the aortae of unrestrained rats. **452**, 56*P*, 1992
DIDS shows substrate-like behaviour for the bile acid transporter of human placental basal membrane vesicles. **452**, 59*P*, 1992
Regulation of potassium permeability of *in vitro* human placental brush-border membrane vesicles by arachidonic acid. **452**, 233*P*, 1992
Erythrocyte lactate transport in patients with chronic renal failure. **452**, 316*P*, 1992
Merkel cell
Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992
Mesenteric artery
A capsaicin-sensitive inhibitory reflex from the colon to mesenteric arteries in the guinea-pig. **448**, 153, 1992
Ca^{2+} currents in single myocytes from human mesenteric arteries: evidence for a physiological role of L-type channels. **457**, 455, 1992
Metabolism
Influence of temperature on the response time of mitochondrial oxygen consumption in isolated rabbit heart. **447**, 17, 1992
Metabolic changes in isolated guinea-pig ventricular myocytes during calcium depletion and repletion as detected with a fluorescent technique. **452**, 164*P*, 1992
Metabolic changes during ischaemia and their role in contractile failure in isolated ferret hearts. **454**, 467, 1992
***N*-Methyl-D-aspartate**, *see* NMDA
Microcirculation
Responses in the human forearm vasculature evoked by indirect cooling. **446**, 213*P*, 1992
The changes in hydraulic permeability and porous area of walls of mesenteric microvessels of pithed frogs during acute inflammation. **452**, 7*P*, 1992
Microvascular closing pressures of the vasa recta in the renal medulla of the anaesthetized rat. **452**, 8*P*, 1992
The spatial relationship between intercellular clefts and gaps in the endothelium of inflamed mesenteric microvessels of pithed frogs. **452**, 63*P*, 1992
The H_3 antagonist thoperamide inhibits the permeability effects of histamine in rat microvessels via an H_1-receptor effect. **452**, 68*P*, 1992
Changes in capillary ultrastructure, blood flow and muscle performance during development of collateral circulation in rat fast muscles. **452**, 115*P*, 1992
Microdialysis
Microdialysis sampling of *in vivo* neurotransmitter release in the brain of the conscious sheep: measurement of acetylcholine, amino acid and monoamine concentrations by high performance liquid chromatography (HPLC). **446**, 66*P*, 1992
In vivo study of brain steroid metabolism using intracerebral microdialysis: evidence for 5β-reduction of testosterone in the dove. **446**, 279*P*, 1992

Microelectrode
A movable microwire technique for chronic recording from the brain-stem. **446**, 78*P*, 1992
Microfluorescent technique
Metabolic changes in isolated guinea-pig ventricular myocytes during calcium depletion and repletion as detected with a fluorescent technique. **452**, 164*P*, 1992
Microneurography
Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992
Micropipette
Improved recording characteristics using silicone-coated multi-barrel micropipettes. **446**, 73*P*, 1992
Microscope
Confocal microscopic imaging of $[Ca^{2+}]_i$ in cultured rat hippocampal neurons following exposure to *N*-methyl-D-aspartate. **448**, 655, 1992
Microscopy
Wide-field volume visualization of thick microscope sections by computed nearest neighbour deconvolutions. **452**, 3*P*, 1992
An objective and light guide system to convert any simple microscope into a microspectrofluorimeter. **452**, 263*P*, 1992
Micturition
Cardiovascular responses to normal micturition in man. **446**, 576*P*, 1992
Midbrain
Two types of neurone in the rat ventral tegmental area and their synaptic inputs. **450**, 455, 1992
On the inhibitory actions of baclofen and γ-aminobutyric acid in rat ventral midbrain culture. **451**, 419, 1992
Mitochondria
An ATP-sensitive K^+ channel in the membrane of fused giant mitoplasts. **446**, 130*P*, 1992
The effects of physiological saline solutions, perfused at constant inflow pressure or volume, on the ultrastructure of the cat carotid body. **446**, 467*P*, 1992
Influence of temperature on the response time of mitochondrial oxygen consumption in isolated rabbit heart. **447**, 17, 1992
Mitochondrial function in type I cells isolated from rabbit arterial chemoreceptors. **450**, 13, 1992
Role of proton pump of mitochondria-rich cells for active transport of chloride ions in toad skin epithelium. **450**, 203, 1992
Histochemical arguments for muscular non-shivering thermogenesis in muscovy ducklings. **457**, 27, 1992
Modelling
A mathematical model for the interaction between luteinizing hormone-releasing hormone (LHRH), GABA and noradrenaline cells in the rat. **446**, 67*P*, 1992
Molluscan neurone
Effect of sensory stimuli on synaptic input to an identified interneurone and on feeding behaviour in *Lymnaea stagnalis*. **446**, 159*P*, 1992
Monkey
The development of cortico-motoneuronal projections investigated using magnetic brain stimulation in the infant macaque. **447**, 755, 1992
Monoclonal antibody
The properties of monoclonal antibody to Habutobin, a thrombin-like enzyme (TLE) derived from the venom of *Trimeresurus flavoviridis* (*Habu*). **446**, 362*P*, 1992
Morphometry
Morphometry of the liver after orthotopic liver transplantation in the rat: significance of an intact arterial supply. **452**, 364*P*, 1992
Motility
Cholinergic control of interdigestive gastric blood flow in conscious dogs. **446**, 193*P*, 1992
Assessment of rat jejunal circular muscle activity in response to intraluminal balloon inflation. **452**, 75*P*, 1992
Gut giant contractions and associated defaecation in ambulant dogs. **452**, 340*P*, 1992
Motion
A biologically plausible scheme for measuring image velocity. **452**, 288*P*, 1992
Motoneurone
Monosynaptic EPSPs elicited by trigeminal spindle afferents in trigeminal motoneurones of anaesthetized rats. **446**, 20*P*, 1992
Effect of IDPN on POMC peptide expression in rat motoneurones *in vitro*. **446**, 285*P*, 1992
Central synaptic coupling of non-spiking afferent neurones from adjacent joints of the crayfish leg. **446**, 316*P*, 1992
Unitary monosynaptic potentials recorded in rat trigeminal motoneurones *in vitro*. **446**, 379*P*, 1992
Factors causing difference in force output among motor units in the rat medial gastrocnemius muscle. **448**, 677, 1992
The minimal inhibitory synaptic currents evoked in neonatal rat motoneurones. **450**, 593, 1992
Compared effects of serotonin on cervical and hypoglossal inspiratory activities: an *in vitro* study in the newborn rat. **451**, 605, 1992
An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992
The topography of the vagal motor column in anaesthetized *Xenopus laevis*. **452**, 235*P*, 1992
Localized morphological changes in sciatic pool motoneurons following neonatal nerve injury at 5 days in the rat. **452**, 236*P*, 1992
Tectal and tegmental excitation in dorsal neck motoneurones of the cat. **454**, 517, 1992
Monosynaptic EPSPs elicited by single interneurones and spindle afferents in trigeminal motoneurones of anaesthetized rats. **455**, 641, 1992
An analysis of the long-lasting after-hyperpolarization of guinea-pig vagal motoneurones. **456**, 325, 1992
The regulation of disynaptic reciprocal Ia inhi-

Motoneurone (*cont.*)
bition during co-contraction of antagonistic muscles in man. **456**, 373, 1992
Ionic mechanisms mediating 5-hydroxytryptamine- and noradrenaline-evoked depolarization of adult rat facial motoneurones. **456**, 473, 1992

Motor control
Sensory characteristics of monkey thalamic and motor cortex neurones. **445**, 1, 1992
The activity of monkey thalamic and motor cortical neurones in a skilled, ballistic movement. **445**, 25, 1992
A frequency analysis of neuronal activity in monkey thalamus, motor cortex and electromyograms in wrist oscillations. **445**, 49, 1992
The perceptions of force and of movement in a man without large myelinated sensory afferents below the neck. **449**, 503, 1992
Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
Changes in presynaptic inhibition of afferents to propriospinal-like neurones in man during voluntary contractions. **449**, 673, 1992
Synaptic interaction between medullary respiratory neurones during apneusis induced by NMDA-receptor blockade in cat. **450**, 303, 1992
Independent control of human finger-tip forces at individual digits during precision lifting. **450**, 547, 1992
Neuronal regulation of enhanced body sway in man. **452**, 104*P*, 1992
A mechanism for provoking voluntary changes to ongoing locomotion in the cat. **452**, 150*P*, 1992
Control of an external force in leg extensions in humans. **457**, 611, 1992

Motor cortex
Sensory characteristics of monkey thalamic and motor cortex neurones. **445**, 1, 1992
The activity of monkey thalamic and motor cortical neurones in a skilled, ballistic movement. **445**, 25, 1992
A frequency analysis of neuronal activity in monkey thalamus, motor cortex and electromyograms in wrist oscillations. **445**, 49, 1992
Electrical and magnetic stimulation of motor cortex in man. **446**, 223*P*, 1992
Direct and indirect activation of corticospinal neurones by electrical and magnetic stimulation in the anaesthetized macaque monkey. **446**, 224*P*, 1992
The relationship between discharge of corticomotoneuronal (CM) cells and precision grip force in the conscious monkey. **446**, 225*P*, 1992
Task-related differences in the response of human 1st dorsal interosseous (1 DI) muscle to magnetic brain stimulation. **446**, 226*P*, 1992
Inhibition of voluntary contraction by transcranial magnetic stimulation of the brain subthreshold for excitation in man. **446**, 447*P*, 1992
Effect of digital nerve stimuli on responses to electrical or magnetic stimulation of the human brain. **447**, 535, 1992
Evidence that a long latency stretch reflex in humans is transcortical. **449**, 429, 1992
Patterns of central motor reorganization in children with hemiplegic cerebral palsy. **452**, 107*P*, 1992
Near threshold electrical and magnetic transcranial stimuli activate overlapping sets of cortical neurones in humans. **452**, 109*P*, 1992
Interhemispheric inhibition of the human motor cortex. **453**, 525, 1992
Cortical modulation of transmission in spinal reflex pathways of man. **455**, 425, 1992
Corticospinal volleys evoked by electrical stimulation of human motor cortex after withdrawal of volatile anaesthetics. **456**, 393, 1992

Motor timing
Is it possible to learn a new timing in a sequential movement in man? **452**, 140*P*, 1992

Motor unit
The importance of competition between motoneurones in developing rat muscle: effects of partial denervation at birth. **445**, 457, 1992
Evidence for bilateral innervation of homologous motoneurone pools in man. **446**, 567*P*, 1992
The effect of the stimulation pattern on the fatigue of single motor units in adult cats. **449**, 85, 1992
A study of glycogen depletion and the fibre-type composition of cat skeleto-fusimotor units. **450**, 565, 1992
Discontinuous changes in discharge pattern of human motor units. **452**, 277*P*, 1992
Estimating the strength of common input to human motoneurons from the cross-correlogram. **453**, 547, 1992

Mouse
Uptake of *myo*-inositol by pre-implantation mouse embryos. **446**, 44*P*, 1992

Movement
Assessing the stability of reference points used for recording movements by discontinuing measurements of position. **446**, 477*P*, 1992
Computer-based visuo-motor tracking system. **452**, 70*P*, 1992
The influence of vision on the accuracy of reaching movements in patients with cerebellar disease. **452**, 271*P*, 1992
Detection of slow movements imposed at the elbow during active flexion in man. **457**, 503, 1992

Mucus
Non-adrenergic, non-cholinergic (NANC) vagal pathways mediating mucus glycoconjugate release in the trachea of the anaesthetized cat. **446**, 527*P*, 1992
Mechanism of mucus glycoconjugate release into feline trachea *in vitro* by monorhamnolipid. **446**, 535*P*, 1992
Vagal control of mucus glycoconjugate secretion into the feline trachea. **453**, 435, 1992

Muscarine
A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. **454**, 231, 1992
Muscarine increases cation conductance and decreases potassium conductance in rat locus coeruleus neurones. **455**, 471, 1992

Muscarinic receptor
Synaptic behaviour in the myenteric plexus of the guinea-pig gastric antrum. **445**, 389, 1992
The source of calcium for muscarinic-mediated catecholamine release from cat adrenals. **445**, 725, 1992
The pharmacology of muscarinic receptors on the soma membrane of an identified cockroach (*Periplaneta americana*) motoneurone *in vitro*. **446**, 326*P*, 1992
Classification of muscarinic receptors inhibiting calcium current and M current in dissociated rat superior cervical ganglion (SCG) neurons. **446**, 548*P*, 1992
McN-A-343 has an antagonistic action at cholinergic receptors on rat jejunal and ileal enterocytes. **452**, 53*P*, 1992
Acetylcholine activates electrogenic secretion in rat jejunum and ileum *in vitro* by M3 muscarinic receptors. **452**, 363*P*, 1992
Effects of muscarine on single rat adrenal chromaffin cells. **453**, 133, 1992
Ca^{2+}-activated K^+ channels modulate muscarinic secretion in cat chromaffin cells. **454**, 213, 1992
Interactions between Ca^{2+} mobilizing mechanisms in cultured rat cerebellar granule cells. **456**, 667, 1992
Role of M_1 muscarinic receptors in the parasympathetic control of colonic motility in cats and rabbits. **458**, 655, 1992

Muscarinic response
Muscarinic responses of rat basolateral amygdaloid neurons recorded *in vitro*. **449**, 121, 1992

Muscle
Involvement of sarcoplasmic reticulum 'Ca^{2+} release channels' in excitation–contraction coupling in vertebrate skeletal muscle. **445**, 759, 1992
Strength and cross-sectional area of adductor pollicis muscle in men and women. **446**, 266*P*, 1992
The effects of two nicotinomimetics, suberyldicholine and cytisine, on the cholinoceptor of the somatic muscle cell of the parasitic nematode *Ascaris suum in vitro*. **446**, 322*P*, 1992
Effects of lipophilic cations on intramembrane charge movement and L-type calcium current in isolated mouse skeletal muscle cells. **446**, 363*P*, 1992
Force and cross-sectional area of adductor pollicis muscle in post-menopausal women, with and without hormone replacement therapy. **446**, 364*P*, 1992
Acoustic myogram recorded during isometric contractions of rectus femoris in man. **446**, 462*P*, 1992
The effect of high pressure on the ketamine blockade of the cation-selective channel of locust (*Schistocerca gregaria*) muscle. **446**, 557*P*, 1992
System A plays only a minor role in alanine transport of isolated rat muscle. **446**, 570*P*, 1992
Physiological and structural changes in the rabbit anterior tibialis muscle following surgical limb-lengthening. **446**, 571*P*, 1992
Factors causing difference in force output among motor units in the rat medial gastrocnemius muscle. **448**, 677, 1992
Relationship between parasternal and external intercostal muscle length and load compensatory responses in dogs. **449**, 441, 1992
Ca^{2+} current in myotome cells of the lancelet (*Branchiostoma lanceolatum*). **450**, 437, 1992
Effect of long-term muscle overload on capillary supply, blood flow and performance in rat fast muscle. **452**, 9*P*, 1992
The effects of ageing on muscle strength in men and women. **452**, 25*P*, 1992
An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992
Influence of electrical stimulation on contractile and histochemical properties of tibialis anterior muscle in paraplegic human subjects. **452**, 278*P*, 1992
Mechanism of human paraspinal muscle wasting with acute low back pain. **452**, 280*P*, 1992
The effect of magnetic force on the movement of myosin-coated beads along actin cables in an algal cell. **452**, 325*P*, 1992
Coherence between the sympathetic drives to relaxed and contracting muscles of different limbs of human subjects. **455**, 219, 1992
Estimation of the carnosine content of different fibre types in the middle gluteal muscle of the thoroughbred horse. **455**, 447, 1992
Modulation of calcium current gating in frog skeletal muscle by conditioning depolarization. **457**, 639, 1992

Muscle afferent
Depolarization of Ib afferent axons in the cat spinal cord during homonymous muscle contraction. **445**, 345, 1992
Projections of group II-activated midlumbar spinocerebellar tract neurones to the region of nucleus Z in the cat. **448**, 565, 1992
Crossed actions on group II-activated interneurones in the midlumbar segments of the cat spinal cord. **455**, 205, 1992

Muscle contraction, *see also* Isometric contraction
Developmental changes in troponin T isoform expression and tension production in chicken single skeletal muscle fibres. **449**, 573, 1992
Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992
Temperature dependence of tension in relaxed (glycerinated rabbit psoas) muscle fibres. **452**, 154*P*, 1992
Effect of hydrostatic pressure on low angle X-ray scattering by isolated frog muscle during contraction. **452**, 155*P*, 1992
Effects of carbon dioxide on tetanic contraction of frog skeletal muscles studied by phosphorus nuclear magnetic resonance. **453**, 247, 1992

Muscle contraction (*cont.*)
Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. **454**, 609, 1992
Coherence between the sympathetic drives to relaxed and contracting muscles of different limbs of human subjects. **455**, 219, 1992
Dynamic changes in human diaphragm length: maximal inspiratory and expulsive efforts studied with sequential radiography. **457**, 167, 1992
Differential effects of tetracaine on two kinetic components of calcium release in frog skeletal muscle fibres. **457**, 525, 1992

Muscle development
The importance of competition between motoneurones in developing rat muscle; effects of partial denervation at birth. **445**, 457, 1992
Neural regulation of acetylcholine receptors in rat neonatal muscle. **449**, 479, 1992
Developmental changes in troponin T isoform expression and tension production in chicken single skeletal muscle fibres. **449**, 573, 1992
Physiology and morphology of regenerated rat skeletal muscle. **452**, 175*P*, 1992

Muscle fatigue
Changes in discharge rate of fusimotor neurones provoked by fatiguing contractions of cat triceps surae muscles. **445**, 499, 1992
Effect of vibration or 'Jendrassik manoeuvre' on integrated rectified electromyogram (IREMG) and tension during fatigue of a sustained maximal voluntary contraction (MVC) of adductor pollicis (ADP) in man. **446**, 17*P*, 1992
Recovery from fatigue in rat isolated skeletal muscle. **446**, 265*P*, 1992
Metabolic changes with fatigue in different types of single muscle fibres of *Xenopus laevis*. **448**, 511, 1992
Changes of intracellular pH due to repetitive stimulation of single fibres from mouse skeletal muscle. **449**, 49, 1992
The length dependency of fatigue in the human tibialis anterior muscle. **452**, 113*P*, 1992
Does central inhibition contribute to fatigue resulting from maximal dynamic contractions in man? **452**, 117*P*, 1992
Load-induced inflexion in surface electromyographic (EMG) activity during fatiguing contractions of normal human paraspinal muscle. **452**, 276*P*, 1992
Short term voluntary hyperventilation and ischaemic human muscle fatigue. **452**, 279*P*, 1992
Myoplasmic free Mg^{2+} concentration during repetitive stimulation of single fibres from mouse skeletal muscle. **453**, 413, 1992
Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. **454**, 643, 1992
Myofibrillar fatigue *versus* failure of activation during repetitive stimulation of frog muscle fibres. **457**, 655, 1992

Muscle fibre
Tension responses to joule temperature jump in skinned rabbit muscle fibres. **447**, 425, 1992
Metabolic changes with fatigue in different types of single muscle fibres of *Xenopus laevis*. **448**, 511, 1992
Effect of temperature on relaxation rate and Ca^{2+}, Mg^{2+} dissociation rates from parvalbumin of frog muscle fibres. **449**, 399, 1992
A study of glycogen depletion and the fibre-type composition of cat skeleto-fusimotor units. **450**, 565, 1992
Histochemical arguments for muscular non-shivering thermogenesis in muscovy ducklings. **457**, 27, 1992
Myofibrillar fatigue *versus* failure of activation during repetitive stimulation of frog muscle fibres. **457**, 655, 1992

Muscle glycogen
Elevated muscle glycogen and anaerobic energy production during exhaustive exercise in man. **451**, 205, 1992

Muscle heat production, *see also* Thermogenesis
Parvalbumin, labile heat and slowing of relaxation in mouse soleus and extensor digitorum longus muscles. **445**, 601, 1992

Muscle mechanics
Tension transients during steady lengthening of tetanized muscle fibres of the frog. **445**, 659, 1992
Tension responses to joule temperature jump in skinned rabbit muscle fibres. **447**, 425, 1992
Mechanical properties of skinned rabbit psoas and soleus muscle fibres during lengthening: effects of phosphate and Ca^{2+}. **451**, 503, 1992

Muscle receptor
Neuronal regulation of enhanced body sway in man. **452**, 104*P*, 1992

Muscle reflex
Use of a biasing torque, high inertia mechanical filter, and automatic readout system for human ankle jerk measurements. **446**, 2*P*, 1992

Muscle regulation
The genetic deletion of the ^{88}KGKSEEE^{94} residues from the troponin-C central helix enhances the Ca^{2+}-affinity in rabbit psoas skinned fast-twitch muscle fibres. **446**, 458*P*, 1992

Muscle relaxation
Parvalbumin, labile heat and slowing of relaxation in mouse soleus and extensor digitorum longus muscles. **445**, 601, 1992
Effect of temperature on relaxation rate and Ca^{2+}, Mg^{2+} dissociation rates from parvalbumin of frog muscle fibres. **449**, 399, 1992

Muscle spindle
Muscle history dependence of responses to stretch of primary and secondary endings of cat soleus muscle spindles. **445**, 81, 1992
Conduction velocity and bag_1 influence on gastrocnemius muscle spindle afferents in the anaesthetized cat. **446**, 21*P*, 1992
The value of dynamic index in assessing muscle

Muscle spindle (*cont.*)
spindle afferent properties in the anaesthetized cat. **446**, 22*P*, 1992
Recording and analysis of multiple single spike trains in the anaesthetized cat. **446**, 471*P*, 1992
Differences in the time course of effects of succinylcholine on different muscle spindle afferent types in the anaesthetized cat. **446**, 565*P*, 1992
Spindles in jaw-closer muscles of the cat. **446**, 604*P*, 1992
Small signal sensitivity of muscle-spindle primary endings in the anaesthetized cat. **452**, 290*P*, 1992
The classification of afferents from muscle spindles of the jaw-closing muscles of the cat. **456**, 609, 1992
The effect of succinylcholine on cat gastrocnemius muscle spindle afferents of different types. **456**, 629, 1992
Comparison of skeleto-fusimotor innervation in cat peroneus brevis and peroneus tertius muscles. **458**, 519, 1992

Muscle stretch
Muscle history dependence of responses to stretch of primary and secondary endings of cat soleus muscle spindles. **445**, 81, 1992
Tension transients during steady lengthening of tetanized muscle fibres of the frog. **445**, 659, 1992

Muscle tension
Pharmacological properties of eclosion muscles in *Sarcophaga bullata*. **452**, 146*P*, 1992

Muscle tone
Mechanisms of intrinsic tone in ferret vascular smooth muscle. **448**, 121, 1992
Resonance at the wrist in patients with rheumatoid arthritis. **452**, 106*P*, 1992

Muscle tremor
Localized cooling can reduce essential tremor in man. **452**, 26*P*, 1992

Myasthenia gravis
Adaptation of quantal content to decreased postsynaptic sensitivity at single endplates in α-bungarotoxin-treated rats. **458**, 487, 1992

Myelinated nerve fibre
Evidence that action potentials activate an internodal potassium conductance in lizard myelinated axons. **445**, 277, 1992

Myenteric neurone
Substance P inhibits activation of calcium-dependent potassium conductances in guinea-pig myenteric neurones. **447**, 293, 1992

Myenteric plexus
Soma size and location within the ganglion of electrophysiologically identified myenteric plexus neurons in the guinea-pig ileum. **452**, 335*P*, 1992

Myocardium
Myocardial preconditioning in anaesthetized dogs can be induced by rapid cardiac pacing. **446**, 218*P*, 1992
Non-invasive quantification of regional myocardial oxygen consumption in anaesthetized greyhounds. **446**, 219*P*, 1992
An internal viscous element limits unloaded velocity of sarcomere shortening in rat myocardium. **454**, 619, 1992

Myocyte
The preparation of isolated muscle cells from human biopsy samples. **446**, 478*P*, 1992
Isoprenaline, Ca^{2+} and the Na^+–K^+ pump in guinea-pig ventricular myocytes. **449**, 689, 1992
A method for obtaining a high yield of healthy myocytes from the ventricle and atrioventricular node of isolated rabbit hearts. **452**, 157*P*, 1992
A perfusion system for exchanging the intracellular solution of single guinea-pig ventricular myocytes. **452**, 165*P*, 1992
Modulation of contraction by intracellular Na^+ via Na^+–Ca^{2+} exchange in single shark (*Squalus acanthias*) ventricular myocytes. **457**, 627, 1992
Role of bicarbonate in pH recovery from intracellular acidosis in the guinea-pig ventricular myocyte. **458**, 361, 1992

Myometrial cell
Transient outward K^+ currents are expressed with high probability in human uterine fibroid cells in culture in comparison to normal myometrial cells. **446**, 131*P*, 1992

Myometrium
G protein regulation of prostaglandin production in cultured guinea-pig myometrium. **446**, 139*P*, 1992
Modulation of contractile force by forskolin in isolated human myometrium is not mediated by intracellular calcium. **446**, 486*P*, 1992
Single channel recording of a K^+-selective channel in pregnant human dispersed myometrial cells. **446**, 555*P*, 1992
The modulation of intracellular calcium transients in single cultured human myometrial cells by the oxytocin antagonist F327. **452**, 309*P*, 1992

Myosin
Tension transient upon flash photolysis of caged ATP in covalently cross-linked muscle fibres isolated from rabbit psoas. **446**, 264*P*, 1992

Nasal mucosa
The effect of saline and histamine on blood flux in the human nasal septal mucosa as measured by a laser Doppler flowmeter. **446**, 114*P*, 1992

Natriuresis
Natriuretic effect of arginine vasopressin (AVP) in chronically instrumented, conscious rats: fact or artefact? **452**, 82*P*, 1992

Natriuretic peptide
The effects of a high sodium diet on the metabolism and secretion of vasoactive intestinal peptide in the rabbit. **451**, 17, 1992
Natriuretic peptide receptors and the growth of fetal brain. **452**, 89*P*, 1992
Cyclic guanosine monophosphate (cGMP) production stimulated in isolated rat glomeruli by natriuretic peptides. **452**, 92*P*, 1992

Neonatal development
Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992

Nerve
The magnetic coil activates amphibian and primate nerve *in vitro* at two sites and selectively at a bend. **446**, 228*P*, 1992
Alteration of ventilatory activity by intralaryngeal CO_2 in the cat. **457**, 177, 1992
Responses of laryngeal receptors to intralaryngeal CO_2 in the cat. **457**, 187, 1992
Nerve activity, ventilation
Artificial ventilation of the isolated larynx in the anaesthetized cat using a servo-controlled pump. **446**, 396*P*, 1992
Nerve block
The role of nociceptors of cutaneous veins in the mediation of cold pain in man. **449**, 73, 1992
Nerve cell
Fractional rate of dye signal decrease as an aid in assessing membrane permeability. **452**, 187*P*, 1992
Nerve conduction
Localization of the effect of low energy laser irradiation upon conduction latencies in the human median nerve *in vivo*. **446**, 445*P*, 1992
Impairment of nerve conduction by micro-neurography electrodes in the anaesthetized rat. **452**, 44*P*, 1992
Nerve growth factor
Nerve growth factor may mediate the increase in neuropeptide Y mRNA levels in PC12 cells through activation of protein kinase C. **452**, 254*P*, 1992
Monoclonal antibodies to Nerve Growth Factor (NGF) affects the postnatal development of the rat geniculocortical system. **452**, 293*P*, 1992
Nerve injury
Preventing regeneration abolishes the contralateral, transneuronal effects of peripheral nerve section in anaesthetized rats. **446**, 444*P*, 1992
Specificity of transneuronal signals after peripheral nerve injury investigated in anaesthetized rats. **452**, 168*P*, 1992
Localized morphological changes in sciatic pool motoneurons following neonatal nerve injury at 5 days in the rat. **452**, 236*P*, 1992
Nerve regeneration, *see also* Regeneration, Reinnervation
Neonatal rat spinal cord does not provide a favourable environment for grafted embryonic motoneurones. **446**, 256*P*, 1992
The consequences of delayed *versus* immediate nerve repair on the properties of regenerating sensory nerve fibres in the adult rat. **446**, 561*P*, 1992
Nerve stimulation
Transmucous electrical stimulation of lingual nerve fibres in the anaesthetized rat. **446**, 475*P*, 1992
Nervous system
Modulation of feeding motor output by the neuropeptide, APGWamide, in the isolated central nervous system of *Lymnaea stagnalis*. **452**, 147*P*, 1992
Neuroblastoma
Kinetic and pharmacological properties of the M-current in rodent neuroblastoma × glioma hybrid cells. **451**, 159, 1992
Neuroendocrinology
Oxytocin (OXT) secretion evoked by stimulation of the AV3V region and its modulation by opioids in urethane-anaesthetized pregnant rats. **446**, 81*P*, 1992
Corticotrophin-releasing factor inactivates early glucocorticoid feedback in rat adenohypophysis *in vitro*. **446**, 82*P*, 1992
Effect of intracerebroventricular injection of thyrotropin releasing hormone on gastric and duodenal motility in the urethane-anaesthetized rat. **446**, 194*P*, 1992
Neurohypophysial hormone
The effect of intracerebroventricular administration of insulin on the neurohypophysial response to haemorrhage in the anaesthetized rat. **446**, 272*P*, 1992
Modulation by melatonin analogues of neurohypophysial hormone release from the rat hypothalamus *in vitro*. **452**, 296*P*, 1992
Neurohypophysis
Two types of high-threshold calcium currents inhibited by ω-conotoxin in nerve terminals of rat neurohypophysis. **445**, 181, 1992
Regulation of intracellular calcium in secretory nerve terminals of rat neurohypophysis *in vitro*. **446**, 284*P*, 1992
A novel large-conductance Ca^{2+}-activated potassium channel and current in nerve terminals of the rat neurohypophysis. **457**, 47, 1992
Three potassium channels in rat posterior pituitary nerve terminals. **458**, 41, 1992
Neuroimmunology
Neuromuscular gap junctions in the fly eclosion muscle system? **446**, 163*P*, 1992
Neurokinin
Reactive changes in neurokinin receptor density following selective denervations and outlet obstruction of rat bladder. **446**, 524*P*, 1992
Neuromodulation
Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992
Neuromuscular blockade
Neural regulation of acetylcholine receptors in rat neonatal muscle. **449**, 479, 1992
Neuromuscular junction, *see also* Endplate
POMC-derived peptides in the neuromuscular system of mice with streptozotocin-induced diabetes mellitus studied *in vitro*. **446**, 286*P*, 1992
Regulation of single quantal efficacy at the snake neuromuscular junction. **448**, 413, 1992
Confocal microscopy of the isolated lizard neuromuscular junction: calcium oscillations in resting synaptic boutons. **452**, 47*P*, 1992
Ca^{2+}-dependent and -independent components of transmitter release at the frog neuromuscular junction. **455**, 271, 1992
Calcium currents at motor nerve endings: absence of effects of adenosine receptor agonists in the frog. **457**, 315, 1992

Neuromuscular junction (*cont.*)
Effects of tetrodotoxin, Ca^{2+} absence, *d*-tubocurarine and vesamicol on spontaneous acetylcholine release from rat muscle. **458**, 1, 1992
Adaptation of quantal content to decreased postsynaptic sensitivity at single endplates in α-bungarotoxin-treated rats. **458**, 487, 1992
Neurone
Release of intracellular calcium and modulation of membrane currents by caffeine in bull-frog sympathetic neurones. **445**, 515, 1992
Ionic currents in cultured rat hypothalamic neurones. **450**, 341, 1992
Optical fibre fluorescence system for intracellular Ca^{2+} measurement: one lamp and filter wheel supplies two set-ups. **452**, 153*P*, 1992
Inhibition of spontaneous and synaptically evoked activity of supraoptic neurones in the anaesthetized rat by μ- and κ-selective opioids in anaesthetized rats. **452**, 214*P*, 1992
Neurones in the intermediate and medial part of the hyperstriatum ventrale (IMHV) of freely moving chicks respond to visual and/or auditory stimuli. **452**, 237*P*, 1992
Intracellular recordings from neurones of the whole cochlear nucleus of the mouse *in vitro*. **452**, 267*P*, 1992
Transduction mechanism for glutamate-induced potassium current in neurones of the mollusc *Planorbarius corneus*. **455**, 33, 1992
A change from HCO_3^-–CO_2- to HEPES-buffered medium modifies membrane properties of rat CA1 pyramidal neurones *in vitro*. **455**, 51, 1992
Cell volume changes upon sodium pump inhibition in *Helix aspersa* neurones. **458**, 603, 1992
Neuropeptide
Modulation of feeding motor output by the neuropeptide, APGWamide, in the isolated central nervous system of *Lymnaea stagnalis*. **452**, 147*P*, 1992
Expression of neuropeptide messenger RNAs in rat dorsal root ganglia during development of adjuvant monoarthritis *in vivo*. **452**, 209*P*, 1992
Neuropeptide Y
Presynaptic inhibitory effects of the peptides NPY, PYY and PP on nicotinic EPSPs in guinea-pig gastric myenteric neurones. **451**, 79, 1992
Nerve growth factor may mediate the increase in neuropeptide Y mRNA levels in PC12 cells through activation of protein kinase C. **452**, 254*P*, 1992
Neurosecretion
Three potassium channels in rat posterior pituitary nerve terminals. **458**, 41, 1992
Neurotensin
Sexually dimorphic localization of oestrogen receptors within neurotensin-immunoreactive neurones in sections of the rat preoptic area. **452**, 212*P*, 1992
Neurotransmission
Characterization of inhibitory neurotransmission in the isolated corpus cavernosum from rabbit and man. **449**, 295, 1992
Neurotransmitter
Quantal transmitter release mediated by strontium at the mouse motor nerve terminal. **450**, 63, 1992
Neutrophil
Confocal laser scanning images of neutrophils: the circulating transporter of kallikreins and kininogens. **452**, 175*P*, 1992
Newborn
Compared effects of serotonin on cervical and hypoglossal inspiratory activities: an *in vitro* study in the newborn rat. **451**, 605, 1992
Taurine in isolated newborn guinea-pig hearts during the calcium paradox. **452**, 195*P*, 1992
Nicotinic receptor
Pharmacological and kinetic properties of α4β2 neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992
Activation and desensitization of embryonic-like receptor channels in mouse muscle by acetylcholine concentration steps. **451**, 145, 1992
Calcium entry through nicotinic channels in dissociated rat superior cervical ganglion (SCG) cells. **452**, 49*P*, 1992
Markov modelling of ensemble current relaxations: bovine adrenal nicotinic receptor currents analysed. **454**, 155, 1992
A patch clamp study of the nicotinic acetylcholine receptor of bovine adrenomedullary chromaffin cells in culture. **455**, 503, 1992
Nifedipine
Novel isoform of Ca^{2+} channel in rat fetal cardiomyocytes. **451**, 295, 1992
Nitric oxide
Hyperpolarization as a mechanism for endothelium-dependent relaxations in the porcine coronary artery. **445**, 355, 1992
Inhibition of nerve-evoked relaxation in human cavernosal smooth muscle by Methylene Blue: additional evidence for mediation by nitric oxide. **446**, 250*P*, 1992
Role of nitric oxide in neurogenic relaxation of the outlet sphincter of the urinary bladder in the sheep. **446**, 422*P*, 1992
Nitric oxide involvement in preconditioning of the ischaemic myocardium in anaesthetized dogs. **446**, 541*P*, 1992
Evidence for the involvement of nitric oxide in the non-adrenergic non-cholinergic relaxation of human sphincteric muscle strips *in vitro*. **446**, 592*P*, 1992
Effects of N^G-nitro-L-arginine and L-arginine on regional cerebral blood flow in the cat. **449**, 183, 1992
Characterization of inhibitory neurotransmission in the isolated corpus cavernosum from rabbit and man. **449**, 295, 1992
Mediation by nitric oxide of neurogenic relaxation of the urinary bladder neck muscle in sheep. **451**, 133, 1992
Inhibition of nitric oxide production in anaesthetized dogs fails to modify work-induced increases in coronary blood flow. **452**, 16*P*, 1992

Nitric oxide (*cont.*)
Induction of nitric oxide synthase in cultured murine macrophages modulates intracellular levels of L-arginine and L-citrulline. **452**, 302*P*, 1992
Lack of brain nitric oxide synthase in human cavernosal tissue. **452**, 303*P*, 1992
Acetylcholine released from guinea-pig submucosal neurones dilates arterioles by releasing nitric oxide from endothelium. **453**, 493, 1992
Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. **454**, 451, 1992
Role of basal release of nitric oxide on coronary flow and mechanical performance of the isolated rat heart. **456**, 681, 1992

Nitric oxide synthase
Inhibition of nitric oxide synthase potentiates the behavioural effects of interleukin-1 in the mouse. **452**, 123*P*, 1992

NMDA (*N*-methyl-D-aspartate)
The inositol 1,4,5-trisphosphate pathway mediates cholinergic potentiation of rat hippocampal neuronal responses to NMDA. **447**, 513, 1992
Two types of steady-state desensitization of *N*-methyl-D-aspartate receptor in isolated hippocampal neurones of rat. **448**, 453, 1992
High frequency stimulation of the Schaffer collateral–commissural pathway is associated with a transient depression of the presynaptic fibre volley in rat hippocampal slices *in vitro* **452**, 180*P*, 1992
Activation of the central pattern generators for locomotion by serotonin and excitatory amino acids in neonatal rat. **455**, 187, 1992
Activation of protein kinase C suppresses responses to NMDA in rat CA1 hippocampal neurones. **457**, 491, 1992
NMDA receptor-mediated rhythmic bursting activity in rat supraoptic nucleus neurones *in vitro*. **458**, 667, 1992

NMDA receptor
The contrasting effects of NMDA receptor antagonists on low and high spontaneous firing of retinal ganglion cells in the anaesthetized cat. **446**, 518*P*, 1992
Activation and desensitization of *N*-methyl-D-aspartate receptors in nucleated outside-out patches from mouse neurones. **450**, 643, 1992
The frog optic tectum *in vitro*: differential effects of the NMDA receptor antagonist DL-2-amino-5-phosphonovaleric acid (APV) on postsynaptic potentials. **452**, 36*P*, 1992
Ca^{2+} release from intracellular stores magnifies the Ca^{2+} signal which permeates dendritic NMDA channels following synaptic activation of CA1 hippocampal neurones *in vitro* **452**, 178*P*, 1992
Age and NMDA receptor activity in the IMHV of the chick brain slice. **452**, 295*P*, 1992
Equilibrium and kinetic study of glycine action on the *N*-methyl-D-aspartate receptor in cultured mouse brain neurons. **455**, 339, 1992
Activation of *N*-methyl-D-aspartate receptors by L-glutamate in cells dissociated from adult rat hippocampus. **456**, 143, 1992

Nociception
The responses of neurones, in the deep dorsal horn of rat spinal cord slices *in vitro*, to the application of neurokinin agonists are correlated with their responses to peripheral nerve stimulation. **452**, 252*P*, 1992

Nociceptor
Central projections of Aδ nociceptive neurons in the trigeminal ganglion of the crotaline snake, *Trimeresurus flavoviridis*. **446**, 158*P*, 1992
Pain, hyperalgesia and activity in nociceptive C units in humans after intradermal injection of capsaicin. **448**, 749, 1992
Blockade by calcium antagonists of chemical excitation and sensitization of polymodal nociceptors in the cat's cornea. **450**, 179, 1992
Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992
Regulation of cutaneous C fibre heat nociceptors by nerve growth factor in the developing rat. **452**, 43*P*, 1992
Inhibition of nociceptor activity by receptor-selective opioids studied in an isolated skin–nerve preparation from hyperalgesic rat. **452**, 204*P*, 1992

Non-adrenergic, non-cholinergic response
Evidence for the involvement of nitric oxide in the non-adrenergic non-cholinergic relaxation of human sphincteric muscle strips *in vitro*. **446**, 592*P*, 1992
Role of nitric oxide and vasoactive intestinal polypeptide in vagally mediated relaxation of the gastric corpus in the anaesthetized ferret. **452**, 337*P*, 1992

Non-myelinated nerve fibre
Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. **454**, 107, 1992

Noradrenaline
Use of [^{3}H]noradrenaline (NA) for detection of low levels of NA in samples obtained by microdialysis from the preoptic area (POA) of the anaesthetized rat. **446**, 65*P*, 1992
Effect of noradrenaline on the spontaneous contractions and Ca^{2+} current in the isolated antral circular muscle of guinea-pig. **446**, 247*P*, 1992
Contraction of guinea-pig isolated submucosal arterioles following sympathetic nerve stimulation is mediated by the activation of P_{2x}-purinoceptors. **446**, 493*P*, 1992
Rate-limiting energy-dependent steps controlling oxidative metabolism–contraction coupling in rabbit aorta. **448**, 473, 1992
Calcium current modulation in frog sympathetic neurones: multiple neurotransmitters and G proteins. **451**, 229, 1992
Inhibition of membrane potential oscillations in rat sympathetic preganglionic neurones *in vitro* by noradrenaline. **452**, 226*P*, 1992
Simultaneous measurements of cardiac nor-

Noradrenaline (*cont.*)
adrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992
Calcium current modulation in frog sympathetic neurones: L-current is relatively insensitive to neurotransmitters. **456**, 107, 1992
Ionic mechanisms mediating 5-hydroxytryptamine- and noradrenaline-evoked depolarization of adult rat facial motoneurones. **456**, 473, 1992
Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992
Characteristic features of noradrenaline-induced Ca^{2+} mobilization and tension in arterial smooth muscle of the rabbit. **457**, 297, 1992
Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992

Noradrenergic innervation
An electrophysiological study of responses evoked in isolated segments of rat tail artery during growth and maturation. **454**, 83, 1992
Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. **454**, 107, 1992

Nuclear magnetic resonance
Double-quantum filter nuclear magnetic resonance imaging of sodium-23. **446**, 392*P*, 1992
Effects of carbon dioxide on tetanic contraction of frog skeletal muscles studied by phosphorus nuclear magnetic resonance. **453**, 247, 1992

Nucleotide
Asymmetry of vascular responses of perfused rabbit carotid artery to intraluminal and abluminal vasoactive stimuli. **458**, 223, 1992

Nucleus ambiguus
Activity of inspiratory neurones in the nucleus ambiguus (NA) during the cough reflex at different respiratory loading resistances in the decerebrate cat. **452**, 225*P*, 1992

Nucleus tractus solitarii
Direct modulation of $GABA_A$ receptor by intracellular ATP in dissociated nucleus tractus solitarii neurones of rat. **449**, 551, 1992
Glutamate- and GABA-immunoreactive nerve terminals in the nucleus tractus solitarius of the cat revealed by ultrastructural immunogold staining. **452**, 247*P*, 1992
Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992
The actions of baclofen on neurones and synaptic transmission in the nucleus tractus solitarii of the rat *in vitro*. **457**, 115, 1992

Octopamine
Selective effects of octopamine within a crayfish motor pool. **452**, 167*P*, 1992

Octopus
A note on dark waves ('wandering clouds') in the skin of *Octopus vulgaris*. **446**, 164*P*, 1992
Nerve-induced and myogenically propagated relaxation of skin muscle (*Octopus vulgaris*). **452**, 130*P*, 1992

Oculomotor system
A physiological study of vestibular and prepositus hypoglossi neurones projecting to the abducens nucleus in the alert cat. **458**, 539, 1992

Oestrogen
Sexually dimorphic localization of oestrogen receptors within neurotensin-immunoreactive neurones in sections of the rat preoptic area. **452**, 212*P*, 1992
The effect of ovariectomy and oestrogen replacement on the renal actions of vasopressin in the rat. **452**, 318*P*, 1992

Oligodendrocyte
Intracellular dye-injection study of oligodendrocyte morphology in the isolated intact mouse optic nerve: response to demyelination in a viral model of multiple sclerosis and to tumour necrosis factor. **446**, 474*P*, 1992

Oocyte
Cytosolic Ca^{2+} oscillations driven by inositol trisphosphate occur during spontaneous maturation of mouse oocytes. **446**, 560*P*, 1992
Effects of alcohols on responses evoked by inositol trisphosphate in *Xenopus* oocytes. **448**, 339, 1992
Protein kinase C-mediated enhancement of NMDA currents by metabotropic glutamate receptors in *Xenopus* oocytes. **449**, 705, 1992
Calcium channel currents in *Xenopus* oocytes injected with rat skeletal muscle RNA. **450**, 469, 1992
Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992
Expression and characterization of a canine hippocampal inwardly rectifying K^+ current in *Xenopus* oocytes. **457**, 229, 1992
Mechanism of release of Ca^{2+} from intracellular stores in response to ionomycin in oocytes of the frog *Xenopus laevis*. **458**, 307, 1992
Potentiation of inositol trisphosphate-induced Ca^{2+} mobilization in *Xenopus* oocytes by cytosolic Ca^{2+}. **458**, 319, 1992

Open-channel blocker
Kinetics of open channel block by penicillin of single $GABA_A$ receptor channels from mouse spinal cord neurones in culture. **445**, 97, 1992
Pharmacological and kinetic properties of $\alpha 4\beta 2$ neuronal nicotinic acetylcholine receptors expressed in *Xenopus* oocytes. **450**, 375, 1992

Opiate
Opioids mediate the inhibitory actions of progesterone on luteinizing hormone (LH) secretion in the ewe by augmenting the release of GABA in the preoptic area. **446**, 79*P*, 1992
Increased potency of spinal opiates after peripheral inflammation in the halothane anaesthetized rat. **446**, 564*P*, 1992
Inhibition of nociceptor activity by receptor-selective opioids studied in an isolated skin–nerve preparation from hyperalgesic rat. **452**, 204*P*, 1992

Opioid
Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992
Opioid inhibition of electrogenic flare in anaesthetized pigs is blocked by μ receptor antagonists. **452**, 121*P*, 1992
Optic nerve
The morphology of the optic nerve of the common shrew, *Sorex araneus*. **446**, 234*P*, 1992
Intracellular electrophysiological study of suprachiasmatic nucleus neurons in rodents: inhibitory synaptic mechanisms. **458**, 247, 1992
Optic tectum
The frog optic tectum *in vitro*: differential effects of the NMDA receptor antagonist DL-2-amino-5-phosphonovaleric acid (APV) on postsynaptic potentials. **452**, 36*P*, 1992
Optical monitoring
Optical recording of electrical activity in the rat nucleus tractus solitarii *in vitro*. **452**, 324*P*, 1992
Optical rotation
Reversal of the optical activity signal of nerve isolated from a walking leg of a spiny lobster. **446**, 189*P*, 1992
Orientation tuning
Response characteristics of the cells of cortical area 21a of the cat with special reference to orientation specificity. **449**, 457, 1992
Osmolarity
Hyperosmotic activation of the Na^+–H^+ exchanger in a rat bone cell line: temperature dependence and activation pathways **456**, 503, 1992
Osmosensitivity
Properties of supraoptic magnocellular neurones isolated from the adult rat. **455**, 291, 1992
Osmosis
Transient chloride binding as a contributory factor to corneal stromal swelling in the ox. **450**, 89, 1992
Overload
Effect of long-term muscle overload on capillary supply, blood flow and performance in rat fast muscle. **452**, 9*P*, 1992
Oxalate
Effect of changes in oxalate concentration on fluid reabsorption in the proximal convoluted tubule of the anaesthetized rat. **452**, 80*P*, 1992
Oxime
The action of 2,3-butanedione monoxime (BDM), pyridine-2-aldoxime (norPAM) and pyridine-2-aldoxime methochloride (PAM) on the inactivation of the L-type calcium current in isolated guinea-pig ventricular myocytes. **452**, 196*P*, 1992
Oxygen
Changes in synovial P_{O_2} and blood flow in the rabbit knee joint due to stimulation of the posterior articular nerve. **449**, 607, 1992
Continuous measurement of oxygen tension in the isolated guinea-pig heart using a purpose designed oxygen electrode. **452**, 126*P*, 1992
Dynamics of the ventilatory response in man to step changes of end-tidal carbon dioxide and of hypoxia during exercise. **457**, 539, 1992
Oxygen consumption
The influence of high O_2 affinity of blood on maximal oxygen consumption in skeletal muscle in anaesthetized dogs. **446**, 356*P*, 1992
Oxygen delivery
The occurrence of a tissue oxygen debt in anaesthetized man and its attenuation with positive inotropic support. **446**, 463*P*, 1992
Oxygen transport
Oxygen transport following renal transplantation in man. **446**, 573*P*, 1992
Regulation of perfusive O_2 transport during exercise in humans: effects of changes in haemoglobin concentration. **455**, 679, 1992
Oxytocin
Changes in oxytocin, corticotrophin-releasing factor and opioid mRNA in the sheep brain during pregnancy, parturition and lactation, and in response to sex steroids. **446**, 281*P*, 1992
The effect of altered sodium intake on neurohypophysial function in the rat. **452**, 35*P*, 1992
Oxytocin secretory responses to hypernatraemia and inhibition by morphine in pregnant urethane-anaesthetized rats. **452**, 210*P*, 1992
Intracerebroventricular injection of muscimol or bicuculline inhibits the milk ejection reflex in the anaesthetized rat. **452**, 211*P*, 1992
Inhibition of spontaneous and synaptically evoked activity of supraoptic neurones in the anaesthetized rat by μ- and κ-selective opioids in anaesthetized rats. **452**, 214*P*, 1992
The modulation of intracellular calcium transients in single cultured human myometrial cells by the oxytocin antagonist F327. **452**, 309*P*, 1992
Mechanism of action of oxytocin in rat vagal neurones: induction of a sustained sodium-dependent current. **457**, 131, 1992
Ozone
Effect of an inhaled thromboxane mimetic (U46619) on *in vivo* pulmonary resistance and airway hyperresponsiveness in dogs. **453**, 59, 1992
Pacemaker
A role for low-frequency, rhythmic synaptic potentials in the synchronization of cat thalamocortical cells. **457**, 257, 1992
Pacemaker current
Kinetics of the blocking and unblocking processes of the i_f pacemaker current by bradycardic agents injected into isolated sheep cardiac Purkinje fibres. **446**, 342*P*, 1992
Pacemaker current in single cells and in aggregates of cells dissociated from the embryonic chick heart. **454**, 503, 1992
Pain
Wind-up phenomenon and its supression in tooth pulp-evoked responses of trigeminal caudal neurons in chloralose-anaesthetized rats. **446**, 385*P*, 1992
Central changes in processing of mechanoreceptive

Pain (*cont.*)
input in capsaicin-induced secondary hyperalgesia in humans. **448**, 765, 1992
The role of nociceptors of cutaneous veins in the mediation of cold pain in man. **449**, 73, 1992
Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992
Corneal inputs to neurones in the spinal trigeminal nucleus of anaesthetized rats. **452**, 239*P*, 1992
Plastic changes of spinal nociceptive neurones induced by noxious visceral stimulation in the anaesthetized cat. **452**, 240*P*, 1992
Mechanism of human paraspinal muscle wasting with acute low back pain. **452**, 280*P*, 1992
Convergence of visceral and somatic inputs onto subnucleus reticularis dorsalis neurones in the rat medulla. **458**, 235, 1992

Pancreas
Effects of acetylcholine on intracellular calcium and fluid secretion in isolated rat pancreatic ducts. **446**, 352*P*, 1992
Properties of a cyclic AMP-regulated chloride conductance in isolated rat pancreatic duct cells. **446**, 353*P*, 1992
^{125}I efflux from a human pancreatic adenocarcinoma cell line (B × PC-3). **446**, 354*P*, 1992
L-arginine: a role for inducing chronic pancreatitis in the anaesthetized rat. **446**, 402*P*, 1992
Effects of nerve stimulation and secretin on exocrine pancreatic secretion in the rat *in vivo* and *in vitro* **452**, 100*P*, 1992
Effects of phorbol ester on vagal stimulation and secretagogue-evoked secretory responses in the rat pancreas. **452**, 334*P*, 1992
Oscillatory phenomena in the pancreatic circulation of cat and ferret in response to adrenergic stimulation. **452**, 341*P*, 1992
K^+ channels on rat pancreatic duct cells *in vitro*. **452**, 360*P*, 1992

Pancreatic acinar cell
Sub-cellular photon correlation spectroscopy of isolated rat pancreatic acinar cells. **446**, 35*P*, 1992
Influence of pH_O on spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with CCK-8 in rat pancreatic acinar cells *in vitro*. **446**, 311*P*, 1992

Pancreatic β-cell
Simultaneous measurement of $[Ca^{2+}]_i$ and K(ATP) channel activity in single dissociated mouse pancreatic B-cells. **446**, 132*P*, 1992
The relationship between glucose-induced K^+_{ATP} channel closure and the rise in $[Ca^{2+}]_i$ in single mouse pancreatic β-cells. **455**, 173, 1992
Receptive field organization of retinal ganglion cells in the *spastic* mutant mouse. **456**, 125, 1992

Pancreatic duct
Protein kinase C has an inhibitory role in the control of fluid secretion in isolated rat pancreatic ducts. **452**, 99*P*, 1992

Pancreatic duct cell
Acute regulation of the macroscopic chloride conductance of isolated rat pancreatic duct cells. **452**, 345*P*, 1992
K^+ channels on rat pancreatic duct cells *in vitro*. **452**, 360*P*, 1992

Pancreatic polypeptide
Stimulation *in vitro* of rat pancreatic enzyme synthesis by pancreatic polypeptide and peptide YY. **452**, 98*P*, 1992

Pancreatic secretion
The effect of body position on pancreatic exocrine secretion in anaesthetized and conscious rats. **446**, 198*P*, 1992

Parasympathetic ganglion
Resting membrane potential and potassium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 405, 1992
Voltage-dependent sodium and calcium currents in cultured parasympathetic neurones from rat intracardiac ganglia. **456**, 425, 1992
Guanosine 3′,5′-cyclic monophosphate regulates calcium channels in neurones of rabbit vesical pelvic ganglia. **457**, 559, 1992

Parasympathetic nervous system
Synergism in the autonomic regulation of parotid secretion of protein in sheep. **451**, 1, 1992

Parasympathetic neurone
Multiple motor pathways to single smooth muscle cells in the ferret trachea. **456**, 557, 1992
Voltage-dependent ionic currents in dissociated paratracheal ganglion cells of the rat. **457**, 591, 1992

Parathyroid hormone
Expression of nephron-segment-specific phenotypes in cultured human renal cell lines. **452**, 138*P*, 1992

Parathyroid hormone-related peptide
Evidence implicating parathyroid hormone-related peptide as an autocrine growth factor for human lung cancer cells. **446**, 534*P*, 1992

Parietal cell
Arachidonic acid and prostaglandin E_2 activate small-conductance Cl^- channels in the basolateral membrane of rabbit parietal cells. **448**, 293, 1992
Activity of neurones in area 5 of the cerebral cortex during locomotion in awake cats. **452**, 291*P*, 1992

Parotid acinar cell
Substance P-induced diacylglycerol formation in rat parotid acinar cells *in vitro*. **446**, 392*P*, 1992
Temporal characteristics of current activation by agonist in rat isolated parotid acinar cells. **446**, 545*P*, 1992

Parotid gland, *see also* Salivary gland
Isoprenaline stimulates ADP-ribosylation in rat parotid acinar cells *in vitro*. **446**, 308*P*, 1992
Synergism in the autonomic regulation of parotid secretion of protein in sheep. **451**, 1, 1992

Parvalbumin
Parvalbumin, labile heat and slowing of relaxation in mouse soleus and extensor digitorum longus muscles. **445**, 601, 1992

Patch clamp
Excitatory and inhibitory synaptic currents and receptors in rat medial septal neurones. **445**, 261, 1992
Modulation of potassium channels in intact human T lymphocytes. **445**, 407, 1992
Calcium current variation between acutely isolated adult rat dorsal root ganglion neurons of different size. **445**, 639, 1992
Patch-clamp whole-cell pulse protocol measurements using a microcomputer. **446**, 72*P*, 1992
Acetylcholine and caffeine evoke repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **446**, 128*P*, 1992
Channels, real and imaginary, recorded by patch clamp in rat skeletal muscle vesicles. **446**, 397*P*, 1992
Background current in sino-atrial node cells of the rabbit heart. **448**, 53, 1992
Dihydropyridine-sensitive and ω-conotoxin-sensitive calcium channels in a mammalian neuroblastoma–glioma cell line. **448**, 161, 1992
Voltage- and time-dependent inhibition of neuronal calcium channels by a GTP-binding protein in a mammalian cell line. **448**, 189, 1992
Changes in the electrical properties of chick ciliary ganglion neurones during embryonic development. **449**, 411, 1992
Permeability and Mg^{2+} blockade of histamine-operated cation channel in endothelial cells of rat intrapulmonary artery. **450**, 395, 1992
Activation and desensitization of *N*-methyl-D-aspartate receptors in nucleated outside-out patches from mouse neurones. **450**, 643, 1992
Novel isoform of Ca^{2+} channel in rat fetal cardiomyocytes. **451**, 295, 1992
Patch permeabilization with staphylococcal α-toxin in wholecell recording. **452**, 160*P*, 1992
Acetylcholine activates non-selective cation and chloride conductances in canine and guinea-pig tracheal myocytes. **453**, 197, 1992
The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. **454**, 27, 1992
Mechanism of cardiac Na^+–Ca^{2+} exchange current stimulation by MgATP: possible involvement of aminophospholipid translocase. **454**, 59, 1992
Stretch-activated non-selective cation channels in the antiluminal membrane of porcine cerebral capillaries. **454**, 435, 1992
Glutamate receptor channels in isolated patches from CA1 and CA3 pyramidal cells of rat hippocampal slices. **455**, 143, 1992
Pipette GTP is essential for receptor-mediated regulation of Cl^- current in dialysed myocytes from guinea-pig ventricle. **455**, 235, 1992
Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992
Activation of *N*-methyl-D-aspartate receptors by L-glutamate in cells dissociated from adult rat hippocampus. **456**, 143, 1992
Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992
Inward rectification of acetylcholine-elicited currents in rat phaeochromocytoma cells. **457**, 143, 1992
Action of brief pulses of glutamate on AMPA/kainate receptors in patches from different neurones of rat hippocampal slices. **458**, 261, 1992

Penicillin
Kinetics of open channel block by penicillin of single $GABA_A$ receptor channels from mouse spinal cord neurones in culture. **445**, 97, 1992

Penile erection
Inhibition of nerve-evoked relaxation in human cavernosal smooth muscle by Methylene Blue: additional evidence for mediation by nitric oxide. **446**, 250*P*, 1992
Evidence against vasoactive intestinal polypeptide as the inhibitory neuro-transmitter in human cavernosal tissue. **446**, 495*P*, 1992
Lack of brain nitric oxide synthase in human cavernosal tissue. **452**, 303*P*, 1992

Peptide
Effects of sympathetic activity and galanin on cardiac vagal action in anaesthetized cats. **448**, 225, 1992
Presynaptic inhibitory effects of the peptides NPY, PYY and PP on nicotinic EPSPs in guinea-pig gastric myenteric neurones. **451**, 79, 1992
A novel large-conductance Ca^{2+}-activated potassium channel and current in nerve terminals of the rat neurohypophysis. **457**, 47, 1992

Perception
The perceptions of force and of movement in a man without large myelinated sensory afferents below the neck. **449**, 503, 1992

Perchlorate
Actions of perchlorate ions on rat soleus muscle fibres. **448**, 99, 1992

Periaqueductal grey matter
Role of medullary raphe nuclei in the inhibition of rostral ventrolateral medullary neurones evoked from the ventrolateral periaqueductal grey matter in anaesthetized rats. **446**, 521*P*, 1992

Perineurium
K^+ and La^{3+} permeability of the perineurium of the isolated frog nerve. **445**, 319*P*, 1992

Permeability
Flows of liquid and electrical current through monolayers of cultured bovine arterial endothelium. **449**, 1, 1992
Effects of proteins on the permeability of monolayers of cultured bovine arterial endothelium. **449**, 21, 1992
Alveolar epithelial permeability in baboons: histamine and capsaicin. **450**, 363, 1992
Human neutrophil elastase and polylysine increase junctional solute permeability in umbilical vein endothelial cell monolayers perfused in microcarrier culture. **452**, 4*P*, 1992
The changes in hydraulic permeability and porous

Permeability (*cont.*)
area of walls of mesenteric microvessels of pithed frogs during acute inflammation. **452**, 7*P*, 1992
A developmentally regulated blood–cerebrospinal fluid transfer mechanism for albumin in immature rats. **456**, 181, 1992

pH
Intracellular pH clamp experiments on single mouse lacrimal acinar cells. **446**, 101*P*, 1992
Influence of pH_o on spatial dynamics of $[Ca^{2+}]_c$ during continuous stimulation with CCK-8 in rat pancreatic acinar cells *in vitro*. **446**, 311*P*, 1992
Effects of intracellular anions on electrogenic glutamate uptake into Müller cells isolated from the tiger salamander retina. **446**, 546*P*, 1992
Effect of myoplasmic pH on excitation–contraction coupling in skeletal muscle fibres of the toad. **448**, 211, 1992
Measurement of the recovery from an acid load in the isolated guinea-pig papillary muscle in media free of divalent cations. **452**, 163*P*, 1992
Fast changes in intracellular pH (pH_i) following alteration of external pH (pH_e) in isolated vascular smooth muscle cells from rat mesenteric arteries. **452**, 307*P*, 1992
A change from HCO_3^-–CO_2- to HEPES-buffered medium modifies membrane properties of rat CA1 pyramidal neurones *in vitro*. **455**, 51, 1992
A Cl^- conductance sensitive to external pH in the apical membrane of rat duodenal enterocytes **456**, 519, 1992

pH regulation
Na–H· exchange in isolated epithelial cells from sheep trachea. **446**, 412*P*, 1992

Phagocytosis
Phagocytic properties can be endowed on a non-phagocytic cell line by expression of a single receptor for immunoglobulin G (IgG). **446**, 408*P*, 1992

Phenylephrine
α_1-Adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells. **447**, 275, 1992

Phorbol ester
Role of protein kinase C in constrictor responses of the rat basilar artery *in vivo*. **445**, 169, 1992
Protein kinase C-mediated enhancement of NMDA currents by metabotropic glutamate receptors in *Xenopus* oocytes. **449**, 705, 1992

Phosphate
Metabolic changes with fatigue in different types of single muscle fibres of *Xenopus laevis*. **448**, 511, 1992
Reversal of the cross-bridge force-generating transition by photogeneration of phosphate in rabbit psoas muscle fibres. **451**, 247, 1992
Inorganic phosphate decreases the Ca^{2+} content of the sarcoplasmic reticulum in saponin-treated rat cardiac trabeculae. **458**, 457, 1992

Phosphorylation
Novel suppression of an L-type calcium channel in neurones of murine dorsal root ganglia by 2,3-butanedione monoxime. **447**, 257, 1992
Mechanisms of intrinsic tone in ferret vascular smooth muscle. **448**, 121, 1992
Phosphorylation restores activity of L-type calcium channels after rundown in inside-out patches from rabbit cardiac cells. **454**, 673, 1992

Photoreceptor
Effects of lowered cytoplasmic calcium concentration and light on the responses of rod photoreceptors isolated from the retina of the tiger salamander. **446**, 109*P*, 1992
Effects of 4-aminopyridine on the responses to small decreases in light intensity in photoreceptors in the isolated retina of the drone honeybee. **446**, 110*P*, 1992
Whole-cell recordings of the light-induced current in dissociated *Drosophila* photoreceptors. **446**, 325*P*, 1992
A quantitative account of the activation steps involved in phototransduction in amphibian photoreceptors. **449**, 719, 1992
Association of cyclic GMP-gated channels and Na^+–Ca^{2+}–K^+ exchangers in bovine retinal rod outer segment plasma membranes. **451**, 109, 1992
Three components in the light-induced current of the *Limulus* ventral photoreceptor. **453**, 69, 1992
Calcium homeostasis in the outer segments of retinal rods from the tiger salamander. **455**, 111, 1992
Membrane conductances involved in amplification of small signals by sodium channels in photoreceptors of drone honey bee. **456**, 303, 1992

Phototransduction
A quantitative account of the activation steps involved in phototransduction in amphibian photoreceptors. **449**, 719, 1992

Physiological Society
The competition for the Physiological Society logo: the entries so far. **452**, 269*P*, 1992

Picrotoxin
On the mechanism of action of picrotoxin on GABA receptor channels in dissociated sympathetic neurones of the rat. **447**, 191, 1992

Pinacidil
Membrane hyperpolarization inhibits agonist-induced synthesis of inositol 1,4,5-trisphosphate in rabbit mesenteric artery. **451**, 307, 1992

Pituitary
Anti-sense oligonucleotides injected with patch clamp techniques reveal involvement of a small GTP-binding protein in the control of exocytosis in rat anterior pituitary cells. **452**, 298*P*, 1992

Pituitary cell
Dopamine D_2 receptor stimulation differentially affects voltage-activated calcium channels in rat pituitary melanotropic cells. **450**, 409, 1992

Pituitary gland
Protein kinase C may be required to maintain activity of nimodipine-sensitive Ca^{2+} channels in rat anterior pituitary cells *in vitro*. **446**, 282*P*, 1992
Differential actions of protein kinase C modulators

Pituitary gland (*cont.*)
on the release of hormones from rat anterior pituitary tissue *in vitro*. **446**, 283*P*, 1992
Use of digital fluorescence imaging to monitor the behaviour of the lipophilic membrane probe TMA (trimethylammoniodiphenylhexatriene) in isolated bovine anterior pituitary cells. **452**, 175*P*, 1992
Use of TMA-DPH (trimethylammonio-diphenylhexatriene) to monitor secretory responses of isolated bovine anterior pituitary cells. **452**, 208*P*, 1992

Placenta
Zinc uptake by microvillar vesicles isolated from human term placenta. **446**, 57*P*, 1992
Apparent differences in the intracellular pathways of low density lipoprotein and immunoglobulin G in cultured human trophoblast cells. **446**, 533*P*, 1992
DIDS shows substrate-like behaviour for the bile acid transporter of human placental basal membrane vesicles. **452**, 59*P*, 1992
Effects of diisothiocyano-2-2-disulfonic stilbene (DIDS), dephenylamine-2-carboxylate (DPC) and furosemide on chloride transport across human placental microvillus membrane vesicles (MVV). **452**, 145*P*, 1992
Regulation of potassium permeability of *in vitro* human placental brush-border membrane vesicles by arachidonic acid. **452**, 233*P*, 1992
Immunological detection of nucleoside transporters in human placental trophoblast brush-border plasma membranes and placental capillary endothelial cells. **452**, 348*P*, 1992
Platelet-aggregation inhibiting activity of human placental syncytiotrophoblast brush-border membrane vesicles. **452**, 350*P*, 1992

Placental membrane
A kinetic analysis of the inhibition by taurochenodeoxycholic acid for glycocholic acid transport in placental basal membrane vesicles. **446**, 33*P*, 1992

Plasma protein
Zinc-binding globulin, a passive marker for blood–brain barrier permeability in the human fetal brain. **446**, 606*P*, 1992

Plasticity
Plasticity of mechanisms controlling gastric motility in the anaesthetized ferret. **446**, 529*P*, 1992
Patterns of central motor reorganization in children with hemiplegic cerebral palsy. **452**, 107*P*, 1992

Platelet
Digital imaging of ADP-evoked spikes in cytosolic calcium in fibrinogen-attached Fura-2-loaded human platelets. **446**, 204*P*, 1992
Stopped-flow kinetic analysis of exocytosis and rise in cytosolic calcium concentration in human platelets. **446**, 344*P*, 1992
Calcium influx evoked by 2,5-di-(t-butyl)-1,4-benzohydroquinone in Fura-2-loaded human platelets is reduced by inhibitors of cytochrome P-450. **452**, 57*P*, 1992
Platelet-aggregation inhibiting activity of human placental syncytiotrophoblast brush-border membrane vesicles. **452**, 350*P*, 1992

Platypus
The central projection of electrosensory information in the platypus. **447**, 449, 1992

Polyamine transport
Polyamine transporters in cultured porcine aortic endothelial cells. **446**, 95*P*, 1992

Posture
Posture and isometric exercise. **446**, 572*P*, 1992
Magnetic stimulation over the motor cortex in man delays the onset of EMG activity more when a muscle acts as a prime mover than when used as a postural fixator. **452**, 275*P*, 1992
Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. **454**, 533, 1992

Potassium
Biphasic change in plasma potassium concentration by mannitol infusion in rats. **446**, 347*P*, 1992
Role of potassium in the reflex regulation of blood pressure during static exercise in man. **451**, 643, 1992

Potassium channel
Modulation of potassium channels in intact human T lymphocytes. **445**, 407, 1992
Potassium channels and regulation of proliferation of human melanoma cells. **445**, 537, 1992
The effect of intracellular pH on ATP-dependent potassium channels of frog skeletal muscle. **445**, 549, 1992
Potassium channels opened by noradrenaline and other transmitters in excised membrane patches of guinea-pig submucosal neurones. **445**, 581, 1992
Identification of a histidine residue in the rat lymphocyte channel (RGK5) that is involved in current inactivation. **446**, 125*P*, 1992
An ATP-sensitive K^+ channel in the membrane of fused giant mitoplasts. **446**, 130*P*, 1992
The effects of Mg^{2+} ions on the inhibition of the ATP-sensitive K^+ channel by adenosine nucleotides in rat isolated hypothalamic neurones. **446**, 274*P*, 1992
Ciclazindol, a novel antagonist of the action of potassium channel openers in rat smooth muscle *in vitro*. **446**, 365*P*, 1992
Effects of intra- and extracellular pH on current through ATP-sensitive potassium channels of isolated guinea-pig ventricular myocytes. **446**, 543*P*, 1992
Single channel recording of a K^+-selective channel in pregnant human dispersed myometrial cells. **446**, 555*P*, 1992
Direct G protein activation of the Ca^{2+}-activated K^+ channel in isolated bovine airway smooth muscle. **446**, 596*P*, 1992
Properties of a cell volume-sensitive potassium conductance in isolated guinea-pig and rat hepatocytes. **447**, 133, 1992
Delayed rectifier potassium channels in canine and porcine airway smooth muscle cells. **447**, 329, 1992

Potassium channel (*cont.*)
ATP-sensitive K^+ channels and cellular K^+ loss in hypoxic and ischaemic mammalian ventricle. **447**, 649, 1992
Changes in the electrical properties of chick ciliary ganglion neurones during embryonic development. **449**, 411, 1992
Unitary A-currents of rat locus coeruleus neurones grown in cell culture: rectification caused by internal Mg^{2+} and Na^+. **451**, 553, 1992
Properties of a large conductance potassium channel in rat hippocampal neurones maintained in culture. **452**, 192*P*, 1992
Potassium channels active at resting membrane potential in cultured rat striatal neurones. **452**, 299*P*, 1992
Maxi-K^+ channels on epithelial cells cultured from human fetal vas deferens. **452**, 344*P*, 1992
K^+ channels on rat pancreatic duct cells *in vitro*. **452**, 360*P*, 1992
Physiological evidence for a slow K^+ conductance in human cutaneous afferents. **453**, 575, 1992
A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. **454**, 231, 1992
Anoxia induces time-independent K^+ current through K_{ATP} channels in isolated heart cells of the guinea-pig. **454**, 339, 1992
Role of K^+ channels in the modulation of cholinergic neural responses in guinea-pig and human airways. **455**, 1, 1992
Membrane conductances involved in amplification of small signals by sodium channels in photoreceptors of drone honey bee. **456**, 303, 1992
Three potassium channels in rat posterior pituitary nerve terminals. **458**, 41, 1992

Potassium conductance
Evidence that action potentials activate an internodal potassium conductance in lizard myelinated axons. **445**, 277, 1992
A pH-sensitive K^+ conductance in the egg membrane of the teleost fish *Oryzias latipes* disappears after fertilization. **446**, 126*P*, 1992
Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992
Regulation by second messengers of the slowly activating, voltage-dependent potassium current expressed in *Xenopus* oocytes. **450**, 491, 1992
Intracellular pH and its relationship to regulation of ion transport in normal and cystic fibrosis human nasal epithelia. **455**, 247, 1992

Potassium current
Slow and fast transient potassium currents in cultured rat hippocampal cells. **445**, 431, 1992
Properties of a sustained Ca^{2+} independent K^+ current of rat hippocampal neurones *in vitro*. **446**, 37*P*, 1992
Properties of the transient outward K^+ current in cultured GH_3 rat pituitary cells. **446**, 38*P*, 1992
Transient outward K^+ currents are expressed with high probability in human uterine fibroid cells in culture in comparison to normal myometrial cells. **446**, 131*P*, 1992
Second messenger regulation of the slowly activating, voltage-dependent potassium current (I_{sK}) in *Xenopus* oocytes. **446**, 133*P*, 1992
A sodium- and voltage-dependent potassium current in spinal neurons of the *Xenopus* embryo. **446**, 135*P*, 1992
Properties of the inactivating outward current in single smooth muscle cells isolated from the rat anococcygeus. **446**, 248*P*, 1992
Ionic currents of outer hair cells isolated from the guinea-pig cochlea. **448**, 73, 1992
Voltage-dependent currents in isolated single Merkel cells of rats. **450**, 143, 1992
Kinetic and pharmacological properties of the M-current in rodent neuroblastoma × glioma hybrid cells. **451**, 159, 1992
Characterization of membrane currents in single smooth muscle cells from the guinea-pig gastric antrum. **451**, 387, 1992
Effects of n-hexane on the transient potassium current (I_A) in isolated *Helix* neurones. **452**, 46*P*, 1992
Inhibition of Ca^{2+}-activated K^+ currents in isolated type I cells of the neonatal rat carotid body by *p*-chloromercuribenzenesulfonic acid. **452**, 313*P*, 1992
A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. **454**, 573, 1992
Transduction mechanism for glutamate-induced potassium current in neurones of the mollusc *Planorbarius corneus*. **455**, 33, 1992
Calcium-activated potassium channels in native endothelial cells from rabbit aorta: conductance, Ca^{2+} sensitivity and block. **455**, 601, 1992
Effects of *n*-alkanols and a methyl ester on a transient potassium (I_A) current in identified neurones from *Helix aspersa*. **456**, 1, 1992
An analysis of the long-lasting after-hyperpolarization of guinea-pig vagal motoneurones. **456**, 325, 1992
Hyperthyroidism selectively modified a transient potassium current in rabbit ventricular and atrial myocytes. **457**, 369, 1992
Inactivation characteristics of a sustained, Ca^{2+}-independent K^+ current of rat hippocampal neurones *in vitro*. **457**, 575, 1992
The inward rectifier K^+ current underlies oscillatory membrane potential behaviour in bovine pigmented ciliary epithelial cells. **458**, 439, 1992

Potassium deficiency
Renal tubular lithium reabsorption in anaesthetized, potassium-depleted rats. **452**, 135*P*, 1992

Potassium flux
Involvement of calmodulin and PKC in regulation of Ca^{2+}-activated K^+ (Rb^+) efflux in human colonic cell line, HT29-19A. **452**, 343*P*, 1992

Potentiation
The inositol 1,4,5-trisphosphate pathway mediates

Potentiation (*cont.*)
cholinergic potentiation of rat hippocampal neuronal responses to NMDA. **447**, 513, 1992
Ca^{2+}-dependent and -independent components of transmitter release at the frog neuromuscular junction. **455**, 271, 1992
Preconditioning
Nitric oxide involvement in preconditioning of the ischaemic myocardium in anaesthetized dogs. **446**, 541*P*, 1992
Pregnancy
Mechanisms by which the pregnant ewe can sustain increased salt and water supply to the fetus. **445**, 569, 1992
Anti-progesterone antibodies specifically target the uterus in mice before implantation and up-regulate uterine progesterone receptors. **446**, 289*P*, 1992
Renal Haemodynamic Reserve (RHR) during normal human pregnancy. **452**, 317*P*, 1992
Preoptic area
Suppression of lordosis reflex in the female rat by electrical stimulation of the forebrain and ventral mid-brain. **446**, 84*P*, 1992
Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. **454**, 197, 1992
Prepositus hypoglossi
A physiological study of vestibular and prepositus hypoglossi neurones projecting to the abducens nucleus in the alert cat. **458**, 539, 1992
Pressor response
Role of potassium in the reflex regulation of blood pressure during static exercise in man. **451**, 643, 1992
Abnormality of superior mesenteric artery blood flow responses in human sympathetic failure. **457**, 477, 1992
Pressure
The effect of hydrostatic pressure on glycine receptors expressed in *Xenopus oocytes*. **446**, 179*P*, 1992
Human interstitial fluid pressure and arm volume following breast cancer treatment. **452**, 14*P*, 1992
Effect of hydrostatic pressure on low angle X-ray scattering by isolated frog muscle during contraction. **452**, 155*P*, 1992
The effect of high pressure on the quisqualate-sensitive glutamate receptor channel of locust (*Schistocerca gregaria*) muscle. **452**, 186*P*, 1992
Presynaptic inhibition
Depolarization of Ib afferent axons in the cat spinal cord during homonymous muscle contraction. **445**, 345, 1992
The role of $GABA_A$ and $GABA_B$ receptors in presynaptic inhibition of Ia EPSPs in cat spinal motoneurones. **447**, 675, 1992
Changes in presynaptic inhibition of afferents to propriospinal-like neurones in man during voluntary contractions. **449**, 673, 1992
Presynaptic inhibitory action of enkephalin on excitatory transmission in superficial dorsal horn of rat spinal cord. **450**, 673, 1992
Comparison of the actions of baclofen at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 329, 1992
Comparison of the actions of adenosine at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 347, 1992
Presynaptic histamine H_1 and H_3 receptors modulate sympathetic ganglionic synaptic transmission in the guinea-pig. **457**, 407, 1992
Presynaptic receptor
Presynaptic receptors for the glutamate analogue APB reduce transmitter release from neonatal rat spinal neurones in thin slices. **446**, 549*P*, 1992
Primary afferent depolarization
Primary afferent depolarization of group II muscle afferent terminals evoked by stimulation in the locus coeruleus and raphe nuclei of the anaesthetized cat. **452**, 143*P*, 1992
Proprioception
Projections of group II-activated midlumbar spinocerebellar tract neurones to the region of nucleus Z in the cat. **448**, 565, 1992
The perceptions of force and of movement in a man without large myelinated sensory afferents below the neck. **449**, 503, 1992
Detection of slow movements imposed at the elbow during active flexion in man. **457**, 503, 1992
Postural proprioceptive reflexes in standing human subjects: bandwidth of response and transmission characteristics. **458**, 69, 1992
Prostaglandin
Role of protein kinase C in constrictor responses of the rat basilar artery *in vivo*. **445**, 169, 1992
G protein regulation of prostaglandin production in cultured guinea-pig myometrium. **446**, 139*P*, 1992
Do prostaglandins affect renal calcium handling? – a study in conscious rats. **452**, 83*P*, 1992
Effect of an inhaled thromboxane mimetic (U46619) on *in vivo* pulmonary resistance and airway hyperresponsiveness in dogs. **453**, 59, 1992
A submucosal mechanism of action for prostaglandin E_2 on hexose absorption and metabolism in mouse intestine. **453**, 449, 1992
Prostaglandin E
α-Melanocyte-stimulating hormone suppresses fever and increases in plasma levels of prostaglandin E_2 in the rabbit. **451**, 491, 1992
Prostaglandin E_2 produces presynaptic inhibition of carotid-baroreflex-induced vasoconstriction in skeletal muscle of anaesthetized dogs. **452**, 12*P*, 1992
The effect of prostaglandin E_2 on agonist-sensitive cAMP accumulation in the distal convoluted tubule isolated from rabbit kidney. **452**, 354*P*, 1992
Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. **454**, 197, 1992
Protein kinase C
Phenylephrine-induced translocation of protein kinase C and shortening of two types of vascular cells of the ferret. **455**, 585, 1992

Protein kinase C (*cont.*)
Activation of protein kinase C suppresses responses to NMDA in rat CA1 hippocampal neurones. **457**, 491, 1992

Protein phosphorylation
Mechanism of extracellular ATP-induced increase of cytosolic Ca^{2+} concentration in isolated rat ventricular myocytes. **445**, 369, 1992

Protein synthesis
Increased protein synthetic rates in muscle of *mdx* mouse. **446**, 48*P*, 1992
Stimulation *in vitro* of rat pancreatic enzyme synthesis by pancreatic polypeptide and peptide YY. **452**, 98*P*, 1992

Proteinases
Different proportions of secretory proteinases occur in submandibular salivas elicited from anaesthetized rats by different nerve stimulations. **446**, 200*P*, 1992

Proton pump
Role of proton pump of mitochondria-rich cells for active transport of chloride ions in toad skin epithelium. **450**, 203, 1992

Proximal convoluted tubule
Expression of nephron-segment-specific phenotypes in cultured human renal cell lines. **452**, 138*P*, 1992

Pulmonary artery
Mg-ATP activates calcium-activated potassium channels in rat pulmonary arterial cells. **446**, 556*P*, 1992

Pulmonary blood flow
Factors affecting movement of excitatory substances from pulmonary capillaries to type J receptors of anaesthetized cats. **449**, 155, 1992

Pulmonary haemodynamics
Is there a relationship between fractal complexity and functional efficiency in the pulmonary arterial tree? **446**, 578*P*, 1992

Pulmonary reflex
Conventional *versus* slug CO_2 loading and the control of breathing in anaesthetized cats. **445**, 487, 1992

Pulmonary ventilation
Electrical impedance tomography during pulmonary ventilation and perfusion in man. **446**, 479*P*, 1992

Purinergic receptor
Mechanism of extracellular ATP-induced increase of cytosolic Ca^{2+} concentration in isolated rat ventricular myocytes. **445**, 369, 1992

Purinoceptor
Inhibition of excitatory junction potentials in isolated guinea-pig vas deferens by suramin. **452**, 54*P*, 1992
Asymmetry of vascular responses of perfused rabbit carotid artery to intraluminal and abluminal vasoactive stimuli. **458**, 223, 1992

Purkinje cell
Voltage dependence of the sodium pump current of isolated rabbit cardiac Purkinje cells in sodium-free, thallium-containing solution. **446**, 186*P*, 1992
Inhibitory synaptic currents in rat cerebellar Purkinje cells: modulation by postsynaptic depolarization. **456**, 453, 1992
Stellate cell inhibition of Purkinje cells in the turtle cerebellum *in vitro*. **457**, 355, 1992

Pursuit
Pursuit of intermittently illuminated moving targets in the human. **445**, 617, 1992
Ocular pursuit over a structured background in subjects with Parkinson's Disease and cerebellar lesions. **452**, 270*P*, 1992

Pylorus
The influence of distension on the activity of the pyloric antrum in the conscious dog. **452**, 339*P*, 1992

Quanta
Evidence that hypertonic solutions increase quantal size at isolated frog neuromuscular junctions by activating protein kinase A. **446**, 47*P*, 1992

Quantal content
Regulation of single quantal efficacy at the snake neuromuscular junction. **448**, 413, 1992

Quantal release
Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992
Adaptation of quantal content to decreased postsynaptic sensitivity at single endplates in α-bungarotoxin-treated rats. **458**, 487, 1992

Quantal transmission
Presynaptic histamine H_1 and H_3 receptors modulate sympathetic ganglionic synaptic transmission in the guinea-pig. **457**, 407, 1992

Quantitative model
A quantitative account of the activation steps involved in phototransduction in amphibian photoreceptors. **449**, 719, 1992

Quantum
Probabilistic secretion of quanta from visualized sympathetic nerve varicosities in mouse vas deferens. **454**, 9, 1992

Rat
Rhythmic slow activity (RSA) recorded from the bilateral hippocampus in the freely moving rat. **446**, 382*P*, 1992
Wind-up phenomenon and its supression in tooth pulp-evoked responses of trigeminal caudal neurons in chloralose-anaesthetized rats. **446**, 385*P*, 1992
Marked splenic hyperaemia during post-haemorrhagic hypotension in the rat, rabbit and cat. **448**, 437, 1992
Respiratory-related activity of lower thoracic and upper lumbar sympathetic preganglionic neurones in the rat. **451**, 631, 1992
Aldosterone induces apical Na^+ channels in surface but not crypt cells of rat distal colon. **452**, 139, 1992
Protective effect of adenosine in slices of rat olfactory cortex during anoxia. **452**, 64*P*, 1992

Rat (*cont.*)
Assessment of rat jejunal circular muscle activity in response to intraluminal balloon inflation. **452**, 75*P*, 1992
Peripheral administration of cholecystokinin (CCK) results in the expression of *fos*-like immunoreactivity in the brainstem of the rat. **452**, 249*P*, 1992
Direct evidence of fluid uptake into rat descending colonic crypts. **452**, 351*P*, 1992
Receptive field, *see also* Visual receptive field
S/N-dependent modulation of centre–surround opponent receptive fields: similarities in real and artificial neural networks. **446**, 376*P*, 1992
Receptor
Presynaptic receptors for the glutamate analogue APB reduce transmitter release from neonatal rat spinal neurones in thin slices. **446**, 549*P*, 1992
Factors affecting movement of excitatory substances from pulmonary capillaries to type J receptors of anaesthetized cats. **449**, 155, 1992
The location of the receptors involved in the human diuretic response to drinking an isotonic electrolyte solution. **450**, 1, 1992
Diazoxide blocks glutamate desensitization and prolongs excitatory postsynaptic currents in rat hippocampal neurons. **458**, 409, 1992
Depolarizing action of cholecystokinin on rat supraoptic neurones *in vitro*. **458**, 621, 1992
Reciprocal inhibition
The regulation of disynaptic reciprocal Ia inhibition during co-contraction of antagonistic muscles in man. **456**, 373, 1992
Red blood cell, *see also* Erythrocyte
The effect of methanol on the cytochalasin B inhibition of glucose exits in human erythrocytes. **446**, 589*P*, 1992
Red cell
Inhibition of the y^+ amino acid transporter in human red cells by Na^+ and harmaline. **446**, 8*P*, 1992
The effect of quinidine on the inhibition of glucose exits in human erythrocytes and on the optical responses in the absence of glucose. **452**, 329*P*, 1992
Reflex
Does a stretch reflex contribute to the excitations which follow inhibitory jaw reflexes in man? **446**, 4*P*, 1992
Evidence that long-latency reflexes of the human wrist flexors and extensors can respond at 20–25 Hz. **446**, 229*P*, 1992
Increased jaw opening reflex after lingual nerve injury. **446**, 610*P*, 1992
An *in situ* preparation of the crayfish thoracic nervous system to study neuro-muscular properties of reflex subgroups of leg motoneurones. **452**, 166*P*, 1992
Ankle stiffness of standing humans in response to imperceptible perturbation: reflex and task-dependent components. **454**, 533, 1992
Vestibular-evoked postural reactions in man and modulation of transmission in spinal reflex pathways. **455**, 407, 1992
Cortical modulation of transmission in spinal reflex pathways of man. **455**, 425, 1992
Postural proprioceptive reflexes in standing human subjects: bandwidth of response and transmission characteristics. **458**, 69, 1992
Reflex pathway
Effects of stimulation in the locus coeruleus and raphe nuclei on transmission in group II reflex pathways of the anaesthetized cat. **452**, 111*P*, 1992
The regulation of disynaptic reciprocal Ia inhibition during co-contraction of antagonistic muscles in man. **456**, 373, 1992
Reflex response
Changes in the stretch reflex of the human first dorsal interosseous muscle during different tasks. **447**, 563, 1992
Task-dependent changes in the response of human wrist joints to mechanical disturbance. **447**, 575, 1992
Reflex reversal
Selective effects of octopamine within a crayfish motor pool. **452**, 167*P*, 1992
Regeneration, *see also* Reinnervation
Selection of pathways by regenerating axons in the transected spinal cord of the goldfish. **446**, 43*P*, 1992
Development of excitability in cultured neurons dissociated from the regenerating newt retina. **446**, 377*P*, 1992
Electrophysiological responses in the rat tail artery during reinnervation following lesions of the sympathetic supply. **454**, 107, 1992
Reinnervation, *see also* Nerve regeneration, Regeneration
A test of neurotrophic theory in reinnervated adult rat fourth deep lumbrical muscle. **446**, 520*P*, 1992
Relaxation
Cytosolic calcium and myofilaments in single rat cardiac myocytes achieve a dynamic equilibrium during twitch relaxation. **447**, 83, 1992
Relaxin
Failure of intracerebroventricular porcine relaxin to augment NaCl intake when given with systemic deoxycorticosterone to conscious male rats. **446**, 457*P*, 1992
Renal, *see also* Kidney
Renal blood flow
The role of endogenous angiotensin II in the regulation of renal haemodynamics and proximal fluid reabsorption in the rat. **453**, 1, 1992
Renal function
Rat kidney expresses GC-A, not GC-B receptors for natriuretic peptides. **446**, 90*P*, 1992
Binding of rat brain natriuretic peptide (BNP) to atrial natriuretic peptide (ANP) receptors in rat kidney. **446**, 91*P*, 1992
Effects of atrial natriuretic peptide and angiotensin II on salt and water excretion by the perfused rainbow trout kidney. **446**, 92*P*, 1992

Renal function (*cont.*)
What is the cause of the repolarization observed after addition of alanine to the bathing solution of cells isolated from frog proximal tubule? **446**, 252*P*, 1992
Renal functional responses to somatic afferent nerve stimulation in hypertensive rats following carotid sinus denervation. **446**, 372*P*, 1992
A PC-driven servo-controlled fluid replacement technique for renal function studies in conscious rats. **452**, 71*P*, 1992
Chronic K^+-loading of frogs raises the set point of the Na^+-H^+ exchanger in isolated early distal tubules. **452**, 77*P*, 1992
Depolarization-activated whole-cell conductance in single proximal cells isolated from frog kidney is blocked by gadolinium. **452**, 78*P*, 1992
Renal and endocrine effects of atrial natriuretic peptide (ANP) in conscious Brattleboro (DI) and Long Evans (LE) rats. **452**, 93*P*, 1992
Renal handling of magnesium in man: effects of acid/base balance, bumetanide and acetazolamide. **452**, 132*P*, 1992
Effects of gentamycin and tobramycin on renal calcium and magnesium handling in anaesthetized Fischer 344 rats. **452**, 133*P*, 1992
Use of lithium in renal investigations: minimizing the impact on renal function. **452**, 136*P*, 1992
Primary effects of carotid chemoreceptor stimulation on gracilis muscle and renal blood flow and renal function in dogs. **455**, 73, 1992

Renal haemodynamics
Autoregulation of perfusion through the renal cortex and papilla of Wistar and stroke-prone spontaneously hypertensive rats. **452**, 134*P*, 1992
Renal Haemodynamic Reserve (RHR) during normal human pregnancy. **452**, 317*P*, 1992

Renal site
Sodium retaining action of arginine-vasopressin (AVP) in hydrated man. **452**, 87*P*, 1992

Renal tubule
The role of endogenous angiotensin II in the regulation of renal haemodynamics and proximal fluid reabsorption in the rat. **453**, 1, 1992
Influence of apical Na^+ entry on Na^+–K^+-ATPase in amphibian distal nephron cells in culture. **456**, 655, 1992

Renin
Investigation of the factors of the renin–angiotensin system in renal hypertensive rats. **446**, 370*P*, 1992
Direct evidence of a role for Ca^{2+} and guanine nucleotide binding proteins in renin secretion from isolated, electropermeabilized, rat renal cortical cells. **446**, 585*P*, 1992

Renshaw cell
Are Renshaw cells tonically active in humans? **452**, 110*P*, 1992

Respiration, *see also* Breathing, Ventilation
The selective nature of airway hyperreactivity. **446**, 117*P*, 1992
Projections of neurones with respiratory-related discharge in the medulla of the anaesthetized rat. **446**, 428*P*, 1992
Respiratory and circulatory responses to electrical and chemical stimulation in the parabrachial complex (PB) of the anaesthetized rat. **452**, 321*P*, 1992

Respiration hypoxia
Interaction of acute hypoxic ventilatory response (HVR) and the respiratory stimulant S9581. **446**, 118*P*, 1992

Respiratory control
Conventional *versus* slug CO_2 loading and the control of breathing in anaesthetized cats. **445**, 487, 1992
Respiratory muscle recruitment during selective central and peripheral chemoreceptor stimulation in awake dogs. **448**, 613, 1992
Is human cortico-spinal control of ventilation as precise as control of hand movement? **452**, 30*P*, 1992
The effects of hypoxia on the ventilatory response to sudden changes in CO_2 in newborn piglets. **456**, 39, 1992
Ventilatory response to hyperoxia in newborn rats born in hypoxia – possible relationship to carotid body dopamine. **456**, 645, 1992
Respiratory-related activity patterns in preganglionic neurones projecting into the cat cervical sympathetic trunk. **457**, 277, 1992

Respiratory modulation
Modification of respiratory activities during stimulation of carotid chemoreceptors, arterial baroreceptors and pulmonary C fibre afferents in the anaesthetized cat. **446**, 466*P*, 1992
The pH dependence of chloride net flux in skeletal muscle fibres of *Rana temporaria*. **449**, 237, 1992
Respiratory modulation of the activity in sympathetic neurones supplying muscle, skin and pelvic organs in the cat. **449**, 333, 1992
Respiratory-related activity of lower thoracic and upper lumbar sympathetic preganglionic neurones in the rat. **451**, 631, 1992

Respiratory muscle
Respiratory muscle recruitment during selective central and peripheral chemoreceptor stimulation in awake dogs. **448**, 613, 1992
Central and peripheral fatigue of human diaphragm and limb muscles assessed by twitch interpolation. **454**, 643, 1992
The effect of inspiratory muscle fatigue on breathing pattern and ventilatory response to CO_2. **455**, 17, 1992

Respiratory rhythm
Synaptic interaction between medullary respiratory neurones during apneusis induced by NMDA-receptor blockade in cat. **450**, 303, 1992

Respiratory–sympathetic interaction
Respiratory modulation of the activity in sympathetic neurones supplying muscle, skin and pelvic organs in the cat. **449**, 333, 1992

Reticular formation
Is there a tecto-reticular 'map' in the trout? **446**, 314*P*, 1992

Reticular formation (*cont.*)
Convergence of visceral and somatic inputs onto subnucleus reticularis dorsalis neurones in the rat medulla. **458**, 235, 1992

Retina
Hemi-gap-junction channels in solitary horizontal cells of the catfish retina. **445**, 201, 1992
Effects of 2-amino-4-phosphonobutyric acid on cells in the distal layers of the tiger salamander's retina. **445**, 741, 1992
Calcium current of isolated bipolar cells of the cat retina. **446**, 111*P*, 1992
Development of excitability in cultured neurons dissociated from the regenerating newt retina. **446**, 377*P*, 1992
Amino acid neurotransmitter receptor expression in *Xenopus* oocytes by injection of messenger ribonucleic acid extracted from vertebrate (*Rutilus rutilus*) retina. **446**, 531*P*, 1992
The spatial relationship between Müller cell processes and the photoreceptor output synapse in salamander retina. **446**, 601*P*, 1992
Valinomycin and excitation–contraction coupling in skeletal muscle fibres of the frog. **449**, 219, 1992
Two types of glutamate receptors differentially excite amacrine cells in the tiger salamander retina. **449**, 589, 1992
Voltage- and current-clamp recordings of light-evoked transient amacrine cell responses in isolated retinae of carp. **452**, 52*P*, 1992

Retinal bipolar cell
Effects of 2-amino-4-phosphonobutyric acid on cells in the distal layers of the tiger salamander's retina. **445**, 741, 1992
Calcium influx and calcium current in single synaptic terminals of goldfish retinal bipolar neurons. **447**, 235, 1992

Retinal cone
The field adaptation of the human rod visual system. **445**, 319, 1992

Retinal ganglion cell
Responses of macaque ganglion cells to movement of chromatic borders. **458**, 579, 1992

Retinal horizontal cell
Hemi-gap-junction channels in solitary horizontal cells of the catfish retina. **445**, 201, 1992
Dynamic characteristics of multiple cone synaptic input to H1 horizontal cells in carp retina *in vitro*. **446**, 375*P*, 1992

Retinal rod
The field adaptation of the human rod visual system. **445**, 319, 1992
Inability of light to accelerate the dim flash response without lowered calcium concentration in rod photoreceptors isolated from the tiger salamander. **446**, 559*P*, 1992
Cyclic GMP-activated channels of salamander retinal rods: spatial distribution and variation of responsiveness. **448**, 257, 1992
Cation interactions within the cyclic GMP-activated channel of retinal rods from the tiger salamander. **449**, 759, 1992

Ryanodine
A caffeine- and ryanodine-sensitive Ca^{2+} store in bullfrog sympathetic neurones modulates effects of Ca^{2+} entry on $[Ca^{2+}]_i$. **450**, 217, 1992

Salivary gland, *see also* Parotid gland, Submandibular gland
Monitoring of intracellular Na by double-quantum filter ^{23}Na NMR spectroscopy. **446**, 100*P*, 1992
Absence of volume regulation in acinar cells of the isolated, perfused rat mandibular gland. **446**, 102*P*, 1992
Parotid gland response to parasympathetic nerve stimulation in anaesthetized streptozotocin-diabetic rats. **446**, 196*P*, 1992
The effect of isoprenaline on intracellular Cl^- concentration in isolated rabbit mandibular salivary gland ducts. **446**, 351*P*, 1992
Acetylcholine- and caffeine-evoked repetitive transient Ca^{2+}-activated K^+ and Cl^- currents in mouse submandibular cells. **449**, 109, 1992
Continuous measurement of intracellular water content in the isolated, perfused rat mandibular salivary gland by proton NMR spectroscopy. **452**, 74*P*, 1992
Osmotic water permeability of acinar cell membranes in the isolated perfused rat mandibular salivary gland. **452**, 97*P*, 1992

Salivary secretion
Different proportions of secretory proteinases occur in submandibular salivas elicited from anaesthetized rats by different nerve stimulations. **446**, 200*P*, 1992
Fluid permeability of basolateral membranes in the rat mandibular acinar cell. **446**, 348*P*, 1992

Salt balance
Mechanisms by which the pregnant ewe can sustain increased salt and water supply to the fetus. **445**, 569, 1992

Sarcomere
An internal viscous element limits unloaded velocity of sarcomere shortening in rat myocardium. **454**, 619, 1992

Sarcoplasmic reticulum
The effect of stimulation on the refilling of the sarcoplasmic reticulum of single isolated rat ventricular myocytes. **446**, 438*P*, 1992
Gating of the Ca^{2+}-release channel of isolated sheep cardiac sarcoplasmic reticulum in symmetrical caesium: effects of changes in cytosolic and luminal $[Ca^{2+}]$. **446**, 552*P*, 1992
Adenosine activates the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel. **446**, 597*P*, 1992
Sarcoplasmic reticulum buffering of myoplasmic calcium in bovine coronary artery smooth muscle. **451**, 25, 1992
Spontaneous sarcoplasmic reticulum calcium release and extrusion from bovine, not porcine, coronary artery smooth muscle. **451**, 49, 1992
Acetylcholine activates non-selective cation and chloride conductances in canine and guinea-pig tracheal myocytes. **453**, 197, 1992
Effects of procaine and caffeine on calcium release

Sarcoplasmic reticulum (*cont.*)
from the sarcoplasmic reticulum in frog skeletal muscle. **453**, 341, 1992
Mitochondrial and sarcolemmal Ca^{2+} transport reduce $[Ca^{2+}]_i$ during caffeine contractures in rabbit cardiac myocytes. **453**, 591, 1992
Calcium transients caused by calcium entry are influenced by the sarcoplasmic reticulum in guinea-pig atrial myocytes. **454**, 321, 1992
Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. **454**, 389, 1992
Ca^{2+}-dependent heat production under basal and near-basal conditions in the mouse soleus muscle. **455**, 663, 1992
Calcium-induced calcium release in crayfish skeletal muscle. **457**, 195, 1992
Differential effects of tetracaine on two kinetic components of calcium release in frog skeletal muscle fibres. **457**, 525, 1992
Inorganic phosphate decreases the Ca^{2+} content of the sarcoplasmic reticulum in saponin-treated rat cardiac trabeculae. **458**, 457, 1992

Schwann cell
Voltage-dependent calcium and potassium channels in mouse Schwann cells. **446**, 170*P*, 1992
Membrane potential in squid Schwann cells: stable impalements in the split open giant axon preparation of *Loligo*. **446**, 320*P*, 1992
Multiple kinetic components of sodium channel inactivation in rabbit Schwann cells. **455**, 529, 1992

Second messenger
Second-messenger regulation of sodium transport in mammalian airway epithelia. **453**, 475, 1992

Secretion
Calcium requirements for secretion in bovine chromaffin cells. **450**, 247, 1992
Calcium gradients and buffers in bovine chromaffin cells. **450**, 273, 1992
Activation of cultured HIT-T15 insulinoma cells by glyceraldehyde. **452**, 300*P*, 1992
Probabilistic secretion of quanta from visualized sympathetic nerve varicosities in mouse vas deferens. **454**, 9, 1992

Sensor movement
A method for monitoring movements without mechanical contact. **446**, 77*P*, 1992

Sensory input
The effect of sparseness in distributed representations on the detectability of associations between sensory events. **452**, 282*P*, 1992

Sensory interneurone
Activity of spinal cord sensory interneurones during two motor patterns in *Xenopus* embryos. **446**, 162*P*, 1992

Sensory nerve fibre
Vibrotactile sensitivity of slowly adapting type I sensory fibres associated with touch domes in cat hairy skin. **453**, 609, 1992
Responses of slowly adapting type II afferent fibres in cat hairy skin to vibrotactile stimuli. **458**, 151, 1992

Sensory neurone
Patterns of fascicular projections after loss of somatosensory input in humans. **452**, 108*P*, 1992
Ca^{2+} efflux mechanisms following depolarization evoked calcium transients in cultured rat sensory neurones. **455**, 567, 1992

Sensory receptor
Effects of lowered cytoplasmic calcium concentration and light on the responses of rod photoreceptors isolated from the retina of the tiger salamander. **446**, 109*P*, 1992
Effects of 4-aminopyridine on the responses to small decreases in light intensity in photoreceptors in the isolated retina of the drone honeybee. **446**, 110*P*, 1992
Reflex and central control of a motoneurone to a crayfish muscle receptor studied *in vitro*. **446**, 315*P*, 1992

Sensory stimulation
The inhibition of itch by noxious, but not innocuous, sensory counterstimulation in man. **446**, 480*P*, 1992

Septum
Excitatory and inhibitory synaptic currents and receptors in rat medial septal neurones. **445**, 261, 1992

Serotonin, *see also* 5-Hydroxytryptamine
Role of protein kinase C in constrictor responses of the rat basilar artery *in vivo*. **445**, 169, 1992
Seasonal variability in brain dopamine and serotonin levels in *Lymnaea stagnalis*! **446**, 160*P*, 1992
Compared effects of serotonin on cervical and hypoglossal inspiratory activities: an *in vitro* study in the newborn rat. **451**, 605, 1992

Shear stress
Shear stress-induced calcium transients in endothelial cells from human umbilical cord veins. **458**, 527, 1992

Sheep
Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992

Short-circuit current
Electrophysiological studies of anion secretion in cultured human epididymal cells. **455**, 455, 1992
Influence of apical Na^+ entry on Na^+–K^+-ATPase in amphibian distal nephron cells in culture. **456**, 655, 1992

Single channel
Potassium channels opened by noradrenaline and other transmitters in excised membrane patches of guinea-pig submucosal neurones. **445**, 581, 1992
5-HT_3 receptor channels in dissociated rat superior cervical ganglion neurons. **448**, 237, 1992
Voltage-dependent gating mechanism for single fast chloride channels from rat skeletal muscle. **453**, 279, 1992

Sino-atrial node
Background current in sino-atrial node cells of the rabbit heart. **448**, 53, 1992

Sino-atrial node (*cont.*)
Modelling large SA node–atrial cell networks on a massively parallel computer. **446**, 242*P*, 1992
The effect of loop diuretics on pacemaker activity in the isolated rat heart. **446**, 436*P*, 1992
Correlation between action potential parameters and the size of single sino-atrial node cells isolated from the rabbit heart. **452**, 128*P*, 1992
Control of the hyperpolarization-activated cation current by external anions in rabbit sino-atrial node cells. **453**, 307, 1992
Stretch-activated anion currents of rabbit cardiac myocytes. **456**, 285, 1992

Sinus arrhythmia
A dynamic estimate of respiratory sinus arrhythmia in man. **446**, 360*P*, 1992

Skeletal muscle
The effect of the benzothiazepine diltiazem on force and Ca^{2+} current in isolated frog skeletal muscle fibres. **445**, 303, 1992
The effect of intracellular pH on ATP-dependent potassium channels of frog skeletal muscle. **445**, 549, 1992
Taurine uptake in perfused rat skeletal muscle is mediated by a low capacity, high affinity transport system *in vitro*. **446**, 12*P*, 1992
Effect of pH on excitation–contraction coupling in isolated skeletal muscle of toad. **446**, 263*P*, 1992
Effect of myoplasmic pH on excitation–contraction coupling in skeletal muscle fibres of the toad. **448**, 211, 1992
Stilbene disulphonates inhibit apparently separate chloride transporters in skeletal muscle of *Rana temporaria*. **448**, 383, 1992
Inactivation of the slow calcium current in twitch skeletal muscle fibres of the frog. **448**, 633, 1992
Valinomycin and excitation–contraction coupling in skeletal muscle fibres of the frog. **449**, 219, 1992
The pH dependence of chloride net flux in skeletal muscle fibres of *Rana temporaria*. **449**, 237, 1992
Calcium channel currents in *Xenopus* oocytes injected with rat skeletal muscle RNA. **450**, 469, 1992
Mechanical properties of skinned rabbit psoas and soleus muscle fibres during lengthening: effects of phosphate and Ca^{2+}. **451**, 503, 1992
Phosphorus metabolite concentration profiles of three human hand muscles. **452**, 112*P*, 1992
Morphological abnormalities in isolated skeletal muscle of dystrophic mice. **452**, 114*P*, 1992
Direct effects of the β_2-agonist clenbuterol on contractions of isolated mouse skeletal muscle. **452**, 141*P*, 1992
Effect of clenbuterol on skeletal muscle atrophy in rats and mice induced by immobilization and by glucocorticoid treatment. **452**, 142*P*, 1992
Caffeine inhibition of ACh nicotinic currents in the human skeletal muscle (TE671) cell line not mediated by cyclic AMP/Ca_i^{2+}. **452**, 193*P*. 1992
Myoplasmic free Mg^{2+} concentration during repetitive stimulation of single fibres from mouse skeletal muscle. **453**, 413, 1992
Myofibrillar fatigue *versus* failure of activation during repetitive stimulation of frog muscle fibres. **457**, 655, 1992
Effects of tetrodotoxin, Ca^{2+} absence, *d*-tubocurarine and vesamicol on spontaneous acetylcholine release from rat muscle. **458**, 1, 1992
Na^+ current densities and voltage dependence in human intercostal muscle fibres. **458**, 85, 1992

Skeletal muscle fibre
Changes of intracellular pH due to repetitive stimulation of single fibres from mouse skeletal muscle. **449**, 49, 1992

Skeletal muscle metabolism
Ca^{2+}-dependent heat production under basal and near-basal conditions in the mouse soleus muscle. **455**, 663, 1992

Skeleto-fusimotor axon
A study of glycogen depletion and the fibre-type composition of cat skeleto-fusimotor units. **450**, 565, 1992

Skin
Effect of ionic fluxes on the non-linear impedance of isolated frog skin. **446**, 346*P*, 1992
Comparison of skin blood flow in man measured by near infra-red laser Doppler flowmeter and by plethysmography. **446**, 579*P*, 1992

Skinned fibre
Mechanical properties of skinned rabbit psoas and soleus muscle fibres during lengthening: effects of phosphate and Ca^{2+}. **451**, 503, 1992
Sulphydryl reagents trigger Ca^{2+} release from the sarcoplasmic reticulum of skinned rabbit psoas fibres. **454**, 389, 1992
Calcium sensitizing action of carnosine and other endogenous imidazoles in chemically skinned striated muscle. **454**, 421, 1992

Slice preparation
Electrophysiological properties of neurones in the subfornical organ of rat slice preparation. **446**, 383*P*, 1992

Small intestine
The enteric nervous system is involved in the maintained hypersecretory response of the small intestine to *E. coli* STa in chronic undernourished rats *in vitro*. **452**, 102*P*, 1992
The influence of vascular and lumenal hexoses on rat isolated intestinal basolateral membrane glucose transport. **452**, 333*P*, 1992

Smooth muscle, *see also* Vascular smooth muscle
An estimate of the permeability ratios of Na, K and Cl in rat femoral arterial smooth muscle measured *in vitro*. **446**, 51*P*, 1992
Unimpaired Ca^{2+} homeostasis is found in dystrophin-lacking smooth muscle from *mdx* mice. **446**, 137*P*, 1992
Nucleo-cytoplasmic Ca^{2+} gradients at rest and during stimulation in DDT_1MF_2 smooth muscle cells. **446**, 138*P*, 1992
Contribution of Ca^{2+}-induced Ca^{2+} release to the depolarization-induced Ca^{2+} transients in smooth muscle cells from the guinea-pig urinary bladder. **446**, 140*P*, 1992

Smooth muscle (*cont.*)
Histaminergic control of contraction of the isolated guinea-pig gallbladder. **446**, 195*P*, 1992
The effect of EGTA on Ca^{2+}-activated force in α-toxin permeabilized rat anococcygeus muscle. **446**, 243*P*, 1992
Element concentrations in rabbit bronchial smooth muscle cells in culture measured using X-ray microanalysis. **446**, 251*P*, 1992
Mineralocorticoids regulate noradrenaline-stimulated inositol phosphate generation in cultured vascular smooth muscle cells isolated from rat aorta. **446**, 366*P*, 1992
Simultaneous measurement of intracellular pH (pH_i) and contraction of isolated rat arteries. **446**, 418*P*, 1992
Measurement of element concentrations in cultured rabbit bronchial smooth muscle cells of the rabbit using X-ray microanalysis. **446**, 473*P*, 1992
The effect of a stable thromboxane analogue, U46619, on calcium-activated force in α-toxin - permeabilized human umbilical artery. **446**, 491*P*, 1992
Indirect evidence for a volume regulatory decrease by (K–Cl) co-transport in isolated rat femoral arterial smooth muscle. **446**, 590*P*, 1992
Quantifying the proliferative response in cultured human and rabbit airway smooth muscle. **446**, 591*P*, 1992
Evidence for the involvement of nitric oxide in the non-adrenergic non-cholinergic relaxation of human sphincteric muscle strips *in vitro*. **446**, 592*P*, 1992
Modulation of oscillations in intracellular calcium induced by the removal of extracellular sodium in single isolated human vascular smooth muscle cells. **446**, 593*P*, 1992
The nature of fuel provision for the Na^+, K^+-ATPase in porcine vascular smooth muscle. **447**, 67, 1992
Both ATP and the peptide VIP are inhibitory neurotransmitters in guinea-pig ileum circular muscle. **447**, 119, 1992
Delayed rectifier potassium channels in canine and porcine airway smooth muscle cells. **447**, 329, 1992
Mechanisms of intrinsic tone in ferret vascular smooth muscle. **448**, 121, 1992
Histamine H_3-receptor activation augments voltage-dependent Ca^{2+} current via GTP hydrolysis in rabbit saphenous artery. **448**, 133, 1992
Characterization of large-conductance chloride channels in rabbit colonic smooth muscle. **448**, 355, 1992
Airway epithelial cells regulate membrane potential, neurotransmission and muscle tone of the dog airway smooth muscle. **449**, 619, 1992
GTP-binding protein involvement in membrane currents evoked by carbachol and histamine in guinea-pig ileal muscle. **450**, 105, 1992
Sarcoplasmic reticulum buffering of myoplasmic calcium in bovine coronary artery smooth muscle. **451**, 25, 1992
Characterization of membrane currents in single smooth muscle cells from the guinea-pig gastric antrum. **451**, 387, 1992
Properties of spontaneous inward currents recorded in smooth muscle cells isolated from the rabbit portal vein. **451**, 525, 1992
Inhibition of excitatory junction potentials in isolated guinea-pig vas deferens by suramin. **452**, 54*P*, 1992
Effects of hypoxia and metabolic inhibition on isolated human detrusor smooth muscle. **452**, 55*P*, 1992
Altered characteristics of the inward calcium current associated with hypertrophy in isolated human detrusor smooth muscle cells. **452**, 308*P*, 1992
Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. **454**, 549, 1992
A potential-dependent fast outward current in single smooth muscle cells isolated from the newborn rat ileum. **454**, 573, 1992
Multiple motor pathways to single smooth muscle cells in the ferret trachea. **456**, 557, 1992
Some properties of Ca^{2+}-induced Ca^{2+} release mechanism in single visceral smooth muscle cell of the guinea-pig. **457**, 1, 1992
Effect of nitro-L-arginine on endothelium-dependent hyperpolarizations and relaxations of pig coronary arteries. **457**, 247, 1992
Caffeine-induced release and reuptake of Ca^{2+} by Ca^{2+} stores in myocytes from guinea-pig urinary bladder. **458**, 99, 1992
Contribution of Ca^{2+}-induced Ca^{2+} release to the $[Ca^{2+}]_i$ transients in myocytes from guinea-pig urinary bladder. **458**, 119, 1992
Intracellular pathways triggered by galanin to induce contraction of pig ileum smooth muscle cells. **458**, 475, 1992

Snail
Seasonal variability in brain dopamine and serotonin levels in *Lymnaea stagnalis*? **446**, 160*P*, 1992
Modulation of feeding motor output by the neuropeptide, APGWamide, in the isolated central nervous system of *Lymnaea stagnalis*. **452**, 147*P*, 1992

Snail neurone
Simultaneous Fura-2 and ion-sensitive microelectrode measurement of free calcium ion changes in voltage-clamped *Helix aspersa* neurones. **446**, 134*P*, 1992
FMRFamide activates a potassium conductance in an identified neurone of *Helisoma in vitro*. **446**, 318*P*, 1992
Effects of *n*-alkanols and a methyl ester on a transient potassium (I_A) current in identified neurones from *Helix aspersa*. **456**, 1, 1992

Sodium, *see also* Intracellular sodium
Voltage-dependent block by internal sodium ions of the cardiac inwardly rectifying K^+ channel. **446**, 156*P*, 1992

Sodium (*cont.*)
Fluorescence measurements of cytoplasmic and mitochondrial sodium concentration in rat ventricular myocytes. **448**, 493, 1992
Sodium retaining action of arginine-vasopressin (AVP) in hydrated man. **452**, 87*P*, 1992
Use of lithium in renal investigations: minimizing the impact on renal function. **452**, 136*P*, 1992
Sodium balance, blood volume and glomerular hyperfiltration in streptozotocin-treated diabetic rats. **452**, 137*P*, 1992
Second-messenger regulation of sodium transport in mammalian airway epithelia. **453**, 475, 1992
Inward current caused by sodium-dependent uptake of GABA in the crayfish stretch receptor neurone. **453**, 627, 1992

Sodium–bicarbonate co-transport
Na^+–HCO_3^- symport in the sheep cardiac Purkinje fibre. **451**, 365, 1992

Sodium–calcium exchange
Effect of calmodulin antagonist on cardiac Na^+–Ca^{2+} exchange current in isolated ventricular cells from guinea-pig. **446**, 185*P*, 1992
Functional homologies between the Na–Ca exchange cycle and the Na–K pump cycle in giant excised patches of guinea-pig cardiac sarcolemma. **446**, 187*P*, 1992
Simultaneous measurement of intracellular calcium and tension in human resistance arteries: evidence for Na–Ca exchange. **446**, 244*P*, 1992
An estimate of the relative contributions of the sarcoplasmic reticulum and calcium current to contraction of isolated rat ventricular myocytes. **452**, 127*P*, 1992
Does Ca influx via Na–Ca exchange trigger intracellular Ca release and contraction in isolated rat ventricular myocytes? **452**, 227*P*, 1992
The giant cardiac membrane patch method: stimulation of outward Na^+–Ca^{2+} exchange current by MgATP. **454**, 27, 1992
Mechanism of cardiac Na^+–Ca^{2+} exchange current stimulation by MgATP: possible involvement of aminophospholipid translocase. **454**, 59, 1992
Calcium homeostasis in the outer segments of retinal rods from the tiger salamander. **455**, 111, 1992
A contraction-related component of slow inward current in dog ventricular muscle and its relation to Na^+–Ca^{2+} exchange. **456**, 49, 1992
Intracellular cations modulate noradrenaline-stimulated calcium entry into smooth muscle cells of rat portal vein. **456**, 541, 1992
Modulation of contraction by intracellular Na^+ via Na^+–Ca^{2+} exchange in single shark (*Squalus acanthias*) ventricular myocytes. **457**, 627, 1992
Dependence of release of [^{3}H]noradrenaline from rabbit pulmonary artery on internal sodium. **458**, 11, 1992

Sodium–calcium, potassium exchanger
Association of cyclic GMP-gated channels and Na^+–Ca^{2+}–K^+ exchangers in bovine retinal rod outer segment plasma membranes. **451**, 109, 1992

Sodium channel
Blocking of the sodium channel by external Tris in the squid *Doryteuthis bleekeri* giant axon. **446**, 169*P*, 1992
Changes in the electrical properties of chick ciliary ganglion neurones during embryonic development. **449**, 411, 1992
Potential-dependent inward currents in single isolated smooth muscle cells of the rat ileum. **454**, 549, 1992
Multiple kinetic components of sodium channel inactivation in rabbit Schwann cells. **455**, 529, 1992
Membrane conductances involved in amplification of small signals by sodium channels in photoreceptors of drone honey bee. **456**, 303, 1992
Na^+ current densities and voltage dependence in human intercostal muscle fibres. **458**, 85, 1992

Sodium conductance
Barium- or quinine-induced depolarization activates K^+, Na^+ and cationic conductances in frog proximal tubular cells. **448**, 525, 1992

Sodium current
Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **446**, 188*P*, 1992
Proton-induced sodium current in freshly dissociated hypothalamic neurones of the rat. **447**, 309, 1992
Differences in the repriming kinetics of TTX-sensitive and TTX-resistant sodium currents in cells isolated from adult rat dorsal root ganglia. **452**, 50*P*, 1992
A persistent sodium current in rat ventricular myocytes. **453**, 219, 1992
Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **453**, 261, 1992
Extracellular divalent and trivalent cation effects on sodium current kinetics in single canine cardiac Purkinje cells. **454**, 267, 1992
Mechanisms of extracellular divalent and trivalent cation block of the sodium current in canine cardiac Purkinje cells. **454**, 299, 1992
Mechanism of action of oxytocin in rat vagal neurones: induction of a sustained sodium-dependent current. **457**, 131, 1992

Sodium-dependent potassium current
A sodium- and voltage-dependent potassium current in spinal neurons of the *Xenopus* embryo. **446**, 135*P*, 1992

Sodium homeostasis
The effects of a high sodium diet on the metabolism and secretion of vasoactive intestinal peptide in the rabbit. **451**, 17, 1992

Sodium–hydrogen exchange
Effect of Na–H exchange inhibitor (amiloride-5-*N*,*N*-hexamethylene) on the carbachol-induced intracellular sodium activity increase in beating and quiescent guinea-pig papillary muscle *in vitro*. **446**, 327*P*, 1992
Increased resistance of isolated cardiac muscle to

Sodium–hydrogen exchange (*cont.*)
an acute hypercapnia following chronic hypoxia in the rat. **446**, 540*P*, 1992
Intracellular pH regulation in isolated cochlear outer hair cells of the guinea-pig. **447**, 627, 1992
Hyperosmotic activation of the Na^+–H^+ exchanger in a rat bone cell line: temperature dependence and activation pathways **456**, 503, 1992

Sodium intake
The effect of water restriction during adaptation to a low sodium diet in man. **452**, 85*P*, 1992

Sodium–magnesium exchange
Direct and indirect inhibition of Na^+–Mg^{2+} exchange in isolated taenia of guinea-pig caecum. **446**, 525*P*, 1992

Sodium nitroprusside
Volume status influences atrial peptide-induced water conductivity changes in leopard frog mesenteric capillaries. **447**, 33, 1992

Sodium–potassium ATPase
$[Ca^{2+}]$ regulates transcription rate of the Na^+–K^+-ATPase α_1 subunit in rat kidney tubular segments, *in vitro*. **446**, 405*P*, 1992
High- and low-affinity ATP effects on solubilized $\alpha\beta$-protomers of pig kidney Na–K-ATPase. **446**, 586*P*, 1992
The nature of fuel provision for the Na^+, K^+-ATPase in porcine vascular smooth muscle. **447**, 67, 1992
The hyperpolarization in *Xenopus* oocytes induced by lowering external sodium. **452**, 315*P*, 1992
ATP dependence of Na^+–K^+ pump of cold-sensitive and cold-tolerant mammalian red blood cells. **456**, 575, 1992

Sodium–potassium pump
Functional homologies between the Na–Ca exchange cycle and the Na–K pump cycle in giant excised patches of guinea-pig cardiac sarcolemma. **446**, 187*P*, 1992
Isoprenaline, Ca^{2+} and the Na^+–K^+ pump in guinea-pig ventricular myocytes. **449**, 689, 1992

Sodium pump
Voltage dependence of the sodium pump current of isolated rabbit cardiac Purkinje cells in sodium-free, thallium-containing solution. **446**, 186*P*, 1992
Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. **454**, 609, 1992
Influence of apical Na^+ entry on Na^+–K^+-ATPase in amphibian distal nephron cells in culture. **456**, 655, 1992
Cell volume changes upon sodium pump inhibition in *Helix aspersa* neurones. **458**, 603, 1992

Sodium restriction
The cardiovascular, endocrine and renal response of tetraplegic and paraplegic subjects to dietary sodium restriction. **457**, 515, 1992

Sodium transport
Cyclic AMP-regulated Na^+ conductance in the apical membrane of fetal sheep alveolar type II cells. **446**, 16*P*, 1992

Soleus
Channels, real and imaginary, recorded by patch clamp in rat skeletal muscle vesicles. **446**, 397*P*, 1992
Actions of perchlorate ions on rat soleus muscle fibres. **448**, 99, 1992

Solution changer
Rapid changes of extracellular solution combined with measurements of contraction in isolated ventricular myocytes from the rat heart. **452**, 158*P*, 1992

Somatosensory cortex
Simultaneous visualization of cortical barrels and horseradish peroxidase-injected layer 5b vibrissa neurones in the rat. **454**, 247, 1992

Somatosensory system
Early cortical somatosensory-evoked potentials in schizophrenic patients. **446**, 602*P*, 1992

Somatostatin
Functional evidence for somatostatin SS-2-like receptors on human colonic epithelial cell line (HT29-19A). **452**, 231*P*, 1992

Somatovisceral reflex
Target induced re-specification of somatovisceral reflexes in the anaesthetized rat. **446**, 562*P*, 1992

Spatial frequency
Spatial frequency selectivity of striate cortical neurones in the anaesthetized cat: velocity *vs.* temporal frequency. **452**, 289*P*, 1992

Spatial vision
Spatial vision during motion in the absence of vestibular functions in man. **452**, 40*P*, 1992

Spectral sensitivity
Longitudinal chromatic aberration and emmetropization: results from the chicken eye. **449**, 363, 1992

Spinal cord
Immunocytochemical evidence for a catecholaminergic innervation of postsynaptic dorsal column neurons in the cat. **446**, 25*P*, 1992
Effects of 4-aminopyridine on the transmission of sensory signals in the spinal cord of the anaesthetized cat. **446**, 384*P*, 1992
Ultrastructural localization of GAP-43 immunoreactive terminals in the adult rat spinal cord. **446**, 600*P*, 1992
In vitro studies of prolonged synaptic depression in the neonatal rat spinal cord. **447**, 149, 1992
The role of $GABA_A$ and $GABA_B$ receptors in presynaptic inhibition of Ia EPSPs in cat spinal motoneurones. **447**, 675, 1992
Projections of group II-activated midlumbar spinocerebellar tract neurones to the region of nucleus Z in the cat. **448**, 565, 1992
Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992
The minimal inhibitory synaptic currents evoked in neonatal rat motoneurones. **450**, 593, 1992
Effects of stimulation in the locus coeruleus and raphe nuclei on transmission in group II reflex pathways of the anaesthetized cat. **452**, 111*P*, 1992

Spinal cord (*cont.*)
Primary afferent depolarization of group II muscle afferent terminals evoked by stimulation in the locus coeruleus and raphe nuclei of the anaesthetized cat. **452**, 143*P*, 1992
A comparison of the effect of diazepam and tizanidine on synaptically evoked primary afferent depolarization in the rat spinal cord *in vitro*. **452**, 200*P*, 1992
The effects of acetylcholine on rhythmically active spinal neurones in *Xenopus* embryos. **452**, 234*P*, 1992
Plastic changes of spinal nociceptive neurones induced by noxious visceral stimulation in the anaesthetized cat. **452**, 240*P*, 1992
Modulation by endogenous opioids of reflexes evoked by mechanical stimulation of the heel in the decerebrated and spinalized rabbit. **452**, 241*P*, 1992
The responses of neurones, in the deep dorsal horn of rat spinal cord slices *in vitro*, to the application of neurokinin agonists are correlated with their responses to peripheral nerve stimulation. **452**, 252*P*, 1992
The adult rat spinal cord *in vitro*: a novel preparation for recording from lateral horn cells. **452**, 322*P*, 1992
Crossed actions on group II-activated interneurones in the midlumbar segments of the cat spinal cord. **455**, 205, 1992

Spinal cord neurone
Neurosteroid regulation of $GABA_A$ receptor single-channel kinetic properties of mouse spinal cord neurons in culture. **456**, 215, 1992

Spinal interneurone, *see also* Interneurone
Changes in presynaptic inhibition of afferents to propriospinal-like neurones in man during voluntary contractions. **449**, 673, 1992

Spinal reflex
Convergence of descending and various peripheral inputs onto common propriospinal-like neurones in man. **449**, 655, 1992
Crossed actions on group II-activated interneurones in the midlumbar segments of the cat spinal cord. **455**, 205, 1992

Splanchnic blood flow
Glucagon selectively decreases splanchnic blood flow in man. **446**, 221*P*, 1992

Squid
Blocking of the sodium channel by external Tris in the squid *Doryteuthis bleekeri* giant axon. **446**, 169*P*, 1992
Membrane potential in squid Schwann cells: stable impalements in the split open giant axon preparation of *Loligo*. **446**, 320*P*, 1992

Squid axon
Regulatory effects of intracellularly applied calcium and magnesium ions on ion channel activities in the giant axon of the squid *Doryteuthis bleekeri* giant axon. **446**, 168*P*, 1992

Stellate cell
Membrane properties and synaptic responses of Golgi cells and stellate cells in the turtle cerebellum *in vitro*. **457**, 329, 1992
Stellate cell inhibition of Purkinje cells in the turtle cerebellum *in vitro*. **457**, 355, 1992

Steroid
Suppression of lordosis reflex in the female rat by electrical stimulation of the forebrain and ventral mid-brain. **446**, 84*P*, 1992
Effect of sex steroids on 11β-hydroxysteroid dehydrogenase in rat liver, kidney and hippocampus *in vivo*. **452**, 213*P*, 1992
Neurosteroid regulation of $GABA_A$ receptor single-channel kinetic properties of mouse spinal cord neurons in culture. **456**, 215, 1992

Stimulation, *see also* Electrical stimulation
The effect of the stimulation pattern on the fatigue of single motor units in adult cats. **449**, 85, 1992
Respiratory and circulatory responses to electrical and chemical stimulation in the parabrachial complex (PB) of the anaesthetized rat. **452**, 321*P*, 1992

Stimulus–secretion coupling
Stimulus–secretion coupling: cytoplasmic calcium signals and the control of ion channels in exocrine acinar cells. **448**, 1, 1992

Stomach
Electrical behaviour of myenteric neurones in the gastric antrum of the guinea-pig. **447**, 49, 1992

Stress
Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. **454**, 373, 1992

Stretch
Rate dependency of stretch-induced ectopic beats in isolated perfused rabbit ventricle. **446**, 337*P*, 1992

Stretch-activated channel
Chloride conductance activated by membrane stretch in rabbit single cardiac myocytes. **446**, 330*P*, 1992
Stretch-activated anion currents of rabbit cardiac myocytes. **456**, 285, 1992

Stretch reflex
Methods of investigating the effects of changing force and loading on human elbow tremor. **446**, 470*P*, 1992
Transitions in phase at 20–30 Hz of the human stretch reflex elicited by sinusoidal stretching. **446**, 566*P*, 1992
Changes in the stretch reflex of the human first dorsal interosseous muscle during different tasks. **447**, 563, 1992
Evidence that a long latency stretch reflex in humans is transcortical. **449**, 429, 1992
The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the cranial rib-cage. **451**, 445, 1992
The electro-mechanical response of canine inspiratory intercostal muscles to increased resistance: the caudal rib-cage. **451**, 463, 1992
Electromyographic activities in wrist muscles of parkinsonian and healthy human subjects during clinical evaluation of rigidity. **452**, 105*P*, 1992
Cutaneous conditioning of the stretch reflex in muscles of the human forearm. **452**, 272*P*, 1992

Stroke volume
Effect of step changes in intrathoracic pressure on left ventricular ejection in man. **446**, 430*P*, 1992
Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992
Strontium
Quantal transmitter release mediated by strontium at the mouse motor nerve terminal. **450**, 63, 1992
Strychnine
Lateral isolation of neocortex and strychnine spikes in the anaesthetized rat. **446**, 511*P*, 1992
Subfornical organ
Electrophysiological properties of neurones in the subfornical organ of rat slice preparation. **446**, 383*P*, 1992
Submandibular gland, *see also* Parotid gland, Salivary gland
Effects of Ni^{2+} on Ca^{2+}-activated K^+ and Cl^- currents in rat mandibular acinar cells **446**, 104*P*, 1992
Endothelium-derived vasodilator responses to sympathetic stimulation of the submandibular gland in the cat **456**, 491, 1992
Substance P
Substance P effects in the isolated canine ureter. **446**, 421*P*, 1992
Substance P inhibits activation of calcium-dependent potassium conductances in guinea-pig myenteric neurones. **447**, 293, 1992
The responses of neurones, in the deep dorsal horn of rat spinal cord slices *in vitro*, to the application of neurokinin agonists are correlated with their responses to peripheral nerve stimulation. **452**, 252*P*, 1992
Substantia nigra
Neuronal selectivity of ATP-sensitive potassium channels in guinea-pig substantia nigra revealed by responses to anoxia. **453**, 167, 1992
Sulphonylurea receptor
Role of ATP-sensitive K^+ channels during anoxia: major differences between rat (newborn and adult) and turtle neurons. **448**, 599, 1992
Superior colliculus
Cerebro-cerebellar projections from the ventral bank of the anterior ectosylvian sulcus in the cat. **451**, 673, 1992
Suprachiasmatic nucleus
Serotonin regulates the phase of the rat suprachiasmatic circadian pacemaker *in vitro* only during the subjective day. **450**, 629, 1992
Afferents to and projections from the suprachiasmatic nucleus in the Syrian hamster. **452**, 251*P*, 1992
Intracellular electrophysiological study of suprachiasmatic nucleus neurons in rodents: inhibitory synaptic mechanisms. **458**, 247, 1992
Supraoptic nucleus
Estimation of stimulus spread from stimulating electrodes in the CNS of the anaesthetized rat. **446**, 68*P*, 1992
Effects of endothelin (ET) on neurones in the anteroventral third ventricle region and supraoptic nucleus of rat hypothalamic slice preparations. **446**, 83*P*, 1992
Properties of supraoptic magnocellular neurones isolated from the adult rat. **455**, 291, 1992
Depolarizing action of cholecystokinin on rat supraoptic neurones *in vitro*. **458**, 621, 1992
NMDA receptor-mediated rhythmic bursting activity in rat supraoptic nucleus neurones *in vitro*. **458**, 667, 1992
Sweat gland
Voltage-evoked currents in cultured equine sweat gland cells. **446**, 433*P*, 1992
Second messenger signals in cultured, human sweat gland epithelia. **452**, 230*P*, 1992
Sympathectomy
Intra-arterial 6-hydroxydopamine induces a regional chemical sympathectomy in the rabbit. **446**, 423*P*, 1992
Sympathetic ganglion
Basal Ca^{2+} and the oscillation of Ca^{2+} in caffeine-treated bullfrog sympathetic neurones. **450**, 513, 1992
Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992
A patch-clamp study on the muscarine-sensitive potassium channel in bullfrog sympathetic ganglion cells. **454**, 231, 1992
Prostaglandin modulation of Ca^{2+} channels in rat sympathetic neurones is mediated by guanine nucleotide binding proteins. **458**, 339, 1992
Sympathetic nerve
Modulation of nerve activity recorded extracellularly from the surface of rat mesenteric arteries *in vivo* by α-adrenoceptor agonists. **446**, 595*P*, 1992
Effects of sympathetic activity and galanin on cardiac vagal action in anaesthetized cats. **448**, 225, 1992
Probabilistic secretion of quanta from visualized sympathetic nerve varicosities in mouse vas deferens. **454**, 9, 1992
Sympathetic nerve activity
Simultaneous measurements of cardiac noradrenaline spillover and sympathetic outflow to skeletal muscle in humans. **453**, 45, 1992
Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992
Sympathetic activity is influenced by task difficulty and stress perception during mental challenge in humans. **454**, 373, 1992
Sympathetic nervous system
Synergism in the autonomic regulation of parotid secretion of protein in sheep. **451**, 1, 1992
Vascular submandibular responses to stimulation of the sympathetic innervation in the presence of an inhibitor of EDRF synthesis in anaesthetized cats. **452**, 15*P*, 1992
Coherence between the sympathetic drives to relaxed and contracting muscles of different limbs of human subjects. **455**, 219, 1992
Endothelium-derived vasodilator responses to sympathetic stimulation of the submandibular gland in the cat **456**, 491, 1992

Sympathetic nervous tension
Abnormality of superior mesenteric artery blood flow responses in human sympathetic failure. **457**, 477, 1992

Sympathetic neurone
On the mechanism of action of picrotoxin on GABA receptor channels in dissociated sympathetic neurones of the rat. **447**, 191, 1992
5-HT_3 receptor channels in dissociated rat superior cervical ganglion neurons. **448**, 237, 1992
Respiratory modulation of the activity in sympathetic neurones supplying muscle, skin and pelvic organs in the cat. **449**, 333, 1992
A caffeine- and ryanodine-sensitive Ca^{2+} store in bullfrog sympathetic neurones modulates effects of Ca^{2+} entry on $[Ca^{2+}]_i$. **450**, 217, 1992
Calcium current modulation in frog sympathetic neurones: multiple neurotransmitters and G proteins. **451**, 229, 1992
Respiratory-related activity of lower thoracic and upper lumbar sympathetic preganglionic neurones in the rat. **451**, 631, 1992
5-HT depolarizes and induces oscillations in rat sympathetic preganglionic neurones *in vitro*. **452**, 37*P*, 1992
Induction of rhythmic oscillations in rat sympathetic preganglionic neurones (SPN) *in vitro* by a metabotropic-like excitatory amino acid receptor **452**, 179*P*, 1992
Inhibition of membrane potential oscillations in rat sympathetic preganglionic neurones *in vitro* by noradrenaline. **452**, 226*P*, 1992
Factors influencing sympathetic nerve activity to the tail of the anaesthetized rat. **452**, 255*P*, 1992
Effect on cardiac sympathetic nerve activity of phenylephrine microinjected into the cat intermediolateral cell column. **453**, 185, 1992
Classification of preganglionic neurones projecting into the cat cervical sympathetic trunk. **453**, 319, 1992
Calcium current modulation in frog sympathetic neurones: L-current is relatively insensitive to neurotransmitters. **456**, 107, 1992
Respiratory-related activity patterns in preganglionic neurones projecting into the cat cervical sympathetic trunk. **457**, 277, 1992
Intracellular calcium dynamics in response to action potentials in bullfrog sympathetic ganglion cells. **458**, 171, 1992

Synapse
Excitatory currents at the rat mossy fibre–granule cell synapse in thin cerebellar slices. **446**, 177*P*, 1992
Central synaptic coupling of non-spiking afferent neurones from adjacent joints of the crayfish leg. **446**, 316*P*, 1992
The frequency and postsynaptic targets of glutamate-immunoreactive boutons within the V motor nucleus of rats. **446**, 378*P*, 1992
Unitary monosynaptic potentials recorded in rat trigeminal motoneurones *in vitro*. **446**, 379*P*, 1992
Regulation of single quantal efficacy at the snake neuromuscular junction. **448**, 413, 1992
Patch pipette recording of dorsal root-evoked synaptic activity in dorsal horn neurones of rodent *in vitro* spinal preparations. **452**, 175*P*, 1992
Estimated conductance of synaptic glutamate channels activated during EPSCs in rat cerebellar granule cells in thin slices. **452**, 183*P*, 1992
Multiplicative and additive Ca^{2+}-dependent components of facilitation at mouse endplates. **455**, 383, 1992

Synapse formation
Synapse formation induces changes in the distribution of calcium currents in leech neurons in culture. **446**, 255*P*, 1992

Synaptic current
Excitatory and inhibitory synaptic currents and receptors in rat medial septal neurones. **445**, 261, 1992
Inhibitory synaptic currents in rat cerebellar Purkinje cells: modulation by postsynaptic depolarization. **456**, 453, 1992

Synaptic excitation
Synaptically triggered action potentials begin as a depolarizing ramp in rat hippocampal neurones *in vitro*. **453**, 663, 1992

Synaptic inhibition
Comparison of the actions of baclofen at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 329, 1992
Comparison of the actions of adenosine at pre- and postsynaptic receptors in the rat hippocampus *in vitro*. **451**, 347, 1992

Synaptic plasticity
High frequency stimulation of the Schaffer collateral–commissural pathway is associated with a transient depression of the presynaptic fibre volley in rat hippocampal slices *in vitro* **452**, 180*P*, 1992

Synaptic potential
Two types of neurone in the rat ventral tegmental area and their synaptic inputs. **450**, 455, 1992

Synaptic transmission
Synaptic behaviour in the myenteric plexus of the guinea-pig gastric antrum. **445**, 389, 1992
Recovery of transmission after injury to the spinal cord of neonatal opossum, *Monodelphis domestica*, in explant culture. **446**, 254*P*, 1992
Synaptic and intrinsic responses of morphologically identified basket neurones in layer II of the rat entorhinal cortex *in vitro*. **446**, 257*P*, 1992
In vitro studies of prolonged synaptic depression in the neonatal rat spinal cord. **447**, 149, 1992
Fast and slow components of unitary EPSCs on stellate cells elicited by focal stimulation in slices of rat visual cortex. **449**, 247, 1992
Long-term depression (LTD) of synaptic transmission in isolated rat hippocampal slices can be induced postsynaptically in an anti-Hebbian paradigm by depolarizing current pulses. **452**, 33*P*, 1992

Synaptic transmission (*cont.*)
The actions of baclofen on neurones and synaptic transmission in the nucleus tractus solitarii of the rat *in vitro*. **457**, 115, 1992
Synaptosome
Pulsatile release of acetylcholine by nerve terminals (synaptosomes) isolated from *Torpedo* electric organ. **450**, 325, 1992
Time-resolved changes in intracellular calcium following depolarization of rat brain synaptosomes. **450**, 613, 1992
Synchronization
Estimating the strength of common input to human motoneurons from the cross-correlogram. **453**, 547, 1992
Systemic hypoxia
The renal response to systemic hypoxia in the anaesthetized rat. **452**, 88*P*, 1992
Taste cell
Transduction of acid stimuli into the receptor potential in frog taste cells. **446**, 387*P*, 1992
Taurine
Taurine uptake in perfused rat skeletal muscle is mediated by a low capacity, high affinity transport system *in vitro*. **446**, 12*P*, 1992
Taurine in isolated newborn guinea-pig hearts during the calcium paradox. **452**, 195*P*, 1992
Efflux of [^{3}H]taurine from pre-loaded slices of rat cerebral cortex. **452**, 297*P*, 1992
Teaching
An ion-selective membrane to teach the resting properties of excitable cells. **446**, 71*P*, 1992
Isolation and characterization of individual striated ducts from the rabbit mandibular salivary gland. **452**, 73*P*, 1992
Neuroscience practical instruction utilizing workstations. **452**, 76*P*, 1992
Computer-assisted learning in a physiology teaching laboratory. **452**, 261*P*, 1992
Computer based data collection system for practical class teaching. **452**, 262*P*, 1992
Tectum
Tectal and tegmental excitation in dorsal neck motoneurones of the cat. **454**, 517, 1992
Tegmentum
Tectal and tegmental excitation in dorsal neck motoneurones of the cat. **454**, 517, 1992
Temperature
The effect of temperature acclimation on cardiac pacemaker activity of the carp (*Cyprinus carpio*) heart measured *in vitro*. **446**, 49*P*, 1992
Single C nociceptor responses and psychophysical parameters of evoked pain: effect of rate of rise of heat stimuli in humans. **450**, 581, 1992
Temperature dependence of tension in relaxed (glycerinated rabbit psoas) muscle fibres. **452**, 154*P*, 1992
Temperature dependence
Influence of temperature on the response time of mitochondrial oxygen consumption in isolated rabbit heart. **447**, 17, 1992
Tendon organ
Depolarization of Ib afferent axons in the cat spinal cord during homonymous muscle contraction. **445**, 345, 1992
Tension
The stimulus interval–tension relation in enzymatically isolated single myocytes of the frog heart. **448**, 275, 1992
Factors causing difference in force output among motor units in the rat medial gastrocnemius muscle. **448**, 677, 1992
Tetraethylammonium
Evidence that action potentials activate an internodal potassium conductance in lizard myelinated axons. **445**, 277, 1992
Tetrodotoxin
Tetrodotoxin-sensitive calcium-conducting channels in the rat hippocampal CA1 region. **450**, 429, 1992
Thalamus
Sensory characteristics of monkey thalamic and motor cortex neurones. **445**, 1, 1992
A frequency analysis of neuronal activity in monkey thalamus, motor cortex and electromyograms in wrist oscillations. **445**, 49, 1992
Inhibition of nociceptive neurons in the nucleus ventralis posterolateralis following conditioning stimulation of either the nucleus raphe magnus or the periaqueductal grey of the anaesthetized cat. Evidence for an ascending inhibitory pathway. **446**, 237*P*, 1992
Electrophysiology of a slow (0·5–4 Hz) intrinsic oscillation of cat thalamocortical neurones *in vivo*. **447**, 215, 1992
Thermogenesis
Skeletal muscle as a major site of glucagon-mediated non-shivering thermogenesis in cold-acclimated ducklings. **446**, 290*P*, 1992
Thermoregulation
Changes in EEG pattern and responsiveness of raphe neurones during thermal skin stimulation in anaesthetized guinea-pigs. **446**, 512*P*, 1992
The effects of indirect warming on forearm vasculature in normal human subjects. **452**, 221*P*, 1992
Sympathetic nervous system activity during skin cooling in humans: relationship to stimulus intensity and pain sensation. **454**, 359, 1992
Effect of maternal cold exposure on brown adipose tissue and thermogenesis in the neonatal lamb. **455**, 487, 1992
Thermosensitivity
Thermal and PGE_2 sensitivity of the organum vasculosum lamina terminalis region and preoptic area in rat brain slices. **454**, 197, 1992
Threshold
Detection of slow movements imposed at the elbow during active flexion in man. **457**, 503, 1992
Thymus
The effects of time after orchidectomy (OCX) on the thymus and accessory sex organs of 10-week- and 18-month-old rats. **446**, 453*P*, 1992

Thyroid
The centenary of hormone replacement therapy in thyroid disease in man by Dr G.R. Murray of Newcastle upon Tyne. **452**, 268*P*, 1992

Thyroid hormone
The intracellular sodium and potassium activities, determined using ion-sensitive microelectrodes, in isolated soleus muscle fibres of hypothyroid rats. **446**, 459*P*, 1992

Thyrotrophin-releasing hormone
Differential effects of a TRH analogue on fore- and hindpaw footfall patterns in the rat. **452**, 250*P*, 1992

Tissue culture
Quantifying the proliferative response in cultured human and rabbit airway smooth muscle. **446**, 591*P*, 1992
Studies of transepithelial Cl^- transport in cultured cauda epididymal cells of rats by the short-circuit current method. **457**, 391, 1992

Tobramycin
Effects of gentamycin and tobramycin on renal calcium and magnesium handling in anaesthetized Fischer 344 rats. **452**, 133*P*, 1992

Tooth
Assessing the stability of reference points used for recording movements by discontinuing measurements of position. **446**, 477*P*, 1992
The effect of consistency of the diet and shortening incisor teeth in rats on the eruption rates and intra-oral lengths of the unshortened incisors. **446**, 530*P*, 1992
Directional sensitivity of human periodontal mechanoreceptive afferents to forces applied to the teeth. **447**, 373, 1992

Toxin
Spontaneous release of nitric oxide inhibits electrical, Ca^{2+} and mechanical transients in canine gastric smooth muscle. **445**, 231, 1992

Trachea
Characteristics of tracheal epithelium isolated from fetal and adult sheep: apical and basolateral membrane conductances. **446**, 15*P*, 1992
Bradykinin-induced increases in albumin output and lysozyme secretion are reduced by indomethacin in the ferret trachea *in vivo*. **446**, 116*P*, 1992
Changes in the isolated basolateral potassium conductance induced by Acetylcholine (ACh) in isolated sheep tracheal epithelium. **452**, 144*P*, 1992
Selective activation of single vagal C fibres by capsaicin and bradykinin in the guinea-pig trachea *in vitro*. **452**, 203*P*, 1992
Transport of sodium into apical membrane vesicles prepared from sheep tracheal epithelium. **452**, 358*P*, 1992
Vagal control of mucus glycoconjugate secretion into the feline trachea. **453**, 435, 1992
Multiple motor pathways to single smooth muscle cells in the ferret trachea. **456**, 557, 1992

Tracheal acid aspiration
Tracheal acid aspiration in patients in the Intensive Care Unit. **446**, 424*P*, 1992

Trachealis cell
Delayed rectifier potassium channels in canine and porcine airway smooth muscle cells. **447**, 329, 1992

Tracking locus
Analysis of unstable cardiorespiratory waveforms by the frequency tracking locus in human preterm infants. **452**, 27*P*, 1992

Transduction
The effect of caged calcium release on the adaptation of the transduction current in chick hair cells. **458**, 27, 1992

Transient inward current
The effect of R56865 on transient inward current and intracellular calcium transients of isolated guinea-pig ventricular myocytes. **446**, 542*P*, 1992
Ionic mechanisms of transient inward current in the absence of Na^+–Ca^{2+} exchange in rabbit cardiac Purkinje fibres. **456**, 19, 1992

Transmitter release
Exocytosis in nerve terminals of the cultured bovine chromaffin cell studied at a single granule level. **446**, 205*P*, 1992

Transplantation
Neonatal rat spinal cord does not provide a favourable environment for grafted embryonic motoneurones. **446**, 256*P*, 1992

Transport
Modulation of amino acid uptake in *Xenopus* oocytes in relation to environmental amino acid availability. **446**, 13*P*, 1992
Identification of a new transport system (y^+L) in human erythrocytes that recognizes lysine and leucine with high affinity. **454**, 491, 1992

Transport kinetics
Stilbene disulphonates inhibit apparently separate chloride transporters in skeletal muscle of *Rana temporaria*. **448**, 383, 1992

Trauma
Modulation of the jaw opening reflex and responses of trigeminal brain-stem neurones by peripheral conditioning stimuli in chronically prepared, anaesthetized cats. **446**, 386*P*, 1992

Trigeminal nucleus
Corneal inputs to neurones in the spinal trigeminal nucleus of anaesthetized rats. **452**, 239*P*, 1992

Trigeminal pain
A technique for chronic recording from subnucleus caudalis in cats using microwires. **452**, 174*P*, 1992

Trophoblast
Cross-inhibition between bile acids for their transport across basal plasma membrane of human term trophoblast. **446**, 34*P*, 1992

Turtle
Interactions between postsynaptic membrane properties and IPSPs in turtle Purkinje cells *in vitro*. **446**, 157*P*, 1992

Tyrosine
Efferent projections of incertohypothalamic A13 dopamine neurones: combined Phaseolus vulgaris-Leucoagglutinin (PHA-L) anterograde tracing and tyrosine hydroxylase (TH) immunoreactivity in the rat. **446**, 277*P*, 1992

Ultrasound
An evaluation of the use of edge detection when measuring atherosclerotic plaque from ultrasound images in man. **452**, 20*P*, 1992
Ultrastructure
Plasma proteins modify the endothelial cell glycocalyx of frog mesenteric microvessels. **445**, 473, 1992
Ureter
Recovery of ureteric motility following complete and partial ureteric obstruction in the dog: an *in vivo/in vitro* comparative study. **446**, 454*P*, 1992
Urinary excretion
Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992
Urine
Absence of the postprandial urinary alkaline tide under controlled conditions in man. **446**, 583*P*, 1992
Factors influencing the urinary free $[Ca^{2+}]$ in normal subjects and from patients with urinary tract stones. **446**, 584*P*, 1992
Uterine fibroid cell
Transient outward K^+ currents are expressed with high probability in human uterine fibroid cells in culture in comparison to normal myometrial cells. **446**, 131*P*, 1992
Uterus
Intracellular alkalinization increases contraction in isolated rat uterus. **446**, 50*P*, 1992
An investigation of factors affecting force production in isolated human uterine strips. **446**, 485*P*, 1992
Cyanide increases ^{86}Rb efflux from isolated non-pregnant rat uterus. **446**, 487*P*, 1992
The relation between intracellular pH (pH_i) and force in isolated rat uterus: simultaneous measurements of pH_i and force. **452**, 232*P*, 1992
Vagal neurone
Demonstration of substance P-containing axons in synaptic contact with vagal preganglionic neurones in the nucleus ambiguus of the anaesthetized rat. **452**, 223*P*, 1992
Ionic basis of membrane potential changes induced by anoxia in rat dorsal vagal motoneurones. **455**, 89, 1992
Mechanism of action of oxytocin in rat vagal neurones: induction of a sustained sodium-dependent current. **457**, 131, 1992
Effects of vasopressin and angiotensin II on neurones in the rat dorsal motor nucleus of the vagus, *in vitro*. **458**, 561, 1992
Vagotomy
Conventional *versus* slug CO_2 loading and the control of breathing in anaesthetized cats. **445**, 487, 1992
Vagus
Effects of sympathetic activity and galanin on cardiac vagal action in anaesthetized cats. **448**, 225, 1992
Selective activation of single vagal C fibres by capsaicin and bradykinin in the guinea-pig trachea *in vitro*. **452**, 203*P*, 1992
The localization of vagal preganglionic neurones in the ferret, *Mustela putorius furo* and the mink, *Mustela vison*. **452**, 246*P*, 1992
Impact of antral mechanoreceptor activation on the vago-vagal reflex in the rat: functional zonation of responses. **453**, 401, 1992
Vagus nerve
Baroreflex control of stroke volume in man: an effect mediated by the vagus. **448**, 539, 1992
Vagal control of mucus glycoconjugate secretion into the feline trachea. **453**, 435, 1992
Vas deferens
Maxi-K^+ channels on epithelial cells cultured from human fetal vas deferens. **452**, 344*P*, 1992
Vascular resistance
Effects of aortic pressure and vasoactive agents on the vascular resistance of the vasa vasorum in canine isolated thoracic aorta. **453**, 233, 1992
Vascular smooth muscle, *see also* Smooth muscle
Contracture induced by glycine and hypertonic solutions in vascular smooth muscle *in vitro*. **446**, 367*P*, 1992
The effect of loop diuretics on contraction in isolated rat arterial smooth muscle in normotension and hypertension. **446**, 416*P*, 1992
Simultaneous measurement of tension and $[Ca]_i$ in isolated human resistance arteries. **446**, 472*P*, 1992
Calcium currents in smooth muscle cells isolated from human mesenteric arteries measured in solutions containing normal and elevated calcium concentrations. **446**, 483*P*, 1992
Separation of potassium currents in single smooth muscle cells isolated from human mesenteric arteries. **446**, 484*P*, 1992
Effect of endothelin-1 on intracellular pH in isolated human resistance arteries in the presence of a physiological buffer. **446**, 489*P*, 1992
Effects of the toad bufodienolide, bufalin (BU), on contraction and relaxation of isolated human resistance arteries. **446**, 494*P*, 1992
Deoxycorticosterone acetate acts through specific mineralocorticoid receptors to regulate the α_1-adrenergic transmembrane signalling pathway in rat vascular smooth muscle. **446**, 594*P*, 1992
Rate-limiting energy-dependent steps controlling oxidative metabolism–contraction coupling in rabbit aorta. **448**, 473, 1992
Fast changes in intracellular pH (pH_i) following alteration of external pH (pH_e) in isolated vascular smooth muscle cells from rat mesenteric arteries. **452**, 307*P*, 1992
An electrophysiological study of responses evoked in isolated segments of rat tail artery during growth and maturation. **454**, 83, 1992
Inhibition of cytokine-induced nitric oxide production by transforming growth factor-β1 in human smooth muscle cells. **454**, 451, 1992
Phenylephrine-induced translocation of protein kinase C and shortening of two types of vascular cells of the ferret. **455**, 585, 1992

Vascular smooth muscle (*cont.*)
Mechanisms of caffeine-induced contraction and relaxation of rat aortic smooth muscle **456**, 193, 1992
Ca^{2+}-activated and voltage-gated K^+ currents in smooth muscle cells isolated from human mesenteric arteries. **457**, 431, 1992
Ca^{2+} currents in single myocytes from human mesenteric arteries: evidence for a physiological role of L-type channels. **457**, 455, 1992
Tension responses of sheep aorta to simultaneous decreases in phosphocreatine, inorganic phosphate and ATP. **458**, 139, 1992
Vasoactive intestinal polypeptide
Effects of vasoactive intestinal polypeptide (VIP) on redox state of cytochromes, oxygen consumption, and evoked potentials in the rat olfactory cortex slice. **446**, 391*P*, 1992
The effects of a high sodium diet on the metabolism and secretion of vasoactive intestinal peptide in the rabbit. **451**, 17, 1992
Vasoactivity
Vasoactive effects of basic and acidic fibroblast growth factors on arteriolar vessels in the cheek pouch of the anaesthetized hamster. **452**, 11*P*, 1992
Vasoconstriction
Acute hypoxic vasoconstriction in isolated pulmonary arteries of the rat is dependent on the endothelium. **446**, 490*P*, 1992
Vasodilatation
Somatosensory stimulation causes autonomic vasodilatation in cat lip. **450**, 191, 1992
Effects of electrical stimulation of teeth on blood flow in dental pulp in man. **452**, 171*P*, 1992
Vasopressin
Impaired renal excretion of sodium in the Brattleboro (DI) rat: fact or artefact? **446**, 54*P*, 1992
The effect of melatonin on vasopressin release from the rat hypothalamus *in vitro*. **446**, 513*P*, 1992
The renal responsiveness to exogenous vasopressin on different days of the oestrous cycle in the conscious rat. **446**, 587*P*, 1992
The influence of vasopressin on the venous vessels of muscle during systemic hypoxia in the anaesthetized rat. **452**, 10*P*, 1992
The effect of altered sodium intake on neurohypophysial function in the rat. **452**, 35*P*, 1992
Evidence for involvement of a dynein-like motor in vasopressin action in the isolated toad urinary bladder. **452**, 81*P*, 1992
Sodium retaining action of arginine-vasopressin (AVP) in hydrated man. **452**, 87*P*, 1992
The role of vasopressin (AVP) in the cardiovascular response evoked by hypocapnic- and normocapnic-hypoxia in the anaesthetized rat. **452**, 220*P*, 1992
Plasma vasopressin and aldosterone concentrations and urinary excretion in camels subjected to dehydration and rehydration in hot, dry and mild, humid environments. **452**, 253*P*, 1992
The effect of ovariectomy and oestrogen replacement on the renal actions of vasopressin in the rat. **452**, 318*P*, 1992
The role of the renin-angiotensin system in the cardiovascular response to systemic hypoxia in the anaesthetized rat with P_{a,CO_2} maintained. **452**, 319*P*, 1992
Effect of colcemid on the water permeability response to vasopressin in isolated perfused rabbit collecting tubules. **456**, 591, 1992
Effects of vasopressin and angiotensin II on neurones in the rat dorsal motor nucleus of the vagus, *in vitro*. **458**, 561, 1992
Vasospasm
A factory study of vasospasm in riveters. **446**, 417*P*, 1992
Vein
The role of nociceptors of cutaneous veins in the mediation of cold pain in man. **449**, 73, 1992
Ventilation, *see also* Breathing, Respiration
The effect of intravenous infusions of KCl and lactic acid on ventilation in anaesthetized cats. **446**, 426*P*, 1992
The effects of superior laryngeal nerve section on ventilatory responses to hypercapnia and hypoxia in conscious rats. **446**, 465*P*, 1992
Central command influences cardiorespiratory response to dynamic exercise in humans with unilateral weakness. **448**, 551, 1992
The ventilatory response to CO_2 of the peripheral and central chemoreflex loop before and after sustained hypoxia in man. **456**, 71, 1992
Ventilatory depression
Ventilatory response to sustained hypoxia in carotid body-resected humans. **446**, 119*P*, 1992
Ventricle
Rate dependency of stretch-induced ectopic beats in isolated perfused rabbit ventricle. **446**, 337*P*, 1992
Ventricular cell
Nexus channel requirements for action potential entrainment in ventricular cardiac cells: simulation and experimental approaches. **446**, 343*P*, 1992
Ventricular muscle
Influence of pH, inorganic phosphate (P_i) and caffeine on the Ca^{2+} activation of skinned cardiac muscle: comparison between muscle from neonatal and adult rat hearts. **446**, 537*P*, 1992
Ventricular myocyte
α-Adrenergic receptors mediate inhibition of Na^+–HCO_3^- symport in the guinea-pig and rabbit ventricular myocyte. **446**, 142*P*, 1992
Rapid effects of photo-released guanosine nucleotides on L-type Ca^{2+} and Ba^{2+} currents in guinea-pig cardiac ventricular myocytes. **446**, 144*P*, 1992
Some effects of stretch in single guinea-pig ventricular myocytes. **446**, 238*P*, 1992
Transient changes in action potential duration and calcium current after an increase in stimulation frequency in isolated guinea-pig ventricular cardiocytes. **446**, 338*P*, 1992
Temperature dependence of L-type calcium

Ventricular myocyte (*cont.*)
currents in single isolated guinea-pig ventricular myocytes. **446**, 554*P*, 1992
Role of an inwardly rectifying potassium current in rabbit ventricular action potential. **448**, 709, 1992
Cell-attached patch recording of single Na-activated K channels ($I_{K(Na)}$) from intact guinea-pig ventricular myocytes, perfused with Ca- and Mg-free Tyrode solution. **452**, 269*P*, 1992

Ventricular receptor
An electrophysiological study of ventricular receptors in anaesthetized dogs. **446**, 544*P*, 1992

Ventrolateral medulla
Role of medullary raphe nuclei in the inhibition of rostral ventrolateral medullary neurones evoked from the ventrolateral periaqueductal grey matter in anaesthetized rats. **446**, 521*P*, 1992

Vestibular system
Vestibular-evoked postural reactions in man and modulation of transmission in spinal reflex pathways. **455**, 407, 1992

Vibration
Vibrotactile sensitivity of slowly adapting type I sensory fibres associated with touch domes in cat hairy skin. **453**, 609, 1992
Responses of slowly adapting type II afferent fibres in cat hairy skin to vibrotactile stimuli. **458**, 151, 1992

Vibrissa
Simultaneous visualization of cortical barrels and horseradish peroxidase-injected layer 5b vibrissa neurones in the rat. **454**, 247, 1992

Virus
Intracellular dye-injection study of oligodendrocyte morphology in the isolated intact mouse optic nerve: response to demyelination in a viral model of multiple sclerosis and to tumour necrosis factor. **446**, 474*P*, 1992

Visceral innervation
The afferent discharges from sensors for interleukin-1-β in the hepato-portal system in the anaesthetized rat. **446**, 236*P*, 1992

Viscosity
An internal viscous element limits unloaded velocity of sarcomere shortening in rat myocardium. **454**, 619, 1992

Vision, *see also* Binocular vision, Colour vision
Interocular comparisons of length summation and end-inhibition in striate cortical neurones of the anaesthetized cat. **446**, 232*P*, 1992
Equiluminance stimuli elicit low frequency temporal responses in human vision. **452**, 39*P*, 1992
Pharmacological segregation of visual responses in the dorsolateral geniculate nucleus (dLGN) of the anaesthetized rat **452**, 181*P*, 1992
The influence of vision on the accuracy of reaching movements in patients with cerebellar disease. **452**, 271*P*, 1992
Does the human visual system combine information from motion analyses at different spatial scales? **452**, 283*P*, 1992
Short-term learning in vernier acuity in humans. **452**, 284*P*, 1992
Facial features and axis of symmetry extracted using natural orientation information. **452**, 285*P*, 1992
Relative sensitivity to colour and luminance gratings in human observers and monkey parvocellular neurones. **452**, 286*P*, 1992
Representing image velocity in a self-organized artificial neural network. **452**, 287*P*, 1992
Spatial frequency selectivity of striate cortical neurones in the anaesthetized cat: velocity *vs.* temporal frequency. **452**, 289*P*, 1992

Visual acuity
Life span changes in the visual acuity of the Japanese quail. **452**, 42*P*, 1992
Uncertainty effects in orientation discrimination of foveally seen lines in human observers. **454**, 1, 1992

Visual contrast sensitivity
Uncertainty effects in orientation discrimination of foveally seen lines in human observers. **454**, 1, 1992

Visual cortex
Long-term enhancement *in vitro* appears extracellularly as apparent long-term depression via depolarization masking in kitten area 17. **446**, 28*P*, 1992
Spatial frequency selectivity of cells in layer VI of the visual cortex of the anaesthetized cat. **446**, 233*P*, 1992
Fast and slow components of unitary EPSCs on stellate cells elicited by focal stimulation in slices of rat visual cortex. **449**, 247, 1992
Response characteristics of the cells of cortical area 21a of the cat with special reference to orientation specificity. **449**, 457, 1992
The delay in transmitting language information through human visual cortex. **452**, 41*P*, 1992
Spatial frequency selectivity of striate cortical neurones in the anaesthetized cat: velocity *vs.* temporal frequency. **452**, 289*P*, 1992

Visual development
Longitudinal chromatic aberration and emmetropization: results from the chicken eye. **449**, 363, 1992

Visual receptive field
Response characteristics of the cells of cortical area 21a of the cat with special reference to orientation specificity. **449**, 457, 1992
Uncertainty effects in orientation discrimination of foveally seen lines in human observers. **454**, 1, 1992

Vitamin C
Is vitamin C an oxygen carrier in the brain? **446**, 522*P*, 1992

Voltage clamp
Membrane currents in small cultured rat hippocampal neurons: a voltage-clamp study. **445**, 141, 1992
Role of an inwardly rectifying potassium current in rabbit ventricular action potential. **448**, 709, 1992

Voltage clamp (*cont.*)
Cholinergic activation of a non-selective cation current in canine gastric smooth muscle is associated with contraction. **449**, 377, 1992
Exponential activation of the cardiac Na^+ current in single guinea-pig ventricular cells. **453**, 261, 1992
Control of the hyperpolarization-activated cation current by external anions in rabbit sino-atrial node cells. **453**, 307, 1992
Extracellular divalent and trivalent cation effects on sodium current kinetics in single canine cardiac Purkinje cells. **454**, 267, 1992
Mechanisms of extracellular divalent and trivalent cation block of the sodium current in canine cardiac Purkinje cells. **454**, 299, 1992
A contraction-related component of slow inward current in dog ventricular muscle and its relation to Na^+–Ca^{2+} exchange. **456**, 49, 1992
Voltage-dependent ionic currents in dissociated paratracheal ganglion cells of the rat. **457**, 591, 1992
Diazoxide blocks glutamate desensitization and prolongs excitatory postsynaptic currents in rat hippocampal neurons. **458**, 409, 1992

Voltage-dependent calcium channel
Histamine H_3-receptor activation augments voltage-dependent Ca^{2+} current via GTP hydrolysis in rabbit saphenous artery. **448**, 133, 1992

Voltage-gated potassium channel
Ca^{2+}-activated and voltage-gated K^+ currents in smooth muscle cells isolated from human mesenteric arteries. **457**, 431, 1992

Voltage gating
Efficiency of electromechanical transduction in the voltage sensor of ion channels; a theoretical study. **446**, 167*P*, 1992

Volume
Volume-regulatory Cl^- channel currents in cultured human epithelial cells. **456**, 351, 1992

Voluntary movement
Visual and proprioceptive feedback in human visuo-motor tracking tasks. **446**, 231*P*, 1992
Human visuo-motor tracking in cerebellar dysfunction. **446**, 449*P*, 1992
Dynamic changes in human diaphragm length: maximal inspiratory and expulsive efforts studied with sequential radiography. **457**, 167, 1992

Walking, *see* Locomotion

Water
Direct evidence of fluid uptake into rat descending colonic crypts. **452**, 351*P*, 1992

Water balance
Mechanisms by which the pregnant ewe can sustain increased salt and water supply to the fetus. **445**, 569, 1992

Wave velocity
Measurement of local arterial pulse wave velocity in a human subject by a comb-excitation magnetic resonance imaging (MRI) technique. **452**, 17*P*, 1992

Withdrawal reflex
Opioidergic inhibition of flexor and extensor reflexes in the rabbit. **449**, 493, 1992

Wrist
Task-dependent changes in the response of human wrist joints to mechanical disturbance. **447**, 575, 1992

Xenopus
The effects of acetylcholine on rhythmically active spinal neurones in *Xenopus* embryos. **452**, 234*P*, 1992
The hyperpolarization in *Xenopus* oocytes induced by lowering external sodium. **452**, 315*P*, 1992

X-ray diffraction
Radial forces in single intact muscle fibres of *Rana temporaria* at different lattice spacings. **446**, 261*P*, 1992

X-ray microanalysis
Element concentrations in rabbit bronchial smooth muscle cells in culture measured using X-ray microanalysis. **446**, 251*P*, 1992

Zinc
Effects of amino acids on zinc transport in rat erythrocytes. **445**, 69, 1992
^{65}Zn efflux from brain in the anaesthetized rat. **446**, 29*P*, 1992
Zinc uptake by human fibroblasts; evidence for a potassium-mediated process. **446**, 30*P*, 1992
A novel modulatory binding site for zinc on the $GABA_A$ receptor complex in cultured rat neurones. **447**, 587, 1992


1.0
1.1
1.25
1.4
1.6
2.8
2.5
3.2
2.2
3.6
2.0
4.0
1.8